

# Rittal – The System.

Faster – better – everywhere.

## ▶ TS 8 freestanding enclosures Stainless steel – TS 9977.469

Date : May 25, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# TS 8 freestanding enclosures Stainless steel – TS 9977.469

created: 25.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

**Material:** Enclosure frame: Stainless steel 1.4404 (AISI 316L), 1.5 mm  
Roof: Stainless steel 1.4404 (AISI 316L), 1.5 mm, exterior brushed  
Door: Stainless steel 1.4404 (AISI 316L), 2.0 mm, exterior brushed  
Rear panel: Stainless steel 1.4404 (AISI 316L), 1.5 mm, exterior brushed  
Gland plate: Stainless steel 1.4404 (AISI 316L), 2.5 mm

**Surface finish:** Enclosure frame and base plates: Uncoated  
Door, roof and rear panel: Exterior brushed, grain size 400  
Mounting plate: Zinc-plated

**Protection category  
IP to IEC 60 529:** IP 66

**Protection category  
NEMA:** NEMA 4X

**Supply includes:** Gland plate  
Padlockable handle

## Product features

**Dimensions:** Height: 2200 mm (87 ")  
Width: 800 mm (31 ")  
Depth: 600 mm (24 ")

**Packaging unit:** 1 pc(s).

**Weight/packaging  
unit:** 136 kg (299.8 lb.)

EAN: 88040

---

## Approvals

---

Approvals: UL + C-UL

---