Rittal – The System.

Faster – better – everywhere.

Support Bracket TS – TS 8800.330

Date : May 24, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Support Bracket TS – TS 8800.330

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description:	For the attachment of 23 x 73 mm mounting chassis or 23 x 23 mm punched rails.
Material:	Die-cast zinc
Supply includes:	1 set = 1 support bracket, 1 stay, 3 metal screws 5.5 x 13 mm

Product features

Suitable for:	Enclosure type: TS 8
Installation options:	On the vertical TS enclosure section (25 mm hole pattern, 2 mm increments) On the horizontal SE enclosure section, top, in the width
Packaging unit:	6 pc(s).
Weight/packaging unit:	1.12 kg (2.5 lb.)
EAN:	4028177230958
Customs tariff number:	73182900
ETIM 6.0:	EC002625
ETIM 5.0:	EC002625
eCl@ss 8.0/8.1:	27189234

Â© Rittal 2018

eCl@ss 7.0/7.1:	27189234
eCl@ss 6.0/6.1:	27189234
eCl@ss 5.1/5.1.4:	27189234
Product description (long):	TS Support bracket, for direct fixation on TS profile, of PS punched rail 23x23 mm/, PS punched rail 23x23 mm

Approvals

Certificates:	EAC