

BALDOR® • RELIANCE

Product Information Packet

UCLE570

5-7 AIR OVERHP,3450RPM,1PH,60HZ,182TZ,36


Part Detail									
Revision:	B	Status:	PRD/A	Change #:		Proprietary:	No		
Type:	AC	Prod. Type:	3646LC	Elec. Spec:	36WGX572	CD Diagram:			
Enclosure:	TEAO	Mfg Plant:		Mech. Spec:	36H991	Layout:			
Frame:	182TZ	Mounting:	F1	Poles:	02	Created Date:	03-03-2010		
Base:	RG	Rotation:	R	Insulation:	H	Eff. Date:	05-13-2011		
Leads:	2#10 A PH 30" long	Reference:	Y	Elec. Diagram:		Replaced By:			
Nameplate NP1279L									
CAT.NO.	UCLE570								
SPEC.	36H991X572G2								
HP	5-7 AIR OVER								
VOLTS	230								
AMP	20.5-27.7								
RPM	3450								
FRAME	182TZ	HZ			60	PH	1		
SER.F.	1.00	CODE			K	DES	L	CL	H
NEMA-NOM-EFF		PF							
RATING	40C AMB-CONT								
CC		USABLE AT 208V							
DE	6206	ODE			6205				
ENCL	TEAO	SN							

Nameplate NP1263L									
CAT.NO.	UCLE570								
SPEC.	36H991X572G2								
HP	5-7 AIR OVER								
VOLTS	230								
AMP	20.5-27.7								
RPM	3450								
FRAME	182TZ	HZ			60	PH	1		
SER.F.	1.00	CODE			K	DES	L	CL	H
NEMA-NOM-EFF		PF							
RATING	40C AMB-CONT								
CC		USABLE AT 208V							
DE	6206	ODE			6205				
ENCL	TEAO	SN							

Parts List		
Part Number	Description	Quantity
SA191655	SA 36H991X572G2	1.000 EA
RA179314	RA 36H991X572G2	1.000 EA
OC3060F10SP	CYL OIL CAP 60MFD/370V	1.000 EA
EC1216C06SP	ELEC CAP, 216-259 MFD, 250V, 2.06D X 4.	2.000 EA
HA6021A01SP	ADAPTOR, MACH	1.000 EA
36GS5000	GASKET CONDUIT ADAPTOR	1.000 EA
51XB1016A07	10-16 X 7/16 HXWSSLD SERTYB	2.000 EA
11XW1032G06	10-32 X .38, TAPTITE II, HEX WSHR SLTD U	1.000 EA
HW3001B01	003SS CUP WASHER, FOR #8 SCREW	1.000 EA
36EP3101A86	FR ENDPLATE, 2 GRSRS, GRD @2	1.000 EA
HW4500A19	1/4-28X1/4 SLOTTED PLUG F/S	2.000 EA
13XF0832A08	8-32 X.50 PAN HD,SLTD, TYPE F SCREW, ZIN	2.000 EA
NS2501A01	INSULATOR, CAPACITOR	2.000 EA
51XB1016A05	10-16X5/16HX WA SL SR TYB (F/S)	4.000 EA
HW5100A05	WVY WSHR F/205 & 304 BRGS	1.000 EA
36EP3100A06	PU ENDPLATE, MACH	1.000 EA
HW4500A19	1/4-28X1/4 SLOTTED PLUG F/S	2.000 EA
10XN2520A20	1/4-20X 1 1/4 HEX HD X	2.000 EA
HW1001A25	LOCKWASHER 1/4, ZINC PLT .493 OD, .255 I	2.000 EA
XY2520A12	1/4-20 HEX NUT, DIRECTIONAL SERRATIONS	4.000 EA
HW2501E18	KEY, 1/4 SQ X 2.000	1.000 EA
HA7000A02	KEY RETAINER RING, 1 1/8 DIA, 1 3/8 DIA	1.000 EA
10XF0440S02	04-40 X 1/8 TYPE F HEX HD STAINLESS STIC	2.000 EA
LB1001	LABEL, GREASE-EXXON POLYREX EM	1.000 EA

Parts List (continued)		
Part Number	Description	Quantity
HW3200A01	3/8-16X3/4 I-BLT WELDED F/S	1.000 EA
MJ1000A75	GREASE, POLYREX EM EXXON	0.050 LB
MG1025Z20	ACTIVATOR WILKOFAS 060.32	0.010 GA
LB1115	LABEL,LIFTING DEVICE	1.000 EA
LD5000A24	LEAD ASSY, ML1400DF10 W/#10 RING 12"	1.000 EA
SP5172A13	37 TYPE L TORQ STAT SWITCH LEAD ASSEMBLY	1.000 EA
WD1000A15	3-520132-2 AMP FLAG (4M/RL NON-CANC/NON-	6.000 EA
35CB4802A02SP	CAPACITOR COVER, STAMPED X W/AUTOPHORET	2.000 EA
35GS3001A02	GASKET, CA.COVER, 5.38 LONG .06 CS301	2.000 EA
HA3101A28	THRUBOLT 1/4-20 X 12.500 OHIO ROD	4.000 EA
MG1025C02	PAINT, 787.105 LITE TAN EPOXY (USE W/MG1	0.022 GA
LB1119	WARNING LABEL	1.000 EA
LB1125C01	STD (STOCK) CARTON LABEL BALDOR WITH FLA	1.000 EA
LC0208	CONNECTION LABEL X	1.000 EA
NP1279L	ALUM, UL CSA, FARM DUTY, W/O THERMAL,	1.000 EA
NP1263L	AUX, GP, ALUM, CC, LASER ETCHED	1.000 EA
36PA1001	PACKAGING GROUP	1.000 EA

Accessories		
Part Number	Description	Multiplier
36-3301	C FACE KIT	A8
36EP1304A62SP	FLANGE MTD ENDPLATE 182-4TD -ENCL (LESS	A8



CUSTOMER IS RESPONSIBLE FOR DETERMINING THAT MOTOR PERFORMANCE IS SUITABLE IN THE APPLICATION.

REV. DESC: ADD DIM. FROM FREP TO CENTER OF LEAD HOLE

REV. LTR: B

VERSION: 01

TDR: 000000443387

BALDOR • DODGE • RELIANCE

166HA79C

FILE: \AAA\00053\494

REVISED: 10:17:51 09/13/2007

MTL: -

BY: ENMATRO

HOR 182-4TZ TENV 36L-LC CROP DRYER W/T'STATS, (2)CAP.CANS

36LYH991

CD0208

