

Rittal – The System.

Faster – better – everywhere.

Door stay – SZ 2519.000

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Door stay – SZ 2519.000

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description:	To secure door in open position.
Mounting tip:	The perforated mounting strip will also be required in the case of AE stainless steel
Supply includes:	Assembly components
Note on Model No.:	Not suitable for AE 1032.500 and AE 1035.500

Product features

Suitable for:	Enclosure type: AE Enclosure type: AE stainless steel
Installation position:	Top
Packaging unit:	5 pc(s).
Weight/packaging unit:	0.57 kg (1.3 lb.)
EAN:	4028177026018
Customs tariff number:	83024900
ETIM 6.0:	EC002626
ETIM 5.0:	EC002626

eCl@ss 8.0/8.1:	27189266
eCl@ss 7.0/7.1:	27189234
eCl@ss 6.0/6.1:	27189234
eCl@ss 5.1/5.1.4:	27189252
Product description (long):	SZ Door stay, for AE
Approvals	
Certificates:	EAC