

Rittal – The System.

Faster – better – everywhere.

Fan expansion kit – DK 7980.100

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Fan expansion kit – DK 7980.100

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description: Can be used as a stand-alone fan and for retrofitting various fan units or to extend the fan mounting plate.

Supply includes: Fans
Connection cable (0.61 m)
Assembly components

Product features

Air throughput (unimpeded air flow): At 50 Hz: 108 m³/h (63.6 cfm)
At 60 Hz: 120 m³/h (70.6 cfm)

Unimpeded air flow (without filter mats):

Unimpeded air flow (with filter mats):

Rated operating voltage: 230 V, 1~, 50 Hz/60 Hz

Dimensions: Height: 119 mm (4.7 ")
Width: 119 mm (4.7 ")
Depth: 25 mm (0.98 ")

Temperature range: Operation (environment): -20°C...+70°C

Rated power P_{el} : At 50 Hz: 14 W
At 60 Hz: 12 W

Noise pressure level: At 50 Hz: 34 dB(A)
At 60 Hz: 34 dB(A)

Packaging unit:	1 pc(s).
Weight/packaging unit:	0.49 kg (1.1 lb.)
EAN:	4028177187313
Customs tariff number:	84149000
ETIM 6.0:	EC000320
ETIM 5.0:	EC000320
eCl@ss 8.0/8.1:	27180716
eCl@ss 7.0/7.1:	27180716
eCl@ss 6.0/6.1:	27180716
eCl@ss 5.1/5.1.4:	27180705
Product description (long):	DK Fan expansion kit, WHD: 119x119x25 mm, 230 V, 1 ~, 50/60 Hz
Approvals	
Approvals:	Approval overview
Certificates:	EAC
Declarations:	Declaration of conformity