

Rittal – The System.

Faster – better – everywhere.

Slot-in cable gland, 482.6 mm (19") – DK 2094.400

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Slot-in cable gland, 482.6 mm (19") – DK 2094.400

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Version: Size of mounting hole 9.5 x 9.5 mm

Description: The screw fastening consists of an expanding nut which is inserted into the square hole at the front only and then secured with the fastening screw. When the screw is tightened the captive nut expands in this way securing the elements. Holder tightening zone 1.2 – 4.5 mm. Multi-tooth screw head, bit size T 30.

Material: Carbon steel

Surface finish: Zinc-plated

Supply includes: Expanding nuts
Plastic washers

Product features

Thread: Type: M6

Thread length: 16 mm (0.63 ")

Packaging unit: 50 pc(s).

Weight/packaging unit: 0.35 kg (0.8 lb.)

EAN: 4028177488847

Customs tariff number: 73181900

ETIM 6.0:	EC002358
ETIM 5.0:	EC002358
eCl@ss 8.0/8.1:	23110815
eCl@ss 7.0/7.1:	27182590
eCl@ss 6.0/6.1:	27182590
eCl@ss 5.1/5.1.4:	27182504
Product description (long):	DK Slot-in cable gland, 482.6 mm (19"), M6, L: 16 mm