

# Rittal – The System.

Faster – better – everywhere.

## Lock Insert – SZ 2461.000

Date : May 25, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Lock Insert – SZ 2461.000

created: 25.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

Material:	Die-cast zinc
-----------	---------------

## Product features

Suitable for:	Enclosure type: EB Enclosure type: BG with cam Enclosure type: AE with cam Enclosure type: Basic AE with cam Enclosure type: Wall-mounted housing AE with cam Enclosure type: AE with 3-point lock Enclosure type: Basic AE with 3-point lock Enclosure type: Wall-mounted housing AE with 3-point lock Enclosure type: PC enclosure for keyboard drawer or fold-out tray Enclosure type: TP desk unit and top piece Enclosure type: TP pedestals Enclosure type: One-piece console TP console cover Enclosure type: One-piece console TP console door Enclosure type: TP universal console Enclosure type: AE with 3-point lock, stainless steel Enclosure type: Basic AE with 3-point lock, stainless steel
Dimensions:	Length: 27 mm (1.1 ")
Installation in handle system:	Ergoform-S handle Standard Ergoform-S handle Standard for KS plastic enclosures Adjacent door latch
Lock Insert:	8 mm square
Packaging unit:	1 pc(s).

Weight/packaging	0.02 kg (0 lb.)
------------------	-----------------

<b>unit:</b>	
<b>EAN:</b>	4028177023789
<b>Customs tariff number:</b>	83015000
<b>ETIM 6.0:</b>	EC000743
<b>ETIM 5.0:</b>	EC000743
<b>eCl@ss 8.0/8.1:</b>	27409218
<b>eCl@ss 7.0/7.1:</b>	27409218
<b>eCl@ss 6.0/6.1:</b>	27409218
<b>eCl@ss 5.1/5.1.4:</b>	27189256
<b>Product description (long):</b>	SZ Lock insert, version A, Die-cast zinc, 8 mm square, L: 27 mm
<b>Approvals</b>	
<b>Certificates:</b>	EAC