

# Rittal – The System.

Faster – better – everywhere.

## **Wallmounted enclosure Stainless steel – WM 8017.610**

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Wallmounted enclosure Stainless steel – WM 8017.610 - WM161606N4

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

**Material:** Door: Stainless steel, all-round foamed-in PU seal  
Housing and door: Stainless steel 1.4301 (AISI 304)  
Mounting plate: Carbon steel, zinc-plated

**Surface finish:** Brushed

**Protection category  
IP to IEC 60 529:** IP 66

**Protection category  
NEMA:** NEMA 4X

**Supply includes:** Housing with door(s)  
Left hand hinge  
Mounting plate  
Wall mounting blind-nuts

## Product features

**Dimensions:** Height: 400 mm (16 ")  
Width: 400 mm (16 ")  
Depth: 150 mm (5.9 ")

**Material thickness::** Housing: 1.5 mm (0.06 ")  
Door: 1.5 mm (0.06 ")  
Mounting plate: 1.5 mm (0.06 ")

**Mounting plate:** Height: 375 mm (15 ")  
Width: 354 mm (14 ")

**Lock version:** Quarter turn

---

**Packaging unit:** 1 pc(s).

---

**Weight/packaging unit:** 10 kg (22 lb.)

---

**EAN:** 83186

---

## Approvals

---

**Approvals:** UL + C-UL

---