












COMPACT[®]

Flange/Standard Elbow Coupling
Flansch-/Standard-Winkelkupplung
Embout pivotant coudé
Acoplamiento del codo de brida




1  80/140 (1x)	2  50/60/80 (1x)	3  (1x)
4  (1x)	5  (1x)	6 50/60/80: M6x16 80/140: M6x30  (4x)
7  80/140 (4x)	8  80/140 (4x)	9  (3x) (4x)
10  (1x)	11  50/60/80 (4x)	






80/140

System	A		B		ØC	
	In.	mm	In.	mm	In.	mm
50	2.36	60	2.36	60	1.97	50
60	2.36	60	2.36	60	2.52	64
80	3.15	80	3.15	80	3.58	91
80/140	6.30	160	6.30	160	6.06	154





50/60/80



A Pentair Company

HOFFMAN (World Headquarters)
2100 Hoffman Way
Anoka, MN 55303-1745 USA
(763) 421-2240 Fax: (763) 422-2178
Customer Service: (763) 422-2211
www.hoffmanonline.com

Canada

HOFFMAN
111 Grangeway Avenue
Suite 504
Scarborough, Ontario M1H 3E9
(416) 289-2770 Fax: (416) 289-2883
1-800-668-2500 (Canada only)

Mexico

HOFFMAN MEXICO, S de RL de CV
Arquímedes No. 33
Piso 1
Col. Palmas Polanco
México, DF
CP 11560
P: (55) 5280-1596
F: (55) 5280-8827 / 5280-8167