

BALDOR® • RELIANCE

Product Information Packet

GP7413


G.M. D28JA 90VDC 8:1 GP7413

Part Detail							
Revision:	W	Status:	PRD/A	Change #:		Proprietary:	No
Type:	DC	Prod. Type:	2428P	Elec. Spec:	24WGZ175	CD Diagram:	CD1899
Enclosure:	TENV	Mfg Plant:		Mech. Spec:		Layout:	24A011Z175G1
Frame:		Mounting:		Poles:	00	Created Date:	
Base:		Rotation:	R	Insulation:	F	Eff. Date:	08-20-2016
Field Type:		Literature:		Elec. Diagram:		Replaced By:	



Specs			
Enclosure:	TENV		
Gearhead Type:	RIGHT ANGLE		
Gear Ratio:	8:1		
Gear Style:	JK		
Mounting Arrangement:	0.000		
Product Family:	General Purpose		

Nameplate NP1220A08

CAT.NO.	GP7413		
SER.NO			
SPEC.	24A011Z175G1		
FRAME	JK	TYPE	2428P
HP	.25	TE	
VOLTS	90V DC		
AMP	2.1		
F.F.	1.26	CLASS	F
AMB.	40	DUTY	CONT
BRUSHES	2/BP5052BP01		
R.P.M.	314		
TORQ/IN LB	32		
RATIO	8:1		
APRV-CE		APRV-CUL	



24A011Z175G1



CUSTOMER IS RESPONSIBLE FOR DETERMINING THAT BALDOR'S PRODUCT WILL PERFORM SUITABLY IN THE INTENDED APPLICATION.

REV. DESC: CHANGE OUTPUT SHAFT TOL TO .750/.749		
REV. LTR: A	VERSION: 01	TDR: 000000714835
FILE: \CKA\00025\805		REVISED: 10:22:36 10/05/2011
MTL: -		BY: CKJASW0


BALDOR

LY,24DC JK DOM TENV
SH 2 of 2

24A011Z175G1

CD1899

- (1) COLOR MAY BE
RED
WHT
BLU
- (2) COLOR MAY BE
BLK
BRN
- (3) COLOR WHEN REQ.
GRN
GRN/YEL



REV. DESC: NEW			
REV. LTR: -	BY: PAW	REVISED: 09:06:34 09/16/2004	TDR: 341564
668100		FILE: CKA00025830	REF: CD1899
		MTL: -	

BALDOR ELECTRIC Co.	
PM,2LD,REV,TANG,CK	

CD1899