

Rittal – The System.

Faster – better – everywhere.

Electric condensate evaporator – SK 3301.505

Date : May 25, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Electric condensate evaporator – SK 3301.505

created: 25.05.2018 build on www.rittal.com/us-en



Product description

Description:	For external mounting on enclosures. For use with all enclosure cooling units and air/water heat exchangers (wall-mounted).
---------------------	---

Benefits:	Suitable for international use thanks to multi-voltage support
------------------	--

Color:	RAL 7035
---------------	----------

Supply includes:	Electric condensate evaporator, ready to connect.
-------------------------	---

Product features

Rated operating voltage:	115 V - 230 V, 1~, 50 Hz/60 Hz
---------------------------------	--------------------------------

Dimensions:	Height: 129 mm (5.1 ") Width: 400 mm (16 ") Depth: 105 mm (4.1 ")
--------------------	---

Temperature range:	Operation (environment): +5°C...+60°C
---------------------------	---------------------------------------

Packaging unit:	1 pc(s).
------------------------	----------

Weight/packaging unit:	1.7 kg (3.7 lb.)
-------------------------------	------------------

EAN:	4028177695528
-------------	---------------

Customs tariff number:	84159000
-------------------------------	----------

ETIM 6.0:	EC002009
ETIM 5.0:	EC002009
eCl@ss 8.0/8.1:	27180715
eCl@ss 7.0/7.1:	27180715
eCl@ss 6.0/6.1:	27180715
eCl@ss 5.1/5.1.4:	27180792
Product description (long):	SK Electric condensate evaporator, 115-230 V, 1~, 50/60 Hz, WHD: 400 x 129 x 105 mm
Approvals	
Certificates:	EAC
Declarations:	Declaration of conformity