

# Rittal – The System.

Faster – better – everywhere.

## **Wallmounted enclosure stainless steel, with Roof Slope – WM 8018.704**

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Wallmounted enclosure stainless steel, with Roof Slope – WM 8018.704 - WMS363008N4

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

**Material:** Door: Stainless steel, all-round foamed-in PU seal  
Housing and door: Stainless steel 1.4301 (AISI 304)  
Mounting plate: Carbon steel, zinc-plated

**Surface finish:** Brushed

**Protection category  
IP to IEC 60 529:** IP 66

**Protection category  
NEMA:** NEMA 4X

**Supply includes:** Housing with door  
Left hand hinge  
Mounting plate  
Wall mounting blind-nuts  
20° overhanging slope top

## Product features

**Dimensions:** Height: 895 mm (35 ")  
Width: 760 mm (30 ")  
Depth: 210 mm (8.3 ")

**Material thickness:** Housing: 2 mm (0.08 ")  
Door: 2 mm (0.08 ")  
Mounting plate: 2.5 mm (0.1 ")

**Mounting plate:** Height: 870 mm (34 ")  
Width: 704 mm (28 ")

<b>Lock version:</b>	Quarter turn
<b>Packaging unit:</b>	1 pc(s).
<b>Weight/packaging unit:</b>	52 kg (114.6 lb.)
<b>EAN:</b>	84051