

# Rittal – The System.

Faster – better – everywhere.

## ► Hygienic Design Compact enclosure HD – HD 1317.600

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Hygienic Design Compact enclosure HD – HD 1317.600

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

<b>Version:</b>	Roof slope 30° towards the front
<b>Material:</b>	Housing and door: Stainless steel 1.4301 (AISI 304) Mounting plate: Carbon steel HD lock inserts: Stainless steel 1.4404 (AISI 316L) Seal: Silicone, compliant with FDA Guideline 21 CFR 177.2600
<b>Surface finish:</b>	Housing and door: Brushed, grain 400, peak-to-valley height < 0.8 µm Mounting plate: Zinc-plated Seal: Blue, dyed (RAL 5010)
<b>Protection category IP to IEC 60 529:</b>	IP 66
<b>Protection category IP to DIN 40 050-9:</b>	IP 69K
<b>Protection category NEMA:</b>	NEMA 13 NEMA 4X
<b>Supply includes:</b>	Housing of all-round solid construction Door with fitted seal Door catch on right, may be swapped to the left Mounting plate
<b>Base material:</b>	Stainless steel

## Product features

<b>Dimensions:</b>	Height (front): 1250 mm (49 ") Height (rear): 1421 mm (56 ") Width: 810 mm (32 ")
--------------------	---

Depth: 300 mm (12 ")

**Mounting plate:** Height: 1155 mm (45 ")  
Width: 740 mm (29 ")

**Number of cam locks:** 2

**Packaging unit:** 1 pc(s).

**Weight/packaging unit:** 71 kg (156.5 lb.)

**EAN:** 4028177567658

**Customs tariff number:** 94032080

**ETIM 6.0:** EC000261

**ETIM 5.0:** EC000261

**eCl@ss 8.0/8.1:** 27180101

**eCl@ss 7.0/7.1:** 27180101

**eCl@ss 6.0/6.1:** 27180101

**eCl@ss 5.1/5.1.4:** 27180102

**Product description (long):** HD Compact enclosure, WHD: 810x1250(H1)x1421(H2)x300 mm, Stainless steel 1.4301, with mounting plate, with hinged door and silicone seal

## Approvals

**Approvals:** UL + C-UL

**Certificates:** DGUV  
EAC

**Declarations:** Declaration of conformity