



Re-Form™ Plus Absorbents

- Eco-friendly, all-purpose absorbent for wiping, drips and leaks.
- Universal absorbency to handle most fluids including water, petroleum and non-aggressive chemicals
- Durable 2-ply construction made from 80% recycled cellulose and highly absorbent rags
- Up to 50% more absorbent than comparable polypropylene absorbents
- Class A fire retardant

Features:

- For Oils, Water-based Fluid & Non-Aggressive Chemicals
- Top Coverstock (2-Ply)
- Medium Durability & Medium Linting
- Perforated
- Heavy, Medium & Light Weight
- Cost: \$\$

Recommended For:

- Anywhere there is a leak, drip or spill
- Marine and environmental spills
- Oil refineries / fuel chemical
- General manufacturing

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Pads								
RFP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	17	40	19.5	18	100/case
RFP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	17	32	16	24	100/case
RFP500	Light Wt. Pad	15"x19"	Yes, 7.5"	17	24	12.7	30	100/case
Rolls								
RFP328-DP	Medium Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	17	54	30.5	8	1/case
RFP314P	Medium Wt. Roll	14.25"x150'	Yes, every 19"	17	30	15.5	20	1/case

Re-Form™ absorbents are not intended for use with aggressive chemicals.



Re-Form™ Absorbents

- Economical general purpose absorbent offering superior absorbency compared to meltblown polypropylene; up to 50% more absorbent
- Universal absorbency to handle most fluids including water, petroleum and non-aggressive chemicals
- Single-ply nylon mesh construction made from 80% recycled cellulose and highly absorbent rags
- Up to 50% more absorbent than comparable polypropylene absorbents
- Class A fire retardant

Features:

- For Oils, Water-based Fluid & Non-Aggressive Chemicals
- No Coverstock (1-Ply)
- Light Durability & High Linting
- Heavy, Medium & Light Weight
- Cost: \$

Recommended For:

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Maintenance areas with limited foot traffic

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Pads								
RF100	Heavy Wt. Pad	15"x19"	No	17.5	40	19	18	100/case
RF300	Medium Wt. Pad	15"x19"	No	17.5	32	14.8	24	100/case
RF500	Light Wt. Pad	15"x19"	No	17.5	24	12	30	100/case

Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.