

# Rittal – The System.

Faster – better – everywhere.

## Lock Insert – TS 8611.150

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Lock Insert – TS 8611.150

created: 24.05.2018 build on www.rittal.com/us-en



## Product description

**Version:** F

**Material:** Die-cast zinc

## Product features

**Suitable for:** Enclosure type: CM  
Enclosure type: EL 3-part 3 - 15 U  
Enclosure type: EL 3-part 18 - 21 U  
Enclosure type: TS  
Enclosure type: SE  
Enclosure type: PC enclosure door  
Enclosure type: IW  
Enclosure type: TS 8 stainless steel  
Enclosure type: SE stainless steel

**Installation in handle system:** Comfort handle for lock inserts  
Comfort handle for padlock and lock inserts  
Folding lever handle for lock inserts  
Folding lever handle for padlock and lock inserts  
Mini-comfort handle for lock inserts

**Lock Insert:** Daimler insert

**Packaging unit:** 1 pc(s).

**Weight/packaging unit:** 0.02 kg (0 lb.)

**EAN:** 4028177211995

<b>Customs tariff number:</b>	83015000
<b>ETIM 6.0:</b>	EC000743
<b>ETIM 5.0:</b>	EC000743
<b>eCl@ss 8.0/8.1:</b>	27409218
<b>eCl@ss 7.0/7.1:</b>	27409218
<b>eCl@ss 6.0/6.1:</b>	27409218
<b>eCl@ss 5.1/5.1.4:</b>	27189256
<b>Product description (long):</b>	TS Lock insert, version F, Die-cast zinc, Daimler insert
<b>Approvals</b>	
<b>Certificates:</b>	EAC