



KEEP WORKERS  
PROTECTED WITH  
**THE RIGHT PPE  
SOLUTIONS**

Kimberly-Clark Professional\*



**KleenGuard**  
BRAND

**JACKSON**  
SAFETY BRAND

## PERSONAL PROTECTIVE EQUIPMENT

4 Apparel & Accessories

18 Hand Protection





24 Eye Protection

## WHY CHOOSE KIMBERLY-CLARK PROFESSIONAL\* SAFETY AND INDUSTRIAL SOLUTIONS?

Because we offer protection and comfort without compromise – to safeguard workers, their environments and work processes. Our full range of personal protection products are designed to meet the needs of virtually any facility, while enhancing efficiency and performance. We offer something that our competitors do not: a way to divert used gloves, apparel and eye protection from the landfill. Turn to our trusted, quality brands to enhance safety, compliance and sustainability in your workplace.



### Symbols Key

-  Product complies with the Trade Agreements Act
-  Vending Machine Ready
-  RightCycle by Kimberly-Clark Professional\*
-  Paint & Composite Compatible

### TAA Compliant


Complying with the Federal Acquisition Regulations (FAR) is something that is top of mind for all Federal Government employees. One of the key elements and most easily missed elements of the FAR is the reference to the Trade Agreements Act (TAA), meaning products must be manufactured or "substantially transformed" in a "designated country." Kimberly-Clark has developed a full line of TAA compliant protective apparel that provides you with the peace of mind and reassurance that you are purchasing product that complies with the Trade Agreements Act.



## WHAT IS RIGHTCYCLE BY KIMBERLY-CLARK PROFESSIONAL\*?

The RightCycle Program is a groundbreaking service that enables you to collect previously hard-to-recycle items, such as Kimberly-Clark Professional\* nitrile gloves, safety eyewear, and single-use apparel items, and have them turned into new consumer goods. Through this program, you can:

- Reach your organization's sustainability goals
- Divert waste from the landfill in support of zero waste to landfill initiatives
- Give your used nitrile gloves, safety eyewear, and single-use apparel items a new life by aiding in the creation of new consumer goods like flower pots, patio furniture, and plastic shelving
- Reduce your waste disposal costs
- Protect the planet for future generations



Look for this symbol to see which products are eligible for recycling.




# KLEENGUARD<sup>®</sup> BRAND APPAREL

Move in Comfort




KleenGuard<sup>®</sup> Apparel delivers comfort without compromise – enabling workers to move freely while staying protected in garments that are engineered to withstand workplace stresses. And, unlike our competitors' products, used KleenGuard<sup>®</sup> Apparel doesn't have to end up in a landfill. You can recycle them with RightCycle by Kimberly-Clark Professional<sup>®</sup>. This groundbreaking service enables you to turn previously hard-to-recycle items, such as Kimberly-Clark Professional<sup>®</sup> nitrile gloves, safety eyewear and single-use apparel, and have them turned into new consumer goods.



#### Reflex<sup>®</sup> Coverall Design:

- Provides a fuller cut and a generous fit for added range of motion
- 7-1/2 times less likely to rip out vs. minimum ANSI<sup>†</sup> sizing
- 6% longer body length<sup>†</sup>
- 12% more chest room<sup>†</sup>
- Seamless front provides more protection in the primary exposure area

<sup>†</sup>Indicates ANSI/ISEA 101-1996 Design Minimums



## A10 LIGHT DUTY APPAREL

Protective wear designed for entry-level dust protection



**IDEAL FOR USE** when workers are in temporary contact with dirt and grime such as:

- Food processing
- General maintenance and manufacturing

### FEATURES

- Lightweight, breathable coverall providing a cool, comfortable work environment
- Meets ANSI/ISEA 101-1996 sizing standards
- Serged seams





### KleenGuard<sup>®</sup> A10 Coveralls


		L	XL	2XL	3XL	4XL	Case Count
Zipper Front, Elastic Wrists	White	10468	10636	10616	10625	10621	25
Zipper Front, Elastic Wrists, Attached Hood	White	12231	12225	12226	12227	12230	25
Zipper Front, Elastic Wrists, Attached Hood & Boots	White	10606	10608	10631	10610	10615	25


### KleenGuard<sup>®</sup> A10 Accessories


(NOTE: KleenGuard<sup>®</sup> A10 Accessories are not TAA Compliant)


Bouffant Cap	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>• Spunbond</li> <li>• Not made with natural rubber</li> <li>• White</li> </ul>	<b>36900</b>	M (21")	600 ea/cs Dispenser pack
	<b>36850</b>	M (21")	1000 ea/cs 10 packs/100
	<b>36920</b>	L (24")	450 ea/cs Dispenser pack
	<b>36860</b>	L (24")	1000 ea/cs 10 packs/100

Beard Cover	Code	Size	Case Count
	<b>66815</b>	Universal	1000
	<b>66816</b>	XL	1000

Apron	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>• Polyethylene coated spunbond</li> <li>• Bound neck &amp; ties</li> <li>• One size fits all</li> </ul>	<b>43744</b>	28" x 36"	100/cs

Lab Coat	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>• Serged seams</li> <li>• 4-snap closure</li> <li>• Elastic wrists</li> <li>• Knee length</li> </ul>	<b>40103</b>	L	50
	<b>40104</b>	XL	50
	<b>40105</b>	2XL	50
	<b>40106</b>	3XL	50

Sleeve Protector	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>• Serged seams</li> <li>• Elastic top and wrist</li> <li>• One size fits all</li> </ul>	<b>23610</b>	18"	200 ea/cs

Shoe Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>• Spunbond fabric</li> <li>• Serged seams</li> <li>• Fully elasticized for formed fit</li> <li>• 6.5" height</li> <li>• Skid-resistant bottom</li> <li>• Light blue</li> <li>• Double-bagged for cleanroom</li> </ul>	<b>36811</b>	Universal	300 ea/cs 2 packs/150 pairs
	<b>27222</b>	XL	300 ea/cs 2 packs/150 pairs

# A20 BREATHABLE PARTICLE PROTECTION APPAREL

*Designed to move with you while protecting against non-hazardous and hazardous dust*



KleenGuard<sup>®</sup> A20 Coveralls meet the EPA Agricultural Worker Protection Standard (WPS) requirements for "coveralls"

**IDEAL FOR USE** when workers are in nonstop contact with dirt and grime such as:

- Laboratories
- Remediation
- Heavy dust environments
- Pesticide application

The KleenGuard<sup>®</sup> A20 offers superior particle holdout coupled with unmatched comfort attributes to give workers protection without sacrificing comfort. The A20 fabric is five layers of stacked barrier protection (SMMMS) against hazardous particles.

**FEATURES**

- **Move in Comfort** — Reflex<sup>®</sup> Coverall Design offers excellent fit and freedom of movement
- Lightweight and breathable
- Seamless front provides more protection in the primary exposure area
- Passes NFPA 99 for antistatic materials
- Serged seams



Available in White and Blue Denim — a great way to visually separate processes in your facility




**KleenGuard<sup>®</sup> A20 Coveralls**

		ISO 16602:2007	S	M	L	XL	2XL	3XL	4XL	5XL	Case Count
Zipper Front	White <sup>†</sup>		35671	49002	49003	49004	49005	49006	49007		24
	Blue Denim			58532	58533	58534	58535	58536	58537		3XL+ = 20
	White				37711	37712	37713	37714	37715		
Zipper Front, Elastic Backs, Wrists & Ankles	White <sup>†</sup>		35810	49102	49103	49104	49105	49106	49107	30920	
	Blue Denim			58502	58503	58504	58505	58506	58507	23998	24 3XL+ = 20
	White				37716	37717	37718	37719	37720		
Zipper Front, Elastic Backs, Wrists, Ankles & Hood	White			49112	49113	49114	49115	49116	49117	30924	
	Blue Denim			58512	58513	58514	58515	58516	58517	30953	24 3XL+ = 20
	White			43170	43171	41169	41170	41171	43173	43174	
Zipper Front, Elastic Backs, Wrists, Ankles, Hood & Boots	White			49122	49123	49124	49125	49126	49127	27258	
	Blue Denim			58522	58523	58524	58525	58526	58527	30910	24 3XL+ = 20

<sup>†</sup> Additional XL sizes available in some styles


**MONEY BACK GUARANTEE**  
SAVE 20% IN 60 DAYS

See back cover for details



ISO 16602: 2007 is an international standard that establishes minimum performance classifications for protective clothing. Select KleenGuard<sup>®</sup> families have been tested to ISO 16602 Type 5 and Type 6. Type 5 (EN ISO 13982-1) denotes protection against solid particulates and Type 6 (ISO 16602) denotes limited protection against liquid spray.


**Superior Particle Holdout**





**TAA** All A20 Accessories shown here are TAA Compliant with these exceptions: 66857, 66829, 43745


MTO (Made to Order) Codes indicated in **ORANGE**


**KleenGuard\* A20 Accessories**


Apron	Code	Size	Case Count
<ul style="list-style-type: none"> <li>Bound neck &amp; ties</li> <li>White</li> <li>One size fits all</li> </ul> 	<b>36550</b>	28" x 40"	100 (10 packs of 10)
Denim with pockets	<b>36260</b>	28" x 40"	100 (10 packs of 10)


Apron	Code	Size	Case Count
<ul style="list-style-type: none"> <li>Polyethylene 1.75 mil thick</li> <li>One piece fabric</li> <li>One size fits all</li> </ul> 	<b>43745</b>	28" x 46"	5 Dispenser Cartons/ 100 ea


Lab Coat	Code	Size	Case Count
<ul style="list-style-type: none"> <li>Serged seams</li> <li>4 hook-and-loop closures</li> <li>Elastic wrists</li> <li>Knee length</li> <li>White</li> </ul> 	<b>35618</b>	S	30
	<b>35619</b>	M	30
	<b>35620</b>	L	30
	<b>35621</b>	XL	30
	<b>35622</b>	2XL	30
	<b>35623</b>	3XL	30
	<b>35624</b>	4XL	30
	<b>35625</b>	5XL	30
	<b>37427</b>	6XL	30


Lab Coat	Code	Size	Case Count
<ul style="list-style-type: none"> <li>Serged seams</li> <li>4-snap closure</li> <li>Open wrists</li> <li>Knee length</li> <li>Left chest pocket</li> <li>Right hip pocket</li> <li>White</li> </ul> 	<b>42201</b>	XS	25
	<b>30913</b>	S	25
	<b>10019</b>	M	25
	<b>10029</b>	L	25
	<b>10039</b>	XL	25
	<b>40049</b>	2XL	25
	<b>30930</b>	3XL	25
	<b>30914</b>	4XL	25


Frock	Code	Size	Case Count
<ul style="list-style-type: none"> <li>Serged seams</li> <li>5-snap closure</li> <li>Elastic wrists</li> <li>Below knee length</li> <li>Mandarin collar</li> <li>White</li> </ul> 	<b>30926</b>	S	30
	<b>36262</b>	M	30
	<b>36263</b>	L	30
	<b>36264</b>	XL	30
	<b>36265</b>	2XL	30
	<b>30937</b>	3XL	30
	<b>30933</b>	4XL	30
	<b>34815</b>	5XL	30


Shirt	Code	Size	Case Count
<ul style="list-style-type: none"> <li>Serged seams</li> <li>5-snap closure</li> <li>Open wrists</li> <li>Hip length</li> <li>Mandarin collar</li> <li>White</li> </ul> 	<b>36212</b>	M	50
	<b>36213</b>	L	50
	<b>36214</b>	XL	50
	<b>36215</b>	2XL	50


Smock	Code	Size	Case Count
<ul style="list-style-type: none"> <li>Sonic seams</li> <li>Tie closure</li> <li>Elastic wrists</li> <li>Knee length</li> <li>Open neck</li> <li>White</li> </ul> 	<b>36150</b>	Universal	60

Pants	Code	Size	Case Count
<ul style="list-style-type: none"> <li>Serged seams</li> <li>Elastic waist</li> <li>Open ankles</li> <li>White</li> </ul> 	<b>36222</b>	M	50
	<b>36223</b>	L	50
	<b>36224</b>	XL	50
	<b>36225</b>	2XL	50


Hood	Code	Size	Case Count
<ul style="list-style-type: none"> <li>Serged seams</li> <li>Elastic face seal</li> <li>White</li> </ul> 	<b>36890</b>	Universal	100 ea


Sleeve Protector	Code	Size	Case Count
<ul style="list-style-type: none"> <li>Serged seams</li> <li>Elastic top &amp; wrists</li> <li>21" length ergonomically designed for improved fit</li> <li>White</li> </ul> 	<b>36870</b>	21"	200 ea

Boot Cover	Code	Size	Case Count
<ul style="list-style-type: none"> <li>Serged seams</li> <li>Elastic opening</li> <li>13" height</li> <li>Seamless sole</li> <li>White</li> <li>One size fits all</li> </ul> 	<b>36880</b>	Universal	300 ea

Shoe Cover	Code	Size	Case Count
<ul style="list-style-type: none"> <li>Serged seams</li> <li>Fully elasticized for formed fit</li> <li>6.5" height</li> <li>White</li> <li>One size fits all</li> </ul> 	<b>36885</b>	Universal	300 ea

*Cleanroom Packaging (double-bagged)*

Bouffant Cap	Code	Size	Case Count
<ul style="list-style-type: none"> <li>Rayon, ideal for cleanroom</li> <li>Not made with natural rubber</li> <li>White</li> </ul> 	<b>66829</b>	24"	5 bags of 100

Shoe Cover	Code	Size	Case Count
<ul style="list-style-type: none"> <li>Double-bagged for cleanroom use</li> <li>Light blue color</li> <li>Fully elasticized</li> <li>NPFA 99 Compliant</li> <li>Antistatic material</li> </ul> 	<b>66857</b>	Universal	50 pr/bag 3 bags/cs

# A30 BREATHABLE SPLASH & PARTICLE PROTECTION APPAREL

*Designed to move with you while protecting against hazardous dry particles, aerosols and non-hazardous light liquid splash*



**IDEAL FOR USE** when workers are in nonstop contact with dirt and grime where light splashes exist, such as:

- Pressure washing
- Powder painting
- Pharmaceutical research
- Fine-particle contamination
- Aerospace
- Maintenance/general manufacturing
- Aerosolized spray painting

**KleenGuard\* Apparel SMS Fabric:**

*Outer Layers* – Cloth-like, yet tough and abrasion-resistant spunbond polypropylene

*Middle Layers* – Intricate web of micro-fibers that filter out many water-based liquids and dry particulates

**FEATURES**

- **Move in Comfort** – Reflex\* Coverall Design offers excellent fit and freedom of movement
- Strong and abrasion-resistant
- Filters out many water-based liquids and dry particles
- Seamless front provides more protection in the primary exposure area
- Passes NFPA 99 for antistatic materials
- Serged seams

**KleenGuard\* A30 Functional Feature Comparison**

Product	Reflex* Design	12% more chest room	6% longer body length	Antistat	iFlex* Stretch Panels	Breathable
KleenGuard* A30 w/iFlex* Stretch Panels	●	●	●	●	●	●
KleenGuard* A30	●	●	●	●		●


MTO (Made to Order) Codes indicated in **ORANGE**



**KleenGuard\* A30 Coveralls**

		S	M	L	XL	2XL	3XL	4XL	5XL	6XL	5XL/6XL	Case Count
Zipper Front with 1" Flap & Elastic Back	White	35738	46002	46003	46004	46005	46006	46007			35688	25 (3XL-6XL = 21)
Zipper Front with 1" Flap & Elastic Back, Wrists & Ankles	White	30931	46102	46103	46104	46105	46106	46107	30917	30918	35737	25 (3XL-6XL = 21)
Zipper Front with 1" Flap & Elastic Back, Wrists & Ankles & Hood	White	30909	46112	46113	46114	46115	46116	46117	30936	30932		25 (3XL-6XL = 21)
Zipper Front with 1" Flap & Elastic Back, Wrists & Ankles, Hood & Boots	White	30908	46122	46123	46124	46125	46126	46127	27238	27239	8XL 27241	25 (3XL-8XL = 21)






**A30 Coveralls with iFlex<sup>®</sup> Stretch Panels**

		M	L	XL	2XL	3XL	4XL	Case Count
Zipper Front with 1" Flap, Elastic Back & Front, Wrists & Ankles	White	46132	46133	46134	46135	46136	46137	25 (3XL-4XL = 21)
Zipper Front with 1" Flap, Elastic Back & Front, Wrists & Ankles & Hood	White	46142	46143	46144	46145	46146	46147	25 (3XL-4XL = 21)

**KleenGuard<sup>®</sup> A30 Accessories**

Hood	Code	Size	Case Count
 • Respirator Cut Out	35439	Universal	125 ea

**A35 LIQUID & PARTICLE PROTECTION APPAREL**

*Designed for economical liquid and particulate barrier protection*




**IDEAL FOR USE** when workers are in contact with hazardous particles or liquids such as:

- Liquid handling
- Pressure washing
- Maintenance
- General manufacturing

**FEATURES**

- Microporous film laminate
- Meets ANSI/ISEA 101-1996 sizing standard



**KleenGuard<sup>®</sup> A35 Coveralls**

		S	M	L	XL	2XL	3XL	4XL	5XL	Case Count
Zipper Front	White	38916	38917	38918	38919	38920	38921	38922	38923	25
Zipper Front, Elastic Wrists & Ankles	White	38925	38926	38927	38929	38930	38932	38934	38935	25
Zipper Front, Elastic Wrists, Ankles & Hood	White	38936	38937	38938	38939	38941	38942	38943	38944	25
Zipper Front, Elastic Wrists, Ankles, Hood & Boots	White	38947	38948	38949	38950	38951	38952	38953	38954	25

# A40 LIQUID & PARTICLE PROTECTION APPAREL

Designed for protection against hazardous particles and liquids



**IDEAL FOR USE** when workers are in nonstop contact with hazardous particles or liquids, such as:


- Fiberglass manufacturing
- Tank cleaning
- Utilities
- Liquid handling
- Pressure washing
- Maintenance/General manufacturing
- Mold remediation
- Agriculture
- Lead abatement
- Sewage work

## FEATURES

- Liquid barrier, particulate barrier, low in lint
- Passes NFPA 99 for antistatic materials
- Passes ASTM F1670 testing for penetration of blood and bodily fluids
- Meets ANSI/ISEA 101-1996 sizing standards
- Serged seams



MTO (Made to Order) Codes indicated in **ORANGE**



### KleenGuard\* A40 Coveralls

		S	M	L	XL	2XL	3XL	4XL	5XL	6XL	5XL/6XL	Case Count
Zipper Front	White	27151	44302	44303	44304	44305	44306	44307	30922	30927		25
	V White	42568	42569	37685	37686	37687	37692	37694	42570	42571		
Zipper Front, Elastic Wrists & Ankles	White	30905	44312	44313	44314	44315	44316	44317	30904	27189	35630	25
	V White			37695	37696	37701	37702	37703				
Zipper Front, Elastic Wrists, Ankles & Hood	White	30939	44322	44323	44324	44325	44326	44327	27158	30921		25
	V White	42564	42565	42566	41172	41173	41174	42567				
Zipper Front, Elastic Wrists, Ankles, Hood & Boots	White	30940	44332	44333	44334	44335	44336	44337	30907	30934		25

### A40 Coveralls with Blue Breathable Back

		S	M	L	XL	2XL	3XL	4XL	5XL	5XL/6XL	Case Count
Zipper Front, Elastic Wrists, Ankles & Hood	White/Blue		42119	37591	37163	37164	37165	38508		37584	25

### KleenGuard\* A40 Fabric Liquid Chemical Resistance Test

Chemicals	Test Method	Results
Potassium Chromate (20%)	F903 Method D	Pass
Isocyanate Paint (40%)	F903 Method D	Pass
Blood Penetration	ASTM F1670	Pass

Reference the Technical Data Guide for current liquid chemical resistance information at [www.KCProfessional.com](http://www.KCProfessional.com)



See back cover for details


SAVE 20% IN 60 DAYS


Also available with Blue SMS Breathable Back





MTO (Made to Order) Codes indicated in **ORANGE**


## KleenGuard<sup>®</sup> A40 Accessories


Lab Coat	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>Serged seams</li> <li>4-snap closure</li> <li>Open wrists</li> <li>Knee length</li> <li>Left chest pocket</li> <li>Right hip pocket</li> <li>White</li> </ul>	<b>35617</b>	XS	30
	<b>27201</b>	S	30
	<b>44452</b>	M	30
	<b>44453</b>	L	30
	<b>44454</b>	XL	30
	<b>44455</b>	2XL	30
	<b>44456</b>	3XL	30
	<b>27207</b>	4XL	30
	<b>30935</b>	5XL	30


Lab Coat	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>Serged seams</li> <li>5-snap closure</li> <li>Elastic wrists</li> <li>Knee length</li> <li>No pocket</li> <li>White</li> </ul>	<b>30938</b>	S	30
	<b>44442</b>	M	30
	<b>44443</b>	L	30
	<b>44444</b>	XL	30
	<b>44445</b>	2XL	30
	<b>44446</b>	3XL	30
	<b>30923</b>	4XL	30
	<b>30941</b>	5XL	30


Shirt	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>Serged seams</li> <li>5-snap closure</li> <li>Hip length</li> <li>No pocket</li> <li>White</li> </ul>	<b>44402</b>	M	50
	<b>44403</b>	L	50
	<b>44404</b>	XL	50
	<b>44405</b>	2XL	50


Apron	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>Bound neck &amp; ties</li> <li>White</li> <li>One size fits all</li> </ul>	<b>44481</b>	28" x 40"	100


Pants	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>Serged seams</li> <li>Elastic waist</li> <li>Open ankles</li> <li>White</li> </ul>	<b>44412</b>	M	50
	<b>44413</b>	L	50
	<b>44414</b>	XL	50
	<b>44415</b>	2XL	50


Sleeve Protector	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>Serged seams</li> <li>Elastic top &amp; wrists</li> <li>18" length</li> <li>White</li> </ul>	<b>44480</b>	18"	200 ea

Boot Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>Serged seams</li> <li>Elastic opening</li> <li>17" height</li> <li>Seamless sole</li> <li>White</li> <li>One size fits all</li> </ul>	<b>44491</b>	Universal	400 ea

Boot Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>Serged seams</li> <li>Elastic top</li> <li>Elastic at ankle</li> <li>Highly durable sole</li> <li>18" height</li> <li>White</li> </ul>	<b>36779</b>	M/L	400 ea
	<b>44495</b>	XL/2XL	400 ea

Shoe Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>Serged seams</li> <li>Elastic opening</li> <li>7" height</li> <li>Seamless sole</li> <li>White</li> <li>One size fits all</li> </ul>	<b>27000</b>	Universal	300 ea

Shoe Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>Serged seams</li> <li>Fully elasticized for formed fit</li> <li>7" height</li> <li>White</li> <li>One size fits all</li> </ul>	<b>44490</b>	Universal	400 ea

Shoe Cover	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>Serged seams</li> <li>Elastic top</li> <li>Highly durable sole</li> <li>5.25" height</li> <li>White</li> </ul>	<b>44492</b>	M/L	400 ea
	<b>44494</b>	XL/2XL	400 ea

# A45 LIQUID & PARTICLE PROTECTION + PAINT PROTECTION APPAREL

*Designed to move with you while protecting in work environments where hazardous or non-hazardous contaminants may be present*



**IDEAL FOR USE** in surface prep and paint application areas where isocyanate<sup>1</sup> and chromate dust protection is mandated.

Made with lighter-weight fabric than KleenGuard\* A40 Liquid and Particle Protection suit allowing for improved comfort without sacrificing protection.

Designed specifically for the Surface Prep and Paint area in mind, KleenGuard\* A45 allows more freedom of movement and less restriction allowing the worker to complete the job without modifying the garment.

## FEATURES

- **Move in Comfort** — Reflex\* Coverall Design offers excellent fit and freedom of movement
- Protects against isocyanates<sup>1</sup>
- Protects against chromate dust
- Silicone-free<sup>2</sup>
- Passes NFPA 99 for antistatic materials
- Respirator fit hood design
- Water-resistant zipper
- Serged seams



**SAVE 20% IN 60 DAYS**

*See back cover for details*

## KleenGuard\* A45 Fabric Liquid Chemical Resistance Test

Chemicals	Test Method	Results
Isocyanate paint 40%	F903 Method D	Pass
Chromated epoxy corrosion primer 10%	F903 Method D	Pass

Reference the Technical Data Guide for current liquid chemical resistance information at [www.KCProfessional.com](http://www.KCProfessional.com)



### Paint & Composite Compatible:

Kimberly-Clark has developed the A45 line to be a suitable garment for painting and composites. This line of garments can withstand isocyanate paint and chromated epoxy corrosion primer.<sup>1</sup>



## KleenGuard\* A45 Coveralls

		S	M	L	XL	2XL	3XL	4XL	5XL/6XL	Case Count
Zipper Front	White	41483	41484	41485	41486	41487	41488	41489	41490	25
Zipper Front, Elastic Wrists & Ankles	White	41491	41492	41493	41494	41495	41496	41497	41498	25
Zipper Front, Elastic Wrists, Ankles & Hood	White	41503	41504	41505	41506	41507	41508	41509	41510	25
Zipper Front, Elastic Wrists, Ankles, Hood & Boots	White	41513	41514	41515	41516	41517	41518	41519	41520	25

<sup>1</sup> Tested against polyurethane containing polymeric isocyanate (40% concentration)

<sup>2</sup> Per BMS 15-5G Method 2611 and AMS 3819C, 1% detection limit

# A60 BLOODBORNE PATHOGEN & CHEMICAL PROTECTION APPAREL

*Designed to move with you, offering protection in work environments where contact with blood, bodily fluids and bloodborne pathogen hazards are present*



**IDEAL FOR USE** when workers may come into contact with bloodborne pathogens in:

- Crime lab
- Emergency medical response
- Crime scene cleanup
- Forensics and animal research

This protective coverall is made from a seven-layer fabric. The tough outer layers protect the film barrier from tearing and abrasion.



## FEATURES

- **Move in Comfort** — Reflex\* Coverall Design offers excellent fit and freedom of movement
- Passes ASTM F1670/F1671 testing for penetration of blood, bodily fluids and bloodborne pathogens
- Seamless front to provide more protection in the primary exposure area
- Taped storm flap
- Passes NFPA 99 for antistatic materials
- Serged seams



MTO (Made to Order) Codes indicated in **ORANGE**



## KleenGuard\* A60 Coveralls


	ISO 16602:2007	S	M	L	XL	2XL	3XL	4XL	5XL	6XL	Case Count
Zipper Front	Blue	23681	45232	45233	45234	45235	45236	45237	27288	30954	24 3XL+ = 20
Zipper Front, Storm Flap, Elastic Back, Wrists & Ankles	Blue	35407	45002	45003	45004	45005	45006	45007			24 3XL+ = 20
Zipper Front, Storm Flap, Elastic Back, Wrists, Ankles & Hood	Blue	✓	45022	45023	45024	45025	45026	45027	30955	12939	24 3XL+ = 20
Zipper Front, Storm Flap, Elastic Back, Wrists, Ankles, Hood & Boots	Blue	✓	45092	45093	45094	45095	45096	45097	30943	12940	24 3XL+ = 20

## KleenGuard\* A60 Accessories

Hood	Code	Size	Case Count
<ul style="list-style-type: none"> <li>• Serged seams</li> <li>• Elastic face seal</li> <li>• Blue</li> </ul>	45343	Universal	100 ea

Sleeve Protector	Code	Size	Case Count
<ul style="list-style-type: none"> <li>• Serged seams</li> <li>• Elastic top &amp; wrists</li> <li>• 21" length</li> <li>• Ergonomically designed to fit to arm</li> <li>• Blue</li> </ul>	36871	21"	200 ea

Lab Coat	Code	Size	Case Count
<ul style="list-style-type: none"> <li>• Serged seams</li> <li>• 4-snap closure</li> <li>• Open wrists</li> <li>• Knee length</li> <li>• Left chest pocket</li> <li>• Right hip pocket</li> <li>• Blue</li> </ul>	30945	S	25
	45512	M	25
	45513	L	25
	45514	XL	25
	45518	2XL	25
	27326	3XL	25
	27327	4XL	25
	27328	5XL	25



**ISO 16602: 2007** is an international standard that establishes minimum performance classifications for protective clothing. Select KleenGuard\* families have been tested to ISO 16602 Type 5 and Type 6. Type 5 (EN ISO 13982-1) denotes protection against solid particulates and Type 6 (ISO 16602) denotes limited protection against liquid spray.



## A65 FLAME RESISTANT APPAREL

Designed for protection against non-hazardous and hazardous dust in areas where exposure to sparks is possible



**IDEAL FOR USE** when workers may be exposed to sparks; in environments, such as:


- Oil refining
- Utilities
- Welding processes
- Grinding processes

KleenGuard<sup>®</sup> A65 is breathable with a high moisture vapor transmission rate to be worn comfortably over reusable flame-resistant garments.

- Flame-resistant and compliant with NFPA 701 FLAME PROPAGATION TEST (1999 edition)
- Complies with flame resistance requirements cited by paragraph 6.1 of CAN/CGSB-155.2-2000
- Passes NFPA 99 for antistatic materials
- Design meets ANSI/ISEA 101-1996 sizing standard
- Serged seams



*Do not use for fire protection. Avoid open flame or intense heat. KleenGuard<sup>®</sup> A65 garments do not provide thermal insulation/protection.*



MTO (Made to Order) Codes indicated in **ORANGE**



### KleenGuard<sup>®</sup> A65 Coveralls

		ISO 16602:2007	M	L	XL	2XL	3XL	4XL	5XL	6XL	Case Count
Zipper Front	Blue		45312	45313	45314	45315	45316	45317	32420	32417	25 3XL+ = 21
Zipper Front, Elastic Wrists, Ankles & Hood	Blue	✓	45322	45323	45324	45325	45326	45327	23558	23559	25 3XL+ = 21
Zipper Front, Elastic Wrists, Ankles, Hood & Hood	Blue	✓	45352	45353	45354	45355	45356	45357	30952	30951	25 3XL+ = 21



# A70 CHEMICAL SPRAY PROTECTION APPAREL

Designed to move with you, offering protection in environments where contact with hazardous chemicals are present



**IDEAL FOR USE** when workers may come into contact with hazardous chemicals, as in:

- Hazardous waste remediation
- Environmental cleanup
- Petrochemical/oil refining
- Acid/caustic handling
- Biohazard cleanup
- Tank cleaning
- Pharmaceutical manufacturing

KleenGuard\* A70 is polyethylene-coated fabric which is resistant to many water-based liquids, greases and oils, and liquid chemical splashes.

- **Move in Comfort** — Reflex\* Coverall Design offers excellent fit and freedom of movement
- Wick-away lining for enhanced comfort
- Liquid-resistant, extra-long zipper
- Taped, sealable zipper flap
- Seamless front for more protection in the primary exposure area
- Bound seams
- Passes NFPA 99 for antistatic materials



## KleenGuard\* A70 Coveralls

		M	L	XL	2XL	3XL	4XL	5XL	Case Count
Zipper Front, Storm Flap, Elastic Wrists, Ankles & Hood	Yellow	09812	09813	09814	09815	09816	09817	09818	12
Zipper Front, Storm Flap, Elastic Wrists, Hood & Boots	Yellow	00682	00683	00684	00685	00686	00687	00688	12

## KleenGuard\* A70 Accessories

Smock	Code	Size	Case Count
<ul style="list-style-type: none"> <li>• Bound seams</li> <li>• Elastic wrists</li> <li>• Bound neck</li> <li>• Back neck snaps</li> <li>• Elastic shoulder for proper fit</li> <li>• Yellow</li> </ul>	09829	44" Length	25
	09830	52" Length	25

Sleeve Protector	Code	Size	Case Count
<ul style="list-style-type: none"> <li>• Bound seams</li> <li>• Elastic top &amp; wrist</li> <li>• 21" length</li> <li>• Ergonomically designed to fit to arm</li> <li>• Yellow</li> </ul>	97780	21" Length	200 ea

Apron	Code	Size	Case Count
<ul style="list-style-type: none"> <li>• Bound seams</li> <li>• Bound neck and ties</li> <li>• One size fits all</li> <li>• Yellow</li> </ul>	97790	29" x 44"	100

## KleenGuard\* A70 Apparel Fabric Liquid Chemical Resistance Test

Chemicals ASTM F1001	Liquid Penetration ASTM F903
Test Duration: 60 mins. Saturation Exposure	
Acetone	Pass
Acetonitrile	Pass
Carbon Disulfide	Pass
Dichloromethane	Pass
Diethylamine	Pass
n,n-Dimethylformamide	Pass
Ethyl Acetate	Pass
n-Hexane	Pass
Methanol	Pass
Nitrobenzene	Pass
Sodium Hydroxide (50%)	Pass
Sulfuric Acid (98%)	Pass
Tetrachloroethylene	Pass
Tetrahydrofuran	Pass
Toluene	Pass

**WARNING:** Fabric passes penetration testing; however, the chemical is a known or suspected carcinogen or skin absorbed toxin.

More chemicals have been tested and are available on the Technical Data guide at [www.KCProfessional.com](http://www.KCProfessional.com).

## A71 CHEMICAL PERMEATION & LIQUID PROTECTION APPAREL

*Designed to protect against chemical permeation and liquid jet spray; with sewn and taped seams, it helps protect workers from a wide-range of potentially harmful chemicals*



**IDEAL FOR USE** when workers come into contact with chemicals for a prolonged period of time and need additional taped seam protection:

- Low pressure industrial cleaning and maintenance
- Hazardous waste remediation
- Environmental and biohazard cleanup
- Tank cleaning

### FEATURES

- CE Type 3, 4, 5 (ENISO 14605: 2005 and ENISO 13982-1: 2004)
- Composed of tear resistant, durable film laminate
- Sewn and taped seams offer a strong liquid-tight barrier
- Elasticized hood, cuffs and waist designed for improved comfort and safety
- VELCRO<sup>®</sup> Brand storm flap for improved protection around the zipper
- Storm-flap height and hood designed for easier taping to a respirator



### KleenGuard<sup>®</sup> A71 Coveralls

Zipper Front, Elastic Wrists, Waist & Hood

Yellow

M

L

XL

2XL

3XL

Case Count

46770

46771

46772

46773

46774

10



### KleenGuard<sup>®</sup> A71 Apparel Fabric Liquid Chemical Resistance Test

Chemicals	BS EN ISO 6529:2001 Apparel (Minutes)	BS EN 374-3: 2003 Apparel (Minutes)
2-butoxyethanol, 99%		Class 4, 193
2-chloroethanol, 99%		Class 6, >480
A mixture of kerosene streams, 100%	Unclassified, 0	
Acetic acid, 30%		Class 6, >480
Acetone, 100%		Unclassified, Immediate
Acetonitrile, 100%		Class 1, 14
Acetophenone, 98%		Class 6, >480
Ammonium hydroxide, 25%		Class 1, 10
Ammonium hydroxide, 10%		Class 6, >480
Ammonium sulphate, 35%		Class 6, >480
Benzaldehyde, 99%		Class 2, 59
BP Jet A1 Fuel, 100%	Unclassified, 0	
Calcium hydroxide, saturated solution, 100%	Class 6, >480	
Carbon disulphide, 100%		Unclassified, Immediate
Chlorobenzene, 99%		Unclassified, 1
Cyclohexanone, 99%		Class 2, 34
Dichloromethane, 100%		Unclassified, Immediate
Diesel fuel, 100%		Unclassified, Immediate
Diethanolamine, 35%		Class 6, >480
Diethylamine, 100%		Unclassified, Immediate
Dimethyl formamide, 100%		Class 2, 54
Ethanol, 100%		Class 6, >480
Ethyl acetate, 100%		Unclassified, 2
Ethylene diamene, 35%		Class 6, >480
Formic acid, 50%		Class 6, >480
Formic acid, 5%		Class 6, >480
Glycerol, 35%		Class 6, >480

Chemicals	BS EN ISO 6529:2001 Apparel (Minutes)	BS EN 374-3: 2003 Apparel (Minutes)
Glycolic acid, 5%		Class 6, >480
Hexane, 100%		Unclassified, Immediate
Hydrazine monohydrate, 98%		Class 6, >480
Hydrazine monohydrate, 55%		Class 6, >480
Hydrazine monohydrate, 35%		Class 6, >480
Hydrochloric acid, 37%		Class 5, 385
Hydrofluoric acid, 40%		Class 6, >480
Hydrofluoric acid, 10%		Class 6, >480
Hydrogen bromide, 35%		Class 6, >480
Hydrogen Chloride Gas, 99%	Class 3, 82	
Hydrogen peroxide, 30%		Class 6, >480
Iron (III) chloride, 45%		Class 6, >480
Iron (III) chloride, 4%		Class 6, >480
Methanol, 100%		Class 1, 23
Nicotine, 100%	Class 1, 13	
Nitric acid, 70%		Class 6, >480
Nitrobenzene, 100%		Class 6, >480
Peracetic acid, 1%		Class 6, >480
Phosphoric acid, 5%		Class 6, >480
Sodium hydroxide, 40%		Class 6, >480
Sodium hypochlorite, 10%		Class 6, >480
Sulphuric acid, 96%		Class 6, >480
Sulphuric acid, 95%		Class 6, >480
Sulphuric acid, 30%		Class 6, >480
Tetrahydrofuran, 100%		Unclassified, Immediate
Toluene, 100%		Unclassified, 1
Triethylamine, 100%	Unclassified, Immediate	
Unleaded petrol, 100%		Unclassified, Immediate

# A80 CHEMICAL PERMEATION & JET LIQUID PROTECTION APPAREL

Designed to move with you, offering protection in environments where contact with hazardous chemical vapors may be present




**IDEAL FOR USE** when workers may come into contact with hazardous chemical vapors, such as:

- Chemical handling/mixing/cleanup
- Hazardous material handling
- Hazardous waste cleanup
- Industrial Hazmat teams
- Petrochemicals
- Utilities

KleenGuard<sup>®</sup> A80 is made of Saranex<sup>®</sup> 23-P Film laminated to a durable fabric which provides a soft cloth-like feel against the skin.

- **Move in Comfort** — Reflex<sup>\*</sup> Coverall Design offers excellent fit and freedom of movement
- Saranex<sup>®</sup> 23-P Film laminate
- Taped, sealable zipper flap
- Liquid-resistant, extra-long zipper
- Seamless front provides more protection in the primary exposure area
- Respirator-fit hood design for compatibility with complementary PPE
- Taped seams


MTO (Made to Order) Codes indicated in **ORANGE**




## KleenGuard<sup>®</sup> A80 Coveralls









		L	XL	2XL	3XL	4XL	5XL	6XL	Case Count
Zipper Front, Storm Flap, Elastic Wrists, Ankles & Respirator-Fit Hood	White	45643	45644	45645	45646	45647	30946	30947	12 (3XL+ = 10)
Zipper Front, Storm Flap, Elastic Wrists, Ankles, Respirator-Fit Hood & Boots	White	45663	45664	44665	45666	45667	30948	30949	12 (3XL+ = 10)


## KleenGuard<sup>®</sup> A80 Accessories

Sleeve Protector	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>• Taped seams</li> <li>• Elastic top &amp; wrist</li> <li>• 21" length Ergonomically designed to fit to arm</li> <li>• White</li> </ul>	45749	21"	100 ea

Apron	Code	Size	Case Count
 <ul style="list-style-type: none"> <li>• White</li> <li>• One size fits all</li> </ul>	45748	29" x 44"	50

## KleenGuard<sup>®</sup> A80 Taped Seams Resistance Test

Chemicals ASTM F1001	Liquid Penetration ASTM F903
	Test Duration: 60 mins. Saturation Exposure
Acetone	Pass 
Acetonitrile	Pass 
Carbon Disulfide	Pass 
Dichloromethane	Pass 
Diethylamine	Pass
n,n-Dimethylformamide	Pass
Ethyl Acetate	Pass 
n-Hexane	Pass 
Methanol	Pass
Nitrobenzene	Pass
Sodium Hydroxide (50%)	Pass
Sulfuric Acid (98%)	Pass 
Tetrachloroethylene	Pass
Tetrahydrofuran	Pass 
Toluene	Pass

 **WARNING:** Fabric passes penetration testing; however, the chemical is considered a known or suspected carcinogen or skin-absorbed toxin.

More chemicals have been tested and are available on the Technical Data guide at [www.KCProfessional.com](http://www.KCProfessional.com)

# HAND PROTECTION

		Product Features									Product Applications						
		Tactile Sensitivity	Excellent Grip/ Dexterity	Not made with natural rubber latex	Powder-Free	Food Handling 	Touchscreen Compatible	Cut Resistance (EN388)	Abrasion Resistance (EN388)	For Vending 	Small Parts Handling	Warehousing/ Shipping/Receiving	Janitorial/General Maintenance	Equipment Handling	Metal/Glass Handling	Automotive/ Aerospace	Chemical Plants/ Processing
SINGLE-USE	G10 Flex Blue Nitrile		•		•	•	•	•			•						
	G10 Arctic Blue Nitrile		•		•	•	•	•			•						
	G10 Grey Nitrile		•		•	•	•	•			•	•					
	G10 Blue Nitrile		•		•	•	•	•			•	•			•		
CHEMICAL	G29 Chemical		•	•	•	•	•		2		•		•		•	•	
	G80 Nitrile Chemical Resistant			•		•						•			•	•	
	G80 Neoprene/Latex Chemical Resistant†			•			•					•			•	•	
	G35 Inspection		•		•										•		
ABRASION	G40 Foam Nitrile Coated			•	•				1	4	•	•	•	•		•	
	G40 Latex† Coated			•					2	2	•		•		•		
	G40 Polyurethane Coated		•	•	•			•	1	3	•	•	•			•	
	G40 Smooth Nitrile†			•					1	3		•	•			•	
CUT-RESISTANT	G60 Level 2 Nitrile Coated Cut Resistant†			•					2	3	•	•		•			
	G60 Level 2 Polyurethane Coated Cut Resistant†			•					2	2	•	•	•	•	•		
	G60 Level 3 Economy Cut†			•					3	4	•		•	•			
	G60 Level 3 Purple Nitrile* Cut Resistant			•	•				3	4	•	•	•	•			
	G60 Level 3 Polyurethane Coated Cut Resistant			•	•				3	4	•		•	•	•		
	G60 Level 5 Polyurethane Coated Cut Resistant			•	•			•	5	4	•		•	•	•		
	G60 Level 2 Cut Resistant Sleeves†			•					2	N/A	•		•	•	•		
G60 Level 5 Cut Resistant Sleeve†			•					5	4	•		•	•	•			

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.



**Vending Machine Ready:** Available in individual packs for coil vending machines



**RightCycle** by Kimberly-Clark Professional\* — Eligible for recycling



Meets Canadian requirements and U.S. FDA regulations for **food handling** applications





<b>Single-Use</b>	<b>G10</b> Thin Mil Gloves
<b>Chemical</b>	<b>G29 &amp; G80</b> Chemical-Resistant Gloves
<b>Abrasion</b>	<b>G40</b> General-Purpose Gloves
<b>Cut-Resistant</b>	<b>G60</b> Cut-Resistant Gloves

## SINGLE-USE

### G10 Flex Blue Nitrile Gloves



Code	Color	Size	Case Count
<b>38518</b>	Light Blue	6 (XS)	100 gloves/box • 10 boxes/case
<b>38519</b>	Light Blue	7 (S)	100 gloves/box • 10 boxes/case
<b>38520</b>	Light Blue	8 (M)	100 gloves/box • 10 boxes/case
<b>38521</b>	Light Blue	9 (L)	100 gloves/box • 10 boxes/case
<b>38522</b>	Light Blue	10 (XL)	100 gloves/box • 10 boxes/case

- Product Features**
- 2 mil; 9.5" length
  - Light-duty general-purpose applications
  - Touchscreen compatible
  - Meets U.S. FDA regulations for food handling applications
  - Textured fingertips; powder-free
  - Not made with natural rubber latex

### G10 Arctic Blue Nitrile Gloves



Code	Vending	Color	Size	Case Count
<b>90095</b>	<b>43333</b>	Arctic Blue	6 (XS)	200 gloves/box • 10 boxes/case
<b>90096</b>	<b>43336</b>	Arctic Blue	7 (S)	200 gloves/box • 10 boxes/case
<b>90097</b>	<b>43337</b>	Arctic Blue	8 (M)	200 gloves/box • 10 boxes/case
<b>90098</b>	<b>43343</b>	Arctic Blue	9 (L)	200 gloves/box • 10 boxes/case
<b>90099</b>	<b>43344</b>	Arctic Blue	10 (XL)	180 gloves/box • 10 boxes/case

- Product Features**
- 3 mil; 9.5" length
  - Advanced formulation with enhanced tactile sensitivity
  - Touchscreen compatible
  - Meets Canadian requirements and U.S. FDA regulations for food handling applications
  - Textured fingertips; powder-free
  - Not made with natural rubber latex
  - 100% more gloves per case

### G10 Grey Nitrile Gloves



Code	Vending	Color	Size	Case Count
<b>97820</b>	<b>42600</b>	Grey	6 (XS)	150 gloves/box • 10 boxes/case
<b>97821</b>	<b>42601</b>	Grey	7 (S)	150 gloves/box • 10 boxes/case
<b>97822</b>	<b>42602</b>	Grey	8 (M)	150 gloves/box • 10 boxes/case
<b>97823</b>	<b>42604</b>	Grey	9 (L)	150 gloves/box • 10 boxes/case
<b>97824</b>	<b>42605</b>	Grey	10 (XL)	140 gloves/box • 10 boxes/case

- Product Features**
- 3.5 mil; 9.5" length
  - Best wet grip when handling small parts or glass
  - Touchscreen compatible
  - Meets Canadian requirements and U.S. FDA regulations for food handling applications
  - Textured fingertips; powder-free
  - Not made with natural rubber latex
  - 50% more gloves per case

### G10 Blue Nitrile Gloves



Code	Vending	Color	Size	Case Count
<b>57370</b>	<b>42609</b>	Blue	6 (XS)	100 gloves/box • 10 boxes/case
<b>57371</b>	<b>42610</b>	Blue	7 (S)	100 gloves/box • 10 boxes/case
<b>57372</b>	<b>41071</b>	Blue	8 (M)	100 gloves/box • 10 boxes/case
<b>57373</b>	<b>41078</b>	Blue	9 (L)	100 gloves/box • 10 boxes/case
<b>57374</b>	<b>41059</b>	Blue	10 (XL)	90 gloves/box • 10 boxes/case

- Product Features**
- 6 mil; 9.5" length
  - Superior durability and strength
  - Light chemical splash protection
  - Touchscreen compatible
  - Meets Canadian requirements and U.S. FDA regulations for food handling applications
  - Textured fingertips; powder-free
  - Not made with natural rubber latex



## CHEMICAL-RESISTANT

Dual-Dex<sup>®</sup> Technology offers workers  
Improved dexterity, tactile sensitivity,  
and reduced exposure



### G29 Chemical Gloves



See back cover  
for details

Code	Color	Size	Case Count	Product Features
49822	Blue	6 (XS)	50 gloves/box • 10 boxes/case	<ul style="list-style-type: none"> <li>• 12 mil (finger); 9 mil (palm)</li> <li>• 12" length; Ambidextrous</li> <li>• Neoprene blend; silicone-free</li> <li>• Highest level of dexterity</li> <li>• Touchscreen compatible</li> <li>• Textured fingertips; powder-free</li> <li>• Not made with natural rubber latex</li> <li>• Meets U.S. FDA regulations for food handling applications</li> </ul>
49823	Blue	7 (S)	50 gloves/box • 10 boxes/case	
49824	Blue	8 (M)	50 gloves/box • 10 boxes/case	
49825	Blue	9 (L)	50 gloves/box • 10 boxes/case	
49826	Blue	10 (XL)	50 gloves/box • 10 boxes/case	
49827	Blue	11 (2XL)	50 gloves/box • 10 boxes/case	

### G80 Nitrile Chemical Resistant Gloves



Code	Color	Size	Case Count	Product Features
94445	Green	7 (S)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> <li>• Cotton flock lined for added comfort</li> <li>• 15 mil thickness; 13" length</li> <li>• Textured fingertips enhance grip</li> <li>• Meets EN374-3: 2003 standard</li> <li>• Meets Canadian requirement and U.S. FDA regulations for food handling applications</li> </ul>
94446	Green	8 (M)	12 pairs/bag • 5 bags/case	
94447	Green	9 (L)	12 pairs/bag • 5 bags/case	
94448	Green	10 (XL)	12 pairs/bag • 5 bags/case	
94449	Green	11 (2XL)	12 pairs/bag • 5 bags/case	

### G80 Neoprene/Latex Chemical Resistant Gloves<sup>†</sup>



Code	Color	Size	Case Count	Product Features
38741	Blue & Yellow	7 (S)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> <li>• 28 mil thickness; 12" length</li> <li>• Palm strengthened for extra protection</li> <li>• Cotton flock lining</li> <li>• Anti-slip pattern on fingers for good wet or dry grip</li> <li>• Meets EN 374-AKL standard</li> <li>• Touchscreen compatible</li> </ul>
38742	Blue & Yellow	8 (M)	12 pairs/bag • 5 bags/case	
38743	Blue & Yellow	9 (L)	12 pairs/bag • 5 bags/case	
38744	Blue & Yellow	10 (XL)	12 pairs/bag • 5 bags/case	

<sup>†</sup> CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

## ABRASION

### G40 Foam Nitrile Coated Gloves



Code	Vending	Color	Size	Case Count	Product Features
47084		Blue & Black	6 (XS)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> <li>• 25% better productivity than leather</li> <li>• Excellent grip and dexterity</li> <li>• Seamless knit nylon back for comfort</li> <li>• Highest EN388 abrasion rating</li> </ul>
40225	41527	Blue & Black	7 (S)	12 pairs/bag • 5 bags/case	
40226	40511	Blue & Black	8 (M)	12 pairs/bag • 5 bags/case	
40227	37729	Blue & Black	9 (L)	12 pairs/bag • 5 bags/case	
40228	37730	Blue & Black	10 (XL)	12 pairs/bag • 5 bags/case	
40229	40421	Blue & Black	11 (2XL)	12 pairs/bag • 5 bags/case	

### G40 Latex<sup>†</sup> Coated Gloves



Code	Vending	Color	Size	Case Count	Product Features
97270	42632	Grey & Black	7 (S)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> <li>• Breathable cotton back for comfort</li> <li>• Crinkled latex coating for excellent grip</li> <li>• High EN388 tear resistance rating</li> <li>• Excellent durability</li> </ul>
97271	40508	Grey & Black	8 (M)	12 pairs/bag • 5 bags/case	
97272	40509	Grey & Black	9 (L)	12 pairs/bag • 5 bags/case	
97273	40510	Grey & Black	10 (XL)	12 pairs/bag • 5 bags/case	
97274	42633	Grey & Black	11 (2XL)	12 pairs/bag • 5 bags/case	

<sup>†</sup> CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

### G40 Polyurethane Coated Gloves



Code	Vending	Color	Size	Case Count	Product Features
47102		Black	6 (XS)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> <li>• Thin mil feel for tactile sensitivity</li> <li>• Excellent grip and dexterity</li> <li>• Seamless knit construction for comfort</li> <li>• Tear-resistant</li> <li>• Abrasion-resistant</li> </ul>
13837	42606	Black	7 (S)	12 pairs/bag • 5 bags/case	
13838	42607	Black	8 (M)	12 pairs/bag • 5 bags/case	
13839	37725	Black	9 (L)	12 pairs/bag • 5 bags/case	
13840	37726	Black	10 (XL)	12 pairs/bag • 5 bags/case	
13841	42608	Black	11 (2XL)	12 pairs/bag • 5 bags/case	
47097		Grey	6 (XS)	12 pairs/bag • 5 bags/case	<div style="border: 2px solid orange; padding: 5px; text-align: center;"> <p><b>MONEY BACK GUARANTEE</b></p> <p>SAVE 20% IN 60 DAYS</p> </div> <p>See back cover for details</p>
38726		Grey	7 (S)	12 pairs/bag • 5 bags/case	
38727		Grey	8 (M)	12 pairs/bag • 5 bags/case	
38728		Grey	9 (L)	12 pairs/bag • 5 bags/case	
38729		Grey	10 (XL)	12 pairs/bag • 5 bags/case	
38730		Grey	11 (2XL)	12 pairs/bag • 5 bags/case	



SAVE 20% IN 60 DAYS

See back cover for details

### G40 Smooth Nitrile<sup>†</sup> Coated Gloves<sup>†</sup>



Code	Color	Size	Case Count	Product Features
47104	Black	6 (XS)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> <li>• Seamless knit nylon back for comfort</li> <li>• Nitrile coating offers good grip and protection against liquid permeation</li> <li>• High EN388 abrasion rating</li> <li>• Dark black coating hides dirt for longer wear</li> </ul>
38428	Black	7 (S)	12 pairs/bag • 5 bags/case	
38429	Black	8 (M)	12 pairs/bag • 5 bags/case	
38430	Black	9 (L)	12 pairs/bag • 5 bags/case	
38431	Black	10 (XL)	12 pairs/bag • 5 bags/case	
38432	Black	11 (2XL)	12 pairs/bag • 5 bags/case	

<sup>†</sup> CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

## CUT-RESISTANT

### G60 Level 2 Polyurethane Coated Cut Resistant Gloves†



Code	Vending	Color	Size	Case Count	Product Features
38642	40451	Grey & Yellow Knuckle-Coated	7 (S)	12 pairs/bag • 1 bag/case	<ul style="list-style-type: none"> <li>• EN388 Level 2 Cut Resistance</li> <li>• Excellent dexterity for improved productivity</li> <li>• Polyurethane coating provides a barrier against oil penetration</li> <li>• Suitable for intermittent heat contact up to 212°F</li> </ul>
38643	40452	Grey & Yellow Knuckle-Coated	8 (M)	12 pairs/bag • 1 bag/case	
38644	40453	Grey & Yellow Knuckle-Coated	9 (L)	12 pairs/bag • 1 bag/case	
38645	40503	Grey & Yellow Knuckle-Coated	10 (XL)	12 pairs/bag • 1 bag/case	
38646	40507	Grey & Yellow Knuckle-Coated	11 (2XL)	12 pairs/bag • 1 bag/case	

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

### G60 Level 2 Nitrile Coated Cut Resistant Gloves†



Code	Vending	Color	Size	Case Count	Product Features
47105		Blue & Yellow	6 (XS)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> <li>• EN388 Level 2 Cut Resistance</li> <li>• Great dexterity and grip</li> <li>• Abrasion-resistant nitrile coating</li> <li>• Suitable for intermittent heat contact up to 212°F</li> </ul>
98230	43339	Blue & Yellow	7 (S)	12 pairs/bag • 5 bags/case	
98231	37737	Blue & Yellow	8 (M)	12 pairs/bag • 5 bags/case	
98232	37738	Blue & Yellow	9 (L)	12 pairs/bag • 5 bags/case	
98233	37739	Blue & Yellow	10 (XL)	12 pairs/bag • 5 bags/case	
98234	43340	Blue & Yellow	11 (2XL)	12 pairs/bag • 5 bags/case	

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

### G60 Level 3 Economy Cut Gloves†



Code	Vending	Color	Size	Case Count	Product Features
47114		Black & White	6 (XS)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> <li>• EN388 Level 3 Cut Resistance</li> <li>• CPPT = 686 grams</li> <li>• Ultra-High-Molecular-Weight Polyethylene (UHMWPE) yarn with nylon and LYCRA® Brand fiber provides cut resistance and a comfortable fit</li> <li>• Black polyurethane coating enhances grip</li> <li>• Dark coating hides dirt for longer wear</li> </ul>
42542		Black & White	7 (S)	12 pairs/bag • 5 bags/case	
42543		Black & White	8 (M)	12 pairs/bag • 5 bags/case	
42545		Black & White	9 (L)	12 pairs/bag • 5 bags/case	
42547		Black & White	10 (XL)	12 pairs/bag • 5 bags/case	
42549		Black & White	11 (2XL)	12 pairs/bag • 5 bags/case	
38689	42614	Black & White	7 (S)	12 pairs/bag • 1 bag/case	
38690	42615	Black & White	8 (M)	12 pairs/bag • 1 bag/case	
38691	42616	Black & White	9 (L)	12 pairs/bag • 1 bag/case	
38692	42617	Black & White	10 (XL)	12 pairs/bag • 1 bag/case	
38693	42619	Black & White	11 (2XL)	12 pairs/bag • 1 bag/case	

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

### G60 Level 3 Purple Nitrile\* Cut Resistant Gloves



Code	Vending	Color	Size	Case Count	Product Features
13844	49273	Grey & Black w/Purple Tips	6 (XS)	12 pairs/bag • 1 bag/case	<ul style="list-style-type: none"> <li>• EN388 Level 3 cut resistance</li> <li>• Ambidextrous</li> <li>• Ultra-High-Molecular-Weight Polyethylene (UHMWPE) fiber enhances breathability and comfort</li> <li>• Dots on palm enhance grip</li> </ul>
97430	43330	Grey & Black w/Purple Tips	7 (S)	12 pairs/bag • 1 bag/case	
97431	43331	Grey & Black w/Purple Tips	8 (M)	12 pairs/bag • 1 bag/case	
97432	37734	Grey & Black w/Purple Tips	9 (L)	12 pairs/bag • 1 bag/case	
97433	37736	Grey & Black w/Purple Tips	10 (XL)	12 pairs/bag • 1 bag/case	
97434	43332	Grey & Black w/Purple Tips	11 (2XL)	12 pairs/bag • 1 bag/case	



**G60 Level 3 Polyurethane Coated Cut Resistant Gloves**



Code	Vending	Color	Size	Case Count	Product Features
47103		Grey & Salt & Pepper	6 (XS)	12 pairs/bag • 1 bag/case	<ul style="list-style-type: none"> <li>• EN388 Level 3 cut resistance</li> <li>• Ultra-High-Molecular-Weight Polyethylene (UHMWPE) yarn with nylon, LYCRA® Brand fiber and glass liner</li> <li>• Excellent dexterity for improved productivity</li> <li>• Polyurethane coating enhances oil/dry grip</li> </ul>
13823	43347	Grey & Salt & Pepper	7 (S)	12 pairs/bag • 1 bag/case	
13824	43348	Grey & Salt & Pepper	8 (M)	12 pairs/bag • 1 bag/case	
13825	37722	Grey & Salt & Pepper	9 (L)	12 pairs/bag • 1 bag/case	
13826	37723	Grey & Salt & Pepper	10 (XL)	12 pairs/bag • 1 bag/case	
13827	37724	Grey & Salt & Pepper	11 (2XL)	12 pairs/bag • 1 bag/case	

**G60 Level 5 Polyurethane Coated Cut Resistant Gloves**



Code	Vending	Color	Size	Case Count	Product Features
47106		Black & Salt & Pepper	6 (XS)	12 pairs/bag • 1 bag/case	<ul style="list-style-type: none"> <li>• EN388 Level 5 cut resistance</li> <li>• Superior cut resistance based on tests performed against the competition</li> <li>• Ultra-High-Molecular-Weight Polyethylene (UHMWPE) fiber spun with glass, stainless steel and spandex</li> <li>• Polyurethane coating enhances grip</li> <li>• Touchscreen compatible</li> </ul>
98235	43246	Black & Salt & Pepper	7 (S)	12 pairs/bag • 1 bag/case	
98236	43256	Black & Salt & Pepper	8 (M)	12 pairs/bag • 1 bag/case	
98237	43258	Black & Salt & Pepper	9 (L)	12 pairs/bag • 1 bag/case	
98238	43259	Black & Salt & Pepper	10 (XL)	12 pairs/bag • 1 bag/case	
98239	43260	Black & Salt & Pepper	11 (2XL)	12 pairs/bag • 1 bag/case	

**G60 Level 2 Cut Resistant Sleeves†**



Code	Vending	Color	Size	Case Count	Product Features
90070	37731	Yellow	One size fits all	6 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> <li>• ANSI Level 2/EN388 Level 2 cut resistance</li> <li>• CPPT = 934 grams with thumbhole/ 920 grams without thumbhole</li> <li>• 18" length</li> <li>• Cut-resistant outer layer with cotton inner layer for comfortable fit</li> <li>• Good breathability</li> </ul>

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions. Sleeve must not come into contact with a naked flame.

**G60 Level 5 Cut Resistant Sleeve†**



Code	Vending	Color	Size	Case Count	Product Features
90075	43408	Salt & Pepper	One size fits all	6 pairs/bag • 2 bags/case	<ul style="list-style-type: none"> <li>• ANSI Level 3/EN388 Level 5 cut resistance</li> <li>• CPPT = 1244 grams</li> <li>• 18" length</li> <li>• Ultra-High-Molecular-Weight Polyethylene (UHMWPE) fiber with nylon, LYCRA® Brand fiber and glass liner</li> <li>• Proprietary adjustable closure on arm and wrist</li> </ul>

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

**OTHER**

**G35 Inspection Gloves**



Code	Vending	Color	Size	Case Count	Product Features
38716	43813	White Nylon	6 (XS)	12 pairs/bag • 10 bags/case	<ul style="list-style-type: none"> <li>• 100% white nylon</li> <li>• Low-linting</li> <li>• Seamless knit shell</li> <li>• Ambidextrous</li> <li>• Not made with silicone</li> <li>• Colored yarn on cuff</li> </ul>
38717	43814	White Nylon	7 (S)	12 pairs/bag • 10 bags/case	
38718	43815	White Nylon	8 (M)	12 pairs/bag • 10 bags/case	
38719	43816	White Nylon	9 (L)	12 pairs/bag • 10 bags/case	
38720	43817	White Nylon	10 (XL)	12 pairs/bag • 10 bags/case	



# EYE PROTECTION

Kimberly-Clark Professional\* offers safety eyewear for different work environments and a variety of different tasks.

## Standards

- **ANSI Z87.1:** The American National Standards Institute (ANSI) is a private not-for-profit organization that aims to enhance the global competitiveness of U.S. business and the American quality of life by promoting and facilitating voluntary consensus standards and conformity. With ANSI Z87.1, ANSI establishes the requirements for the design, construction, testing, and use of eye protection, including standards for impact and penetration resistance.
- **CSA Z94.3:** The Canadian Standards Association (CSA) is a not-for-profit, membership-based association in Canada that develops standards that address needs such as enhancing the public safety and health. The CSA Z94.3 standard relates to eye and face protectors for industrial and educational processes, outlining the performance requirements against hazards such as: flying particles/objects, heat/sparks, chemical splashes, molten metal, UV, visible and infrared radiation.
- **CE Standards:** CE is a mandatory European product marketing and certification system that indicates whether or not the product complies with all applicable European product safety, health and environmental requirements. The EN166 standard establishes basic technical requirements for eye and face protection. Within the EN166 standard, there are numerous levels of












compliance, depending on the end use of the piece of equipment in question. There are additional standards applied, based on the product type and use. Other CE standards address optical and non-optical test methods for the EN166 performance requirements.

## Other Governing Bodies

- **OSHA:** Occupational Safety and Health Administration (OSHA) is an agency of the United States Department of Labor. Their mission is to prevent work-related injuries, illnesses, and deaths by issuing and enforcing standards for workplace safety and health.
- **ISEA:** The International Safety Equipment Association is the trade association in the United States for companies that manufacture safety and personal protective equipment and is an ANSI-accredited standards-developing organization. ISEA works closely with safety equipment manufacturers, test labs, subject matter experts, end-users, and government agencies with the objective of protecting workers worldwide.

<b>V100</b>	<b>IRUV Protection Safety Goggles</b> <i>Protect from IRUV light during tasks like medium cutting or brazing</i>
<b>V90</b>	<b>Shield Protection Safety Goggles</b> <i>Provide full eye and face protection from splash without the hassle of primary eye protection underneath a face shield</i>
<b>V80</b>	<b>Splash Protection Safety Goggles</b> <i>Protect from splash hazards</i>
<b>V70</b>	<b>Particle Protection Safety Goggles</b> <i>Protect from dust and/or fine dust hazards</i>
<b>—</b>	<b>Smith &amp; Wesson® Safety Glasses</b> <i>Stylish and comfortable protection with a range of options for workers to exhibit their individuality in the workplace</i>
<b>V60</b>	<b>Corrective Safety Glasses</b> <i>Stylish and comfortable protection with integrated vision assistance solutions for workers requiring corrective lenses</i>
<b>V50</b>	<b>Shielded Safety Glasses</b> <i>Select styles offer flexible protection that enhances dust/particle protection</i>
<b>V40</b>	<b>Premium Safety Glasses</b> <i>Protection that takes style and comfort to the next level – a range of options for the workforce that requires the next level of style comfort</i>
<b>V30</b>	<b>Nemesis* Safety Glasses</b> <i>Offers stylish comfort and lasting protection with a range of options for managers to outfit their workforce with protective eyewear</i>
<b>V20</b>	<b>Economy Safety Glasses</b> <i>Economy protection designed to provide comfort during extended use</i>
<b>V10</b>	<b>Visitor Safety Glasses</b> <i>Visitor protection designed to accommodate a wide range of people</i>

## Symbols Key

-  Meets the optical requirements of the ANSI Z87.1 standards
-  Meets the impact, ignition/flammability, coverage, and optical requirements of the CSA Z94.3 standards
-  Meets the impact protector requirements of the ANSI Z87.1 standards
-  Lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection
-  Meets the ANSI Z87.1 requirements for liquid splash/droplet protection
-  Product complies with the Trade Agreements Act
-  Meets the ANSI Z87.1 requirements for dust protection
-  Number denotes the base curve of the eyewear; a higher base curve provides more wraparound protection and peripheral vision, and can reduce the need for side shields
-  Meets the ANSI Z87.1 requirements for fine dust protection
-  Certified to meet the impact, ignition/flammability, coverage, and optical requirements of the CSA Z94.3 standards
-  **RightCycle** by Kimberly-Clark Professional\*



Look for this symbol to see which products are eligible for recycling.

## SELECTING THE RIGHT EYEWEAR

Color <sup>3</sup>	Visible Light Transmittance <sup>4</sup>	Description	Environment
○ Clear	100-85%	Allows maximum visible light transmission	Indoor
● Amber/Yellow	91-74%	Light-gathering properties for low-contrast areas	Low Light
● Light Blue	70-55%	Provides enhanced contrast	Indoor
● Gradient Smoke	68-62%	Lenses are darkest at the top and progressively become lighter to protect eyes from the sun while allowing greater visibility at the bottom of the lens.	Outdoor
● Indoor/Outdoor	66-45%	Move from indoor or shaded conditions to outdoor	Indoor/Outdoor
● Orange	56-52%	Light-gathering properties for low-contrast areas	Low Light
● 1/2 Shade	50-45%	1/2 way between clear and smoke tint	Indoor/Outdoor
● Copper Blue Shield	40-34%	Filters out blue light for enhanced contrast	Outdoor
● Teal	37-33%	Provides enhanced contrast	Indoor
● Bronze	26-20%	Provides visual definition with increased contrast	Indoor/Outdoor
● Smoke	25-8%	Worn on bright, sunny days to provide glare reduction	Outdoor
● Metallic Rainbow	20-16%	Amplifies color contrast with outdoor metallic finish coating	Outdoor
● Brown Polarized	18-22%	Brown-tinted lenses with embedded polarized technology effective for filtering scattered blue light to improve depth perception and contrast	Outdoor
● Smoke Polarized	18-22%	Smoke-tinted lenses with embedded polarized technology for optical clarity and to help reduce the glare of reflected light, eye stress, and eye fatigue	Outdoor
● IRUV Shade 3.0	18-8.5%	Protects against infrared (IR) and ultraviolet radiation (UVA/UVB)	Light Cutting/ Brazing
● Red Mirror	17-33%	Smoke-tinted sunglasses with outer red-mirror finish coating	Outdoor
● Silver Mirror	16-7%	Silver-tinted sunglasses with outer silver-mirror finish coating	Outdoor
● Smoke Mirror	16-7%	Smoke-tinted sunglasses with outer mirror finish coating	Outdoor
● Blue Mirror	16-3.5%	Smoke-tinted sunglasses with outer blue-mirror finish coating	Outdoor
● Metallic Blue	15-11%	Amplifies color contrast with metallic-finish coating	Outdoor
● Mirror	13-9%	Outer silver-mirror finish coating	Outdoor
● Green Mirror	13-9%	Smoke-tinted sunglasses with outer green-mirror finish coating	Outdoor
● Gold Metallic	13-9%	Smoke-tinted sunglasses with outer mirror finish coating	Outdoor
● Brown	12-8%	Worn on bright, sunny days to provide glare reduction	Outdoor
● IRUV Shade 5.0	3.16-1.18%	Protects against infrared (IR) and ultraviolet radiation (UVA/UVB)	Medium Cutting/ Brazing

### Lens Type Selection

<b>Uncoated</b>	For economical budgets and fewer uses
<b>Hardcoated</b>	For scratch resistance and longer life
<b>Anti-Fog</b>	For humid environments and temperature variances

<sup>3</sup> Actual lens colors may vary according to each style

<sup>4</sup> A range is provided, as % visible light transmittance (% VLT) may vary by style

*These devices are tinted for comfort and style only, and the transmittance is reported for information on "darkness" of the lens only. Unless the product is marked as such, these are not tested to the ANSI Z87 requirements for visible light protectors.*

## V10 VISITOR SAFETY GLASSES

### Expo<sup>®</sup> Safety Eyewear • Pairs/Box: 12



Code	Old Code	Lens	Coating	Frame
22514	3020277	○ Clear	Uncoated	Black
22515	3020278	● Smoke	Uncoated	Black

- Product Features**
- Low-cost wraparound protection with three-point extendable temples to provide a customized fit

### Element<sup>®</sup> Safety Eyewear • Pairs/Box: 12



Code	Old Code	Lens	Coating	Frame
25627	3004880	○ Clear	Uncoated	Clear
29094	3004883	● Amber	Uncoated	Black
33072	—	● Light Blue	Uncoated	Light Blue
25638	3011379	● Indoor/Outdoor	Uncoated	Black
25631	3004882	● Smoke	Uncoated	Black
29110	3011380	● Blue Mirror	Mirror	Black

- Product Features**
- Lightweight, popular styling with an economical price
  - Metal-free design with screwless hinges

### Unispec<sup>®</sup> II Safety Eyewear • Pairs/Box: 50



Code	Old Code	Lens	Coating	Frame
25646	3000285	○ Clear	Uncoated	Clear
16727	3005206	○ Clear	Hardcoated	Clear

- Product Features**
- Low-cost wraparound protection that fits over most prescription eyewear
  - Metal-free design with screwless hinges

## V20 ECONOMY SAFETY GLASSES

### Purity<sup>®</sup> Safety Eyewear • Pairs/Box: 12



Code	Old Code	Lens	Coating	Frame
25650	3004880	○ Clear		Clear
25654	3004883	○ Clear	Anti-Fog	Clear
25649	—	● Amber		Amber
25656	3011379	● Indoor/Outdoor		Clear
25652	3004882	● Smoke		Smoke


- Product Features**
- Economical yet stylish eye protection
  - Comfortable, padded temples for enhanced comfort
  - Hardcoated lenses for scratch resistance and longer life

### Envision<sup>®</sup> Safety Eyewear • Pairs/Box: 12



Code	Old Code	Lens	Coating	Frame
14477	3000337	○ Clear		Black
14478	3000338	○ Clear	Anti-Fog	Black
14479	3000339	● Smoke		Black
14480	3000341	● Indoor/Outdoor		Black

- Product Features**
- Economical protection with four-point ratchet temples to provide a customized fit for enhanced comfort
  - Brow guard provides enhanced coverage and protection
  - Hardcoated lenses for scratch resistance and longer life

All products marked with  are packaged in a retail-friendly, "gravity feed" style case.



**Visio\* Safety Eyewear** • Pairs/Box: 12



Code	Old Code	Lens	Coating	Frame	Product Features
14470	3000303	Clear		Silver	<ul style="list-style-type: none"> <li>Economical protection with three-point extendable temples to provide a customized fit for enhanced comfort</li> <li>Unique dual-tone frame for added style</li> <li>Hardcoated lenses for scratch resistance and longer life</li> </ul>
14471	3000304	Clear	Anti-Fog	Silver	
14474	3000307	Amber		Black	
14476	3000309	Indoor/Outdoor		Black	
14472	3000305	Smoke		Silver	
14473	3000306	Smoke	Anti-Fog	Silver/Black	
14475	3000308	Blue Mirror	Mirror	Black	

**V30 NEMESIS\* SAFETY GLASSES**



**Nemesis\* Safety Eyewear** • Pairs/Box: 12



Code	Lens	Coating	Frame	Gravity Feed	Product Features
25676	Clear		Black		<ul style="list-style-type: none"> <li>Sporty, flexible, and lightweight design for comfort and compliance</li> <li>Patented Flex-Dry* nosepiece designed for comfort with enhanced flexibility and integrated ridges to divert sweat</li> <li>Hardcoated lenses for scratch resistance and longer life</li> </ul>
25679	Clear	Anti-Fog	Black		
25659	Amber		Black		
22476	Amber	Anti-Fog	Black		
25685	Indoor/Outdoor		Black		
19642	Copper Blue Shield		Black		
25688	Smoke Mirror	Mirror	Black		
22475	Smoke	Anti-Fog	Black		
25692	IRUV Shade 3.0		Black		
14481	Blue Mirror	Mirror	Black		
25671	IRUV Shade 5.0		Black		
19639	Light Blue		Blue		
22608	Clear	Anti-Fog	Camo		
22610	Amber	Anti-Fog	Camo		
19644	Bronze		Camo		
22609	Smoke	Anti-Fog	Camo		
47378	Clear	Anti-Fog	Red		
22611	Smoke	Anti-Fog	Red		
47388	Clear	Anti-Fog	Silver		
47383	Smoke	Anti-Fog	Silver		
47384	Clear	Anti-Fog	Metallic Blue		
47387	Smoke	Anti-Fog	Metallic Blue		

Every pair includes a neck cord for reduced risk of damage when not being worn



SAVE 20% IN 60 DAYS

See back cover for details

While other eyewear snaps under a little bit of stress, the Jackson Safety\* Nemesis\* Eyewear can handle the pressure.<sup>1</sup>



<sup>1</sup> Applies to Nemesis\*, Nemesis\* Polarized, Nemesis\* VL, Nemesis\* CSA, Nemesis\* with Rx Inserts, and Nemesis\* Rx Readers Safety Glasses

## Nemesis\* Polarized Safety Eyewear • Pairs/Box: 12



Every pair includes a neck cord for reduced risk of damage when not being worn

Code	Lens	Frame	Gravity Feed
28637	Polarized Brown	Brown	
28635	Polarized Smoke	Gunmetal	
47417	Polarized Smoke	Camo	

- Product Features**
- Sporty, flexible, and lightweight design with superior polarized-lens technology to reduce eye stress and fatigue caused by excessive glare
  - Superior anti-scratch lens coating increases lens longevity and passes the EN 166 "K" mark testing for resistance to surface damage by fine particles

## Nemesis\* Small Safety Eyewear • Pairs/Box: 12



Every pair includes a neck cord for reduced risk of damage when not being worn

Code	Lens	Coating	Frame
38474	Clear		Black w/Black Tips
38478	Clear	Anti-Fog	Black w/Pink Tips
38480	Indoor/Outdoor		Black w/Green Tips
38476	Smoke		Black w/Black Tips

- Product Features**
- Sporty eyewear that fits a smaller, slimmer head without adjustments
  - Features a stronger nosepiece and wider bridge for enhanced comfort
  - Select styles have colorful temple tips
  - Hardcoated lenses for scratch resistance and longer life

## Nemesis\* VL Safety Eyewear • Pairs/Box: 12



Every pair includes a neck cord for reduced risk of damage when not being worn

Code	Old Code	Lens	Coating	Frame	Gravity Feed
20470	3013536	Clear		Gunmetal	
29111	3013537	Clear	Anti-Fog	Gunmetal	
29112	3013539	Indoor/Outdoor		Gunmetal	
25704	3013538	Smoke		Gunmetal	
20471	3013540	Blue Mirror	Mirror	Gunmetal	
20473	3013544	IRUV Shade 5.0		Gunmetal	
20472	3013542	Bronze		Camo	

- Product Features**
- Sporty and flexible like the original Nemesis\* Safety Eyewear, the Nemesis\* VL Safety Eyewear is frameless, making it even more lightweight
  - No-brow design increases upwards peripheral vision and limits interference with hard hat suspension systems
  - Hardcoated lenses for scratch resistance and longer life



SAVE 20% IN 60 DAYS

See back cover for details



**Nemesis\* CSA Safety Eyewear** • Pairs/Box: 12



Every pair includes a neck cord for reduced risk of damage when not being worn

Code	Old Code	Lens	Coating	Frame	Gravity Feed
20378	3013296	○ Clear		Black	●
20379	3013297	○ Clear	Anti-Fog	Black	●
25673	—	● Amber		Black	●
20381	3013299	○ Indoor/Outdoor		Black	●
20384	3013302	● Copper Blue Shield		Black	
20382	3013300	● Blue Mirror		Black	●
20380	3013298	● Smoke Mirror		Black	●
20640	3014556	● IRUV Shade 5.0		Black	●
20383	3013301	● Light Blue		Blue	●
20385	3013303	● Smoke Mirror		Gunmetal	
20386	3013304	● Bronze		Camo	

- Product Features**
- Sporty, flexible, and lightweight design that is certified to meet the requirements of CSA Z94.3
  - Patented Flex-Dry\* nosepiece designed for comfort with enhanced flexibility and integrated ridges to divert sweat
  - Hardcoated lenses for scratch resistance and longer life



SAVE 20% IN 60 DAYS

See back cover for details

**V40 PREMIUM SAFETY GLASSES**

**Hellraiser\* Safety Eyewear** • Pairs/Box: 12



Code	Old Code	Lens	Coating	Frame	Gravity Feed
20539	3013851	○ Clear		Black	●
28615	3013853	○ Clear	Anti-Fog	Black	●
20541	3013855	● Amber		Black	●
20542	3013857	● Light Blue		Black	●
25716	3013856	○ Indoor/Outdoor		Black	●
25714	3013854	● Smoke		Black	●
20544	3013859	● IRUV Shade 3.0		Black	●
20543	3013858	● Blue Mirror	Mirror	Black	●
20545	3013860	● IRUV Shade 5.0		Black	●

- Product Features**
- Sunglasses style eyewear with a compact, lightweight design for comfort as stand-alone PPE and when used with other PPE, like face shields and welding hoods
  - Flex-point temples for comfort and stability
  - Hardcoated lenses for scratch resistance and longer life

**Ace\* Safety Eyewear** • Pairs/Box: 12



Code	Old Code	Lens	Coating	Frame	Gravity Feed
38501	3013851	○ Clear		Black	●
38492	3013853	● Smoke		Black	●

- Product Features**
- Our lightest-weight universal-sized safety eyewear designed for all-day comfort
  - Nose pads can be rotated to prevent slippage and provide a customized fit
  - Hardcoated lenses for scratch resistance and longer life

**Maxfire\* Safety Eyewear** • Pairs/Box: 12



Code	Lens	Coating	Frame	Gravity Feed
38499	○ Clear	Anti-Fog	Black	●
38494	● Amber	Anti-Fog	Black	●
38490	○ Indoor/Outdoor	Anti-Fog	Brown	●
38485	● Smoke	Anti-Fog	Brown	●

- Product Features**
- Flexible click-to-fit temples and adjustable nose pad allows for fit and lens angle to be customized for user comfort
  - Premium anti-fog coating for worker efficiency and safety, passing the EN 166 "N" mark test for resistance to fogging
  - Metal-free design with screwless hinges
  - Superior anti-scratch coating prevents scratches that could impair vision and increases lens longevity, passing the EN 166 "K" mark test for resistance to surface damage by fine particles

**Maxfire\* S Safety Eyewear** • Pairs/Box: 12



Code	Lens	Coating	Frame	Gravity Feed
38498	○ Clear	Anti-Fog	Black & Red	●
38493	● Amber	Anti-Fog	Black & Red	●
38489	○ Indoor/Outdoor	Anti-Fog	Brown	●
38484	● Smoke	Anti-Fog	Brown	●

- Product Features**
- Same contemporary styling as the Maxfire\* Safety Glasses, but smaller to fit smaller, slimmer heads
  - Flexible click-to-fit temples and adjustable nose pad allows for fit and lens angle to be customized for user comfort
  - Premium anti-fog coating for worker efficiency and safety, passing the EN 166 "N" mark test for resistance to fogging
  - Metal-free design with screwless hinges to minimize electrical transference risk
  - Superior anti-scratch coating prevents scratches that could impair vision and increases lens longevity, passing the EN 166 "K" mark test for resistance to surface damage by fine particles

**V50 SHIELDED SAFETY GLASSES**

**Calico\* Safety Eyewear** • Pairs/Box: 12



Interchangeable headstrap allows tighter fit

Code	Old Code	Lens	Coating	Frame	Gravity Feed
25672	08661	○ Clear	Anti-Fog	Black	●
25674	08660	● Amber	Anti-Fog	Black	●
36692	—	○ 1/2 Shade	Anti-Fog	Black	●
25675	08662	● Smoke	Anti-Fog	Black	●



Every pair comes with a carrying pouch that can double as a lens cleaning cloth

- Product Features**
- Temple bars can be interchanged with head strap (included) when a closer, more secure fit is required
  - Removable foam lining provides long-term comfort and helps to seal out dust and debris
  - Superior anti-scratch coating prevents scratches that could impair vision and increases lens longevity, passing the EN 166 "K" mark test for resistance to surface damage by fine particles
  - Anti-fog coating and ventilation from cushioned brow bar provide premium anti-fog performance for worker efficiency and safety, passing the EN 166 "N" mark test

## Epic\* Safety Eyewear • Pairs/Box: 12



Code	Lens	Coating	Frame
33345	○ Clear	Anti-Fog	Black & Red
33347	◐ Indoor/Outdoor	Anti-Fog	Black & Red
35327	● Smoke	Anti-Fog	Black & Red



Temple bars can be interchanged with (included) head strap when a closer, more secure fit is required

### Product Features

- Temple bars can be interchanged with head strap (included) when a close, more secure fit is required
- Flexible foam gasket provides long-term comfort and helps to seal out dust and debris
- Premium anti-fog coating and direct ventilation at top and bottom of eyewear provide superior anti-fog performance for worker efficiency and safety. The eyewear remains fog-free for more than twice the amount of time needed to pass the EN 166 "N" mark test for fog resistance
- Superior anti-scratch coating prevents scratches that could impair vision and increases lens longevity, passing the EN 166 "K" mark test for resistance to surface damage by fine particles

## OTG\* Safety Eyewear • Pairs/Box: 12



Code	Old Code	Lens	Coating	Frame
20746	3015022	○ Clear	Anti-Fog	Black
20748	3015024	◐ Indoor/Outdoor		Black
20747	3015023	● Smoke	Anti-Fog	Brown
21917	3018175	● IRUV Shade 5.0		Black

### Product Features

- Over-the-glass safety eyewear option for prescription glasses wearers with a nylon frame for flexibility and strength to provide comfort and durability
- See-through integrated side shields provide side impact protection without hindering peripheral vision
- Hardcoated lenses for scratch resistance and longer life

## Cudas\* Safety Eyewear • Pairs/Box: 12



Code	Old Code	Lens	Coating	Frame
14464	3000287	○ Clear		Black
14466	3000288	○ Clear	Anti-Fog	Black
14469	3000293	● Amber		Black
14467	3000289	● Smoke		Black
14468	3000290	● Smoke	Anti-Fog	Black

### Product Features

- Safety eyewear with a nylon frame designed for smaller, slimmer heads
- Temples extendable to 4 different lengths for a customized fit
- Hardcoated lenses for scratch resistance and longer life

## V60 CORRECTIVE SAFETY GLASSES

### Nemesis\* Rx Readers Safety Eyewear • Pairs/Box: 6



Every pair includes a neck cord for reduced risk of damage when not being worn

Code	Old Code	Lens	Strength	Coating	Frame	Gravity Feed
28618	3013305	○ Clear	+1.0		Black	●
28621	3013306	○ Clear	+1.5		Black	●
28624	3013307	○ Clear	+2.0		Black	●
28627	3013308	○ Clear	+2.5		Black	●
28630	3013309	○ Clear	+3.0		Black	●
22516	3020285	● Smoke	+1.5		Black	
22518	3020286	● Smoke	+2.0		Black	
22519	3020287	● Smoke	+2.5		Black	

- Product Features**
- Sporty, flexible, and lightweight eyewear with integrated diopters for vision assistance
  - Patented Flex-Dry\* nosepiece designed for comfort with enhanced flexibility and integrated ridges to divert sweat
  - Hardcoated lenses for scratch resistance and longer life

While other eyewear snaps under a little bit of stress, the Jackson Safety\* Nemesis\* Eyewear can handle the pressure.‡



‡ Applies to Nemesis\*, Nemesis\* Polarized, Nemesis\* VL, Nemesis\* CSA, Nemesis\* with Rx Inserts, and Nemesis\* Rx Readers Safety Glasses

### Nemesis\* with Rx Inserts Safety Eyewear • Pairs/Box: 12



Code	Lens	Coating	Frame	Gravity Feed
38503	○ Clear	Anti-Fog	Black	●
38504	● Amber	Anti-Fog	Black	●
38507	○ Indoor/Outdoor	Anti-Fog	Metallic Blue & Black	●
38505	● Smoke	Anti-Fog	Black	●

- Product Features**
- Sporty eyewear that comes with a close-fit prescription lens insert behind the polycarbonate eye shield
  - Solution tends to be more lightweight and comfortable than options like side shields and over-the-glasses safety glasses
  - Adjustable ratchet-action temples with five positions provide a customized fit
  - Hardcoated lenses for scratch resistance and longer life



Every pair includes a neck cord for reduced risk of damage when not being worn



Rx prescription insert



### 30-06\* Rx Readers Safety Eyewear • Pairs/Box: 6



	Code	Old Code	Lens	Strength	Coating	Frame	Product Features
	19876	3011716	○ Clear	+1.0		Black	<ul style="list-style-type: none"> <li>• Stylish, nylon framed eyewear with integrated diopters for vision assistance</li> <li>• Soft, self-adjusting rubber nose pad for comfort</li> <li>• Hardcoated lenses for scratch resistance and longer life</li> </ul>
	19878	3011717	○ Clear	+1.5		Black	
	19879	3011718	○ Clear	+2.0		Black	
	19891	3011719	○ Clear	+2.5		Black	
	19892	3011720	○ Clear	+3.0		Black	
	19893	3011724	● Amber	+1.5		Black	
	19894	3011725	● Amber	+2.0		Black	
	19913	3011726	● Amber	+2.5		Black	
	19872	3011712	● Brown	+1.5		Tortoise	
	19874	3011713	● Brown	+2.0		Tortoise	
	19875	3011714	● Brown	+2.5		Tortoise	
	20553	3013933	● IRUV Shade 5.0	+1.5		Black	
20558	3013968	● IRUV Shade 5.0	+2.0		Black		
20559	3013969	● IRUV Shade 5.0	+2.5		Black		

### 30-06\* Dual Readers Safety Eyewear • Pairs/Box: 6





	Code	Old Code	Lens	Strength	Coating	Frame	Product Features
	20387	3013327	○ Clear	+1.5		Black	<ul style="list-style-type: none"> <li>• Stylish, nylon framed eyewear with integrated diopters on both the top and bottom for vision assistance when looking both up and down</li> <li>• Soft, self-adjusting rubber nose pad for comfort</li> <li>• Hardcoated lenses for scratch resistance and longer life</li> </ul>
	20388	3013328	○ Clear	+2.0		Black	
	20389	3013329	○ Clear	+2.5		Black	



## SMITH & WESSON® SAFETY GLASSES

### Elite\* Safety Eyewear • Pairs/Box: 12






	Code	Old Code	Lens	Coating	Frame	Gravity Feed	Product Features
	21302	3016312	○ Clear	Anti-Fog	Black	●	<ul style="list-style-type: none"> <li>• Lightweight and "retro-style" sunglasses design provides the latest fashion statement in safety eyewear</li> <li>• Wide temples provide structural integrity and stability</li> <li>• Hardcoated lenses for scratch resistance and longer life</li> </ul>
	21305	3016314	● Amber	Anti-Fog	Black	●	
	21306	3016315	○ Indoor/Outdoor		Black	●	
	21303	3016313	● Smoke		Black	●	
	21307	3016316	● Blue Mirror	Mirror	Black	●	



Every pair comes with a carrying pouch that can double as a lens cleaning cloth


### Magnum® 3G Safety Eyewear • Pairs/Box: 12



	Code	Old Code	Lens	Coating	Frame	Product Features
	19799	3011672	○ Clear		Black	<ul style="list-style-type: none"> <li>• Safety eyewear with a frameless sunglasses design</li> <li>• Extendable temples offer three different temple lengths for a customized fit</li> <li>• Self-adjusting nose pad with rubber fingers designed to prevent glasses from slipping down the nose</li> <li>• Hinge stops prevent temple tips from scratching lenses for increased longevity</li> <li>• Hardcoated lenses for scratch resistance and longer life</li> </ul>
	19794	3011670	○ Clear	Anti-Fog	Black	
	19826	3011676	● Amber		Black	
	19796	3011671	● Copper Blue Shield		Black	
	19823	3011674	● Smoke		Black	
	19955	3011840	● Smoke	Anti-Fog	Black	
	19792	3011668	● IRUV 3.0		Black	
	19940	3011824	● Green Mirror	Mirror	Black	
	19793	3011669	● IRUV 5.0		Black	
	19961	3011841	○ Clear		Platinum	
	19829	3011678	● Orange		Platinum	
	19830	3011679	● Teal		Platinum	
	19831	3011681	○ Indoor/Outdoor		Metallic Gray	

### Magnum® 3G Mini Safety Eyewear • Pairs/Box: 12



	Code	Old Code	Lens	Coating	Frame	Product Features
	19822	3011673	○ Clear		Black	<ul style="list-style-type: none"> <li>• The same frameless sunglasses design of Magnum® 3G, but in a smaller frame size for smaller, slimmer heads</li> <li>• Extendable temples offer three different temple lengths for a customized fit</li> <li>• Self-adjusting nose pad with rubber fingers designed to prevent glasses from slipping down the nose</li> <li>• Hinge stops prevent temple tips from scratching lenses for increased longevity</li> <li>• Hardcoated lenses for scratch resistance and longer life</li> </ul>
	19828	3011677	● Amber		Black	
	20338	3013026	● Copper Blue Shield		Black	
	19824	3011675	● Smoke		Black	
	20337	3013025	● Gold Mirror	Mirror	Black	
	20339	3013027	○ Indoor/Outdoor		Gray	



### Equalizer\* Safety Eyewear • Pairs/Box: 12



	Code	Old Code	Lens	Coating	Frame	Gravity Feed
	21294	3016306	○ Clear		Gunmetal	●
	21296	3016307	○ Clear	Anti-Fog	Gunmetal	●
	21298	3016309	○ Indoor/Outdoor		Gunmetal	●
	21297	3016308	● Smoke	Anti-Fog	Gunmetal	●
	21299	3016310	● Amber		Red	●
	21301	3016311	● Blue Mirror	Mirror	Blue	●

- Product Features**
- Popular sunglasses design with a variety of frame color options for worker individuality
  - Soft and flexible rubber nose pads and sport grip temples to reduce slippage and provide superior comfort and fit
  - Hardcoated lenses for scratch resistance and longer life



Every pair comes with a carrying pouch that can double as a lens cleaning cloth

### Sigma\* Safety Eyewear • Pairs/Box: 12



	Code	Old Code	Lens	Coating	Frame
	20350	3013122	○ Clear	Anti-Fog	Gunmetal
	20351	3013123	● Amber	Anti-Fog	Gunmetal
	20353	3013125	○ Indoor/Outdoor	Anti-Fog	Gunmetal
	20352	3013124	● Smoke	Anti-Fog	Gunmetal

- Product Features**
- Sleek metal frame and padded temple tips provide a lightweight option for all-day comfort
  - Soft foam pad along the brow provides a snug and comfortable fit and helps to keep sweat out of the eyes
  - Hinge stops prevent temple tips from scratching lenses for increased longevity
  - Hardcoated lenses for scratch resistance and longer life



Every pair comes with a carrying pouch that can double as a lens cleaning cloth

### 44 Magnum® Safety Eyewear • Pairs/Box: 12



	Code	Old Code	Lens	Coating	Frame
	23452	3023378	○ Clear	Anti-Fog	Black
	23456	3023381	● Amber	Anti-Fog	Black
	23454	3023380	○ Indoor/Outdoor	Anti-Fog	Black
	23453	3023379	● Smoke	Anti-Fog	Black
	23457	3023382	● Brown	Anti-Fog	Brown

- Product Features**
- Frameless sunglasses styling with vented temples maximize air flow to minimize fogging
  - Thin, flexible nosepiece is shaped to easily conform to various nose shapes and sizes for comfort
  - Flexible temples naturally contour to the head for a secure and comfortable fit
  - Hinge stops prevent temple tips from scratching lenses for increased longevity
  - Hardcoated lenses for scratch resistance and longer life

### 38 Special\* Safety Eyewear • Pairs/Box: 12



	Code	Old Code	Lens	Coating	Frame
	19856	3011699	○ Clear		Black
	19859	3011703	● Smoke		Black
	19858	3011702	● Red Mirror	Mirror	Black
	19857	3011701	● Gradient Smoke		Metallic Gray
	19855	3011698	● Blue Mirror	Mirror	Chrome

- Product Features**
- Safety eyewear with a compact sunglasses design and a variety of lens options
  - Multiple lens options available to address specific work environment needs and personal style
  - Ergonomically designed temples with rubber insert temple tips for a soft, snug, and secure fit
  - Hardcoated lenses for scratch resistance and longer life

### Viewmaster\* Polarized Safety Eyewear • Pairs/Box: 12



Every pair comes with a carrying pouch that can double as a lens cleaning cloth

Code	Old Code	Lens	Coating	Frame
19871	3011704	Smoke Polarized		Metallic Gray

- Product Features**
- Safety eyewear with a compact sunglasses design
  - Polarized lenses to reduce eye stress and fatigue caused by excessive glare
  - Ergonomically designed temples with rubber insert temple tips for a soft, snug, and secure fit
  - Hardcoated lenses for scratch resistance and longer life

### Caliber\* Safety Eyewear • Pairs/Box: 12



Code	Old Code	Lens	Coating	Frame	Gravity Feed
23006	3023024	Clear	Anti-Fog	Black	●
23009	3023027	Amber	Anti-Fog	Black	●
23008	3023026	Indoor/Outdoor	Anti-Fog	Black	●
23007	3023025	Smoke	Anti-Fog	Black	●
23010	3023028	Brown	Anti-Fog	Brown	●

- Product Features**
- Frameless sunglasses design with contoured flexible rubber temples offer long-term comfort, designed not to pinch or put pressure on the wearer's head
  - Thin, flexible nosepiece has built-in airflow holes for flexibility and comfort
  - Hinge stops prevent temple tips from scratching lenses for increased longevity
  - Hardcoated lenses for scratch resistance and longer life

### Code 4\* Safety Eyewear • Pairs/Box: 12



Code	Old Code	Lens	Coating	Frame
19833	3011687	Clear		Black
19832	3011685	Copper Blue Shield		Black
19836	3011690	Smoke		Black
19834	3011688	Mirror	Mirror	Black
19835	3011689	Orange		Platinum

- Product Features**
- Safety eyewear with a sporty sunglasses design
  - Contoured temples for a precise and secure fit
  - Ribbed nose pad to prevent slippage
  - Hardcoated lenses for scratch resistance and longer life

### Phantom\* Safety Eyewear • Pairs/Box: 12



Code	Old Code	Lens	Coating	Frame
19839	3011694	Clear		Pewter
19838	3011693	Clear	Anti-Fog	Pewter
19853	3011696	Smoke		Black

- Product Features**
- Safety eyewear with a futuristic frameless design
  - Straight-back bayonet design eliminates temple pressure
  - Flexible ribbed nosepiece for comfort and to prevent slippage
  - Hardcoated lenses for scratch resistance and longer life

## V70 PARTICLE PROTECTION SAFETY GOGGLES

### Monogoggle\* 202 Goggle Protection



Code	Old Code	Lens	Coating	Frame	Pairs/Box
16666	3005052	○ Clear		Green	36
16667	3005055	○ Clear	Anti-Fog	Green	36

#### Product Features

- Two-piece goggle frame with a separate soft, cushioning nosepiece for enhanced fit and comfort
- Unventilated design provides protection from fine dust particles
- Headband buckles are located towards the rear of the goggle frame to limit interference with peripheral vision
- Fits over most prescription eyeglasses

## V80 SPLASH PROTECTION SAFETY GOGGLES

### SG34 Goggle Protection



Code	Old Code	Lens	Frame	Pairs/Box
16362	3003415	○ Clear	Green	50
16674	3005066	○ Clear	Green	200

#### Product Features

- Economical splash protection with a soft, pliable frame for enhanced fit and comfort
- Button vents offer indirect ventilation while providing protection from splashes
- Headband buckles are located towards the rear of the goggle frame to limit interference with peripheral vision
- Fits over most prescription eyeglasses

### MRXV\* Goggle Protection



Code	Old Code	Lens	Coating	Frame	Pairs/Box
16676	3005068	○ Clear		Blue	36
16677	3005069	○ Clear	Anti-Fog	Blue	36
16678	3005070	○ Clear		Smoke	36
16679	3005071	○ Clear	Anti-Fog	Smoke	36

#### Product Features

- Splash protection in a sleek and simple design with a curved lens for enhanced field of vision
- Unventilated design provides protection from splashes
- Fits over most prescription eyeglasses

### Monogoggle\* 211 Goggle Protection



Code	Old Code	Lens	Coating	Frame	Pairs/Box
14384	3000005	○ Clear		Green	36
14387	3000013	○ Clear	Anti-Fog	Green	36
16668	3000056	○ Clear (with Foam)	Anti-Fog	Green	36
16669	3000057	○ Clear (Respiratory)	Anti-Fog	Green	36
16670	3000058	○ Clear	Anti-Fog	Smoke	36

#### Product Features

- Economical splash protection with a soft, pliable frame for enhanced fit and comfort
- Button vents offer indirect ventilation while providing protection from splashes
- Headband buckles are located towards the rear of the goggle frame to limit interference with peripheral vision
- Fits over most prescription eyeglasses

**Monogoggle\* VPC Goggle Protection**



Code	Old Code	Lens	Coating	Frame	Pairs/Box
16361	3003414	○ Clear	Anti-Fog	Bronze	36

- Product Features**
- Splash protection goggles in the same two-piece goggle frame as the Monogoggle\* 202 and 211, but with a larger lens for enhanced fit and comfort with larger prescription eyeglasses
  - Indirect ventilation like the Monogoggle\* 211 style, but with two additional baffled ports for increased airflow to help minimize condensation and fogging, while protecting from splashes
  - Headband buckles are located towards the rear of the goggle frame to limit interference with peripheral vision
  - Wider nosepiece to fit over most half mask respirators
  - Fits over most prescription eyeglasses

**Revolution\* OTG Goggle Protection**



Code	Old Code	Lens	Coating	Frame	Pairs/Box
14399	3000048	○ Clear	Anti-Fog	Blue	30
14402	3000050	● Amber	Anti-Fog	Blue	30
14401	3000049	● Smoke	Anti-Fog	Blue	30
18483	3009654	○ Clear	Anti-Fog	Black	30

- Product Features**
- Splash protection in a sleek, sporty design with a curved lens for enhanced field of vision
  - Patented cross vent technology keeps air flowing in and moisture out to prevent fogging and enhance comfort
  - Soft, pliable frame gasket for enhanced fit and comfort
  - Fits over most prescription eyewear

**Monogoggle\* XTR\* OTG Goggle Protection**



Code	Old Code	Lens	Coating	Frame	Pairs/Box
18624	3010334	○ Clear	Anti-Fog	Blue	6
18625	3010335	● Smoke	Anti-Fog	Blue	6
18626	3010338	● IRUV Shade 5.0	Anti-Fog	Black	6
30707	3010339	○ Clear Replacement Lens	Anti-Fog		12
30708	3010340	● Smoke Replacement Lens	Anti-Fog		12

- Product Features**
- Splash protection in sporty design with curved lens for enhanced field of vision
  - Flexible frame conforms to the face for enhanced fit and comfort
  - Indirect ventilation provides increased airflow and minimizes condensation and fogging, while protecting from splashes
  - Fits over most prescription eyewear

**Wildcat\* Goggle Protection**



Code	Old Code	Lens	Coating	Frame	Pairs/Box
20525	3013710	○ Clear	Anti-Fog	Black	12
20527	3013712	● Amber	Anti-Fog	Black	12
20526	3013711	● Smoke	Anti-Fog	Black	12
20528	3013713	● IRUV Shade 3.0	Anti-Fog	Black	12
20529	3013714	● IRUV Shade 5.0	Anti-Fog	Black	12

- Product Features**
- Splash and dust protection with a pliable and compact frame; designed to conform to the contours of the face for all-day comfort
  - Extreme heat-resistant eyewear will not melt, drip, or ignite at 350°F for five minutes
  - Sliding side vents are adjustable to optimize airflow
  - Pivoting headband allows for optimal headband placement
  - Metal-free design

**V90 SHIELD PROTECTION SAFETY GOGGLES**

**Monoshield\* Goggle Protection**



Code	Old Code	Lens	Coating	Frame	Pairs/Box
16671	3005059	○ Clear	Hardcoated	Green	12

- Product Features**
- Monogoggle\* 211 Goggles integrated into a face shield to provide full eye and face protection from liquids without the hassle of primary eye protection underneath a face shield
  - Clear, see-through material allows for easy worker identification
  - Can be worn with most caps and disposable respirators
  - Fits over most prescription eyeglasses

**Shield Goggle Protection**



Code	Old Code	Lens	Coating	Frame	Pairs/Box
18629	3010343	○ Clear	Anti-Fog	Blue	6
18631	3010345	● IRUV Shade 3.0	Anti-Fog	Black	6
18633	3010346	● IRUV Shade 5.0	Anti-Fog	Black	6
30707	3010339	○ Clear Replacement Lens	Anti-Fog		12
30708	3010340	● Smoke Replacement Lens	Anti-Fog		12

- Product Features**
- Monogoggle\* XTR Goggles integrated into a face shield to provide full eye and face protection from liquids without the hassle of primary eye protection underneath a face shield
  - Curved face shield conforms to the shape of the face for added protection
  - Shield detaches from the goggles for a 2-in-1 solution
  - Fits over most prescription eyeglasses





This innovative program enables our customers to turn previously hard-to-recycle nitrile gloves, safety eyewear, and single-use apparel items from Kimberly-Clark Professional\* into new consumer goods.†



Apparel, safety eyewear, and nitrile gloves are worn in your facility.

Used products are collected and shipped to our recycling centers.

Used products are sorted and processed into plastic pellets.

Materials are molded into new plastic products and durable goods.

Help your customers take the next step in their waste reduction journey by choosing **RightCycle by Kimberly-Clark Professional\***. Learn more by visiting: [www.KCProfessional.com/RightCycle](http://www.KCProfessional.com/RightCycle)

† The RightCycle Program applies to KleenGuard\* Apparel A10-A65, Jackson Safety\* V10 Element\* and Unispec\* II, V20 Visio\*, V30 Nemesis\*, and V60 Nemesis\* Safety Eyewear, and KleenGuard\* G10 Thin Mil Nitrile Gloves.



Replace your current solution with **Kimberly-Clark Professional\* branded solutions for 60 days**. If you don't see a 20% cost savings, we will reimburse you the difference between the cost of your product and our product up to \$1,000.

#### PRODUCTS COVERED

- KleenGuard\* A20 Breathable Particle Protection Apparel
- KleenGuard\* A40 Liquid and Particle Protection Apparel
- KleenGuard\* A45 Liquid and Particle Protection Apparel
- Jackson Safety\* Nemesis\* Safety Eyewear
- Jackson Safety\* G29 Solvent Gloves
- Jackson Safety\* G40 Polyurethane Coated Gloves
- Jackson Safety\* G60 Level 3 Purple Nitrile\* Cut Resistant Gloves

The maximum amount that Kimberly-Clark Professional\* will pay out under this program is \$1,000 of product per customer facility. Void where prohibited, taxed or restricted by law. Not responsible for lost, late, misdirected, incomplete or undeliverable submissions. Kimberly-Clark Professional\* reserves the right to modify or cancel this program at any time.

#### Our Guarantee

Your total satisfaction means everything to us. If, for any reason, our products do not meet your expectations, Kimberly-Clark will reimburse you† for your initial purchase, via FREE product, for up to \$1,000. For more information on Kimberly-Clark Professional\*, visit us online at [www.KCProfessional.com](http://www.KCProfessional.com).

‡ Guarantee extended to consuming end-user accounts only.

Kimberly-Clark warrants that its products (1) comply with K-C's standard specifications as of the delivery date to K-C's authorized distributors/direct purchasers and are warranted for the following periods from end-user's date of purchase (verified by valid sales receipt) (a) five years for Balder\* Technology auto darkening filters; (b) two years for all other auto-darkening filters; and (c) one year for powered air-purifying respirators; (2) comply with all K-C labeling representations; and (3) are manufactured in compliance with all applicable federal, state, and local laws in effect at the time and place of manufacture of the products. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. K-C is not liable for any kind of special, incidental, or consequential damages. K-C's liability for breach of contract, tort or other cause of action shall not exceed the product purchase price. Purchasers and users are deemed to have accepted the above warranty and limitation of liability, and cannot change the terms by verbal agreement or by any writing not signed by K-C. To the extent required by applicable law, K-C does not limit its liability for death/injury resulting from K-C's negligence.

© Registered Trademark or \* Trademark of Kimberly-Clark Worldwide, Inc. Marques déposées de Kimberly-Clark Worldwide, Inc. © KCWW. Smith & Wesson®, Magnum and 44 Magnum are registered trademarks and 38 Special, Magnum 3G and Sigma are trademarks used under license by Kimberly-Clark Professional\*. DuPont™ and Tyvek® are registered marks owned by E.I. du Pont de Nemours & Co. VELCRO® is a registered trademark of Velcro BVBA. LYCRA® is a trademark of INVISTA. T89U7M 3/18



Place your order today with your local representative

Find your local distributor  
[www.KCProfessional.com/distributor](http://www.KCProfessional.com/distributor)

Visit our website  
[www.KCProfessional.com](http://www.KCProfessional.com)

Effective March 2018