

Features

- 8" (203 mm) centerset faucet holes.
- Undulating oval basin.
- Overflow drain.

Material

• KOHLER® enameled cast iron.

Installation

• Drop-in.

Recommended Products/Accessories

K-7107 Decorative Drain K-7108 Decorative Drain K-7129 Drain K-9018 P-Trap K-23726 Drain treatment K-23725 Cast iron cleaner



Tides®

K-2839-8

Drop-in Bathroom Sink



Codes/Standards ASME A112.19.1/CSA B45.2 ADA ICC/ANSI A117.1 CSA B651 OBC

Lifetime Limited Warranty for KOHLER[®] Cast Iron Components

See website for detailed warranty information.

Available Colors/Finishes

Color tiles intended for reference only.

| Color | Code | Description |
|-------|------|--------------|
| | 0 | White |
| | FF | Sea Salt™ |
| | 96 | Biscuit |
| | NY | Dune |
| | 95 | lce™ Grey |
| | FT | Basalt |
| | KA | Black 'n Tan |
| | 7 | Black Black™ |





Tides® Drop-in Bathroom Sink **K-2839-8**

9"

(229 mm) Min

24" (610 mm)

8'

Recommended ADA Installation

Min

(203 mm)

3-5/16"


(686 mm)

27"

ÌMin

11" (279 mm)

(84 mm)





| All product dimensions are nominal. | | | |
|-------------------------------------|---|--|--|
| Bowl configuration: | Single | | |
| Installation: | Drop-in | | |
| Bowl area (Only): | Length: 18-1/16" (459 mm) Width: 10-3/16" (259 mm) Water depth: 7-1/2" (191 mm) | | |
| Number of deck holes: | 3 | | |
| Faucet hole spacing: | 8" (203 mm) | | |
| Faucet hole(s): | 1-3/8" (35 mm) | | |
| Drain hole: | 1-3/4" (44 mm) | | |
| Template: | 1147017-7, required, included | | |

Notes

Install this product according to the installation instructions.

Spout must be 5" (127 mm) long (min) for adequate clearance into the bathroom sink when installed with the centerline as shown.

NOTICE: Countertop manufacturer or cutter must use the cut-out template provided with product, or a current one provided by Kohler Co. (call 1-800-4-KOHLER). Kohler Co. is not responsible for the cut-out errors when the incorrect cut-out template is used.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

