# **KOHLER**<sub>®</sub>

#### Features

- Cartridge-free waterless urinal functionality.
- Saves up to 40,000 gallons of water per fixture per year and significantly reduces sewage and maintenance costs.
- Cartridge-free integral trapway provides enhanced performance and less maintenance.
- Optimized interior design virtually eliminates splashing.
- Touch-free design is vandal resistant and offers added hygiene to users.
- This product can help a building earn Water Efficiency points in the LEED Green Building Rating System<sup>™</sup>. See specification sheet for water use data.

#### Material

• Vitreous china.

#### Installation

• 29-5/8" H x 15" W x 15-5/8" D.

#### **Recommended Products/Accessories**

1048656 Sealing Liquid 128 oz 1048656-P Sealing Liquid - Case 1174866 Waterless Urinal Cleaner 3-Pack K-4929 Waterless Urinal Maintenance Balls

#### **Included Components**

Additional Components: 2" outlet spud 3 oz (89 ml) Sealing Liquid Sample Cleaner Sample Hanger(s) Removable Strainer Universal Mounting Bracket Urinal Ball Sample



### ADA

#### **Codes/Standards**

ASME A112.19.2/CSA B45.1 ADA ICC/ANSI A117.1

## KOHLER<sup>®</sup> One-Year Limited Warranty

See website for detailed warranty information.

#### **Available Colors/Finishes**

Color tiles intended for reference only.

#### Color Code Description

0	White
0	VVIIILO


- 96 Biscuit
- 7 Black Black™



#### Steward® Waterless Urinal K-4918



Steward® Waterless Urinal K-4918



#### **Technical Information**

All product dimensions are nominal.

Flush outlet	Waterless
technology:	
Spud size:	2", Outlet, Rear

#### Notes

Install this product according to the installation guide.

Outlet Detail

CAUTION: Risk of property damage. When connecting waterless urinals to the building drain waste vent system, do not use copper pipe or copper tube connectors. The use of a copper connector will result in corrosion of the connector and potential building structure damage caused by leakage.

ADA compliant when installed to the specific requirements of these regulations.

