







Product Family
Miller DuraFlex Python
Harnesses

Feel the difference with specially-formulated elastomer (stretchable) webbing!



Product Numbers & Ordering Information

Product Numbers	Details
 P950/UGN	DuraFlex Harness with Cushioned Tubular Webbing in Shoulder Straps Sliding back D-ring and mating buckle leg and chest straps - universal
 P950-4/S/MGN	DuraFlex Harness with Cushioned Tubular Webbing in Shoulder Straps Sliding back D-ring, tongue buckle leg straps and mating buckle chest strap - Small/Medium
 P950-4/UGN	DuraFlex Harness with Cushioned Tubular Webbing in Shoulder Straps Sliding back D-ring, tongue buckle leg straps and mating buckle chest strap - universal
 P950-4/XXLGN	DuraFlex Harness with Cushioned Tubular Webbing in Shoulder Straps Sliding back D-ring, tongue buckle leg straps and mating buckle chest strap - XXLLarge
 P950-58/UGN	DuraFlex Harness with Cushioned Tubular Webbing in Shoulder Straps Sliding back D-ring, tongue buckle leg straps, mating buckle chest strap and side D-ring for positioning - universal
 P950-7/UGN	DuraFlex Harness with Cushioned Tubular Webbing in Shoulder Straps Sliding back D-ring, mating buckle leg straps, mating buckle chest strap and side D-ring for positioning - universal

	P950-77/UGN	<p>DuraFlex Harness with Cushioned Tubular Webbing in Shoulder Straps</p> <p>Sliding back D-ring, side D-rings for positioning, tool belt loops, back pad, removable waist belt, tongue buckle leg straps and mating buckle chest strap - universal</p>
	P950DQC/UBL	<p>DuraFlex Ultra Harness with Tubular Webbing and Quick-Connect Buckles</p> <p>Quick-connect buckle chest strap and legs straps; and Comfort D-pad. (blue) - universal</p>
	P950QC-7/UGN	<p>DuraFlex Ultra Harness with Tubular Webbing and Quick-Connect Buckles</p> <p>Quick-connect buckle chest strap, and legs straps; Comfort Pad; and side D-rings: - universal</p>
	P950FD-4/XXLGN	<p>DuraFlex Harness with Cushioned Tubular Webbing in Shoulder Straps</p> <p>Sliding back D-ring, front dee, tongue buckle leg straps and mating buckle chest strap - XXLLarge</p>
	P950FD-4/XXXLGN	<p>DuraFlex Harness with Cushioned Tubular Webbing in Shoulder Straps</p> <p>Sliding back D-ring, front dee, tongue buckle leg straps and mating buckle chest strap - XXXLarge</p>
	P950FD-58/UGN	<p>DuraFlex Harness with Cushioned Tubular Webbing in Shoulder Straps</p> <p>Sliding back D-ring, Vest style front D-ring tongue buckle leg straps, mating buckle chest strap and side D-ring for positioning - universal</p>
	P950QC/UGN	<p>DuraFlex Ultra Harness with Tubular Webbing and Quick-Connect Buckles</p> <p>Quick-connect buckle chest strap and legs straps; and Comfort D-pad. - universal</p>
	P950QC-4/CFGN	<p>DuraFlex Ultra Harness with Tubular Webbing and Quick-Connect Buckles</p> <p>Quick-connect buckle chest strap and tongue buckle leg straps; comfort D-pad - custom size - measurements must be provided</p>
	P950QC-4/XXXLGN	<p>DuraFlex Ultra Harness with Tubular Webbing and Quick-Connect Buckles</p> <p>Quick-connect buckle chest strap and tongue buckle leg straps; comfort D-pad - XXXLarge</p>
	P950QC-77/UGN	<p>DuraFlex Ultra Harness with Tubular Webbing and Quick-Connect Buckles</p> <p>Quick-connect buckle leg straps, and chest strap; 6" attached comfort back pad w/ side D-rings; removable waist belt; and Comfort D-Pad - universal</p>

Overview

Key Features

Discover Wraparound Comfort

The DuraFlex Python Harness features wraparound comfort and is uniquely constructed with three types of performance webbing:

1. Cushioned tubular webbing shoulder straps
2. DuraFlex webbing torso straps
3. Non-stretch webbing leg straps

Soft, rounded cushioned tubular webbing in the shoulder straps minimizes possible irritation around the neck and reduces stress to the shoulders. Self-contained label pack encapsulates labels minimizing damage and loss. Integrated

and oversized pull-free lanyard rings. Stretchable DuraFlex webbing in the lower torso offers greater worker mobility with less fatigue.

Recommended Industries/Use

- Construction
- Manufacturing
- Municipal Services

Hazards

- Confined Space
- Fall from height

Regulations

- Meets all applicable OSHA, ANSI and CSA standards

Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

Specifications

Maximum Working Capacity

- All Miller harnesses are rated to 400 lbs. capacity

Specification Sheets

- For full engineering specification sheets, go to the spec sheet section under downloads and documentation

Literature & Documents

Miller Harness and Body Belts Manual - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Full_Body_Harness/16289/1033.aspx

Miller Harness and Body Belts Instruction Manual

SP156 P950 DuraFlex Python Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Full_Body_Harness/23917/1033.aspx

SP156 P950 DuraFlex Python Spec Sheet

Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

Additional Information

800/873-5242 or 814/423-2118 email: millertecheexpert@sperian.com

Technical Support

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: millertecheexpert@sperian.com

RELATED PRODUCTS

