

Actual

Catalog Number: L37-G

**Product ID:** 7TAA087210R0014 **UPC Number:** 70450838990

Status: Active

PVC Coated Conduit Body, L Shape, Form 7, Size 1 Inch/27 Metric, Iron, Dark Gray

- A minimum of .040 inch PVC coating is bonded to the exterior.
- Covers are coated with a molded flange to seal the conduit body while the conduit body is molded with a flat surface on its opening to seal with the cover.
- · Ocal pressure-sealing sleeves on all threaded hubs.
- Ocal conduit bodies are shipped with a cover and encapsulated stainless steel screws.
- Bodies are designed with a flat back, allowing more cubic inch capacity. The flat back also keeps the body more stable during installation, requiring fewer conduit straps.
- Provide openings for making splices and taps in conductors
- · Connect conduit sections
- · Provide taps for branch conduit runs
- · Make 90° bends in conduit runs
- · Provide for access to conductors for maintenance and future system changes

North American Specifications (UNSPSC)	
UNSPSC	39131708 Electrical conduit fitting body
IGCC	5563 Electrical conduit fitting body
Brand Name	Ocal
Туре	Form 7 Conduit Body
Special Features	The Conduit Body and Cover are Double Coated
	with a Nominal .002 In. Blue Urethane on Both The
	Interior and Exterior, Before PVC Coating is Applied
Application	Act As Pull Outlets for Conductors Being Installed
Standard	UL E2969
Hub Size	1 Inch/27mm
Form	7
Length	6.00 Inch
Width	1.90 Inch
Height	2.60 Inch
Material	Iron
Finish	PVC Coated
Color	Dark Gray

Packaging	
Outer Quantity	5
Outer Dimensions (inches)	13.5x7.5x7.62
Weight Uom	2.3 lbs. Each

<b>Documents / Support Tools</b>	
Technical Drawing / Data Sheet Canada	Available on Website
Catalog US	Available on Website

## For further technical assistance, please contact us...

T&B Technical Support MS 3B-50 8155 T&B Blvd. Memphis, TN 38125 Hours: 7AM - 6PM CDT Monday-Friday Phone: (888) 862-3289 Fax: (901) 252-1321

Thomas & Betts - USA 8155 T&B Blvd. Memphis, TN 38125 www.tnb.com



Email:techsupport@tnb.com