



TrueForce High Lumen PAR

25.5PAR30L/PER/930/S15/ND/120-277V 6/1FB

Philips LED TrueForce PAR high lumen lamps are the perfect transition from CDM lamps to LED.


Product data

| General Information | | Wattage Equivalent | |
|---------------------------------------|------------------------------------|---------------------------------|---|
| Base | E26 [Single Contact Medium Screw] | Wattage Equivalent | 75 W |
| EU RoHS compliant | Yes | Starting Time (Nom) | 0.5 s |
| Nominal Lifetime (Nom) | 25000 h | Warm Up Time to 60% Light (Nom) | 0.5 s |
| Switching Cycle | 50000X | Power Factor (Nom) | 0.8 |
| Technical Type | 25.5-75W | Voltage (Nom) | 120-277 V |
| Light Technical | | Temperature | |
| Color Code | 930 [CCT of 3000K] | T-Case Maximum (Nom) | 95 °C |
| Beam Angle (Nom) | 15 ° | Controls and Dimming | |
| Initial lumen (Nom) | 2150 lm | Dimmable | No |
| Luminous Intensity (Nom) | 13500 cd | Approval and Application | |
| Color Designation | White (WH) | Suitable For Accent Lighting | Yes |
| Correlated Color Temperature (Nom) | 3000 K | Product Data | |
| Luminous Efficacy (rated) (Nom) | 84.00 lm/W | XUCDM.COPY.Product.Title | 25.5PAR30L/PER/930/S15/ND/120-277V 6/1FB |
| Color Consistency | <4 | EAN/UPC - Product | 046677534660 |
| Color Rendering Index (Nom) | 90 | Order code | 534669 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % | Numerator - Quantity Per Pack | 1 |
| Operating and Electrical | | Numerator - Packs per outer box | 6 |
| Input Frequency | 50 to 60 Hz | | |
| Power (Rated) (Nom) | 25.5 W | | |

TrueForce High Lumen PAR

| | |
|---------------------|--------------|
| Material Nr. (12NC) | 929001917204 |
| Net Weight (Piece) | 0.285 kg |


Dimensional drawing




PAR30L 27.5-W 2000lm 15D 3000K E26 ND

| |
|--|
| Product |
| 25.5PAR30L/PER/930/S15/ND/120-277V 6/1FB |


Photometric data



LEDspot 25,5 PAR30L 930 S15



LEDspot PAR30 1FB





© 2020 Philips Lighting B.V. Page 11

LEDspot 25,5 PAR30L 930 S15

TrueForce High Lumen PAR

Lifetime



LEDspot PAR30 1FB

LEDspot PAR30 1FB

