

Rittal – The System.

Faster – better – everywhere.

► Deep Hinged Window Kits Stainless steel – WM 9975.056

Date : May 22, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Deep Hinged Window Kits Stainless steel – WM

9975.056 - WKDH14184

: 22.05.2019 build on www.rittal.com/ca-en



Product description

Description: The Deep-Hinged Window Kit (WKDH) is used as a viewing window where access to components mounted behind the window is required. It is designed to protect HMI displays and components mounted on enclosure panels from wash-down, rain, snow, sleet, dirt and dust. WKDH fits on the usable area of Rittal's standard wall-mount, free-standing TS8/SE8 and other enclosure panels. Window depth allows for use of extra deep pushbuttons (~2"/50mm). It comes with a full-size drill template for easy mounting.

Material: Viewing window: Polycarbonate
Frame: Stainless steel 1.4301 (AISI 304)

Surface finish: Brushed

**Protection category
IP to IEC 60 529:** NEMA 4X

Supply includes: Oil resistant gasket
Fasteners

Product features

Dimensions: Height: 350 mm (14 ")
Width: 450 mm (18 ")
Depth: 70 mm (2.8 ")

Viewing area: Height: 250 mm (9.8 ")
Width: 275 mm (11 ")

Packaging unit: 1 pc(s).

Copper weight (kg) 0

per piece):

EAN: 87549

Approvals

Approvals: UL + C-UL
