



Southwire™

TOOLS & EQUIPMENT

SCREWDRIVERS & NUT DRIVERS



**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

1-855-798-6657 | [SOUTHWIRETOOLS.COM](https://www.southwiretools.com)

©2017 Southwire Company, LLC. All rights reserved.
®Registered Trademark and ™Trademark of Southwire Company, LLC.

Southwire's screwdrivers and nut drivers are designed for the professional user with durability, quality and comfort in mind.

Models feature cushion grip handles and high-strength steel shafts with precision-machined tips. Other features are heavy-duty twist resistant flanges and a no hassle lifetime warranty for all screwdrivers and nut drivers.



MULTI-BIT SCREWDRIVERS

Multi-bit screwdrivers allow for added functionality and increased efficiency while limiting the amount of tools needed to carry on the jobsite

SD12N1



SD6N1



SDR9N1



SD9N1



SDWS



SD5N1LITE



Multi-Bit Screwdrivers

Stock #	Model #	Description		
SD-28-64	SDWS	Multi-Bit Screwdriver w/ Wire Stripper		
SD-29-39	SD5N1LITE	5-in-1 Multi-Bit Lighted Screwdriver		
SD-28-96	SD6N1	9-in-1 Multi-Bit Screwdriver		
SD-72-39	SD12N1	12-in-1 Multi-Bit Screwdriver		
SD-72-40	SD6N1	9-in-1 Ratcheting Multi-Bit Screwdriver		
SD-72-07	SD6N1	6-in-1 Stubby Multi-Bit Screwdriver		
Model #	Tip Type	Tip Size	Shank Type	Shank Length
SDWS	Phillips Slotted	Phillips: #1 & #2 Slotted: 3/16" & 1/4"	Round	Cushion
SD5N1LITE	Phillips Slotted	Phillips: #1 & #2 Slotted: 3/16" & 1/4"	Round	Cushion
SD6N1	Multi-bit	Slotted: 3/16" & 1/4" Phillips: #1 & #2 Hex: 1/4", 5/16" & 3/8" Square: #1 & #2	Round	Cushion
SD12N1	Multi-bit	Slotted: 3/16", 1/4", & 5/16" Phillips: #1, #2, & #3 Square: #1 & #2 Hex: 1/4", 5/16", 3/8" & 1/2"	Round	Cushion
SD6N1	Multi-bit	Hex: 1/4", 3/8" & 5/16" Phillips: #1 & #2 Slotted: 1/4" & 3/16" Square: #1 & #2	Round	Cushion
SD6N1	Multi-bit	Hex: 5/16" & 1/2" Phillips: #1 & #2 Slotted: 3/16" & 1/4"	Round	Cushion

CABINET TIP SCREWDRIVERS

- Comfortable cushion grip allows for firm grip and greater torque
- Internal flanges provide a solid, twist-resistant blade anchor
- Chrome-plated, stainless steel shank allows for maximum torque with minimal shaft twisting
- Tip type and size indicated on end cap
- Precision-machined black phosphate tips reduce slipping

Cabinet Tip Screwdrivers				
Stock #	Model #	Description		
SS-28-53	SD1/4C5	1/4" Cabinet Tip Screwdriver w/ 6" Round Shank		
SS-29-37	SD1/4C4	1/4" Cabinet Tip Screwdriver w/ 4" Round Shank		
SS-29-36	SD3/16C3	3/16" Cabinet Tip Screwdriver w/ 8" Round Shank		
SS-28-50	SD3/16C5	3/16" Cabinet Tip Screwdriver w/ 6" Round Shank		
SS-28-52	SD3/16C4	3/16" Cabinet Tip Screwdriver w/ 4" Round Shank		
SS-20-17	SD3/16C30	SCREWDRIVER, SD3/16C10, 3/16" CAB TIP 10IN		
SS-20-16	SD3/16C1	SCREWDRIVER, SD3/16C1, 3/16IN CAB TIP 8IN		
SS-20-15	SD3/16C3	SCREWDRIVER, SD3/16C3, 3/16IN CAB TIP 3IN		
Model #	Tip Type	Tip Size	Shank Type	Shank Length
SD1/4C5	Cabinet	1/4"	Round	6"
SD1/4C4	Cabinet	1/4"	Round	4"
SD3/16C3	Cabinet	3/16"	Round	8"
SD3/16C5	Cabinet	3/16"	Round	6"
SD3/16C4	Cabinet	3/16"	Round	4"
SD3/16C30	Cabinet	3/16"	Hex	10"
SD3/16C1	Cabinet	3/16"	Hex	8"
SD3/16C3	Cabinet	3/16"	Hex	3"



SD3/16C6

INSULATED SCREWDRIVERS

- Comfortable cushion grip allows for firm grip and greater torque
- Internal flanges provide a solid, twist-resistant blade anchor
- 1000V insulated shaft
- Tip type and size indicated on end cap
- Precision-machined black phosphate tips reduce slipping

Insulated Screwdrivers				
Stock #	Model #	Description		
SD-20-44	SDI1/4K4	1/4" Flat Tip Screwdriver w/ 4" Insulated Shank		
SD-20-43	SDI2P4	#2 Phillips Tip Screwdriver w/ 4" Insulated Shank		
Model #	Tip Type	Tip Size	Shank Type	Shank Length
SDI1/4K4	Keystone	1/4"	Insulated	4"
SDI2P4	Phillips	#2	Insulated	4"

SDI1/4K4



SDI2P4



SCREW-HOLDING SCREWDRIVERS

- Comfortable cushion grip allows for firm grip and greater torque
- Protective sheath holds screws in place for one-handed operation
- Tip type and size indicated on end cap
- Internal flanges provide a solid, twist-resistant blade anchor
- Precision-machined black phosphate tips reduce slipping

Screw Holding Screwdrivers				
Stock #	Model #	Description		
SD-20-40	SDSH1/4	1/4" Slotted Screw Holding Screwdriver		
SD-20-39	SDSH2P6	#2 Phillips Tip Screw Holding Screwdriver		
Model #	Tip Type	Tip Size	Shank Type	Shank Length
SDSH1/4	Slotted	1/4"	Round	6"
SDSH2P6	Phillips	#2	Round	6"

SDSH1/4



ROTARY SCREWDRIVERS

- Comfortable cushion grip allows for firm grip and greater torque
- Internal flanges provide a solid, twist-resistant blade anchor
- Chrome-plated, stainless steel shank allows for maximum torque
- Handle end is marked for easy identification of tip type and size
- Precision-machined black phosphate tip reduces slipping (On SDC2P Only)
- Rotating action facilitates fast and easy screw installation and removal



Rotary Screwdrivers				
Stock #	Model #	Description		
58-28-55	SD3/16CRD	3/16" Cabinet Tip Rotary Screwdriver		
58-28-48	SDC2P	#2 Philips Tip Rotary Screwdriver		
Model #	Tip Type	Tip Size	Shank Type	Shank Length
SD3/16CRD	Cabinet	3/16"	Round	6"
SDC2P	Phillips	#2	Round	6"

PHILLIPS TIP SCREWDRIVERS

- Comfortable cushion grip allows for firm grip and greater torque
- Internal flanges provide a solid, twist-resistant blade anchor
- Chrome-plated, stainless steel shank allows for maximum torque
- Tip type and size indicated on end cap
- Precision-machined black phosphate tips reduce slipping



SD2P6HD



SD2P10

Phillips Tip Screwdrivers				
Stock #	Model #	Description		
SB-28-51	SD2P6HD	#2 Phillips Tip Screwdriver w/ 6" Round Heavy Duty Shank		
SB-28-47	SD2P4HD	#2 Phillips Tip Screwdriver w/ 4" Round Shank		
SB-28-43	SD2P1-1/2	#2 Phillips Tip Stubby Screwdriver		
SB-28-49	SD1P3	#1 Phillips Tip Screwdriver w/ 3" Round Shank		
SB-28-19	SD2P7	SCREWDRIVER, SD2P7, #2 PHIL-TIP 7IN SHK		
SB-30-20	SD2P10	SCREWDRIVER, SD2P10 #2 PHIL-TIP 10IN SHK		
Model #	Tip Type	Tip Size	Shank Type	Shank Length
SD2P6HD	Phillips	#2	Round	6"
SD2P4HD	Phillips	#2	Round	4"
SD2P1-1/2	Phillips	#2	Round	1.5"
SD1P3	Phillips	#1	Round	3"
SD2P7	Phillips	#2	Round	7"
SD2P10	Phillips	#2	Round	10"

STAR TIP SCREWDRIVERS

- Comfortable cushion grip allows for firm grip and greater torque
- Internal flanges provide a solid, twist-resistant blade anchor
- Chrome-plated, stainless steel shank allows for maximum torque with minimal shaft twisting
- Tip type and size indicated on end cap
- Precision-machined tips reduce slipping



Star Tip Screwdrivers					
Stock #	Model #	Description			
58-30-03	SD15T4	SCREWDRIVER, SD15T4 #15 STAR-TIP 4IN SHK			
58-30-04	SD20T4	SCREWDRIVER, SD20T4 #20 STAR-TIP 4IN SHK			
58-30-05	SD25T4	SCREWDRIVER, SD25T4 #25 STAR-TIP 4IN SHK			
58-30-07	SD27T4	SCREWDRIVER, SD27T4 #27 STAR-TIP 4IN SHK			
Model #	Tip Type	Tip Size	Shank Type	Shank Length	
SD15T4	Star	#15	Round	4"	
SD20T4	Star	#20	Round	4"	
SD25T4	Star	#25	Round	4"	
SD27T4	Star	#27	Round	4"	

SQUARE TIP SCREWDRIVERS

- Comfortable cushion grip allows for firm grip and greater torque
- Internal flanges provide a solid, twist-resistant blade anchor
- Chrome-plated, stainless steel shank allows for maximum torque with minimal shaft twisting
- Tip type and size indicated on end cap
- Precision-machined tips reduce slipping

Square Tip Screwdrivers				
Stock #	Model #	Description		
SB-28-42	SDQ2P4	#2 Square Recessed Tip Screwdriver w/ 4" Shank		
SB-28-43	SDQ2P1-1/2	#2 Square Recessed Tip Stubby Screwdriver w/ 1-1/2" Shank		
Model #	Tip Type	Tip Size	Shank Type	Shank Length
SDQ2P4	Square	#2	Round	4"
SDQ2P1-1/2	Square	#2	Round	1.5"



SDQ2P4

SCREWDRIVER SETS

Screwdriver sets include a variety of cushion grip screwdrivers

Screwdriver Sets				
Stock #	Model #	Description		
58-20-45	SDSET8	8-Piece Screwdriver Set		
58-20-57	SDSETMMH	4-Piece Mini Screwdriver Set		
58-20-59	SDSET2-3	2-Piece Stubby Screwdriver Set		
Model #	Tip Type	Tip Size	Shank Type	Shank Length
SDSET8	Slotted Keystone Phillips	Slotted: 3/16" 4-inch Slotted: 3/16" 6-inch Slotted: 1/4" 4-inch Keystone: 1/4" 4-inch Keystone: 5/16" 6-inch Phillips: #1 3-inch Phillips: #2 4-inch Square: #2 4-inch	Round & Hex	4-inch & 6-inch
SDSETMMH	Slotted Phillips	Slotted: 1/16" Slotted: 3/32" Slotted: 1/8" Phillips: #0	Round	Slotted: 1/16" - 2.5" Slotted: 3/32" - 3" Slotted: 1/8" - 3/8" Phillips: #0 - 3"
SDSET2-3	Slotted Phillips	Slotted: 1/4" Phillips: #2	Round	1.5"



SDSET8

KEYSTONE SCREWDRIVERS

- Comfortable cushion grip allows for firm grip and greater torque
- Internal flanges provide a solid, twist-resistant blade anchor
- Chrome-plated, stainless steel shank allows for maximum torque with minimal shaft twisting
- Tip type and size indicated on end cap
- Bolster on shaft to provide additional torque



SD5/16K6HD



SD1/4K4HD

Keystone Screwdrivers				
Stock #	Model #	Description		
SD-28-46	SD5/16K6HD	5/16" Keystone Tip Screwdriver w/ 6" Square Heavy Duty Shank		
SD-28-54	SD1/4K4HD	1/4" Keystone Tip Screwdriver w/ 4" Round Heavy Duty Shank		
SD-28-49	SD1/4K3-1/2	1/4" Keystone Tip Stubby Screwdriver w/ 1-1/2" Shank		
Model #	Tip Type	Tip Size	Shank Type	Shank Length
SD5/16K6HD	Keystone	5/16"	Square	6"
SD1/4K4HD	Keystone	1/4"	Round	4"
SD1/4K3-1/2	Keystone	1/4"	Round	1.5"

NUT DRIVERS

- Hollow shafts for improved screw clearance
- Internal flanges provide solid, twist-resistant shaft anchor
- Chrome-plated shank is corrosion resistant
- Comfortable cushion grip allows for firm grip and greater torque
- Size is identified on end cap

Stock #		Model #		Description	
58-28-68		ND7/16-3		7/16" Comfort Grip Hollow-Shaft Nut Driver w/ 3" Shank	
58-28-69		ND5/16-3		5/16" Comfort Grip Hollow-Shaft Nut Driver w/ 3" Shank	
58-28-70		ND1/2-3		1/2" Comfort Grip Hollow-Shaft Nut Driver w/ 3" Shank	
58-28-71		ND3/8-3		3/8" Comfort Grip Hollow-Shaft Nut Driver w/ 3" Shank	
58-28-72		ND1/4-3		1/4" Comfort Grip Hollow-Shaft Nut Driver w/ 3" Shank	
58-28-22		ND9/16-4		NUTDRIVER, ND9/16-4, 9/16IN HEX 4IN SHK	
58-28-25		ND4.5-3		ND4.5-3, NUTDRIVER 4.5mm Hex 3IN SHK	
58-28-28		ND7-3		ND7-3, NUTDRIVER 7mm Hex 3IN SHK	
58-28-29		ND9-3		ND9-3, NUTDRIVER 9mm Hex 3IN SHK	
58-28-34		ND1/4-6		ND1/4-6, NUTDRIVER 1/4 Hex 6IN SHK	
58-28-35		ND5/16-6		ND5/16-6, NUTDRIVER 5/16 Hex 6IN SHK	
58-28-36		ND11/32-6		ND11/32-6, NUTDRIVER 11/32 Hex 6IN SHK	
58-28-37		ND3/8-6		ND3/8-6, NUTDRIVER 3/8 Hex 6IN SHK	
58-28-38		ND7/16-6		ND7/16-6, NUTDRIVER 7/16 Hex 6IN SHK	
58-28-40		ND1/2-6		ND1/2-6, NUTDRIVER 1/2 Hex 6IN SHK	
58-28-41		ND9/16-6		ND9/16-6, NUTDRIVER 9/16 Hex 6IN SHK	
Model #	Tip Type	Tip Size	Shank Type	Shank Length	
ND7/16-3	Hex	7/16"	Round	3"	
ND5/16-3	Hex	5/16"	Round	3"	
ND1/2-3	Hex	1/2"	Round	3"	
ND3/8-3	Hex	3/8"	Round	3"	
ND1/4-3	Hex	1/4"	Round	3"	
ND9/16-4	Hex	9/16"	Round	4"	
ND4.5-3	Hex	4.5 mm	Round	3"	
ND7-3	Hex	7 mm	Round	3"	
ND9-3	Hex	9 mm	Round	3"	
ND1/4-6	Hex	1/4"	Round	6"	
ND5/16-6	Hex	5/16"	Round	6"	
ND11/32-6	Hex	11/32"	Round	6"	
ND3/8-6	Hex	3/8"	Round	6"	
ND7/16-6	Hex	7/16"	Round	6"	
ND1/2-6	Hex	1/2"	Round	6"	
ND9/16-6	Hex	9/16"	Round	6"	



ND7-3

MAGNETIC NUT DRIVERS

- Hollow shafts for improved screw clearance
- Internal flanges provide solid, twist-resistant shaft anchor
- Chrome-plated shank is corrosion resistant
- Comfortable cushion grip allows for firm grip and greater torque
- Size is identified on end cap

Magnetic Nut Drivers				
Stock #	Model #	Description		
SB-30-43	ND1/4-S-1/2M	ND1/4-S-1/2M, NUTDRVR 1/4 Hex Mag 1-1/2		
SB-30-45	ND3/8-S-1/2M	ND3/8-S-1/2M, NUTDRVR 3/8 Hex Mag		
SB-30-46	ND3/16-3M	ND3/16-3M, NUTDRVR 3/16 Hex Mag 3M		
SB-30-48	ND1/4-3M	ND1/4-3M, NUTDRVR 1/4 Hex Mag 3M		
SB-73-69	ND5/16-3M	ND5/16-3M, NUTDRVR 5/16 Hex Mag 3M		
SB-73-70	ND11/32-3M	ND11/32-3M, NUTDRVR 11/32 Hex Mag 3M		
SB-73-71	ND3/8-3M	ND3/8-3M, NUTDRVR 3/8 Hex Mag 3M SHK		
SB-73-73	ND1/2-3M	ND1/2-3M, NUTDRVR 1/2 Hex Mag 3M SHK		
SB-73-74	ND3/16-6M	ND3/16-6M, NUTDRVR 3/16 Hex Mag 6M SHK		
SB-73-77	ND11/32-6M	ND11/32-6M, NUTDRVR 11/32 Hex Mag 6M		
SB-73-79	ND3/8-6M	ND3/8-6M, NUTDRVR 3/8 Hex Mag 6M SHK		
SB-73-80	ND7/16-6M	ND7/16-6M, NUTDRVR 7/16 Hex Mag 6M		
SB-73-81	ND1/2-6M	ND1/2-6M, NUTDRVR 1/2 Hex Mag 6M SHK		
Model #	Tip Type	Tip Size	Shank Type	Shank Length
ND1/4-S-1/2M	Hex	1/4"	Round	1.5"
ND3/8-S-1/2M	Hex	3/8"	Round	1.5"
ND3/16-3M	Hex	3/16"	Round	3"
ND1/4-3M	Hex	1/4"	Round	3"
ND5/16-3M	Hex	5/16"	Round	3"
ND11/32-3M	Hex	11/32"	Round	3"
ND3/8-3M	Hex	3/8"	Round	3"
ND1/2-3M	Hex	1/2"	Round	3"
ND3/16-6M	Hex	3/16"	Round	6"
ND11/32-6M	Hex	11/32"	Round	6"
ND3/8-6M	Hex	3/8"	Round	6"
ND7/16-6M	Hex	7/16"	Round	6"
ND1/2-6M	Hex	1/2"	Round	6"



ND3/16-6M



ND1/2-6M




ND11/32-3M

NUT DRIVER SETS

Nut driver sets include a variety of cushion grip nut drivers

Nut Driver Sets				
Stock #	Model #	Description		
58-28-73	NDSET7	7-Piece Hollow-Shaft Nut Driver Set w/ 3" Shank		
58-28-67	NDSET2-6	2-Piece Hollow-Shaft Nut Driver Set w/ 6" Shank		
58-72-38	NDSET2-6M	2-Piece Magnetic Nut Driver Set w/ 6" Shank		
58-28-65	NDSET2-1-1/2	2-Piece Stubby-Nut Driver Set w/ 1-1/2" Shank		
Model #	Tip Type	Tip Size	Shank Type	Shank Length
NDSET7	Hex	3/16" 1/4" 5/16" 11/32" 3/8" 7/16" 1/2"	Round	3"
NDSET2-6	Hex	1/4" & 5/16"	Round	6"
NDSET2-6M	Hex	1/4" & 5/16"	Round	6"
NDSET2-1-1/2	Hex	1/4" & 5/16"	Round	Screw Holding Screwdriver 1.5"

NDSET2-6M



HEXAGONAL DRIVERS

Designed to efficiently tighten and loosen hex screws

Hexagonal Drivers				
Stock #	Model #	Description		
58-28-78	THD6-1/2	1/2" Hexagonal T-Handle w/ 6" Shank		
58-28-77	THD6-3/8	3/8" Hexagonal T-Handle w/ 6" Shank		
58-28-76	HDX-8	8-Piece Steel Body Folding Hex Key Set 3/32" - 1/8"		
58-28-75	HDX-5	5-Piece Steel Body Folding Hex Key Set 1/16" - 3/8"		
Model #	Tip Type	Tip Size	Shank Type	Shank Length
THD6-1/2	Hex	1/2"	Hex	6"
THD6-3/8	Hex	3/8"	Hex	6"
HDX-8	Hex	3/32" - 1/4"	Hex	-
HDX-5	Hex	3/16" - 3/8"	Hex	-



HEX-8



HEX-5



Southwire™ | TOOLS & EQUIPMENT





Southwire™

TOOLS & EQUIPMENT

SCREWDRIVERS & NUT DRIVERS



To see the Southwire Screwdrivers and Nut Drivers in action,
follow us on social media.



1-855-798-6657 | SOUTHWIRETOOLS.COM



1-855-798-6657 | SOUTHWIRETOOLS.COM



1-855-798-6657 | SOUTHWIRETOOLS.COM



1-855-798-6657 | SOUTHWIRETOOLS.COM

**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

1-855-798-6657 | SOUTHWIRETOOLS.COM

©2017 Southwire Company, LLC. All rights reserved.
®Registered Trademark and ™Trademark of Southwire Company, LLC.