



# SOLUTIONS FOR A DROPS FREE ZONE.™

**THE COMPLETE GUIDE TO  
OBJECTS AT HEIGHTS SAFETY.**



**[WWW.ERGODYNE.COM](http://WWW.ERGODYNE.COM)**



PROUDLY SETTING A HIGHER STANDARD IN AT-HEIGHTS SAFETY

# ANSI/ISEA 121 DROPPED OBJECTS STANDARD

We've teamed with the International Safety Equipment Association (ISEA) and a select few in the industry to release a new standard in at-heights safety — establishing minimum design, performance/testing and labeling requirements for equipment solutions that prevent dropped objects.

## WHAT WILL THE DROPPED OBJECTS STANDARD COVER?



ANCHOR // TOOL ATTACHMENTS



TOOL TETHERS // LANYARDS



BUCKETS // CONTAINERS

## 255 DEATHS. 47,920 INJURIES. AND NO TIME LEFT TO DELAY.









More and more workers are finding themselves ascending to heights in all industries, and along with them, the tools and equipment necessary to do the job. Join us in setting a higher standard in at-heights safety with innovative solutions, immersive education and a proactive game plan to stop drops and the damage done.




### QUESTIONS









For questions about the ANSI/ISEA 121-2018 Dropped Objects Standard or how to design and implement a dropped objects program in your workplace, please call **800.225.8238**, email [support@ergodyne.com](mailto:support@ergodyne.com) or visit [www.ergodyne.com](http://www.ergodyne.com).

# TOOL TETHERING KITS

Choosing the safety solution that will best prevent dropped objects can be more confusing than reading a half-drawn map. That's why the Squids® Tool Tethering Kits are the whole at-heights kit and caboodle. Pairing existing Squids® tool attachments and tool lanyards, workers can choose a tool tethering kit and be confident they've got exactly what they need for comprehensive dropped object prevention.

<b>2LB (0.9KG) TOOL TETHERING KIT</b>		<b>3180</b>	ORDER MULTIPLE <b>1</b>						
<div style="display: flex; align-items: center; justify-content: space-between;"> <div style="display: flex; align-items: center; gap: 10px;">  <span>+</span>  <span>+</span>  <span>+</span>  <span>+</span>  <span>=</span>  </div> <div style="flex-grow: 1;"> <ul style="list-style-type: none"> <li>• Tether up to six 2lb (0.9kg) tools</li> <li>• Kit includes 3700, 3755 and 3130S</li> <li>• 3700: 4.5" (11.5cm) Web Tool Tails (6 Pack)</li> <li>• 3755: Self-Adhering Tape Trap requires no heat</li> <li>• 3130S: Coiled lanyard design prevents snagging</li> </ul> <table border="1" style="font-size: small;"> <thead> <tr> <th>ITEM #</th> <th>SIZE</th> <th>COLOR</th> </tr> </thead> <tbody> <tr> <td>19650</td> <td>Kit</td> <td>—</td> </tr> </tbody> </table> <div style="display: flex; align-items: center; gap: 10px;">   </div> </div> </div>				ITEM #	SIZE	COLOR	19650	Kit	—
ITEM #	SIZE	COLOR							
19650	Kit	—							

<b>5LB (2.3KG) TOOL TETHERING KIT</b>		<b>3181</b>	ORDER MULTIPLE <b>1</b>						
<div style="display: flex; align-items: center; justify-content: space-between;"> <div style="display: flex; align-items: center; gap: 10px;">  <span>+</span>  <span>+</span>  <span>+</span>  <span>+</span>  <span>=</span>  </div> <div style="flex-grow: 1;"> <ul style="list-style-type: none"> <li>• Tether up to four 5lb (2.3kg) tools</li> <li>• Kit includes 3103, 3755 and 3102</li> <li>• 3103: Accessory Kit - Detachable Loops (3 Pack)</li> <li>• 3755: Self-Adhering Tape Trap requires no heat</li> <li>• 3102: Detachable Single Carabiner</li> </ul> <table border="1" style="font-size: small;"> <thead> <tr> <th>ITEM #</th> <th>SIZE</th> <th>COLOR</th> </tr> </thead> <tbody> <tr> <td>19651</td> <td>Kit</td> <td>—</td> </tr> </tbody> </table> <div style="display: flex; align-items: center; gap: 10px;">   </div> </div> </div>				ITEM #	SIZE	COLOR	19651	Kit	—
ITEM #	SIZE	COLOR							
19651	Kit	—							

<b>10LB (4.5KG) TOOL TETHERING KIT</b>		<b>3182</b>	ORDER MULTIPLE <b>1</b>						
<div style="display: flex; align-items: center; justify-content: space-between;"> <div style="display: flex; align-items: center; gap: 10px;">  <span>+</span>  <span>+</span>  <span>+</span>  <span>+</span>  <span>=</span>  </div> <div style="flex-grow: 1;"> <ul style="list-style-type: none"> <li>• Tether up to three 10lb (4.5kg) tools</li> <li>• Kit includes 3713, 3755 and 3100F(x)</li> <li>• 3713: Elastic Loop Tool Tails™ Swivel</li> <li>• 3755: Self-Adhering Tape Trap requires no heat</li> <li>• 3100F(x): Tool Lanyard Single Carabiner</li> </ul> <table border="1" style="font-size: small;"> <thead> <tr> <th>ITEM #</th> <th>SIZE</th> <th>COLOR</th> </tr> </thead> <tbody> <tr> <td>19652</td> <td>Kit</td> <td>—</td> </tr> </tbody> </table> <div style="display: flex; align-items: center; gap: 10px;">   </div> </div> </div>				ITEM #	SIZE	COLOR	19652	Kit	—
ITEM #	SIZE	COLOR							
19652	Kit	—							

**TAPE MEASURE TETHERING KITS**

ANSI COMPLIANT

**3190/3193** ORDER MULTIPLE 1

- Tether one standard tape measure
- 3190 kit includes 3770 and 3130S
- 3193 kit includes 3770 and 3100F(x)
- 3770: Tape Measure Trap
- 3130S: Coiled lanyard design prevents snagging
- 3100F(x): Tool Lanyard Single Carabiner

ITEM #	SIZE	LANYARD
19660	Kit	3130S
19663	Kit	3100F(x)

MAXIMUM LOAD LIMIT: 2 LBS / 0.9 KG

ANSI/ISEA 121

**POWER TOOL TETHERING KIT**

ANSI COMPLIANT

**3191** ORDER MULTIPLE 1

- Tether one standard cordless power tool
- Kit includes 3780L and 3100F(x)
- 3780L: Power Tool Trap (Large)
- 3100F(x): Tool Lanyard Single Carabiner

ITEM #	SIZE	COLOR
19661	Kit	—

MAXIMUM LOAD LIMIT: 6 LBS / 2.7 KG

ANSI/ISEA 121

**3LB (1.4KG) WRIST LANYARD TETHERING KIT**

ANSI COMPLIANT

**3192** ORDER MULTIPLE 1

- Tether up to four 3lb (1.4kg) tools
- Kit includes 3103, 3755 and 3116
- 3103: Accessory Kit - Detachable Loops (3 Pack)
- 3755: Self-Adhering Tape Trap requires no heat
- 3116: Pull-On Wrist Lanyard with Buckle

ITEM #	SIZE	COLOR
19662	Kit	—

MAXIMUM LOAD LIMIT: 3 LBS / 1.4 KG

ANSI/ISEA 121

**COLOR CODED** ERGODYNE TETHERING SOLUTIONS ARE COLOR CODED BY CAPACITY RANGES.

LIGHT ← → HEAVY

MAXIMUM LOAD LIMIT	TOOLS FALLING IN THIS RANGE ARE SAFE TO TETHER DIRECTLY TO THE USERS BODY.
0-5 LBS 0-2.3 KG	
6-10 LBS 2.7-4.5 KG	
11-15 LBS 5-6.3 KG	
16-20 LBS 7.25-9.1 KG	
21-25 LBS 9.5-12 KG	
40 LBS 18 KG	TOOLS FALLING IN THESE RANGES MUST BE ANCHORED TO A SEPARATE STRUCTURE AND NOT TO THE USERS BODY.

**TOOL TETHERING KITS** | 4



**PLAN YOUR WORK.  
WORK YOUR PLAN.**



**THE ANATOMY OF AWESOMENESS:**

**THIRD-PARTY CERTIFIED WEIGHT RATINGS**

Squids® Connectors are third-party certified with a safety factor of 2:1 to ensure the utmost security. Connector systems applied with more than one component are tested and certified together as a system. We don't have to, but we do!

**SECURE HARDWARE**

Fully-enclosed plated hardware has no weak point. Made of durable metals that last, they are neither bent nor welded, giving you confidence in the security of your retrofit connection.

**DURABLE SYNTHETIC MATERIALS**

Squids® Tool Tails™ and Tool Traps are made with high tensile strength webbing and abrasion-resistant fabric to hold up in the toughest applications and prolong the life of the connector.

**RETROFIT CONNECTOR VARIETY**

We study and teach tool anatomy to give you options to retrofit connection points on tools that need 'em. One-step Tool Traps with built-in connection points attach directly to the tool. A two-step systems uses a Tool Trap to capture a Tool Tail™ connection to the tool.

**FUNCTIONAL MATERIALS AND DESIGNS**

Squids® Tool Connectors are designed to NOT sacrifice your tool's primary use. Tool Traps and Tool Tails™ can be placed on the tool, leaving mission critical parts of the tool ready to use. Specialty materials enhance grip and do not leave messy adhesives or residue on your tools.



3770

ORDER MULTIPLE  
1

**TAPE MEASURE TRAP**

MAXIMUM LOAD LIMIT  
2 LBS  
.9 KG

ANSI/ISEA  
121

**COMPATIBILITY**

TOOL TYPE	TAIL
INSTRUMENTS	DIRECT CONNECT

ITEM #	SIZE	COLOR
19770	L	Orange
19771	XL	Black

// PATENTED

3740

ORDER MULTIPLE  
1

**HAND TOOL TRAP™ - SLIPS®**

AVAILABLE IN FOUR SIZES

TETHER UP TO

MAXIMUM LOAD LIMIT  
1 LB  
.5 KG

**COMPATIBILITY**

TOOL TYPE	TAIL
OPEN ENDED WAISTED OR NECKED	DIRECT CONNECT

ITEM #	SIZE	COLOR
19740	S	Black - Four Pack
19741	M	Black - Four Pack
19742	L	Black - Four Pack
19743	XL	Black - Four Pack
19744	Variety	Black - 4 Sizes

// PATENT PENDING

3704/3705

ORDER MULTIPLE  
1

**WIRE TOOL TAILS**

MAXIMUM LOAD LIMIT  
3 LBS  
1.4 KG

ANSI/ISEA  
121

**COMPATIBILITY**

TOOL TYPE	TAIL
CAPTIVE	DIRECT CONNECT

ITEM #	COLOR	ITEM #	COLOR
19707	Orange - Six Pack	19709	Orange - Six Pack

// PATENTED

3780

ORDER MULTIPLE  
1

**POWER TOOL TRAP™**

MAXIMUM LOAD LIMIT  
6 LBS  
2.7 KG

ANSI/ISEA  
121

MAXIMUM LOAD LIMIT  
10 LBS  
4.5 KG

**COMPATIBILITY**

TOOL TYPE	TAIL
POWER TOOL	DIRECT CONNECT

ITEM #	SIZE	COLOR
19782	S	Black
19784	L	Black
19786	XL	Black

// PATENTED

**ANSI**

**3760** ORDER MULTIPLE **1**

**CELL PHONE TRAP - SLEEVE**

MAXIMUM LOAD LIMIT  
**1 LB .5 KG**

ANSI/ISEA **121**

**COMPATIBILITY**

TOOL TYPE	TAIL
INSTRUMENTS	DIRECT CONNECT

ITEM #    SIZE    COLOR  
19762    Standard    Clear  
19763    Plus    Clear

// PATENT PENDING

**ANSI**

**3765** ORDER MULTIPLE **1**

**TABLET TRAP - SLEEVE**

MAXIMUM LOAD LIMIT  
**2 LBS .9 KG**

ANSI/ISEA **121**

**COMPATIBILITY**

TOOL TYPE	TAIL
INSTRUMENTS	DIRECT CONNECT

ITEM #    SIZE    COLOR  
19764    Standard    Clear

// PATENT PENDING

**ANSI**

**3775** ORDER MULTIPLE **1**

**WATER BOTTLE/CANISTER TRAP - SLEEVE**

MAXIMUM LOAD LIMIT  
**2 LBS .9 KG**

ANSI/ISEA **121**

**COMPATIBILITY**

TOOL TYPE	TAIL
OTHER	DIRECT CONNECT

ITEM #    SIZE    COLOR  
19775    —    Black

// PATENT PENDING

**ANSI**

**3796** ORDER MULTIPLE **1**

**POWER TOOL TRAP™ - DRILL/IMPACT BRACKET**

MAXIMUM LOAD LIMIT  
**3 LBS 1.4 KG**

ANSI/ISEA **121**

**COMPATIBILITY**

TOOL TYPE	TAIL
POWER TOOL	DIRECT CONNECT

ITEM #    SIZE    COLOR  
19796    —    Stainless

// PATENT PENDING

**ANSI**

**3797** ORDER MULTIPLE **1**

**POWER TOOL TRAP™ - GRINDER BRACKET**

MAXIMUM LOAD LIMIT  
**8 LBS 3.6 KG**

ANSI/ISEA **121**

**COMPATIBILITY**

TOOL TYPE	TAIL
POWER TOOL	DIRECT CONNECT

ITEM #    SIZE    COLOR  
19797    —    Stainless

// PATENT PENDING

**ANSI**

**3798** ORDER MULTIPLE **1**

**POWER TOOL TRAP™ - PNEUMATIC BRACKET**

MAXIMUM LOAD LIMIT  
**5 LBS 2.3 KG**

ANSI/ISEA **121**


**COMPATIBILITY**

TOOL TYPE	TAIL
POWER TOOL	DIRECT CONNECT



ITEM #    SIZE    COLOR  
19798    —    Stainless

// PATENT PENDING

## KNOW YOUR TOOL TYPES



### INSTRUMENTS



**ANSI** **3755** ORDER MULTIPLE **1**

**SELF-ADHERING TAPE TRAP**

**MAXIMUM LOAD LIMIT**  
10 LBS  
4.5 KG

**ANSI/ISEA 121**

**COMPATIBILITY**

TOOL TYPE	TAIL
OPEN ENDED WAISTED OR NECKED	3700 3703 3713

ITEM #	SIZE	COLOR
19755	1" (2.5cm) x 12ft (365.8cm)	Gray
19756	1" (2.5cm) x 12ft (365.8cm)	Orange

**3723/3724/3726** ORDER MULTIPLE **1**

**COLD SHRINK TRAP**

**MAXIMUM LOAD LIMIT**  
5 LBS  
2.3 KG

**MAXIMUM LOAD LIMIT**  
10 LBS  
4.5 KG

**MAXIMUM LOAD LIMIT**  
15 LBS  
6.8 KG

AVAILABLE IN THREE SIZES

**COMPATIBILITY**

TOOL TYPE	TAIL
OPEN ENDED WAISTED OR NECKED	3703 3713

ITEM #	SIZE	ITEM #	SIZE	ITEM #	SIZE
3723:		3724:		3726:	
19723	3" (7.6cm)	19724	4" (10.2cm)	19726	6" (15.3cm)

**/// PATENT PENDING**

**ANSI** **3790** ORDER MULTIPLE **1**

**SHACKLE TRAPS**

**MAXIMUM LOAD LIMIT**  
15 LBS  
6.8 KG

**ANSI/ISEA 121**

PACKAGED (2) PER PACK

**COMPATIBILITY**

TOOL TYPE	TAIL
CAPTIVE WAISTED OR NECKED	DIRECT CONNECT

ITEM #	SIZE	COLOR
19792	S	Stainless Steel
19793	M	Stainless Steel
19794	L	Stainless Steel
19795	XL	Stainless Steel

**ANSI** **3103/3703/3713** ORDER MULTIPLE **6**

**ELASTIC TOOL TAILS™**

**COMPATIBILITY**

TOOL TYPE	TRAP
CAPTIVE OPEN ENDED WAISTED OR NECKED	3723 3755 3724 3726

**3703:**

3 PACK ITEM #	60 PACK ITEM #	SIZE	COLOR
19767	19767-Bulk	Std.	HV Lime
19769	—	Ext.	HV Lime

**3713: W/ SWIVEL**

3 PACK ITEM #	60 PACK ITEM #	SIZE	COLOR
19765	19765-Bulk	Std.	HV Lime

**3103: LANYARDS**

3 PACK ITEM #	60 PACK ITEM #	SIZE	COLOR
19068	—	Std.	Black
19069	—	Std.	HV Lime

AVAILABLE IN TWO LENGTHS

**MAXIMUM LOAD LIMIT**  
10 LBS  
4.5 KG

**MAXIMUM LOAD LIMIT**  
15 LBS  
6.8 KG

**5 LBS**  
2.3 KG

**ANSI/ISEA 121**

**ANSI** **3700** ORDER MULTIPLE **6**

**WEB TOOL TAILS™**

PACKAGED (6) PER PACK


**MAXIMUM LOAD LIMIT**  
2 LBS  
.9 KG

**ANSI/ISEA 121**

**COMPATIBILITY**

TOOL TYPE	TRAP
OPEN ENDED WAISTED OR NECKED	3755

6 PACK ITEM #	60 PACK ITEM #	SIZE	COLOR
19703	19703-Bulk	3.5" (9.0cm)	Black
19704	19704-Bulk	4.5" (11.5cm)	Orange
19705	19705-Bulk	5.5" (14.0cm)	Black
19706	—	6.5" (16.5cm)	Orange
19708	—	8.5" (21.5cm)	Black
19701	—	Variety Pack	Blk/Org





**THIRD-PARTY CERTIFIED WEIGHT RATINGS**

Squids® Lanyards are dynamically drop tested and third-party certified with a safety factor of 2:1. We don't have to, but we do!

**CARABINER VARIETY AND SECURITY**

A variety of carabiner options give you what you need for your environment - lightweight aluminum, stainless steel, manual-locking, and self-locking are some of the options available to give you jobsite flexibility.

**SHOCK-ABSORBING PROPERTIES**

Elastic models exhibit shock-absorbing properties, limiting the force the body or other anchoring points feel when a drop occurs.



**TREADED LOOP ENDS**

Treaded loop ends hold a better grip on tools and last longer than rounded string-like loops.

		<b>3110</b> <sub>F(x)</sub>	ORDER MULTIPLE <b>6</b>
<b>DUAL CARABINER TOOL LANYARD</b>			
ITEM #	SIZE	COLOR	
19822	Std. 38" - 48" (96cm - 122cm)	Orange & Gray	
<b>// PATENTED</b>			

		<b>3100</b> <sub>F(x)</sub>	ORDER MULTIPLE <b>6</b>
<b>SINGLE CARABINER TOOL LANYARD</b>			
ITEM #	SIZE	COLOR	
19802	Std. 38" - 48" (96cm - 122cm)	Orange & Gray	
<b>// PATENTED</b>			

		<b>3102</b> <sub>F(x)</sub>	ORDER MULTIPLE <b>6</b>
<b>TOOL LANYARD SINGLE CARABINER - MODULAR</b>			
ITEM #	SIZE	COLOR	
19864	Std. 38" - 48" (96cm - 122cm)	Orange & Gray	
<b>// PATENTED</b>			

ANSI COMFORT		<b>3107</b> F(x)	ORDER MULTIPLE <b>6</b>
<b>TOOL LANYARD SINGLE COMPOSITE LOCKING CARABINER</b>			
<b>MAXIMUM LOAD LIMIT</b> <b>10 LBS</b> <b>4.5 KG</b>		<b>ANSI/ISEA</b> <b>121</b>	
ITEM #	SIZE	COLOR	
19807	Std. 38" - 48" (96cm - 122cm)	Orange & Gray	
<b>// PATENTED</b>			

ANSI COMFORT		<b>3108</b> F(x)	ORDER MULTIPLE <b>6</b>
<b>SINGLE LOCKING CARABINER TOOL LANYARD</b>			
<b>MAXIMUM LOAD LIMIT</b> <b>15 LBS</b> <b>6.8 KG</b>		<b>ANSI/ISEA</b> <b>121</b>	
ITEM #	SIZE	COLOR	
19808	Std. 38" - 48" (96cm - 122cm)	Orange & Gray	
<b>// PATENTED</b>			

ANSI COMFORT		<b>3109</b> F(x)	ORDER MULTIPLE <b>6</b>
<b>TOOL LANYARD SINGLE SWIVELING LOCKING CARABINER</b>			
<b>MAXIMUM LOAD LIMIT</b> <b>25 LBS</b> <b>12 KG</b>		<b>ANSI/ISEA</b> <b>121</b>	
ITEM #	SIZE	COLOR	
19809	Std. 38" - 48" (96cm - 122cm)	Orange & Gray	
<b>// PATENTED</b>			

ANSI COMFORT		<b>3117</b> F(x)	ORDER MULTIPLE <b>6</b>
<b>TOOL LANYARD DUAL COMPOSITE LOCKING CARABINER</b>			
<b>MAXIMUM LOAD LIMIT</b> <b>10 LBS</b> <b>4.5 KG</b>		<b>ANSI/ISEA</b> <b>121</b>	
ITEM #	SIZE	COLOR	
19827	Std. 38" - 48" (96cm - 122cm)	Orange & Gray	
<b>// PATENTED</b>			

ANSI COMFORT		<b>3118</b> F(x)	ORDER MULTIPLE <b>6</b>
<b>DUAL LOCKING CARABINER TOOL LANYARD</b>			
<b>MAXIMUM LOAD LIMIT</b> <b>15 LBS</b> <b>6.8 KG</b>		<b>ANSI/ISEA</b> <b>121</b>	
ITEM #	SIZE	COLOR	
19828	Std. 38" - 48" (96cm - 122cm)	Orange & Gray	
<b>// PATENTED</b>			

ANSI COMFORT		<b>3119</b> F(x)	ORDER MULTIPLE <b>6</b>
<b>TOOL LANYARD DUAL SWIVELING LOCKING CARABINER</b>			
<b>MAXIMUM LOAD LIMIT</b> <b>25 LBS</b> <b>12 KG</b>		<b>ANSI/ISEA</b> <b>121</b>	
ITEM #	SIZE	COLOR	
19829	Std. 38" - 48" (96cm - 122cm)	Orange & Gray	
<b>// PATENTED</b>			



# 3101/3111

ORDER MULTIPLE  
1

## SS SCREWGATE CARABINER LANYARD - SINGLE AND DUAL



### 3101

ITEM #	SIZE	COLOR
19007	Std. 35" - 42" (89cm - 110cm)	HV Lime
19017	Ext. 42" - 54" (110cm - 140cm)	HV Lime

### 3111

ITEM #	SIZE	COLOR
19027	Std. 35" - 42" (89cm - 110cm)	HV Lime
19037	Ext. 42" - 54" (110cm - 140cm)	HV Lime



# 3129

ORDER MULTIPLE  
1

## HD LANYARD SINGLE CARABINER



ITEM #	SIZE	COLOR
19137	76" (193cm)	Black

# MAY THE FORCE NOT BE WITH YOU...

Ergodyne Squids® Tool Lanyards are scientifically engineered to reduce drop forces and prevent workers from being pulled down when they drop an object. When you choose an Ergodyne lanyard, you're choosing superior materials and performance developed and tested (hundreds of times) to be the best – hands down. As you can see below, the results speak for themselves. Don't believe us? Visit [www.ergodyne.com](http://www.ergodyne.com) and click the WATCH tab to see this drop test with your own eyes. No smoke and mirrors here.



**squids®** THE OTHER GUYS  
OURS ARE BETTER. **PERIOD.**



# 3311

ORDER MULTIPLE  
1

## SS SCREWGATE TRIPLE CARABINER - TWIN LEG



ITEM #	SIZE	COLOR
19083	Std. 35" - 42" (89cm - 110cm)	HV Lime



# 3139

ORDER MULTIPLE  
1


## HD LANYARD DUAL CARABINER



ITEM #	SIZE	COLOR
19139	76" (193cm)	Black

## KNOW YOUR TOOL TYPES

HAND TOOLS





OPEN-ENDED



WAISTED OR NECKED

INSTRUMENTS



POWER TOOLS



OTHER

**ABS THERMOPLASTIC HOUSING**

Outer shell of retractor holds up to the elements and the beating it takes hanging on to the tools you cherish.

**SELF-SETTING LENGTH**

Self-setting pawls set desired lanyard length and use a safe one-handed operation to release and retract back into the housing.

**MODULAR DESIGN**

Tool Tails™ connect to various tools and exchange quickly and securely, allowing you to use multiple tools without making a tangled mess.



**3000/3001**

ORDER MULTIPLE **1**

**RETRACTABLE TOOL LANYARD - CARABINER OR LOOP**



3000: CARABINER			3001: LOOP		
ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
19763	—	Black	19301	—	Black

**// PATENTED**

**ANSI** **3114/3116** ORDER MULTIPLE **6**

**PULL-ON WRIST TOOL LANYARD - CARABINER/BUCKLE**

**3116**

**3114**

**3 LBS 1.4 KG**

**ANSI/ISEA 121**

**3 LBS 1.4 KG**

**ANSI/ISEA 121**

ITEM #	STYLE	COLOR
19056	Carabiner	Black
10957	Buckle	Black

**// PATENTED**

**ANSI** **3115** ORDER MULTIPLE **6**

**WRIST TOOL LANYARD**

**2 LBS .9 KG**

**ANSI/ISEA 121**

ITEM #	SIZE	COLOR
19042	S/M	Black
19052	L/XL	Black

**ANSI** **3130** ORDER MULTIPLE **6**

**COIL TOOL LANYARD**

**2 LBS .9 KG**

**ANSI/ISEA 121**

**5 LBS 2.3 KG**

**ANSI/ISEA 121**

ITEM #	SIZE	COLOR
19130	Small	HV Lime
19131	Medium	Orange

**// PATENTED**

# 3157/3158

ORDER MULTIPLE  
6

## COIL HARD HAT LANYARD - BUCKLE OR CLAMP



### 3157: BUCKLE

ITEM #	SIZE	COLOR
19156	18"	Black
19157	18"	HV Lime

### 3158: CLAMP

ITEM #	SIZE	COLOR
19158	18"	Black
19158	18"	HV Lime

# 3150/3155

ORDER MULTIPLE  
6

## ELASTIC HARD HAT LANYARD - BUCKLE OR CLAMP



### 3155: BUCKLE

ITEM #	SIZE	COLOR
19150	21.5"	HV Lime

### 3150: CLAMP

ITEM #	SIZE	COLOR
19155	23"	HV Lime

# 3175

ORDER MULTIPLE  
6

## ACCESSORY ANCHOR



ITEM #	SIZE	COLOR
19175	—	Black

# 3400/3405

ORDER MULTIPLE  
6

## GRABBER - DUAL OR BELT CLIP MOUNT



### 3400: DUAL CLIP

ITEM #	COLOR
19112	Black
19117	Blue
19118	HV Orange
19119	HV Lime
19113	Red
19114	Pink

### 3405: BELT CLIP

ITEM #	COLOR
19129	Black
19127	Blue
19128	HV Orange
19129	HV Lime
19123	Red
19124	Pink

// PATENTED

# 3410/3415

ORDER MULTIPLE  
6

## GRABBER - SUCTION OR MAGNET ANCHOR MOUNT



### 3410: SUCTION CUP

ITEM #	COLOR
19321	Black

### 3415: MAGNET

ITEM #	COLOR
19322	Black

// PATENTED

# 3540

ORDER MULTIPLE  
6

## TIE HOOK - LOCKING HOOK



ITEM #	SIZE	COLOR
33402	3540S: 11.8" (30cm) belt	HV Orange
33403	3540M: 15.8" (40cm) belt	HV Orange
33404	3540L: 19.7" (50cm) belt	HV Orange

// PATENTED



**HEAVY-GAUGE STITCHING**

Heavy-gauge nylon stitching provides extra reinforcement and strength around all zippers, pockets, and openings on the bag.

**THIRD-PARTY CERTIFIED TO A 5:1 SAFETY FACTOR**

Haul your gear safely and confidently knowing it's third-party certified to a 5:1 safety factor.

**PATENTED SAFETY TOP**

Patented safety top closure buckles around handles of bucket to secure contents inside.

5960T

**DURABLE FABRICS**

Heavy-duty canvas is extremely abrasion resistant.

**REINFORCED BOTTOM**

Lays down a firm foundation and delivers excellent wear and moisture protection for your tools.

\* Note: lanyards and tools not included... Duh!



5940

ORDER MULTIPLE 1

**CANVAS BUCKET - SWIVELING CARABINER**



**SWIVEL CARABINER**

ITEM #	SIZE	COLOR
14940	L	Gray

**SWIVEL CARABINER W/TOP**

ITEM #	SIZE	COLOR
14840	L	Gray

// PATENTED



5930

ORDER MULTIPLE 1

**CANVAS BUCKET**



**WEB HANDLE**

ITEM #	SIZE	COLOR
14930	L	Gray

**WEB HANDLE W/TOP**

ITEM #	SIZE	COLOR
14830	L	Gray

// PATENTED

**5945** ORDER MULTIPLE 1

**XL CANVAS BUCKET - SWIVELING CARABINER**

MAXIMUM LOAD LIMIT  
**150 LBS  
58 KG**

VOLUME  
**XL**



**XL SWIVEL CARABINER**      **XL SWIVEL CARABINER W/TOP**

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
14945	XL	Gray	14845	XL	Gray

// PATENTED

**5970** ORDER MULTIPLE 1

**POLYESTER BUCKET - SWIVELING HOOK**

MAXIMUM LOAD LIMIT  
**100 LBS  
45 KG**

VOLUME  
**M**



**SWIVEL SNAP**      **SWIVEL SNAP W/TOP**

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
14970	L	Black	14870	L	Black

// PATENTED

**5960** ORDER MULTIPLE 1

**CANVAS BUCKET D-RINGS**

MAXIMUM LOAD LIMIT  
**150 LBS  
58 KG**

VOLUME  
**L**



**WEB HANDLE W/D-RINGS**      **WEB D-RINGS W/TOP**

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
14960	L	Gray	14860	L	Gray

// PATENTED

**5935** ORDER MULTIPLE 1

**XL-CANVAS BUCKET**

MAXIMUM LOAD LIMIT  
**150 LBS  
58 KG**

VOLUME  
**XL**



**XL WEB HANDLE**      **XL WEB HANDLE W/TOP**

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
14935	XL	Gray	14835	XL	Gray

// PATENTED

**5975** ORDER MULTIPLE 1

**POLYESTER BUCKET**

MAXIMUM LOAD LIMIT  
**100 LBS  
45 KG**

VOLUME  
**M**



**WEB HANDLE**      **WEB HANDLE W/TOP**

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
14975	L	Black	14875	L	Black

// PATENTED

**5937/5938** ORDER MULTIPLE 1

**BUCKET SAFETY TOP - POLYESTER**



5937



5938

ITEM #	SIZE	COLOR
14938	12.5" D (32cm)	Black
14937	16.5" D (41cm)	Black



**HEAVY-DUTY ZIPPERS**

Heavy-duty zippers deliver superb performance and quality.

**BALLISTIC FABRICS**

Heavy-duty woven fabric is extremely abrasion-resistant.



**REINFORCED BASE**

Lays down a firm foundation and delivers excellent wear and moisture protection for your tools.

**VARIETY OF POCKETS**

A number of pockets and slots accommodate a wide variety of tools for all kinds of workers.

**D-RINGS FOR TOOL LANYARD**

D-rings on the interior and exterior for easy tool lanyard attachment for all at-heights and FME/FOD applications.



5843

ORDER MULTIPLE 1

**TOOL BACKPACK**



• 13.5"L x 8.5"W x 18"H (34cm x 22cm x 61cm)

ITEM #	SIZE	COLOR
19321	—	Black

5517/5527

ORDER MULTIPLE 1

**PREMIUM TOPPED PARTS POUCHES**



- 1680D ballistic polyester
- Snap-hinge closure for safety and security
- Two exterior D-rings for tool lanyard attachment
- Straps designed for quick attachment and removal
- 10"L x 6"W x 11.5"H (25cm x 15cm x 29cm)

ITEM #	SIZE	CLOSURE
13627	—	Hinge Top
13647	—	Zipper Top

/// PATENTED



**5561** ORDER MULTIPLE 1

**SMALL TOOL HOLSTER**

MAXIMUM LOAD LIMIT  
**5 LBS  
2.3 KG**

- 1680D ballistic polyester
- Holds channel locks, pliers, and wrenches
- Two D-rings for tool lanyard attachment
- Straps designed for quick attachment and removal
- 4.5"L x 2.5"W x 8.5"H (11cm x 6cm x 22cm)

ITEM #	SIZE	COLOR
13561	—	Gray

// PATENTED

**5562** ORDER MULTIPLE 1

**HAMMER HOLSTER**

MAXIMUM LOAD LIMIT  
**5 LBS  
2.3 KG**

- 1680D ballistic polyester
- Holds standard hammers and sledges
- Two D-rings for tool lanyard attachment
- Straps designed for quick attachment and removal
- 6"L x 3"W x 8"H (15cm x 8cm x 20cm)

ITEM #	SIZE	COLOR
13662	—	Gray

// PATENTED

**5563** ORDER MULTIPLE 1

**POWER TOOL HOLSTER**

MAXIMUM LOAD LIMIT  
**5 LBS  
2.3 KG**

- 1680D ballistic polyester
- Holds cordless power drills and impact drivers
- Two D-rings for tool lanyard attachment
- Straps designed for quick attachment and removal
- 8"L x 2.5"W x 12"H (20cm x 6cm x 30cm)

ITEM #	SIZE	COLOR
13563	—	Gray

// PATENTED

**5516/5518** ORDER MULTIPLE 1

**TOPPED TOOL POUCH - STRAP DESIGN AND LOOP DESIGN**

MAXIMUM LOAD LIMIT  
**33 LBS  
15 KG**

- 11"L x 4.5"W x 11"H (28cm x 11cm x 28cm)

STRAP DESIGN			LOOP DESIGN		
ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
13640	—	Gray	13642	—	Gray

**5725/5728** ORDER MULTIPLE 1

**TOPPED BOLT BAG AND TALL TOPPED BOLT BAG**

MAXIMUM LOAD LIMIT  
**25 LBS  
12 KG**

- 10"L x 5"W x 9"H (25cm x 13cm x 23cm)
- 10"L x 5"W x 13"H (25cm x 13cm x 33cm)

STANDARD			TALL		
ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
14425	—	White	14428	—	White

**5528/5538** ORDER MULTIPLE 1

**TOPPED PARTS POUCH**

MAXIMUM LOAD LIMIT  
**20 LBS  
9.1 KG**

- 7.5"L x 7.5"W x 12"H (19cm x 19cm x 30cm)

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
13628	—	Black	13638	—	Orange

// PATENTED



# GRAVITY HURTS

**// OBJECTS AT HEIGHTS SAFETY SOLUTIONS //**



**TENACIOUS SINCE 1983.**

**INTERGALACTIC HEADQUARTERS: 44° 58' 18.31" N 93° 09' 12.88" W ALT. 934 FT.  
1021 BANDANA BOULEVARD EAST SUITE 220 SAINT PAUL, MN, USA 55108  
PHONE 651 642 9889 // 800 225 8238 WWW.ERGODYNE.COM**

©2018 Ergodyne. All Rights Reserved. All Wrongs Reversed. Ergodyne, Ergoman and Ergoman design, Tenacious Work Gear Logo, Ergodyne Tenacious Work Gear, Arsenal, Chill-Its, GloWear, Nu<sup>2</sup>O<sub>2</sub>, Squids, Sticky Fingers, ProFlex, CORE Performance Work Wear, N-Ferno and SHAX are registered trademarks of Ergodyne and protected in the U.S. and abroad. Be Tenacious, BET (Beverage Extrication Tool), Open-Center Stay, Perfor-air, Power Panel Positioner, Storm Drains, Products for Occupational Athletes, Trex, Hot Rox, Tenacious-U, and ZeroRebound, Lil' Buddies, Skullerz and Tenacious Testers are trademarks of Ergodyne. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies. All other product names mentioned herein may be trademarks and/or registered trademarks of their respective owners. Ergodyne is a division of Tenacious Holdings Inc.