



STANLEY® FATMAX® TRI-MATERIAL HAND SAWS WITH BLADEARMOR® COATING

- Tri-material handle for comfort and durability.
- New handle design improves ease of cut by 25%*.
- Triple Ground Tooth Technology 4X** sharper for fast cuts.
- Induction hardened teeth for long life.
- BladeArmor® coating helps reduce friction while cutting.



Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
20-046	15	12	11
20-047	20	12	11
FMHT20218	26	12	11

*Compared to previous model.
**Compared to traditional tooth saws.

STANLEY® FATMAX® BOX SAW

- Blade is 15% thicker than conventional saws for straighter cuts with less binding.
- SharpTooth™ Saw Technology uses three cutting surfaces to cut 50% faster than conventional STANLEY® hand saws.
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth.
- Thick, ergonomically designed grip resists slipping and adds comfort.
- Back of saw can be used to mark 45° and 90° angles.



Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
20-045	15	9	8

STANLEY® SHARPTOOTH® CUSHION GRIP SAWS

- SharpTooth™ saw technology uses three cutting surfaces to cut 50% faster than conventional STANLEY® hand saws.
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth.
- Ergonomically designed one-piece handle.



Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
20-526	15	12	11
20-527	20	12	11

STANLEY® HEAVY-DUTY SHARPTOOTH® WOOD HANDLE SAWS

- Aggressive multipurpose saw for fast cutting.
- SharpTooth™ Saw Technology uses three cutting surfaces to cut 50% faster than conventional STANLEY® hand saws.
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth.
- Hardwood handle provides comfort and control.



Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
15-087	20	9	8

STANLEY® FINISH CUT SHARPTOOTH® SAW

- Multipurpose saw for a High quality finish.
- SharpTooth™ Saw Technology uses three cutting surfaces to cut 50% faster than conventional STANLEY® Hand Saws.
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth.
- Hardwood handle provides comfort and control.

Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
20-065	26	12	11



STANLEY® SHARPTOOTH® WOOD HANDLE SAWS

- Aggressive three-sided tooth design cuts 50% faster than conventional hand saws.
- Teeth can be resharpened.
- Select hardwood handle provides comfort and control.
- Back of saw can be used to mark 45° and 90° angles.

Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
15-334	15	9	8
15-335	20	9	8



STANLEY® SHARPTOOTH® TOOL BOX SAW

- Fast cuts on push and pull strokes.
- Precision ground, razor-sharp teeth.
- Molded plastic handle provides comfortable grip.
- Back of saw can be used to mark 45° and 90° angles.

Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
15-579	15	9	8



STANLEY® GENERAL PURPOSE SHARPTOOTH® SAWS

- Aggressive multipurpose saw with induction-hardened teeth.
- Fast cuts on push and pull strokes.
- Contoured sturdy handle designed for comfort and control.
- Handle offers a square/miter feature with 45° and 90° angles.

Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
20-029L	20	9	8
15-726	26	8	8





STANLEY® COMPACT FINE CUT SAW

- Multipurpose saw for a High quality finish.
- 10" blade is ideal for access in tight spaces.
- Aggressive 3-sided tooth design cuts wood 50% faster than conventional handsaws.
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth.
- Hardwood handle is contoured to fit the hand comfortably.



Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch	Overall Length (in)
20-221	10	12	11	15

STANLEY® FATMAX® SINGLE EDGE PULL SAW

- Flexible blade for flush and finish cuts.
- Quick-change blade to handle assembly.
- Thin blade for cutting accuracy and clean finish.
- Ergonomically designed cushion grip handle for comfort.



Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
20-500	9-7/8	15	14

STANLEY® FATMAX® DOUBLE EDGE PULL SAW

- Flexible blade for flush and finish cuts.
- Quick-change blade to handle assembly.
- Thin blade for cutting accuracy and clean finish.
- Ergonomically designed cushion grip handle for comfort.



Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
20-501	9-1/2	8 & 15	7 & 14

STANLEY® FATMAX® FLUSH CUT PULL SAW

- Flexible blade for flush cutting plugs and dowels.
- 23-point tooth geometry cuts quickly and cleanly on the pull stroke.
- Designed for trimming through tenon or lap joints.
- Double-sided blade for convenient cutting from the left or the right.
- Ergonomically designed cushion grip handle for comfort.



Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
20-331	4-3/4	23	22

STANLEY® FATMAX® REVERSIBLE FLUSH CUT SAW

- Designed for precise cutting including dovetails, small joints and cutoff.
- Spring-loaded pin allows blade to reverse quickly for left or right cutting.
- Reversible handle provides access in close quarters.
- Extra-wide blade (3") for fine woodworking.
- Steel back prevents bowing for true straight cuts.



Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
15-252K	10	15	14

STANLEY® FATMAX® PVC SAW

- Unique tooth form reduces burring for excellent cutting performance.
- Premium S2 steel blade provides great strength for a long life.
- Heavy-duty screws for secure blade-to-handle assembly.
- Solid, one-piece bi-material handle delivers durability and comfort.

Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
17-206	12-5/8	14	13



STANLEY® FATMAX® BACK SAW

- Designed for precise cutting including dovetails, miters and tenons.
- Used specifically for fine finish, plywood and hardwoods.
- Heavy-duty screws for secure blade-to-handle assembly.
- Solid, one-piece bi-material handle delivers durability and comfort.

Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
17-202	14	14	13



STANLEY® FATMAX® COPING SAWS

- Hardened tempered blade provides clean, controlled cutting action.
- Ergonomically designed cushion grip handle for comfort.

Product #	Blade Length (in)	Throat Depth (in)	Points Per Inch	Teeth Per Inch
15-104	6-1/2	4-3/4	16	15
15-106	6-1/2	6-3/4	16	15
15-106A	6-1/2	6-3/4	16	15



STANLEY® FATMAX® FOLDING JAB SAW

- Locking mechanism locks blade in open and close positions for safety and convenience.
- Triple ground teeth cuts 50% faster than traditional tooth designs.
- Hardened and tempered blade to stay sharp longer.
- Blade cuts on push and pull strokes.
- Handle has a non-slip grip for comfort and control.

Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
FMHT20559	6	9	8





STANLEY® FATMAX® JAB SAW

- Jab saw blade made of steel.
- Lacquered blade for corrosion protection.
- SharpTooth™ Saw Technology uses an aggressive three-sided tooth design that gives three cutting surfaces to cut 50% faster than conventional STANLEY® handsaws.
- Sharpened tip to easily punch through drywall.
- Ergonomically designed handle is made out of high impact polypropylene and a textured rubber grip over mold to provide comfort and a slip-resistant grip.



Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
20-556	6	9	8

STANLEY® CUSHION GRIP JAB SAW

- Fully hardened, tempered blade is designed for long cutting life.
- Sharp tip makes plunge cuts easy.
- Teeth are engineered to cut fast and prevent clogging.
- Ergonomically designed curved handle is cushioned for comfort.



Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
15-556	6	9	8

STANLEY® WOOD HANDLE JAB SAW

- Designed especially for making cuts in plasterboard.
- Self-starting point sharpened for plunge cuts.
- Hardwood handle for durability and comfort.
- Blade is epoxy-bonded and ferruled to the handle for a connection that is three times as durable as non-epoxy bonded blades.



Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
15-206	6	9	8

STANLEY® FATMAX® COMPASS SAW

- Heat-treated, triple-ground teeth for excellent cutting performance.
- Heavy-duty screws for secure blade-to-handle assembly.
- Solid, one-piece bi-material handle delivers durability and comfort.



Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
17-205	12	12	11

STANLEY® 3-IN-1 SAW

- Saw blades made of steel.
- Lacquered/coated blades for corrosion protection.
- Ergonomically designed handle is made with glass-filled, high-strength nylon to support six different blade positions.
- Textured rubber over mold on handle provides comfort and a slip-resistant grip.
- No tools required for blade change.
- Turn knob allows end user to conveniently store all three blades on handle when not in use.
- 10" Universal blade cuts through tree limbs, 2 x 4's, and plastic pipes on the pull stroke.
- 8" Compass saw blade carves patterns and shapes out of wood.
- 6" Metal-cutting blade cuts through metal pipes and rods.

Product #	Contents	Blade Length (in)	Points Per Inch	Teeth Per Inch
20-092	(1) Universal Blade	10	12	11
	(1) Compass Saw Blade	8	10	9
	(1) Metal Cutting Blade	6	25	24
	(1) Handle			



STANLEY® 3-BLADE NEST-OF-SAWS

- Three interchangeable blades fit in a comfortable molded handle.
- Blades include: an aggressive multi-purpose blade for tight spaces; a non-hardened keyhole saw for wood applications and a blade for cutting metal.
- Perfect for curves, circles, and trim work.

Product #	Contents	Blade Length (in)	Points Per Inch	Teeth Per Inch
15-090	(1) Aggressive Blade	10	12	11
	(1) Keyhole Saw Blade	10	10	9
	(1) Metal Cutting Blade	6	25	24
	(1) Handle			



STANLEY® FOLDING POCKET SAW

- Saw blade made of steel.
- Coated blade for corrosion protection.
- Handle is made of high impact polypropylene with textured grip to provide a slip-resistant grip.
- Folds like a jack knife for safe, easy storage.
- Accepts standard and reciprocating blades.

Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
15-333	8	10	9





STANLEY® 4-WAY™ KEYHOLE SAW

- 4-way blade positioning cuts curves, circles, and frets into places where ordinary hacksaws cannot reach.
- Cuts wood, nails, metal lath, composition board, BX cable, conduit, and more.
- Lightweight, pistol-grip handle.
- Comes with one wood-cutting blade and one metal-cutting blade.



Product #	Contents	Blade Length (in)	Points Per Inch	Teeth Per Inch
15-275	(1) Wood Cutting Blade	7	10	9
	(1) Metal Cutting Blade	7	25	24
	(1) Handle			

STANLEY® BOW SAWS

- Tension lever provides clearance to help protect fingers when changing blade.
- Blade fastened with rivets that remain attached during blade changes.
- Frame manufactured from welded tubing for strength and durability.



Product #	Blade Length (in)
15-451	24

STANLEY® FATMAX® HIGH-TENSION HACKSAW

- Durable, one-piece body is designed for ultra-high tension of 330 lbs
- Pre-tensioning mechanism holds blade in place for quick and easy blade changes.
- Thumb-dial adjustable tension mechanism allows for tension memory.
- Large cutting capacity – up to 4-3/4" throat depth for extra-deep cutting.
- Power load sliding tension delivers leverage when increasing tension and control when releasing blade.
- Contoured handle and front thumb grip are ergonomically designed for control.
- Blade can be positioned at 45° or 90° cutting angle.
- Long reach cutting capability.
- Removable file inside frame for finishing up surfaces after cutting.
- Blade storage inside frame, up to 3 blades.
- Accepts 12" blades only.
- Hacksaw blade included (15-631): 1.



Product #	Blade Length (in)	Throat Depth (in)
20-531	12	4-3/4

STANLEY® SOLID FRAME HIGH-TENSION HACKSAW

- 4.375" cutting depth.
- 225 lbs blade tension.
- 90° and 180° adjustable blade angles allowing flush cuts.
- Large, comfortable tension knob.
- Robust all metal frame.
- Full-grip handle helps protect knuckles.

Product #	Blade Length (in)	Throat Depth (in)
STHT20138	12	4-3/8



STANLEY® TUBULAR HIGH-TENSION HACKSAW

- 4.75" cutting depth.
- 300 lbs blade tension.
- 45° and 90° adjustable blade angles allowing flush cuts.
- Blade storage holds up to 8 blades.
- Bi-material handle for comfort.
- Large, comfortable tension knob for quick and easy blade change.
- Robust tubular metal frame.
- Long reach cutting capability.

Product #	Blade Length (in)	Throat Depth (in)
STHT20140	12	4



STANLEY® HIGH-TENSION HACKSAW

- Heavy-duty metal frame design holds blade up to 32,000 psi.
- Blade can be positioned either at a 45° or 90° angle.
- Blade storage is integrated into frame.
- Quick release blade changing mechanism in handle maintains tension setting.
- "T" rod allows user to adjust tension on blade within handle.
- Hacksaw blade included (15-631): 1.

Product #	Blade Length (in)	Throat Depth (in)
15-113	12	3-7/8





STANLEY® HIGH-TENSION HACKSAW & METAL MINI-HACK® UTILITY SAW

- Pack includes 2 hacksaws that are ideal for cutting metal and plastic.
- Rugged design for heavy-duty use.
- Quick-release, blade-changing mechanism in handle maintains tension setting.
- Metal Mini-Hack® is lightweight, comfortable and durable.
- Metal Mini-Hack® handle covers blade to help protect user's hands.



Product #	Contents	Blade Length (in)
20-036M	(1) Hacksaw Blade (1) Utility Saw Blade	12 10

SAWS

STANLEY® HIGH-TENSION LOW-PROFILE HACKSAW

- Arc-shaped frame enables cutting in hard-to-reach areas.
- 4" throat depth cuts large PVC pipes.
- Heavy-duty, lightweight, die-cast aluminum I-beam frame provides strength and durability.
- Ergonomically designed handle for comfortable use.
- Tension knob makes blade tension adjustment easy.
- Hacksaw blade included (15-631): 1.



Product #	Blade Length (in)	Throat Depth (in)
20-001K	12	4

STANLEY® COMPOSITE HACKSAW

- Unique 12" arc shape fixed frame allows for cutting in tight, hard-to-reach areas.
- I-beam frame provides strength and durability; made from high impact polymer with steel core.
- High-tension knob makes blade tension adjustment easy.
- Ergonomically designed non-slip grip handle for comfortable use.
- 4" throat depth cuts large PVC pipes.
- Carbon steel hacksaw blade (12 in x 24 TPI) included: 1.



Product #	Blade Length (in)	Throat Depth (in)
15-892K	12	4

STANLEY® RUBBER GRIP SOLID FRAME HACKSAW

- 4.375" cutting depth.
- 225 lbs blade tension.
- 90° and 180° adjustable blade angles allowing flush cuts.
- Large, comfortable tension knob.
- Robust all metal frame.
- Rubber grip handle.

Product #	Blade Length (in)	Throat Depth (in)
STHT20139L	12	4-3/8



STANLEY® ADJUSTABLE HACKSAW WITH RUBBER GRIP

- Rigid steel frame with molded cushion grip.
- D-shape guard helps protect hands and knuckles.
- Frame is adjustable to fit 10" and 12" blades.
- Carbon steel hacksaw blade (12 in x 24 TPI) included: 1.

Product #	Blade Length (in)	Throat Depth (in)
15-265	10-12	3-7/8



STANLEY® METAL MINI-HACK® UTILITY SAW

- Cast aluminum handle is lightweight, comfortable and durable.
- Handle covers blade to protect end user's hand.
- High-performance blade included (15-628): 1.

Product #	Blade Length (in)
15-809	10





STANLEY® PLASTIC MINI-HACK® SAW

- Ergonomically designed grip with thumb rest for maximum comfort.
- Handle covers blade to protect end users hand.
- Durable, high impact polypropylene body.
- Carbon steel hacksaw blade (10 in x 24 TPI) included: 1.



Product #	Blade Length (in)
20-807	10

STANLEY® FATMAX® MULTI-PURPOSE SAW

- Includes both wood cutting and metal cutting blades.
- Works with any standard reciprocal or hacksaw blades.
- Durable tension nut quickly and easily allows blade changes.
- Designed for sawing in confined spaces.
- Ergonomically designed cushion grip handle for comfort.



Product #	Contents	Blade Length (in)	Points Per Inch	Teeth Per Inch
20-220	(1) Reciprocal Blade	5	11	10
	(1) Hacksaw Blade	6	25	24

STANLEY® BI-METAL HACKSAW BLADES

- Combines the flexibility of carbon steel backs with the cutting performance of high-speed steel cutting edge.
- Coated blade for corrosion protection.
- Cuts most metals including unhardened tool steel and stainless steel.



Product #	# of Blades	Blade Length (in)	Points Per Inch	Teeth Per Inch
15-612	10	12	19	18
15-613	10	12	25	24
15-614	10	12	33	32
15-628	1	10	25	24
15-630	1	12	33	32
15-631	1	12	25	24
15-632	1	12	19	18
20-069	4	12	19, (2) 25, 33	18, (2) 24, 32

STANLEY® HIGH SPEED STEEL HACKSAW BLADES

- Ground tooth design for improved cutting performance versus traditional hacksaw blades.
- Flexible, high speed steel blade.
- Coated blade for corrosion protection.
- Cuts most metals including unhardened tool steel and stainless steel.



Product #	# of Blades	Blade Length (in)	Points Per Inch	Teeth Per Inch
15-802A	1	10	33	32
15-804A	1	10	25	24
15-808A	1	10	19	18
15-822A	1	12	33	32
15-824A	1	12	25	24
15-828A	1	12	19	18

STANLEY® CARBON STEEL HACKSAW BLADES

- Flexible, high carbon steel blade.
- Coated blade for corrosion protection.
- Cuts mild steel, cast iron, aluminum, and copper.



Product #	# of Blades	Blade Length (in)	Points Per Inch	Teeth Per Inch
15-902A	2	10	33	32
15-904A	2	10	25	24
15-908A	2	10	19	18
15-922A	2	12	33	32
15-924A	2	12	25	24
15-928A	2	12	19	18

STANLEY® CARBIDE GRIT HACKSAW BLADES

- Tungsten carbide particles enable blade to cut on both forward and reverse strokes.
- Makes thin straight cuts in ceramic, hardened steel, cast iron, and masonry.
- Fits standard hacksaw frames.

Product #	# of Blades	Contents	Blade Length (in)
15-410	1	Rod Saw Blade	10
15-412	1	Hacksaw Blade	12



STANLEY® COPING SAW BLADES

- Flexible, heat-treated saw blade made of steel.
- Lacquered blade for corrosion protection.

Product #	# of Blades	Blade Length (in)	Points Per Inch	Teeth Per Inch
15-058	4	6-1/4	11	10
15-061	4	6-1/4	16	15
15-059	4	6-1/4	21	20





STANLEY® CLAMPING MITER BOXES

- Made of lightweight, high impact polypropylene.
- Cam-shaped pins twist and lock with honeycomb base to secure work for accurate cuts.
- Cuts miters on 45° and 90°, face angle 45°, and all new 22-1/2° angle for octagonal shapes.
- Miter box has storage compartments to hold cam pins and pencils.
- Large design for increased cutting capacity.




Product #	Type	Blade Length (in)	Points Per Inch	Teeth Per Inch
20-112	Miter Box	—	—	—
20-600	Miter Box with Saw	14	13	12

MITER BOXES

STANLEY® MITER BOX WITH SAW

- Storage system holds all 12" x 14" STANLEY® back saws.
- Finger button allows easy release of saw from storage cavity.
- 90°, 45° and 22-1/2° miter slots.
- Holes in base for fastening to a workbench.
- Open interior allows cuttings to fall through.
- Integrated pencil pocket.



Product #	Blade Length (in)	Points Per Inch	Teeth Per Inch
19-800	14	14	13

STANLEY® ADJUSTABLE ANGLE CLAMPING MITER BOX WITH SAW

- Base made of cast zinc with holes for cam-shaped pins to twist in, which secures work for accurate cuts.
- Base legs have holes for fastening to work bench.
- Base has molded in measuring marks.
- One touch angle adjustment for quick and easy angle change.
- 11 preset angle stops.
- Adjustable work stop for repetitive cuts.
- Handle is made out of high-impact polypropylene and a textured rubber grip over mold to provide comfort and a slip-resistant grip.
- Saw blade made of steel with induction-hardened teeth for long lasting sharpness.



Product #	Type	Blade Length (in)	Blade Width (in)	Max Cutting Width at 45°	Max Cutting Width at 90°	Max Cutting Height
20-800	Miter Box with Saw	22	1-1/2	4-1/16	6-1/2	4-1/2