

NON-METALLIC WHILE-IN-USE COVERS

1-GANG

APPLICATIONS

- Designed for use whenever weatherproof protection is required while an outlet is in use

PRODUCT FEATURES

- High-impact polycarbonate construction provides maximum durability
- Patented Quick-Fit™ keyhole mounting system allows installation in under a minute
- Includes attached gasket and mounting hardware
- Pre-configured for GFCI with patented Knock-Out™ technology for alternate devices
- Lockable tab
- Made in USA

COMPLIANCES

- UL File E116141
- 2014 NEC® compliant (article 406.9)
- NEMA 3R rated

U.S. Patents: 7,348,486; 7,282,645; 7,119,277; 6,960,221; 6,790,816; 6,642,453



MM410C

MM410G

MM410W

MM410CW

MM410CA



MM510C



MM510G





MM710C



MM710G



CONFIGURATIONS



Fits Full-Size Padlock



MM420C



MM420G



MM720C



MM720G

CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	BARCODE
1-Gang In-Use Covers						
MM410C	Horizontal/Vertical 16-in-1 Standard	2.75"	Clear	Shrink	10	
MM410CA	Horizontal/Vertical 16-in-1 Standard w/Round Box Adaptor	2.75"	Clear	Shrink	10	
MM410CW	Horizontal/Vertical 16-in-1 Standard	2.75"	Clear w/ White Base	Shrink	10	
MM410G	Horizontal/Vertical 16-in-1 Standard	2.75"	Gray	Shrink	10	
MM410W	Horizontal/Vertical 16-in-1 Standard	2.75"	White	Shrink	10	
MM510C	Horizontal/Vertical 16-in-1 Deep	3.25"	Clear	Shrink	8	
MM510G	Horizontal/Vertical 16-in-1 Deep	3.25"	Gray	Shrink	8	
MM710C	Horizontal/Vertical 16-in-1 Jumbo	4.75"	Clear	Shrink	5	
MM710G	Horizontal/Vertical 16-in-1 Jumbo	4.75"	Gray	Shrink	5	
MM420C	Extra Duty® Horizontal/Vertical 16-in-1 Standard	2.75"	Clear	Shrink	8	
MM420G	Extra Duty® Horizontal/Vertical 16-in-1 Standard	2.75"	Gray	Shrink	8	
MM720C	Extra Duty® Horizontal/Vertical 16-in-1 Jumbo	4.75"	Clear	Shrink	4	
MM720G	Extra Duty® Horizontal/Vertical 16-in-1 Jumbo	4.75"	Gray	Shrink	4	

SEE END OF SECTION (PG C15) FOR DETAILED DRAWINGS >>



NON-METALLIC WHILE-IN-USE COVERS

2-GANG




MM7440C



MM7440G

40ⁱⁿ1

CONFIGURATIONS



Multiple combinations of duplex, GFCI, switch and rounds: 1-3/8", 1-5/8", 1-3/4", 2-1/4", 2-5/8"

APPLICATIONS

- Designed for use whenever weatherproof protection is required while an outlet is in use

PRODUCT FEATURES

- High-impact polycarbonate construction provides maximum durability
- Patented Quick-Fit™ keyhole mounting system allows installation in under a minute
- Includes attached gasket and mounting hardware
- Pre-configured for GFCI* with patented Knock-Out™ technology for alternate devices
- Lockable tab
- Made in USA

COMPLIANCES

- File E116141
- 2014 NEC® compliant (article 406.9)
- NEMA 3R rated

U.S. Patent 8,314,335

* MM7440 pre-configured for Duplex.
MM2410/MM2420 pre-configured for GFCI.



MM2410C



MM2410G




MM2420C



MM2420G

55ⁱⁿ1

CONFIGURATIONS



Multiple combinations of duplex, GFCI, switch, and rounds: 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 2-1/8", 2-1/4", 2-7/16"

CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	BARCODE
2-Gang In-Use Covers						
MM7440C	55-in-1 Jumbo	4.75"	Clear	Shrink	3	
MM7440G	55-in-1 Jumbo	4.75"	Gray	Shrink	3	
MM2410C	55-in-1 Standard	2.75"	Clear	Shrink	6	
MM2410G	55-in-1 Standard	2.75"	Gray	Shrink	6	
MM2420C	Extra Duty® 55-in-1 Standard	2.75"	Clear	Shrink	6	
MM2420G	Extra Duty® 55-in-1 Standard	2.75"	Gray	Shrink	6	

SEE END OF SECTION (PG C15) FOR DETAILED DRAWINGS >>

NON-METALLIC FLAT DEVICE COVERS

1-GANG

APPLICATIONS

- For use whenever weatherproof protection is required for an outdoor receptacle or switch.

PRODUCT FEATURES

- High-impact polycarbonate construction provides maximum durability
- Patented Quick-Fit™ keyhole mounting system allows installation in under a minute
- Includes attached gasket and mounting hardware
- Base configuration with patented Knock-Out™ technology for custom fitting
- Lockable tab
- Made in USA

COMPLIANCES

- UL File E116141
- 2014 NEC® compliant (article 406.9)
- NEMA 3R rated




MM110C



MM110G



MM110W



2-GANG




MM1410C



MM1410G



MM1410W



CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	BARCODE
1-Gang Flat Covers						
MM110C	Horizontal/Vertical 16-in-1	.625"	Clear	Shrink	10	
MM110G	Horizontal/Vertical 16-in-1	.625"	Gray	Shrink	10	
MM110W	Horizontal/Vertical 16-in-1	.625"	White	Shrink	10	
2-Gang Flat Covers						
MM1410C	55-in-1	.625"	Clear	Shrink	10	
MM1410G	55-in-1	.625"	Gray	Shrink	10	
MM1410W	55-in-1	.625"	White	Shrink	10	

SEE END OF SECTION (PG C17) FOR DETAILED DRAWINGS >>



PROOF

NON-METALLIC LOW PROFILE WHILE-IN-USE COVERS

1-GANG

In For Looks



ML450G

Out For Use



Cut-Away View



ML450W



ML450Z

ML500G, ML500W,
ML500Z

APPLICATIONS

- Low profile design that is expandable for weatherproof protection while an outlet is in use.

PRODUCT FEATURES

- Revolutionary patented design expands from 1" to 3-1/2" to for while-in-use needs
- 100% paintable surface
- Ultra rugged polycarbonate & synthetic neoprene rubber will not dry rot, crack or deteriorate in sunlight
- Includes attached gasket and mounting hardware
- Patented Quick-Fit™ keyhole mounting system allows installation in under a minute


COMPLIANCES

- UL File E116141
- 2014 NEC® compliant (article 406.9)
- NEMA 3R rated

U.S. Patents: 8,101,861; 8,319,334; 8,053,671

16ⁱⁿ1

CONFIGURATIONS



2-GANG



ML2450G



ML2500G

55ⁱⁿ1

CONFIGURATIONS



Multiple Combinations of GFCI, Duplex, Switch, and Rounds:
1-1/4" 1-3/8" 1-9/16" 1-11/16" 2-1/8" 2-1/4" 2-7/16"
& 1-5/8"

CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	BARCODE
1-Gang Flat Expandable In-Use Covers						
ML450G	16-in-1 Flat Expandable Vertical/Horizontal	1" to 3.5"	Gray	Shrink	10	
ML450W	16-in-1 Flat Expandable Vertical/Horizontal	1" to 3.5"	White	Shrink	10	
ML450Z	16-in-1 Flat Expandable Vertical/Horizontal	1" to 3.5"	Bronze	Shrink	10	
ML500G	16-in-1 Flat Expandable Vertical/Horizontal, Extra Duty®	1" to 3.5"	Gray	Shrink	10	
ML500W	16-in-1 Flat Expandable Vertical/Horizontal, Extra Duty®	1" to 3.5"	White	Shrink	10	
ML500Z	16-in-1 Flat Expandable Vertical/Horizontal, Extra Duty®	1" to 3.5"	Bronze	Shrink	10	
2-Gang Flat Expandable In-Use Covers						
ML2450G	55-in-1 Flat Expandable	1" to 3.5"	Gray	Shrink	6	
ML2500G	55-in-1 Flat Expandable, Extra Duty®	1" to 3.5"	Gray	Shrink	6	

SEE END OF SECTION (PG C17) FOR DETAILED DRAWINGS >>



WEATHER

NON-METALLIC RECEPTACLE / COVER COMBOS AND COMPLETE KITS

IN-USE COVER COMBOS AND COMPLETE KITS


APPLICATIONS

- Receptacle and cover combos for use whenever weatherproof protection is required while receptacle is in use.


PRODUCT FEATURES

- High quality Hubbell WRTR device included
- Patented Quick-Fit™ keyhole mounting system allows cover installation in under a minute
- Includes attached gasket and hardware
- Lockable tab
- Includes receptacle and cover
- Installation instructions and mounting hardware included


COMPLIANCES

-  File E313240
- 2014 NEC® compliant
- NEMA 3R rated


U.S. Patents: 6,420,654
6,420,653



MG420C




MD410C



MG410C



MD510C



MG510C



MD450G



MG450G



MKG410C



MKG420C

CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	BARCODE
Receptacle / In-Use Cover Combos						
MD410C	Hubbell WRTR 15 AMP Decorator Duplex / Cover Combo	2.75"	Clear	Shrink	10	
MG410C	Hubbell WRTR 15 AMP GFCI / Cover Combo	2.75"	Clear	Shrink	10	
MD510C	Hubbell WRTR 15 AMP Decorator Duplex / Deep Cover Combo	3.25"	Clear	Shrink	8	
MG510C	Hubbell WRTR 15 AMP GFCI / Deep Cover Combo	3.25"	Clear	Shrink	8	
MG420C	Hubbell WRTR 15 AMP GFCI / Extra Duty® Cover Combo	2.75"	Clear	Shrink	4	
MD450G	Hubbell WRTR 15 AMP Duplex / Expandable Cover Combo	2.75"	Clear	Shrink	4	
MG450G	Hubbell WRTR 15 AMP GFCI / Expandable Cover Combo	2.75"	Clear	Shrink	4	
Complete In-Use Cover Kits						
MKG410C	In-Use Cover, Box and Hubbell WRTR 15A GFCI Kit	2.75"	Clear/Black/Gray	Box	4	
MKG420C	Extra Duty® In-Use Cover, Box and Hubbell WRTR 15A GFCI Kit	2.75"	Clear/Black/Gray	Box	4	

SEE END OF SECTION (PG C18) FOR DETAILED DRAWINGS >>



RECEPTACLE / METAL COVER COMBOS AND COMPLETE KITS

FLIP COVER COMBOS



MD1050S



MG1050S



MD1250S



MG1250S

APPLICATIONS

- Receptacle and metal cover combos for use whenever weatherproof protection is required.

PRODUCT FEATURES

- High quality Hubbell WRTR device included
- Heavy duty die-cast metal construction
- Includes gasket and mounting hardware
- Premium powdercoat finish
- Lockable tab
- Includes receptacle and cover

COMPLIANCES

- File E212332
- 2014 NEC® compliant
- NEMA 3R rated

U.S. Patents: D 569,811; 6,420,653

METAL IN-USE COVER COMBOS AND COMPLETE KITS



CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	BARCODE
Receptacle / Flip Cover Combos						
MD1050S	Hubbell WRTR 15A Duplex / Vertical/Horizontal Flip Cover Combo		Gray	Shrink	8	
MG1050S	Hubbell WRTR 15A GFCI / Vertical/Horizontal Flip Cover Combo		Gray	Shrink	8	
MD1250S	Hubbell WRTR 15A Duplex / Horizontal/Vertical Flip Cover Combo		Gray	Shrink	8	
MG1250S	Hubbell WRTR 15A GFCI / Horizontal/Vertical Flip Cover Combo		Gray	Shrink	8	
Receptacle / Metal In-Use Cover Combos						
MD5881-0	Hubbell WRTR 15A Duplex / Vertical In-Use Metal Cover Combo	3"	Gray	Shrink	4	
MG5881-0	Hubbell WRTR 15A GFCI / Vertical In-Use Metal Cover Combo	3"	Gray	Shrink	4	
MD5802-0	Hubbell WRTR 15A Duplex / Horizontal In-Use Metal Cover Combo	3"	Gray	Shrink	3	
MG5802-0	Hubbell WRTR 15A GFCI / Horizontal In-Use Metal Cover Combo	3"	Gray	Shrink	3	
Complete Metal In-Use Cover Kits						
MKG4280S	In-Use Cover, Box and Hubbell WRTR 15A GFCI Kit	3.5"	Gray	Clamshell	4	

SEE END OF SECTION (PG C19-C20) FOR DETAILED DRAWINGS >>

METAL WHILE-IN-USE COVERS

APPLICATIONS

- Designed for use whenever weatherproof protection is required while an outlet is in use.

PRODUCT FEATURES

- Heavy duty die-cast metal construction
- Meets or exceeds Extra Duty® specifications
- Patented Quick-Fit™ keyhole mounting system allows cover installation in under a minute
- Includes gasket and mounting hardware
- Base configuration with patented Knock-Out™ technology for custom fitting
- Premium powdercoat finish
- Lockable tab

COMPLIANCES


- UL File E212332
- 2014 NEC® compliant
- NEMA 3R rated

U.S. Patent 8,314,334




8ⁱⁿ1

CONFIGURATIONS




8ⁱⁿ1

CONFIGURATIONS



55ⁱⁿ1

CONFIGURATIONS




CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	BARCODE
Metal In-Use Covers						
MX3200	Vertical 8-in-1	3.5"	Gray	Shrink	4	
MX3300	Horizontal 8-in-1	3.5"	Gray	Shrink	4	
MX6200	2-Gang 55-in-1	3.5"	Gray	Shrink	4	

SEE END OF SECTION (PG C20) FOR DETAILED DRAWINGS >>




METAL LOW PROFILE WHILE-IN-USE COVERS




MX4280S, MX4280WH, MX4280Z



MX4380S




MX7280S



MX5280S

CONFIGURATIONS



APPLICATIONS

- Designed for use whenever weatherproof protection is required while an outlet is in use.

PRODUCT FEATURES

- Heavy duty die-cast metal construction
- Meets or exceeds Extra Duty® specifications
- Patented Quick-Fit™ keyhole mounting system allows cover installation in under a minute
- Includes gasket and mounting hardware
- Base configuration with patented Knock-Out™ technology for custom fitting
- Premium powdercoat finish
- Lockable open or closed and fits fullsize padlock

COMPLIANCES

- UL File E212332
 - 2014 NEC® compliant
 - NEMA 3R rated
- U.S. Patents: 8,314,334; 8,259,253 B1; 6,420,654; 8,106,295 B1

55-in-1
CONFIGURATIONS

Multiple combinations of duplex, GFCI, switch, and rounds:
1 1/4", 1 3/8", 1 9/16", 1 5/8", 1 11/16", 2 1/8", 2 1/4", 2 7/16"

CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	BARCODE
Metal Low Profile In-Use Covers						
MX4280S	Vertical 8-in-1	2" to 3-1/2"	Gray	Shrink	6	
MX4280WH	Vertical 8-in-1	2" to 3-1/2"	White	Shrink	6	
MX4280Z	Vertical 8-in-1	2" to 3-1/2"	Bronze	Shrink	6	
MX4380S	Horizontal 8-in-1	2" to 3-1/2"	Gray	Shrink	3	
MX5280S	Vertical Deep 8-in-1	2-1/2" to 4-1/2"	Gray	Shrink	2	
MX7280S	Vertical 2-Gang 55-in-1	2" to 3-1/2"	Gray	Shrink	2	

SEE END OF SECTION (PG C21) FOR DETAILED DRAWINGS >>

