

# **ICON GUIDE**

### **TOILET**



3D TORNADO FLUSH

Three powerful nozzles create a powerful centrifugal rinsing action and combines it with the conservation of 0.9 or 1.28 GPF.



DUAL-MAX

A dual flushing system that optimizes conservation by selecting the preferred flush volume.



**CEFIONTECT** 

Ultra-smooth ceramic glaze leaves nowhere for waste to cling



**UNIVERSAL HEIGHT** 

Toilet height that allows for a more comfortable height position UNIVERSAL HEIGHT across a wide range of users.



SKIRTED DESIGN

The trapway is concealed by smooth porcelain, making the toiled easier to clean.

### **WASHLET**



тото . washleт

An electronic bidet seat featuring adjustable warm water cleansing, heated seat, dryer, deodorizer and much more



WASHLET and toilet set with a concealed connection that is specially designed for a seamless installation



EWATER+\*

Mists the bowl with electrolyzed water, a proven disinfectant, keeping the wand and toilet bowl clean to reduce the need for



**PREMIST** 

Using the incoming water supply, a Premist sprays the toilet bow surface aiding in the elimination of waste approximately 80 percent better than a dry bowl.

### **GENERAL FEATURES**



**AUTO FUNCTIONS** 

Product featuring an integrated, automatic, sensor activated function.



ADA

Product complies with Americans with Disabilities Act guidelines.



WATERSENSE

Product that meets EPA standards for water efficiency and performance criteria.



CEC

Product meets California Energy Commission requirements



Product meets Cal Green Water Regulations for new construction and permitted remodel.



**GOOD DESIGN** 

The Good Design Awards is the world's oldest and most important industrial design program organized annually by the Chicago Athenaeum Museum.



# TOTO: Washlet.

**CLEANSING FUNCTIONS** 




# **CLEANSING FUNCTIONS**

WITH THE TOUCH OF A BUTTON, A WAND EXTENDS FROM UNDER THE SEAT FOR SOOTHING WARM-WATER CLEANSING.

### How WASHLET® works

AIR-IN WONDER-WAVE technology is the precise, pleasant, air rich stream that keeps you clean. As water is fired at different speeds, small droplets collide with larger ones, combining and expanding as the droplets fill with more air. The injection of air enlarges water droplets by around 30%.



### Select the type of cleansing you desire each time.





### **REAR SPRAY**

The rear spray is designed to clean the rear intimate area. It features pleasant, yet strong water pressure to target this specific area.



### REAR SOFT SPRAY

It has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.



### FRONT SPRAY

The front wash consists of large, soft drops for comfortable intimate cleansing - for a clean, fresh feeling.



### WIDE FRONT SPRAY


It has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.

# **HOW THE REMOTE CONTROL WORKS**

Easy and Convenient to Use.




# WASHLET® S550e & S500e models



Interface of the remote control is subject to change. Bracket available for wall-mounting.

# WASHLET® S350e, S300e, C200, & A200 models




<sup>\*</sup>FRONT WIDE ON/OFF funtion only available on S350e/S300e

<sup>\*\*</sup>DRYER not available on A200

# **TOTO WASHLET TECHNOLOGIES**

For greater performance and hygiene in the bathroom.



This thorough cleaning occurs inside the wand as well as all around the exterior. Even when the toilet is not being used, the wand periodically cleans itself to ensure constant hygienic conditions.

Using the incoming water supply, a pre-mist wets the toilet bowl surface aiding in the elimination of waste approximately 80 percent better than a dry bowl.

\*Not available on A200 and A100

Highly effective deodorizing automatically takes places inside the toilet bowl both during and immediately after use, leaving no disturbing odors.

\*Not available on A200 and A100



The toilet seat immediately warms when the toilet is approached, ensuring a warm comfortable seat any time.

Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed. \*S550e and S350e only

Enjoy the ease and comfort of drying with the temperatureadjustable warm-air dryer. \*Not available on A200 and A100

			NEW	
WASHLET®		G400	S550e	S500e
	PARISON	MS920CEMFG (elongated)	SW3056 (elongated) SW3054 (elongated classic)	SW3046 (elongated) SW3044 (elongated classic)
CHAF	RT			
	COLOR:	#01, #12	#01, #12	#01, #12
	REAR CLEANSE	•	•	•
CLEANSE	SOFT REAR CLEANSE	•	•	•
	FRONT CLEANSE	•	•	•
	WIDE FRONT CLEANSE	-	•	•
	OSCILLATING CLEANSE	•	•	•
	PULSATING CLEANSE	•	•	•
	INSTANTANEOUS WATER HEATING	-	•	•
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WAND POSITION ADJUSTMENT	•	•	•
	AIR PURIFIER (DEODORIZER)	•	•	•
AIR	AIR DRYER	•	•	•
	AIR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
SEAT	HEATED SEAT	•	•	•
	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	SOFTCLOSE" SEAT AND LID	•	•	•
	SEAT SENSOR	•	•	•
CENICOD	AUTOMATIC OPEN AND CLOSE LID	•	•	-
REMOTE CONTROL	♠ AUTOMATIC FLUSH	•	-	-
	NIGHT LIGHT	-	•	-
	REMOTE CONTROL	•	•	•
	REMOTE CONTROLLED SEAT	•	•	-
	REMOTE CONTROLLED FLUSH	•	-	-
HYGIENE	REMOVABLE LID	•	•	•
		•	-	-
	<b>♦</b> EWATER+	-	•	•
		•	•	•
	WAND CLEANING MODE	•	•	•
	SELF-CLEANING WAND	•	•	•
ENERGY SAVING	ENERGY-SAVE TIMER	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS
	AUTO ENERGY SAVER	•	•	•
	ON / OFF BUTTON	•	•	•
⁺washLė́т。+		-	•	•

<sup>\*</sup>WASHLET+ is a seat and toilet system specially designed to conceal the supply connections. Please refer to page 38 for more details.

SWS83	0
SETTINGS 5	)14 ated)
SETTINGS 5	
S SETTINGS	1
S SETTINGS 5 SETTINGS	
SETTINGS 5	
SETTINGS 5 SETTINGS 3 SETTINGS 5	
SETTINGS 5	
SETTINGS	
5 SETTINGS 3 SETTINGS 5 SETTINGS 3 SETTINGS 5 SETTINGS 3 SETTINGS 5 SETTINGS	
5 SETTINGS     5 SETTINGS     3 SETTINGS     3 SETTINGS     3 SETTINGS     3 SETTINGS     3 SETTINGS	
	INGS
	INGS
*	
5 SETTINGS     5 SETTINGS     3 SETTINGS     -     -       •     •     •     •     •     •       •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •	
•     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •     •	
5 SETTINGS     5 SETTINGS     5 SETTINGS     5 SETTINGS     3 SETTI	
	INGS
SIDE PANEL S	
• • SIDE PANEL • SIDE PANEL   • - - - -   - - - - -   - - - - -   - - - - -	
	ANEL
• • • • • • • •	
3, 6, 9 HOURS	



# NEW

# WASHLET S550e/S500e **CONTEMPORARY**

SW3056/SW3046





- Elongated front WASHLET toilet seat with cover
- EWATER+® on wand and bowl
- PREMIST of bowl before each use
- Auto open/close lid (Only WASHLET S550e)
- Remote control operated
- Front and rear warm water washing with adjustable temperature and pressure controls
- Heated seat with temperature control
- Automatic air deodorizer
- Warm air dryer
- Illuminated touch pad
- 2 user memory
- Night light (Only WASHLET S550e)
- SOFTCLOSE® Seat
- Quick release feature
- Mounting and connection hardware included

# NEW

# WASHLET S550e/S500e

**CLASSIC** 

SW3054/SW3044





- Elongated front WASHLET toilet seat with cover
- EWATER+® on wand and bowl
- PREMIST of bowl before each use
- Auto open/close lid (Only WASHLET SW3054)
- Remote control operated
- Front and rear warm water washing with adjustable temperature and pressure controls
- Heated seat with temperature control
- Automatic air deodorizer
- Warm air dryer
- Illuminated touch pad
- 2 user memory
- Night light (Only WASHLET SW3054)
- SOFTCLOSE® Seat
- Quick release feature
- Mounting and connection hardware included









# WASHLET S350e

SW583 (ROUND)





- WASHLET® cleansing with 5 water pressure settings
- EWATER+® technology
- PREMIST of bowl before each use
- Front and rear cleanse
- SOFTCLOSE" seat
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- 2 user memory
- Quick release feature
- Auto open/close lid
- Night light

# **WASHLET S300e**

SW573 (ROUND)





- WASHLET cleansing with 5 water pressure settings
- EWATER+ technology
- PREMIST of bowl before each use
- Front and rear cleanse
- SOFTCLOSE seat
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- 2 user memory
- Quick release feature







#01 #12 Cotton Sedona Beige

# **WASHLET C200**

SW2044 (ELONGATED)





- Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- PREMIST of bowl before each use
- Front and rear cleanse
- SOFTCLOSE seat
- Adjustable water temperature and pressure
- Warm air drying with five variable temperature settings
- Built-in air deodorizer
- Wireless remote with touch pad
- 2 user settings
- Adjustable seat temperature

### **WASHLET C100**

SW2034 (ELONGATED)





- Gentle aerated, warm water, dual action spray with oscillating feature
- PREMIST of bowl before each use
- Front and rear cleanse
- SOFTCLOSE seat
- Adjustable water temperature and pressure
- Warm air drying with five variable temperature settings
- Built-in air deodorizer
- Adjustable seat temperature

# WASHLET A200

SW2024 (ELONGATED)





- Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- Front and rear cleanse
- SOFTCLOSE seat
- Adjustable water temperature and pressure
- Wireless remote with touch pad
- Adjustable seat temperature
- 2 user settings
- Available only in #01 Cotton

# **WASHLET A100**

SW2014 (ELONGATED)





- Gentle aerated, warm water, dual action spray with oscillating feature
- Front and rear cleanse
- SOFTCLOSE seat
- Adjustable water temperature and pressure
- Adjustable seat temperature
- Available only in #01 Cotton









# **WASHLET G400 INTEGRATED TOILET**

MS920CEMFG





- 3D TORNADO FLUSH® system
- DUAL-MAX®
- CEFIONTECT® ceramic glaze
- Sleek, full skirted one-piece
- Elongated front bowl
- 12" rough-in
- Mounting and connection hardware included
- Universal height
- ADA compliant
- PREMIST of bowl before each use
- WASHLET® cleansing with 5 water pressure settings
- Front and rear cleanse
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Auto open/close lid
- Hands-free automatic flush
- Meets Watersense efficiency and performance standards







# WASHLET® INSTALLATION REQUIREMENTS

For when your existing toilet is in need of an upgrade.


The following four-part diagram details the approximate measurements and requirements for installing most WASHLET models on existing toilets. Note that some styles of toilets may not allow the WASHLET to fit properly due to certain contours where the tank meets the bowl.




Elongated seats approximately 18-1/2 inches\* (470 mm) from mounting holes to front of bowl.



Minimum of 2 inches\*\* (50 mm) from front face of tank to the center of mounting holes.



Approximately 5-1/2 inches (140 mm) from the centers of the seat mounting holes.



Minimum of 8 inches (203 mm) of open space from center of toilet to edge of flat bowl surface.

<sup>\*</sup>Approximately 16-1/2" (420 mm) for round WASHLET seats.

<sup>\*\*</sup>Minimum of 1-3/4" min. (45 mm) for WASHLET S350e and S300e.

# **TOTO NOTES**

**TOTO USA, INC.** 1155 SOUTHERN ROAD MORROW, GA 30260 800-350-8686

> www.washlet.com www.totousa.com

#KO-042018-WB Printed in the U.S.A. 04/18