

WARD Flex

WARD Flex **MAX**

THE SMART CONNECTION

WARD MFG

117 Gulick Street Blossburg, PA 16912 (800) 248-1027 www.wardmfg.com





WARDFlex

STEPSAVER DOUBLE-SEAT FITTING

WARDFlex fittings incorporate one metal to metal seat and one metal to gasket seat.

FREE TRAINING!

Proper installation and safety training is an absolute pre-requisite prior to purchasing WARDFlex. Contact your sales representative today to schedule your FREE WARDFlex training.



ONE UNIVERSIAL FITTING

WARDFlex Yellow and Black CSST systems are universally compatible with ALL WARDFlex fittings.

CONTINUOUS RUN COILS

Manufactured in continuous lengths, and not butt-welded so there are no surprises during installation.



WARDFlex

DOUBLE ANNEALED

All WARDFlex tubing is annealed twice for increased flexibility.



DOWNLOAD THE SIZING APP!
Quick and convenient, get the job done on the go using your own Apple or Android phone.



HELIUM/ VACUUM TESTING

100% of WARDFlex tubing is vacuum tested with helium allowing for a more stringent test than air testing alone

ANOTHER **SMART CONNECTION** FROM WARD

WARDFlex MAX

WARDFlex

WARDFlex STEPSAVER



1
Cut tubing and remove PE coating to expose 4 corrugations.



2
Slide nut over tubing, place retainer ring leaving one corrugation exposed.



3
Slide nut over retainer ring and hand tighten.







4
Tighten with wrenches until nut contacts body.

WARDFlex AGAINST THE COMPETITION

	WARDFlex	COMPETITOR A	COMPETITOR B	COMPETITOR C
TUBING SIZE RANGE	3/8", 1/2", 3/4", 1", 1-1/4", 1-1/2" & 2"	3/8", 1/2", 3/4", 1", 1-1/4", 1-1/2" & 2"	3/8", 1/2", 3/4", 1", 1-1/4", 1-1/2" & 2"	3/8", 1/2", 3/4", 1" & 1-1/4"
TUBING ANNEALED	YES	NO	NO	NO
CONTINUOUS RUN COILS	YES	NO	NO	NO
STANDARD COIL LENGTHS	50-100-180-250-500-1,000 FT.	150-100-500 FT.	150-250 FT.	25-50-75-225 FT.
100% VACUUM TESTED	YES	NO	NO	NO
REUSABLE PLASTIC REELS	YES	WOOD SPOOLS	WOOD 150-250 FT. SPOOLS	WOOD SPOOLS
WARRANTY	2-YEAR LIMITED	12 MONTHS	UNLIMITED	12 MONTHS
FITTING TYPE	DUAL SEAL	METAL-TO-METAL	METAL-TO-METAL	GASKET/O-RING

WARDFlex ACCESSORIES

WARDFlex accessories help get the job done fast, ask about our complete line of installation tools and safety components you need to configure WARDFlex for countless applications.



FLEXIBILITY NEAR YOU

Ward makes life easier with multiple sales offices and multiple warehouses across the USA and Canada ready to serve your needs with accuracy and on-demand delivery. Use our **WHERE TO BUY** locator at www.wardmfg.com to find the supplier nearest you.



WARDMFG