

NARRANTY



Job Name:	
Job Location:	
Engineer:	
Contractor:	
Tag:	
PO#:	
Rep:	
Wholesale Dist.:	

DESCRIPTION

Apollo' Air Gap Drains (AGD4Ax) are designed to funnel minor discharges from a Reduced Pressure Backflow Preventer's relief valve due to line pressure fluctuations and/or minor check valve fouling into the drainage system. Drainage piping is easily attached to the threaded portion of the AGD. The female NPT size is listed in the table under "Outlet Connection". Drainage piping may be attached with a coupling and the appropriate cement or with a flexible pipe coupling. Piping compatible with the outlet is listed in the table under "Outlet Pipe Size".

Air Gap Drains are NOT designed to collect the full discharge capacity of the relief valve. Please refer to page 3 for relief valve full discharge rates.

4A (1/2" - 2")






STANDARD MATERIALS LIST

AGD4A1	ABS			
AGD4A12	ABS			
AGD4A2	ABS			
AGD4A6	ABS and PVC			
AGD4A8	ABS			
AGD4A12IN	Epoxy Coated Steel			
FASTENERS	Stainless Steel			

RP SIZE			DIMENSI	OUTLET CONNECTION	WT.		
	AIR GAP PART NUMBER	A	В	с	D	(FNPT)	(LB.)
1/2″	AGD4A1	6-1/2	3-3/8	1" FNPT	2-5/8	1-1/4"	0.1
3/4"	AGD4A1	6-1/2	3-3/8	1" FNPT	2-5/8	1-1/4"	0.1
1"	AGD4A1	6-5/8	3-3/8	1" FNPT	2-5/8	1-1/4″	0.1
1-1/4" & 1-1/2"	AGD4A112	8-1/2	4-1/8	1-1/2" FNPT	3-1/2	2"	0.2
2"	AGD4A2	10	5-3/8	2" FNPT	4-1/4	2-1/2"	0.35

RPS 40



RPS SIZE	AIR GAP PART NUMBER		DIMENSI	OUTLET CONNECTION	WT.		
RPS SIZE		А	В	с	D	(FNPT)	(LB.)
3/8" & 1/2"	AGD4012	6-1/2	3-3/8	1" FNPT	2-5/8	1-1/4"	0.1
3/4" & 1"	AGD401	8-1/4	4 -1/8	1-1/2" FNPT	3-1/2	2"	0.2


(704) 841-6000 apollovalves.com SS1177 © 12/18 Page 1 of 3


This specification is provided for reference only. Apollo reserves the right to change any portion of this specification without notice and without incurring obligation to make such changes to Apollo products previously or subsequently sold. Most current information available at apollovalves.com.






AGD4A6 (2-1/2" - 6")









DD CIZE			DIMENSI	ONS (IN.)	OUTLET CONNECTION	WT.					
RP SIZE	AIR GAP PART NUMBER	А	В	с	D	(FNPT)	(LB.)				
	RPLF4A										
2-1/2"	AGD4A6	11.28	-	2.63	3.13	2"	0.7				
3"	AGD4A6	11.28	-	2.63	3.13	2"	0.7				
4"	AGD4A6	12.02	-	2.63	3.13	2"	0.7				
6″	AGD4A6	13.32	-	2.63	3.13	2"	0.7				
	RPLF4AN										
2-1/2"	AGD4A6	-	10.87	2.63	3.13	2"	0.7				
3"	AGD4A6	-	10.87	2.63	3.13	2"	0.7				
4"	AGD4A6	-	10.51	2.63	3.13	2"	0.7				
6″	AGD4A6	-	11.76	2.63	3.13	2"	0.7				

AGD4A8 (8")





	AIR GAP PART NUMBER	DIMENSIONS (IN.)		OUTLET PIPE SIZE	OUTLET CONNECTION	WT.
RP STYLE		A	В	с	(FNPT)	(LB.)
RPLF4A	AGD4A8	21.3	9.1	3"	2-1/2"	1.5
RPLF4AN	AGD4A8	19.8	9.1	3"	2-1/2"	1.5

(704) 841-6000 apollovalves.com SS1177 © 12/18 Page 2 of 3


This specification is provided for reference only. Apollo reserves the right to change any portion of this specification without notice and without incurring obligation to make such changes to Apollo products previously or subsequently sold. Most current information available at apollovalves.com.






AGD4A Air Gap Drains | for 1/2" - 12" Reduced Pressure Backflow Preventers

AGD4A12IN (10" & 12")



	AIR GAP PART NUMBER	DIMENSIONS (IN.)		OUTLET PIPE SIZE	OUTLET CONNECTION	WT.
RP STYLE		A	В	с	(FNPT)	(LB.)
RPLF4A	AGD4A12IN	26.3	7.7	4"	3"	5
RPLF4AN	AGD4A12IN	23.4	7.7	4"	3"	5

RV DISCHARGE RATES





(704) 841-6000 apollovalves.com SS1177 © 12/18 Page 3 of 3

This specification is provided for reference only. Apollo reserves the right to change any portion of this specification without notice and without incurring obligation to make such changes to Apollo products previously or subsequently sold. Most current information available at apollovalves.com.