

TRUSTED SINCE 1926

BONIDE

Poison Oak & Ivy Killer

Ready to Use

Kills the root

Starts working overnight

Won't harm lawn grasses*

*when used as directed

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt.....	0.60%
Mecoprop-p, dimethylamine salt	0.14%
Dicamba, dimethylamine salt	0.07%

OTHER INGREDIENTS:.....99.19%

TOTAL:.....100.00%

See back panel for substatement of ingredient statement.

EPA Est. No. 4-NY-1 EPA Reg. No. 2217-537-4

Keep Out Of Reach Of Children

CAUTION

(See back panel for complete Precautionary
Statements and Directions for Use, including
First Aid and Storage Disposal)



Poison
Ivy

Poison
Oak

Poison Oak & Ivy Killer

Ready to Use

- ✓ Kills Poison Ivy, Poison Oak
- ✓ Ready-to-use, No Mixing, No pouring
Aim at Weed & Spray
- ✓ Rainproof in 6 hours

THIS PRODUCT CONTAINS:

0.50% 2,4-dichlorophenoxyacetic acid equivalent. (CAS 2008-39-1)

0.12% (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent. (CAS 66423-09-4)

0.05% 3,6-dichloro-o-anisic acid equivalent. (CAS 2300-66-5)

Isomer Specific by AOAC Methods.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

Store and transport in an upright position.
EPA Reg. No. 2217-537-4 EPA Est. No. 4-NY-1
Buyers Guarantee Limited to Label Claims.
©Bonide Products, LLC All Rights Reserved
Distributed by: Bonide Products, LLC
6301 Sutliff Road, Oriskany, NY 13424

BN

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRECAUTIONS AND RESTRICTIONS

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.
- Do not exceed specified dosage. This product is intended for spot spraying individual weeds only.
- Do not apply as a fine mist because of potential for injury to desirable plants.
- Do not use this product on or near desirable plants, including contact of spray on exposed root systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes,

estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.

WHAT IT IS AND HOW TO USE IT

This product contains TRIMEC® turf herbicide, a combination of three proven weed killers 2,4-D, mecoprop-p and dicamba. Together they control a wide range of broadleaf lawn weeds; which are listed on this label. Use to “spot-treat” weeds in the lawn. For best results, apply when weeds are actively growing. Do not water within 24 hours after spraying. Use as is. Do not mix. Do not dilute. Aim at weed and spray. Only a short burst is needed. Overspraying only wastes the product and may cause damage to grasses such as centipedegrass, St. Augustinegrass, and Floratam. Effects begin to show after a few days and weeds gradually die. Up to 4 weeks may be required for complete kill. Repeat in 30 days if necessary. The number of spot treatments is limited to 2 per year.

CONTROLS

Amaranth, purple	Artichoke	Beggarticks, hairy	Bitterweed
Amaranth, slender	Austrian fieldcress	Betony, Florida	Black-eyed Susan
Aster, heath	Bedstraw, Catchweed	Bindweed, Field	Black Medic
Aster, white heath	Bedstraw, smooth	Bindweed, Hedge	Blood flower milkweed
Aster, purple	Bedstraw, Northern	Bitter Wintercress	Blue lettuce
Aster, white prairie	Bedstraw, pineywoods	Bittercress, hairy	Brassbuttons

CONTROLS

Bristly oxtongue	Clover, white	Fleabane, rough	Marcela
Broomweed	Cockle	Galinsoga, hairy	Matchweed
Buckhorn	Cocklebur	Galinsoga, small	Mexicanweed
Bullnettle	Cocklebur, oriental	flower	Moneywort
Burclover	Cocklebur, spiny	Goldenrod	Morningglory, bigroot
Burdock	Common mullein	Ground ivy	Morningglory, ivyleaf
Burweed, lawn	Corn Spurry	Groundsel	Morningglory,
(spurweed)	Creeping Beggarweed	Gumweed	Mexican
Buttercup, bulbous	Creeping Jenny	Hairy fleabane	Morningglory, red
Buttercup, creeping	(creeping Charlie)	Hawkweed, meadow	Morningglory, tall
Buttonweed, common	Cupid shaving Brush	Hawkweed,	Morningglory, wolly
(poorjoe)	Cudweed	mouseear	Mugwort
Buttonweed, Virginia	Daisy, English	Hawkweed, orange	Mustard, ball
Carolina geranium	Daisy, oxeve	Hawkweed, yellow	Mustard, black
(wild)	Dandelion, common	Healall	Mustard, blue
Carpetweed	Dandelion, false	Heartleaf drymary	Mustard, hedge
Catnip	Day flower	Hemp	Mustard, Indian,
Catsear, spotted	Deadnettle	Henbit	Mustard, tansy
(false dandelion)	Dichondra	Hoary cress	Mustard, tumble
Chamber bitter	Dock, broadleaf	Horsenettle	Mustard, white
Chickweed, common	Dock, curly	Horseweed	Mustard, wormseed
Chickweed,	Dogbane	Jimsonweed	Nettle, stinging
mouseear	Dogfennel	Johnny-Jumpup	(burning)
Chickweed, sticky	Dollarweed	violet	Nettle, tall
Chicory	(Pennywort)	Knawel	Nettle, wood
Cinquefoil	Dove weed	Knotweed, prostrate	Parsley-piert
Clover, crimson	Elderberry	Kochia	Parsnip
Clover, alyce	Falseflax	Lambsquarters	Pearwort
Clover, hop	False sunflower	Lespedeza	Pennycress (french
Clover, rabbit foot	Fiddleneck	Mallow, alkali	weed)
Clover, red	Filaree, redstem	Mallow, bristly	Pepperweed,
Clover, strawberry	Filaree, whitestem	Mallow, common	perennial
Clover, yellow sweet	Fleabane, daisy	Mallow, dwarf	Pepperweed,
Clover, white sweet	(annual)	Mallow, venice	Virginia
			(Peppergrass)

Pigweed, prostrate	Scarlet pimpernel	Thistle, flodman	Wild radish
Pigweed, redroot	Shepard's purse	(prairie)	Wild rape
Pigweed, russian	Smartweed,	Thistle, musk	Wild strawberry
Pigweed, smooth	ladysthumb	Thistle, platte	Wild sweet potato
Pigweed, tumble	Smartweed, pale	Thistle, plumeless	Wild violet
Pineapple weed	Smartweed,	Thistle, Russian	Woodsorrel,
Plains coreopsis	Pennsylvania	Thistle, scotch	creeping
(tickseed)	Smooth chaff-flower	Thistle, wavyleaf	Woodsorrel, violet
Plantain, blackseed	Smoothdock	Thistle, yellow	Woodsorrel, yellow
Plantain, bracted	Sorrel, red (sheep)	(horrible)	(Oxalis)
Plantain, broadleaf	Sowthistle, annual	Trailing crownvetch	Woolly croton
Plantain, buckhorn	Sowthistle, spiny	Velvetleaf	Wormseed
Plantain, hoary	Spanish needles	Vervain, blue	Yarrow, common
Plantain, narrowleaf	Speedwell, bi-lobed	Vervain, hoary	Yarrow, western
Plantain, slender	Speedwell, common	Vervain, prostrate	Yarrow, yellow
Plantain, woolly	Speedwell, corn	Vervain, tall	
Poison ivy	Speedwell, ivyleaf	Vetch, bird	
Poison oak	Speedwell, Persian	Vetch, hairy	
Pokeweed	Speedwell, purslane	Vetch, milk	
Prairie Sunflower	Speedwell, slender	Vetch, narrowleaf	
Prickly lettuce	Speedwell, snow	Vetch, wild	
(compass plant)	Speedwell,	Virginia creeper	
Prickly sida	thymeleaf	Western clematis	
Prostrate knotweed	Spiny amaranth	Western salsify	
Puncturevine	Spurge, spotted	Wild aster	
Purslane, common	Spurge, prostrate	Wild buckweat	
Pusley, brazil	Spurweed	Wild carrot	
Pusley, Florida	Star of Bethlehem	Wild four-o'clock	
Pusley, large flower	Strawberry, India	Wild garlic	
Ragweed, bur	mock	Wild lettuce	
Ragweed, common	Tansy ragwort	Wild marigold	
Ragweed, lanceleaf	Tanweed	Wild mustard (yellow	
Ragweed, western	Thistle, blessed	rocket)	
Redstem filaree	Thistle, bull	Wild onion	
Rough cinquefoil	Thistle, Canada	Wild parsnip	

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children and pets. **PESTICIDE DISPOSAL AND CONTAINER**

HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty** – Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled** – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF ON SKIN OR ON CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call toll-free, 1-877-800-5556 for emergency medical treatment information. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear long-sleeved shirt, long pants, socks, shoes and gloves. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.