

TRUSTED SINCE 1926

BONIDE[®]

Ant Killer

Granules 

Kills ants outdoors-before they come inside

Kills ants, fleas, fire ants, brown dog ticks, crickets, chinch bugs, cutworms, billbugs, earwigs, sod webworms, grubs and other listed insects

Keeps working for weeks

ACTIVE INGREDIENT:

Permethrin . . . (CAS No. 52645-53-1) . . . 0.25%

OTHER INGREDIENTS 99.75%

TOTAL 100.00%

EPA Est. No. 4-NY-1 EPA Reg. No. 4-425

FOR OUTDOOR RESIDENTIAL USE ONLY

Keep Out Of Reach Of Children

CAUTION (See back panel for First Aid and additional Precautionary Statements)

Packed by weight, not volume

Creates a barrier around your home



Ant Killer **Granules**

- ✓ Kills ants, fleas, fire ants, brown dog ticks, crickets, chinch bugs, cutworms, billbugs, earwigs, sod webworms, grubs, boxelder bugs, grasshoppers, Asian lady beetles, springtails, firebrats, spider mites and other listed insects
- ✓ Long lasting insect control-up to 4 weeks

Intended For Outdoor Residential Use Only

EPA Est. No. 4-NY-1 EPA Reg. No. 4-425
Buyers Guarantee Limited to Label Claims.
©Bonide Products, LLC All Rights Reserved
Bonide Products, LLC
6301 Sutliff Road
Oriskany, NY 13424

BN

Read entire label before use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Avoid contamination of food and feed. Utensils such as teaspoons and measuring cups should not be used for food purposes after use with insecticides. Do not allow adults, children, or pets to enter the treated area until dusts have settled.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of runoff. Do not make applications during rain.

Two Easy Steps to use this product

Step #1: Determine size of the job, measure the area to be treated.

Step #2: Treat as directed in rate chart. Thorough coverage is important. Water in granules where indicated.

Treatment Areas	Pests	Use Rate	How to Use
Overall Lawn Application for Grass and Dichondra Lawns	Ants, Armyworms, Brown Dog Ticks, Chinch Bugs, Clover Mites, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, Lawn Moths (Sod Webworms), Leafhoppers, Millipedes, Sowbugs	Apply 1 lb. per 500 sq. ft.	Apply when grass is dry. Water lawn lightly after application. Repeat as necessary.

Treatment Areas	Pests	Use Rate	How to Use
	Billbugs, Grubs, Japanese Beetle Grubs, Dung Beetles (Ataenius Spretulus)	Apply 1 lb. per 400 sq. ft. or 4 oz. per 100 sq. ft.	Water grass thoroughly after application. For Billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. For Grub control, except Dung Beetle, treat any time between late July and early October. For Dung Beetle Grub control, apply in spring or early summer when damage is first noticed. Water grass thoroughly with ¼ to ½ inch of water after application. Treat again in late summer or early fall if a second generation occurs.

Treatment Areas	Pests	Use Rate	How to Use
Spot Treatment	Ants	Apply 1½ teaspoons over and around each ant hill.	Water lightly after application.
	Fire Ants	Apply 1 cup over, and 2 ft. around, each fire ant mound	Water in thoroughly, immediately after application. A minimum of 1 gallon of water should be applied to each mound area. Apply gently to avoid disturbing ants. Use of high pressure watering equipment may disturb the ants and cause migration, reducing product effectiveness. Note: For best results, apply in early morning or late evening hours. Treat new mounds as they appear.

Treatment Areas	Pests	Use Rate	How to Use
Band Treatment Around House Foundation	Ants, Asian Lady Beetles, Fleas, Boxelder Bugs, Brown Dog Ticks, Clover Mites, Crickets, Earwigs, Firebrats, Grasshoppers, Millipedes, Roaches, Silverfish, Sowbugs (Pillbugs), Spiders, Spider mites, Springtails (collembolan)	1 lb. per 500 sq. ft.	These pests are commonly found around or near foundations of houses, as well as in lawns. Certain of these pests may enter houses. Apply a 5-foot band of granules next to the house foundation. Distribute granules uniformly. Water lightly after application.

STORAGE & DISPOSAL

STORAGE: Store product in original container in a locked storage area. Store and transport in an upright position.

DISPOSAL: *If empty* - Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. *If partly filled* - Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-

	<p>mouth, if possible.</p> <ul style="list-style-type: none"> • Call a poison control center or doctor for further treatment advice.
<p align="center">PRECAUTIONARY STATEMENTS</p> <p align="center">Hazards to Humans & Domestic Animals</p> <p>CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Harmful if inhaled. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.</p> <p align="center">Environmental Hazards</p> <p>This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.</p> <p>This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.</p>	

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

DISCLAIMER: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling not in strict accordance with directions given herewith.