

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

: Bonide Fung-onil Multi-Purpose Fungicide Concentrate Product name

Product code 6006394

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Fungicide

Details of the supplier of the safety data sheet

Bonide Products, LLC 6301 Sutliff Road Oriskany, NY 13424

Telephone Number: (315) 736-8231

Comment: Bonide hours of operation are 8:00 a.m. to 4:30 p.m EST.

Website: www.bonide.com Email address: sales@bonide.com

Emergency telephone numbers (24 hour) 1.4.

: SafetyCall - (833) 972-1101 Medical

: CHEMTREC - 1 (800) 424-9300 and/or 1 (703) 527-3887 Spills

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification (GHS-US)

Sensitisation, skin 1 H317 Serious eye damage/eye irritation 1 H318

Specific Target Organ Toxicity, single exposure, Respiratory tract irritation 3 H335 Carcinogenicity 2 H351

H400 Aquatic acute toxicity 1 Aquatic long term hazard 2 H411

Label elements 2.2.

GHS-US labeling

Hazard pictograms (GHS-US)



GHS05

GHS07





Signal word (GHS-US) : Danger

Hazard statements (GHS-US) H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage H335 - May cause respiratory irritation H351 - Suspected of causing cancer H400 - Very toxic to aquatic life

H411 - Very toxic to aquatic life with long lasting effects

P203 - Obtain, read and follow all safety instructions before use Precautionary statements (GHS-US)

P261 - Avoid breathing mist

P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing should not be allowed out of the workplace P280 - Wear gloves/ protective clothing/ eye protection/ face protection

P273 - Avoid release to the environment

P302+P352 - IF ON SKIN: Wash with plenty of soap and water

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing P308+P317 - IF exposed or concerned: Get medical help

P321 - Specific treatment (see label)

P333+P317 - If skin irritation or rash occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

Revision date: 01/25/2022 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P391 - Collect spillage

P501 - Dispose of contents/container to in accordance with local/regional/national/international

regulations

SECTION 3: Composition/information on ingredients

Mixture

Name	Product identifier	%
Chlorothalonil	(CAS No) 1897-45-6	29.6
Propylene glycol	(CAS No.) 57-55-6	< 5*

^{*}Ingredients not listed or listed with a weight % range are considered a trade secret and are withheld under 29 CFR 1910.1200(i).

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

First-aid measures after skin contact

Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. If irritation occurs and persists see a doctor. Wash contaminated clothing before reuse.

First-aid measures after eye contact

: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a POISON CENTER or doctor for treatment advice.

First-aid measures after ingestion

: Call a poison control center or doctor immediately for treatment advice. Have affected person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

contor or doctor. Bo not give

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use carbon dioxide, foam, dry chemical or water.

Unsuitable extinguishing media : None.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

Explosion hazard : None known.

Reactivity : None.

5.3. Advice for firefighters

Protection during firefighting : Firefighter should wear full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Avoid breathing vapors. Avoid skin and eye contact and wear appropriate personal protective equipment.

6.1.1. For non-emergency personnel

Emergency procedures

: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment

: Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment

: If possible, stop flow of product.

Methods for cleaning up

: Contain and/or absorb spill with inert material, then place in suitable container. Dispose of waste

in accordance with local, state and federal regulations.

Revision date: 01/25/2022 EN (English US) 2/5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes, skin and clothing. Do not eat drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Propylene glycol (57-55-6)		
AIHA	AIHA TWA (mg/m³)	10 mg/m³

8.2. Exposure controls

Appropriate engineering controls : Local exhaust and general ventilation must be adequate to meet exposure standards.

Hand protection : Wear impervious gloves to minimize skin contact.

Eye protection : Chemical goggles or face shield.

Skin and body protection : Wear suitable working cloths.

Respiratory protection : Wear approved mask.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Medium beige

Odor : Slight.

Odor threshold : No data available pH : No data available

pH solution : 6 - 8

Relative evaporation rate (butyl acetate=1) : No data available : No data available Melting point Freezing point : -5 °C (23 °F) : 100 °C (212 °F) **Boiling** point Not flammable Flash point Self ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : See Flash point

Vapor pressure : 5.72 x 10-7 torr @ 25°C

Relative vapor density at 20 °C : 1.1929 g.ml
Relative density : No data available
Solubility : Water: 0.6 - 0.9 ppm.
Log Pow : No data available
Log Kow : No data available

Viscosity : 738.1 centistrokes @ 25°C

Explosive properties : Not applicable

Oxidizing properties : No apparent reaction was observed between the test substance and water, hexane, zinc metal,

and mono-ammonium phosphate. Oxidation occurs between potassium permanganate and this

product.

Explosive limits : Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

None

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Will not occur.

Revision date: 01/25/2022 EN (English US) 3/5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

None.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

May decompose under fire conditions emitting gases and vapors which may be toxic and irritating to the respiratory tract.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Chlorothalonil (1897-45-6)		
LD50 oral rat	> 4100 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	0.13 mg/l (Exposure time: 1 h)	
Propylene glycol (57-55-6)		
LD50 Oral Rat	20 g/kg	
LD50 Dermal Rabbit	20800 mg/kg	

Skin corrosion/irritation : Not classified, pH: 6 - 8

Serious eye damage/irritation : Product is expected to be slightly irritating. Irritation should clear in 7 days. pH: 6 - 8

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Chlorothalonil (1897-45-6)		
IARC group	2B - Possibly Carcinogenic to Humans	
National Toxicity Program (NPT) Status	1	

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to fish and wildlife.

Chlorothalonil (1897-45-6)			
LC50 fish 1	0.012 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])		
EC50 Daphnia 1	0.0342 - 0.143 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		
EC50 other aquatic organisms 1	0.57 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)		
LC50 fish 2	0.0076 mg/l (Exposure time: 96 h Species: Oncorhynchus mykiss [flow-through])		
EC50 other aquatic organisms 2	0.0068 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata [static])		
Propylene glycol (57-55-6)			
LC50 Fish 1	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
EC50 Daphnia 1	10000 mg/l (Exposure time: 24 h - Species: Daphnia magna)		
LC50 fish 2	41 - 47 ml/l (Exposure time: 96 h Species: Oncorhynchus mykiss [static])		
EC50 Daphnia 2	10000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Chlorothalonil (1897-45-6)		
Log Pow	2.9 (at 22 °C)	
Propylene glycol (57-55-6)		
BCF fish 1	<1	

Revision date: 01/25/2022 EN (English US) 4/5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Chlorothalonil (1897-45-6)	
Log Pow	-0.92

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations

: Dispose of contents/container in accordance with local/regional/national regulations.

SECTION 14: Transport information

DOT Classification - BY GROUND ONLY - this product must be shipped as:



Limited Quantity

Per 49CFR

UN Number - 2902

Packaging Group - III

Proper Shipping Name - Environmentally Hazardous Substances, Liquid, N.O.S. (Chlorthalonil)

Class 9 - Miscellaneous Hazardous Materials 49 CFR 173.140

SECTION 15: Regulatory information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING: May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Do not breathe spray mist. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

15.1. US Federal regulations

Chlorothalonil (1897-45-6)			
Listed on United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)			
SARA Section 313 - Emission Reporting	0.1%		
Propylene glycol (57-55-6)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
EPA TSCA Regulatory Flag	Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.		

15.2. US State regulations

Chlorothalonil (1897-45-6)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes				41 ug/day

Chlorothalonil (1897-45-6)

U.S. - Massachusetts - Right to Know List

U.S. - Pennsylvania - RTK (Right to know) List

Propylene glycol (57-55-6)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to know) List

SECTION 16: Other information

Other information : None.

SDS US (GHS HazCom 2012) - Pesticides

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Revision date: 01/25/2022 EN (English US) 5/5