




INDEX

New Products	3
Private Label Products	3
Professionals for a Better World	4
The Colad Fast Curing System	5

1 Surface Preparation	8
1.1 Pump Spray System	9
1.2 Masking	10
1.3 Tapes	11
1.4 Miscellaneous	11

2 UV Fast Curing System	12
2.1 Equipment	13
2.2 Putties	13

3 Personal Protection	14
3.1 Hand Cleaners and Protection	15
3.2 Nylon Paint Protection	15
3.3 BodyGuard®	16
3.4 Undershirts	17

4 Paint Preparation	18
4.1 Mixing Cups	19
4.2 Turbomix Paintsaver™	20
4.3 Miscellaneous	20
4.4 Spray Samples	21
4.5 Paint Check	21

5 Painting	22
5.1 Snap Lid System®	26
5.2 Accessories	27

6 Ancillaries	28
6.1 Undercoating	29
6.2 Magic Fix	29
6.3 Spreaders	29

7 Spray Booth Maintenance	30
7.1 Dry	30
7.2 Hybrid	30
7.3 Wet	31

BRANCHES AND HQ



125 ACTIVE COUNTRIES

In more than 125 countries we serve end users via our excellent distributor network with all products from our brand Colad.

MARKETS



AUTOMOTIVE



AVIATION



MARINE



INDUSTRIAL



NEW PRODUCTS

OUR NEW PRODUCTS ARE MARKED WITH THIS ICON THROUGHOUT THE CATALOG.

Today professionals only want to work with the best products. EMM continuously looks at its brands' offerings with an eye to innovation to get the most out of each other's expertise. This results in the introduction of various new products that complement the complete process and help you achieve the best results possible.



Diagonal Foam Masking Tape

Innovative diagonally shaped Foam Tape for the smoothest edges.
9080




UV Putty Transparent

Designed to fill in even the tiniest of rock chips.
915033



Bodyguard™ Lab Coat

Made for a full day of working comfort and protection.
5201xx



Dust Needle Kit

An effective tool for removing lint, dirt and dust from wet paint.
9800



Magic Fix Glue and Filler

Long lasting repair in seconds with an ultra strong sandable and paintable result.
4325



New and Improved Dust Control

Traps dust and dirt down on paint booth floor to prevent dust from swirling onto paint jobs.
920xUS



BEST SELLING PRODUCTS

OUR BESTSELLERS ARE MARKED WITH THIS ICON THROUGHOUT THE CATALOG.



PRIVATE LABEL PRODUCTS

COLAD PRODUCTS MARKED WITH THIS ICON THROUGHOUT THE CATALOG ARE PRIVATE LABEL ELIGIBLE. FOR MORE INFORMATION, PLEASE CONTACT OUR CUSTOMER SERVICE TEAM OR YOUR LOCAL REPRESENTATIVE.




Full Color Print

Available on all Colad apparel products.



Embroidery

Available on all Colad apparel products.



Bottle Printing

Available on all Colad Pump Spray products. (Full-Color, Double-Sided)

PROFESSIONALS FOR A BETTER WORLD

“If you want to change the world, start with yourself.” EMM Specialties North America wholly supports that view. Especially when it comes to sustainability. Sustainability is a phenomenon that affects not only us: it applies to the entire chain we operate in. By becoming more sustainable, we contribute to a cleaner world and a healthier future. We do this not just for ourselves. We mainly do it for all the generations that come after us.

EMM Specialties North America is very much aware that we can't change the world alone. Sustainability requires collaboration, dedication and innovation. We take the lead by making all links in the chain aware – or even more aware than before – of the opportunities sustainability brings.



We will work with our partners in the chain to keep driving our green approach forwards to reduce our structural impact on the environment. This will in turn benefit the strength and image of the entire chain. And that is how we will build that healthy future together, a future that started a long time ago.



* QA-CER recycled content is a international, independent, third party system certification based on ISO 9001 principles including chain of custody. It goes beyond ISO 14021 in the fact that it identifies all possible waste streams that can be recycled and present so-doing an all comprehensive system.

NEW!

Colad **FAST CURING** SYSTEM

The Colad Fast Curing System

The process of UV Curing (Ultraviolet Curing) is a photochemical process during which the operator uses ultraviolet light from a specially designed tool to instantly dry UV curing products, such as coatings, primers and adhesives.

The Colad Fast Curing System enables you to work faster and more efficiently while significantly reducing curing time between process steps. UV products can be dried fast and easily with the Colad Fast Curing System UV Curing Light; curing times depend on layer thickness and exposure distance. UV light is able to cure layers with a thickness of up to 1 mm.



The most powerful UV Curing Lamp

4 Key Products for Smart and Spot Repairs



UV Curing Light

Art.no. 9000-US

Per piece in a protective case



UV Putty

Art.no. 915011/915020

220 g tube
For filling small cracks, dents, stone chips and micro-holes



UV Putty Transparent

Art.no. 915033

50 g tube
For filling tiny rock chips



Accelerate your curing time



The Colad Fast Curing System includes a complete range of products to repair minor and major damage.

Complement with:

Pump Spray Bottle
Art.no. 9705Z

Control Powder
Art.no. 8035

Plastic spreaders
Art.no. 910x



Snap Lid System® UV
Art.no. 9370xxxSLSUV



Snap Lid System® 88 ml
Art.no. 931001x0SLS

Damage

Sand

Degrease

Apply UV Putty (Coarse)

UV Curing

Apply UV Putty (Fine)

UV Curing

Apply Control Powder

Sand

Clean



REQUEST A DEMO
www.fastcuring.com

1 SURFACE PREPARATION

1.1	PUMP SPRAY SYSTEM	9
1.2	MASKING	10
1.3	TAPES	11
1.4	MISCELLANEOUS	11



1.1 PUMP SPRAY SYSTEM

The Colad Pump Spray uses a unique Coding System to distinguish the different types of liquid content.

- Easy distinction and identification of fluids
- Helps maintain a clean and ordered workplace
- Complies with ISO certification where applicable
- Patented and innovative system



Pump Spray 1000 ml without Coding Rings® 9705Z

The Colad Pump Spray is equipped with VITON O-rings to resist both water and/or solvent based degreasers and the spray mist is adjustable to fit your job perfectly.



Pump Spray EPDM 9705EPDM

The Colad Pump Spray EPDM is equipped with (black) EPDM O-rings to resist different materials for example Acetone, Benzyl alcohol, Butanol (butyl alcohol), Castor oil A371, etc. see the resistance list for all liquids. Designed to fit perfectly to the paint job. The Colad Liquid Pump Action Spray Gun is silicone free. Container is transparent. Content: 1000 ml. Per piece.



Wall Bracket 970506

Organize your workshop and use the Colad Wall Bracket to hang the Pump Spray on and have a central place for fluid identification. 2 pcs and connectable. Dimensions L x W x H (cm): 38 x 16.6 x 1.70 cm.



Pump Spray Coding Rings® 9705CR

Set of 6 coding rings including 2 Color Identification Charts. Easy to apply on your Pump Spray bottle. Helps you to identify the content quickly.



Pump Spray Promotion Package 970508

A complete package, including the new Wall Bracket. Ready to go! Do you want to distinguish easily different types of liquids. Then buy the unique Pump Spray in combination with the Pump Spray Coding System®. Content of the Colad Pump Spray Promotion Package: 3 x Pump Spray 1000 ml, 1 x Wall Bracket, 6 x Coding Rings®, 2 x Color Identification Chart.


1.2 MASKING



Foam Masking Tape

908013 (13 mm x 50 m)
908019 (19 mm x 35 m)

Foam Masking Tape is the product to use for masking gaps between hoods, doors and car body parts. Per roll in a dispenser box.



Diagonal Foam Masking Tape

9080 (38 m)

Innovative diagonally shaped Foam Tape for the smoothest edges. Seal apertures between panels preventing the need for rework on hard paint lines by using our innovative diagonally shaped Foam Tape. Per roll, 38 m. in a dispenser box.



Stegoband Perforated

906023 (10/11 mm x 10 m)

This Stegoband is perforated every 4 cm so it is easy to tear off. It has a wide edge of 21 mm in total. It is also possible only to use the small edges of 10 or 11 mm. Stegoband can be removed easily leaving no residue. Per roll in a dispenser box.

Sensor Covers

9090 (dispenser box: 500 pieces)
9090300 (dispenser box: 300 pieces)

The quick and easy solution for masking integrated parking sensors! Integrated parking sensors need to be handled with care. To sand or paint a bumper perfectly they must be covered 100%, or worse, need to be disassembled. Both of these solutions are time consuming. Solve this problem by using the Colad Sensor Covers.



Colad Orange™ Masking Tape

900019 (48 rolls - 19 mm x 50 m)
900038 (24 rolls - 38 mm x 50 m)

Colad Orange™ Masking Tape is a orange colored masking tape that is high temperature and UV resistant! It also has a unique adhesive compound. It is suitable for all types of paint systems

- This tape is UV and weather resistant up to 8 days
- It leaves no residue after removal, has exceptional sharp lines and has a temperature resistance of 100°C for 1 hour



Premium Masking Tape

907019 (48 rolls - 19 mm x 50 m)
907038 (24 rolls - 38 mm x 50 m)

Masking tape with high temperature resistance to optimize the application of the product. Can be used for a variety of purposes and leaves no residue. Sharp clean edge for perfect application.


1.3 TAPES



Permanent Attachment Tape (9 m)

900509 (9 mm)
900512 (12 mm)

Transparent double-face tape, for attaching strips, registration plates and accessories to cars. Clear, permanent bonding, double-sided film. Thin and highly durable. Quick and simple to apply. Resulting in an appearance equal to O.E.M. standards.
Per roll in a plastic bag.



Fine Line Tape

903003 (3 mm x 55 m)
903006 (6 mm x 55 m)
903009 (9 mm x 55 m)
903012 (12 mm x 55 m)
903019 (19 mm x 55 m)

Green Fine Line Tape, specially designed to mask objects if excellent color separation is required when spraying with multiple colors, printing or custom painting. It adheres to a wide variety of surfaces and can be used in combination with waterborne coatings. It can be removed easily without leaving any residue. Per roll in a plastic bag.

1.4 MISCELLANEOUS



Tack Cloth Waterbased

000805

Small, medium and large dust particles. Made of viscose and polyester. Size 61 x 37 cm. Combined compact and open structure. For use with water and/or solvent based coating. Can be applied as transition edge remover. Removes imperfections on various substrates before spraying.
Lint free. Set of 10 pieces in a plastic bag.



Control Powder

8035 (100 g)

Sanding guide to be used as a sanding control coat on fillers. This product is very economical in use and can be widely applied. Per box of 100 g and applicator in each box.



Magnetic Foil Cutter

2070

Very practical cutter for plastic foil and masking paper with magnet on back. The special design of this cutter guarantees that cutting is simple, safe and prevents damage to the vehicle.
Per 10 pieces.



Electric Foil Cutter

2075

Electrical cutter for plastic foil and masking paper, supplied in a bag with belt strap for easy storage. The special design of this cutter guarantees that cutting is simple, safe and prevents damage to the vehicle. It ensures fast and effortless cutting of the masking foil. Requires 2 x AA batteries (not included). Per piece.

2076

Spare blades for Foil Cutter. Set of 2 blades (top and bottom blade).

2 UV FAST CURING SYSTEM

2.1	EQUIPMENT	13
2.2	PUTTIES	13

2.1 EQUIPMENT

Fast Curing UV Light

9000-US

Cure UV products fast and easy with Colad's Fast Curing UV Light. As the catalyst in Colad's Fast Curing System, it enables you to work faster and more efficiently while significantly reducing curing time between process steps. It has the ability to cure layers with a thickness of up to 1 mm. Curing times depend on layer thickness and exposure distance. 5 meter cord. Per piece.



UV-Light

03.5801US

The UV-Light is designed for small to medium cure areas. It's easy to carry, as it is equipped with a belt clip. Other features include a comfortable ergonomic grip and an intelligent batter indicator. Per piece.



NOVA-US S

03.5802US

The NOVA-UV S is built for medium to large cure areas with a long operating time. It's a slim and handy product, designed with a flexible bracket and strong magnets, which allows it to be placed in various positions for the best curing angles. Per piece.

2.2 PUTTIES



UV Putty Coarse

915020 (190 g)

An all-round UV putty, perfect for smart and spot repair. The putty is a one-component product, making it easy to apply. Can be applied to various surfaces, like metal and plastics. Per Piece



UV Putty Fine

915011 (220 g)

An all-round UV putty for finishing small unevenness. Perfect for smart and spot repair. The putty is a one-component product, making it easy to apply. Can be applied to various surfaces, like metal and plastics. Per Piece



UV Putty Transparent

915033 (50 ml)

UV Putty Transparent is specially developed to fill tiny rock chips. The putty is a single-component product and is easy to apply to various substrates, like metal and plastics. Apply the putty with the Colad Paint Touch-Up Sticks included to fill even the smallest chips. Maximum curing time of 5 seconds.

3 bottles + 100 Touch-Up Sticks per box.



3 PERSONAL PROTECTION

3.1	HAND CLEANERS AND PROTECTION	15
3.2	NYLON PAINT PROTECTION	15
3.3	BODYGUARD®	16
3.4	UNDERSHIRTS	17



3.1 HAND CLEANERS AND PROTECTION



Hand Cleaner
8235 (300 ml)

A powerful Hand Cleaner, especially developed for quick removal of daily soiling. Moisturizes hands and prevents skin irritation. Removes easily soiling's like grease, ink, adhesive, oil and paints. Contains natural scrubbing particles.
Per Piece



Skin Care Cream
8236 (250 ml)

Quickly absorbed by the skin, moisturizes the skin, prevents the skin from drying out and silicone free. Frequent use helps the skin to recover, leaving it smooth and supple. Use it after each working day! Apply the Skin Care Cream on dry and clean hands. Rub the cream on the hands until it is absorbed by the skin for maximum skin recovery. Dermatologically tested.
Per Piece

3.2 NYLON PAINT PROTECTION



According to 1149-3,
Method 2: Induction decay time.



Nylon Spray Coat

510152PLAIN (size 52 - S)
510154PLAIN (size 54 - M)
510156PLAIN (size 56 - L)
510158PLAIN (size 58 - XL)
510160PLAIN (size 60 - XXL)
510162PLAIN (size 62 - 3XL)
510164PLAIN (size 64 - 4XL)
Per Piece

For use during paint jobs to protect the wearer against paint spray and to protect the paint job against fibers, dust and lint. White to prevent distortion of color vision, very durable and well ventilated. One spray coat in a box. Personal Protective Equipment (PPE) category I according to European directive 2016/425/EU – Basic PPE protects against minimal risks.



Nylon Spray Overall

510052PLAIN (size 52 - S)
510054PLAIN (size 54 - M)
510056PLAIN (size 56 - L)
510058PLAIN (size 58 - XL)
510060PLAIN (size 60 - XXL)
510062PLAIN (size 62 - 3XL)
510064PLAIN (size 64 - 4XL)
510066PLAIN (size 66 - 5XL)
510068PLAIN (size 68 - 6XL)
Per Piece

For use during paint jobs to protect the wearer against paint spray and to protect the paint job against fibers, dust and lint. White to prevent distortion of color vision, very durable and well ventilated. One overall in a box. Personal Protective Equipment (PPE) category I according to European directive 2016/425/EU – Basic PPE protects against minimal risks.



3.3 BODYGUARD®



BODYGUARD®



For a full day of working comfort and protection!

The Colad BodyGuard™ Overall provides optimum protection against overspray and prevents pollution of the paint job by fibers, dust and lint.

Designed with the user in mind!

To guarantee you a full day of working comfort, this updated BodyGuard™ responds to the experiences of our users. We improved the antistatic capacity with a different type of fabric and redesigned the hood for a better fit!


Personal Protective Equipment (PPE)

Category I according to European Directive 2016/425/EU - Basic PPE protects against minimal risks. Protects against non-hazardous chemicals, like waterbased paints or harmless cleaning detergents.



BodyGuard™ Premium Comfort Spray Overall

520052PLAIN (size 52 - S)
520054PLAIN (size 54 - M)
520056PLAIN (size 56 - L)
520058PLAIN (size 58 - XL)
520060PLAIN (size 60 - XXL)
520062PLAIN (size 62 - 3XL)
520064PLAIN (size 64 - 4XL)
Per Piece



1% carbon thread for higher antistatic capacity!



Spacious but fitted hood for a more comfortable fit!



Still the best fit and highest comfort!

As you are used to, the BodyGuard™ has:

- Ultimate heat release capacities
- A highly durable blind zipper
- Durable gray nylon fabric
- Soft, flexible cuffs
- Two back pockets
- Extra movability



According to 1149-3, Method 2: Induction decay time.



BEST PROTECTION

- Anti Static Coating (EN 1149-1:2006)
- Dust and Lint free
- Protects against overspray
- Tight fit to neck, sleeves and ankles cuffs



HIGH PERFORMANCE

- Perfect fit for all sizes
- Maximum movability
- Efficient body heat loss
- Comfortable for the entire working day



DURABILITY

- Durable, protected zipper



ATTRACTIVE APPEARANCE

- Gray Color
- Non-transparent
- Representative appearance

3.3 BODYGUARD®



BodyGuard® Premium Comfort Lab Coat

520148PLAIN (Size 48 - S)
520152PLAIN (Size 52 - M)
520156PLAIN (Size 56 - L)
520160PLAIN (Size 60 - XL)
520164PLAIN (Size 64 - 2XL)
Per Piece.

The Colad BodyGuard™ Lab Coat provides optimum protection against overspray and prevents pollution of the paint job by fibers, dust and lint. Very durable and well vented.

Designed with the user in mind!

To guarantee you a full day of working comfort, this updated BodyGuard™ responds to the experiences of our users. We improved the antistatic capacity with a different type of fabric and redesigned the hood for a better fit!

Personal Protective Equipment (PPE)

Category I according to European Directive 2016/425 - Basic PPE protects against minimal risks. Protects against non-hazardous chemicals, like waterbased paints or harmless cleaning detergents.



According to 1149-3,
Method 2: Induction decay time.



3.4 UNDERSHIRTS



BodyGuard™ Undershirt Short sleeve:

540052 (size 52 - M)
540056 (size 56 - L)
540060 (size 60 - XL)
540064 (size 64 - XXL)
Per piece.

Sleeveless:

540152 (size 52 - M)
540156 (size 56 - L)
540160 (size 60 - XL)
540164 (size 64 - XXL)
Per piece.

The apex of where and functionality meet. The BodyGuard® Undershirt is the most comfortable shirt to wear under your paint suit. They're designed with a heat-regulating fabric that holds both anti-dust and anti-static properties, preventing it from sticking to your suit or yourself. These moisture-wicking shirts are built with a tight-fit to guarantee optimal freedom of movement while remaining comfortable to wear through a full work day.

- Tight, elastic fit for optimum freedom of movement
- Dust free, lint free, silicon free
- Does not attract dust
- Regulates body heat

4 PAINT PREPARATION

4.1	MIXING CUPS	19
4.2	TURBOMIX PAINTSAVER™	20
4.3	MISCELLANEOUS	20
4.4	SPRAY SAMPLES	21
4.5	PAINT CHECK	21



4.1 MIXING CUPS

Colad Mixing Cups for paint preparation are made of polypropylene. Because of the clearness of the cups the paint content and the mixing ratios are very visible from the inside of the cup.

It is designed for one time use, save cleaning time with the Colad disposable Mixing Cup.

THE PERFECT MIX!

AVAILABLE IN FIVE SIZES

COMPATIBLE WITH VARIOUS
PAINT APPLICATION SYSTEMS

SOLVENT RESISTANT

ANTI-STATIC



STACKABLE TO SAVE SPACE

PRECISION PRINTED WITH
11 ACCURATE MIXING
RATIOS:

1:1, 2:1, 3:1, 4:1, 5:1, 6:1, 7:1, 8:1,
9:1, 10:1, 11:1. *350 ml has
8 mixing ratios.

2 MEASURING SCALES in
millilitres and fluid ounces.

FLAT BOTTOM

Mixing Cups



	Quantity		
	120 pieces (4 x 30 pieces)	150 pieces (6 x 25 pieces)	300 pieces (6 x 50 pieces)
350 ml	-	9350150	9350300
700 ml	-	9370150	9370300
900 ml	-	9390150	-
1400 ml	9400120	-	9400300
2300 ml	9410120	-	9410300



Mixing Cup Dispenser

94990350 (350 ml)
94990700 (700 & 900 ml)
94991400 (1400 ml)
94992300 (2300 ml)

Wall dispenser made of durable stainless steel to hold Colad Mixing Cups. The Mixing Cups are easily dispensed one at a time, keeping them clean and free from dust and saving space in the mixing room. Per piece.



Mixing Cup Lids

9320 (88 ml)
9360 (350 ml)
9380 (700 & 900 ml)
9480 (1400 ml)
9490 (2300 ml)

To cover the Colad Mixing Cups and to protect paint against dirt and dust. Easy application. 100 pieces in a box:

4.2 TURBOMIX PAINTSAVER



Turbomix Paintsaver™

9500 (512 count)
9500256 (256 count)
937010 Wall Mount

Perfect consistency and pigment blend are crucial for a spotless end result. Mixing paint with the Turbomix Paintsaver® speeds up the process, reduces paint waste and ensures a perfect result! Dimensions: 22 x 2 cm. Suitable for mixing cups up to 1400 ml. 512 or 256 pieces in a dispenser box.




Turbomix Paddles XL

9520200

Plastic paddle made from recycled synthetic material. Easier stirring and better mixing due to the curved shape and holes. Dimensions: 30 x 3 cm, suitable for mixing cups of 1400 or 2300 ml. 200 pieces in a dispenser box.

www.turbomixpaintsaver.com



**BREAK IT
(BEFORE YOU MIX)**




**TO SAVE PAINT
AND
PIGMENTS!**

**EXTRA STRONG
& EXTRA LONG
STIRRER 22 CM!**

**ERGONOMIC
HANDLE**



**DESIGNED TO ACHIEVE
THE PERFECT BLEND**



**SUITABLE FOR ALL TYPES
OF MIXING CUPS**

4.3 MISCELLANEOUS

Touch Up Bottle Set

9186

Provide your client with a paint specimen so that they can touch up minor damage themselves. 100 touch up bottles 30 ml, 100 lids with built-in brush, 200 metal mixing balls to obtain thorough mixture, self adhesive labels for labelling and a funnel.



Dispenser Bottle 1000 ml


9700

1000 ml plastic bottle for dispensing special diluent to waterborne coatings. Equipped with a fine, "drop by drop" nozzle. Per bottle.



4.4 SPRAY SAMPLES

To test color accuracy of both waterborne coatings and conventional coatings with a black stripe to indicate the degree of the colors' opaqueness and a 15 mm Ø hole to match the color. Suitable for conventional and waterborne coatings.



Metal Spray Samples

9315 (white)	9315-0100 (white)	9315-GV1 (white)
9315-01 (light gray)	9315-0300 (light gray)	9315-GV3 (light gray)
9315-02 (medium gray)	9315-0500 (medium gray)	9315-GV5 (medium gray)
9315-03 (dark gray)	9315-0700 (dark gray)	9315-GV7 (dark gray)
Set of 750 pieces.	Set of 100 pieces.	Set of 25 pieces.

Magnetic Holder

931901

To keep your hands clean while spraying. Per piece



Spray Sample Sleeves

9319SLEEVE

These small carton sleeves provide room for one painted Colad Spray Sample. Basic information of the date, car type, color code and remarks can be listed on the sleeve. When stored, the color is visible at a glance through the square hole in the front of the sleeve. Per set of 250 pieces.



Spray Sample Cabinet

931801

Solid cabinet: an ideal system for keeping your Metal Spray Samples neatly stored! Spray out cards not included. Per Piece

4.5 PAINT CHECK



Easy2Check®

9300 (400 ml Aerosol Spray Can)

Spray on a spray sample to create a glossy finish and check if the color corresponds. Can also be used for sanding checks! 400 ml per spray can. Per Piece



Check Light

9330

A versatile work light with high efficiency LED (high CRI value) and an operating time up to 3 hours. Designed for perfect color matching, scratch and defects recognition. Per piece.

5 PAINTING

5.1	SNAP LID SYSTEM®	26
5.2	ACCESSORIES	27



Colad **SNAPLID**[®] SYSTEM

The easiest paint application system!

Speed up your paint process

Save time and money using the Snap Lid System[®]

Snap Lid System[®] for all types of jobs!

- Unique valve system: Prevents vacuum and guarantees a stable paint flow
- For all types of paint: Available in 90, 130, 190 and 280 micron
- Multiple adapters available: Suitable for almost all spray guns
- Save material: Save one cup, every job
- Save paint: Use every last drop
- Consistent paint application: The perfect system for paint to flow through

Let's stay in the flow with Snap Lid System[®]

snaplid.com



5 PAINTING


**Save time and money
using the Snap Lid System®**



Suitable for small and large jobs.

Fits any spray gun.

For all types of paint.



Save material


Save one cup, every job.

You use one cup for mixing and painting. Unlike other systems that require various steps that slow down the paint process, Colad Snap Lid System® is quick to use. Snap the lid on the mixing cup and go. The math is easy: save material by using one less cup, every job.

Save paint

Use every last drop.

Make optimal use of your time. Our unique vented system gives you the ability to work neater and with a stable, consistent paint flow. Less paint is wasted, use less to create more!




Consistent flow

The perfect system for paint to flow through.

With a unique valve and built-in strainer you'll have no more issues with inconsistent flow and sputtering output. Only stability!

5.1 SNAP LID SYSTEM®



90 µm

130 µm

190 µm

280 µm



900 ml



700 ml/700 ml UV



350 ml



88 ml

Snap Lid®

9350xxxSL - 350 ml lids with strainer

9370xxxSL - 700 ml lids with strainer

Snap Lid® (lids) with built in strainer of one micron size in a handy dispenser box. Suitable for the 350 ml and 700 ml Colad Mixing Cup. The dispenser box is easy to mount at working height with the Colad Wall Mount art. no. 937010.

Snap Lid System®


931001x0SLS - 88 ml Colad Mixing Cups + Snap Lid®

9350xxxSLS - 350 ml Colad Mixing Cups + Snap Lid®

9370xxxSLS - 700 ml Colad Mixing Cups + Snap Lid®

93901x0SLS - 900 ml Colad Mixing Cups + Snap Lid®

Colad Mixing Cups + Snap Lid®. Snap Lid® with built in strainer of one micron size.



Snap Lid System® UV Resistant

9370190SLSUV

This UV blocking Snap Lid® is specially designed for the processing of UV curing coatings.



 Snap Lid®					
Capacity	Packing	90 µm clear coating	130 µm waterborne coating	190 µm conventional based coating	280 µm primer
350 ml	50 lids	9350090SL	9350130SL	9350190SL	9350280SL
700 ml	50 lids	9370090SL	9370130SL	9370190SL	9370280SL
 Snap Lid System®					
Capacity	Packing	90 µm clear coating	130 µm waterborne coating	190 µm conventional based coating	280 µm primer
88 ml	50 lids + 50 cups + 10 caps	-	93100130SLS	93100190SLS	-
350 ml	50 lids + 50 cups	9350090SLS	9350130SLS	9350190SLS	9350280SLS
700 ml	50 lids + 50 cups	9370090SLS	9370130SLS	9370190SLS	9370280SLS
700 ml UV	25 lids + 25 cups + 25 caps	-	-	9370190SLSUV	-
900 ml	40 lids + 40 cups	-	9390130SLS	9390190SLS	-

5.2 ACCESSORIES

Snap Lid® Sealing Caps 9370CAP

Seal your Colad Snap Lid® temporarily with a Snap Lid® Sealing Cap. The cap fits perfectly on top of the Snap Lid® when removed from the spray gun. Use a second Snap Lid® Sealing Cap to seal your adapter and keep the paint channel dust-free. Packed in a plastic bag with 100 pieces.



Wall Mount 937010

Easily mount your Snap Lid® Dispenser Box to the wall at working height with this Snap Lid Wall Mount. Attach to the wall with Colad Double Faced Acrylic Foam Tape or use two screws. Per piece.



Dust Needle Set 9800

This Colad Dust Needle Set is an effective tool for removing lint, dirt and dust from wet paint. Consisting of an aluminium pen/holder and 10 needles. Per piece.



Adapters for the Snap Lid System® 9370Axx

Matching adapters are available for most types of spray guns. Most popular adapters are article numbers: 9370A04, 9370A09 and the 9370A11. Do you have a question about the right adapter, please ask your local sales representative.

Use our Find Your Adapter tool,
available on snaplid.com



Brand	Model	Adapter no.
DeVilbiss	TEKNA, CVi, PLUS, GTi, PRi, JGA, Finishline	9370A14
DeVilbiss	Sri Pro	9370A08
DeVilbiss	Starting Line	9370A22
EMAX	AirBase	9370A09
Graco	Razor	9370A37
Iwata	LPH-400 & W400LV	9370A09
Iwata	SuperNova, Air Gunsa, LPH300, W300	9370A13
Iwata	LPH-80	9370A18
SATA	NR2000	9370A02
SATA	QCC Full Size	9370A04
SATA	QCC Mini	9370A05
Sagola	Xtreme, GTO	9370A11
Sagola	403-4200, Classic Pro, Mini Xtreme	9370A10
Walcom	GEO F/X	9370A12

...and more, available on snaplid.com

6 ANCILLARIES

6.1	UNDERCOATING	29
6.2	MAGIC FIX	29
6.3	SPREADERS	29



6.1 UNDERCOATING



Undercoating M80
4010 (1 L) (Black)

Undercoating with anti-corrosion and noise reduction properties. Material made of rubber and resins. After drying, the coating is paintable. The coating offers excellent protection against climatic influences and against gravel and stone chips. 1 L tin with spray connection (suitable for +/- 2.5 m²).
Per piece



Undercoating Spray Gun Adjustable
90672674

Gun for the application of undercoating and cavity protection products in tins of one L. Gun with an air connection and a nozzle to apply the product on the surface. This gun is also equipped with an adjustable nozzle to adapt the spray pattern. Per piece.

6.2 MAGIC FIX



Magic Fix Glue and Filler
4325



Long lasting repair in seconds with an ultra strong, easily sanded and paintable result. Magic Fix is a glue and filler for a fast and strong repair of various materials. Repair (almost) everything with Colad Magic Fix. It is a super glue to be combined with black and gray reinforcement powder. If it's worth repairing: Fix it, Sand it, Paint it! Ready!

Use Colad Magic Fix for gluing, filling and repairing of various materials such as steel, plastics, aluminum, fiberglass, carbon fiber, plastics and rubber. Fill cracks or spaces with Magic Fix for example on: car bumper fixing points. Magic Fix content: Glue (A) 6 pcs 10 ml, Reinforcement Powder (B) 2 pcs Black 22 g and 1 pc Gray 22 g.

6.3 SPREADERS

Plastic Spreaders (120 x 90 mm)

- 9105 (5 pieces) (Red)
- 9106 (100 Pieces) (Red)
- 9107 (5 pieces) (Black)
- 9108 (100 pieces) (Black)

These spreaders are specially designed for the application of putties.


- Use the red flexible spreader for flat surfaces
- Use the black super flexible spreader for curved surfaces
- Made of plastic to avoid scratches in the surfaces
- With flattened spread-edge including grip



Japanese Putty Knives

9100

Japanese knives for spreading putty. Made of first class quality steel; very flexible, with grip. Per set of 4 pieces in different sizes.



7 SPRAY BOOTH MAINTENANCE



DRY

A protective solution that is applied dry. Ideal to protect a well-maintained booth, protecting your walls from overspray.

4 layers for a longer protection time (1000 booth cycles or 1 year)

Film4Booth

6860 (Roll: 90 cm (35.4") x 84 m (275.6 ft) including 6 rolls of tape)

A transparent, protective, self adhesive film that can be applied to mask your booth walls. Protects your walls from overspray and is easily removed by simply peeling off the layers one by one when contaminated.

Features & Benefits

- Keeps your walls clean
- 4 layers for a longer protection time
- Can be applied over lights and windows
- Easy to remove by peeling off each layer
- Treated with paint adhesion
- Easy to apply

Colad Film4booth is suitable to use in Atex zoned areas, please refer to the technical datasheet for exact specifications.



CONSUMPTION

1 roll = 75.6 m²



AMOUNT OF LAYERS

4 layers in 1
(All layers are numbered)



APPLICATION METHOD

By hand with applicator and dispenser



APPLICATION

Spray Booth Walls



HYBRID

A protective solution that is applied wet, but dries as a peelable layer. Being white in color it is ideal to protect booths which have become discolored. Improves visibility and gives your booth a brand new look and feel!

Give your booth a brand new look!





Blizzard White Peelable Booth Coating

467991 3.8 L (1 gal)
467995 18.9 L (5 gal)

A white, protective coating that forms a strong layer on your booth walls. Protects your walls from overspray, gives them a bright appearance and easy to remove by simply peeling off the layer.

Features & Benefits

- Keeps your walls clean
- White for optimum reflection
- Easy to remove by peeling off the layer
- Ready to apply



HUMIDITY

40 - 60% RV



CONSUMPTION

1 layer = 6.66 m²/L
all other = 16 m²/L



NUMBER OF COATS

Recommended coat thickness: 150 micron. Apply twice until a minimum of 150 micron coat is achieved. Advised amount of coats: First coat in advised micron. Multiple coats can be applied on top of each other (a maximum of 6 coats) to regain whiteness. All extra coats can be applied in approx. 65 micron. Drying at room temperature.



APPLICATION METHOD

Apply with spray gun, airless system, brush or paint roller.



APPLICATION

Spray Booth Walls

Ice Transparent Peelable Booth Coating

467901 3.8 L (1 gal)
467905 18.9 L (5 gal)

A transparent, protective coating that forms a strong layer. Protects your lights and windows from overspray and can easily be removed by peeling off the layer.

Features & Benefits

- Keeps your lights and windows clean
- Easy to remove by peeling off the layer
- Ready to apply



HUMIDITY

40 - 60% RV



CONSUMPTION

4 - 6 m²/L



NUMBER OF COATS

Recommended coat thickness: Apply twice until a minimum 150 micron coat thickness is achieved. The applied material will have a milky color. This will turn transparent once dry. Don't apply multiple coats on top of each other. This will reduce opacity and light efficiency. Allow to dry at room temperature.



APPLICATION METHOD

Apply with spray gun, airless system, brush or paint roller.



APPLICATION

Windows and Lights

Combine with :

New and Improved Dust Control

8201US (1gal)
8205US (5 gal)



Traps dust and dirt down on paint booth floor to prevent dust from swirling onto paint jobs.

- Reduces cut and buff labor time.
- Apply daily with a pressure sprayer.

Booth Kit

467999

Kit Includes:

- 4 Pieces Blizzard White Booth Coating 3.8 L (1 gal)
- 1 Piece Ice Transparent Booth Coating 0.9 L (1 qt.)





Art. No. 2022CTLG

Disclaimer EMM Specialties North America

EMM Specialties North America has created the information with the utmost care. Nevertheless, EMM Specialties cannot be held responsible for the correctness or completeness of the information provided by us or third parties. The provided information in this Catalog can be adjusted without further notification. No rights can be derived from the information in the Catalog. EMM Specialties cannot be held responsible for direct or indirect damages caused by the (not) mentioned information in this Catalog. Subject to change and no liability for printing errors.

EMM Specialties North America 405 Fifth Avenue South; Suite 7, Naples, FL 34102
+1 (855) 629-1732 ask@colad.co www.colad.co

Colad
inventing more