

DEVILBISS[®]

AUTOMOTIVE REFINISHING



PAINT HANDLING & ATOMIZATION



COMPRESSED AIR FILTRATION



CONTAMINANT-FREE REFINISHING





Waterborne Finishing 3-4

Guns & Accessories



Gravity Guns & Accessories 5-19



Suction Guns & Accessories 20-24



Pressure Guns 25-30



Pressure Tanks & Accessories 31-33

Disposable Cups & Accessories



. 34-40

Airbrushes & Accessories



. 41-43

Air Control



Air Filtration 44-51



Hose and Fittings 52-56



Air Regulators & Adjusting Valves. 57-58



Breathable Air 59-61

Clean Solutions



. 62-67

Maintenance & Accessories



. 68-73

Properly Piped Shop Diagram



. 74-75





Look for this symbol throughout the catalog to find tools compatible with waterborne materials. Spray guns with this designation are compatible when using a plastic or disposable cup system.

Waterborne-Compatible Spray Guns

TEKNA®
All models

PRI®
PRI-612G

SRiPro™
SRIPRO-635G-10

FinishLine® FLG4
FLG-574-13, FLG-670,
FLG-671, FLG-678

Waterborne Finishing

- Spray Guns** – Separate guns for waterborne base coats and solvent top coats should be used to avoid cross contamination and material coagulation. Waterborne guns should have corrosion-resistant fluid passages, gun body and paint cup. DeVilbiss offers the TEKNA® Copper, TEKNA® PRO, TEKNA® ProLite, FinishLine® FLG4, PRI®, and SRiPro™ in both high efficiency and HVLP, all proven with waterborne materials.
- Disposable Cup Systems** – Waterborne materials can corrode metal cups and are difficult to remove from plastic cups if not cleaned promptly after using. Disposable cup systems make paint clean-up easy and cost effective. DeVilbiss disposable cup systems are an ideal solution for increased productivity and shop savings.
- Drying Systems** – Air movement significantly reduces the drying time of waterborne materials, resulting in higher productivity and lower costs. The most economical and flexible choices are portable, hand-held dryers like the CAMAIR® Aerodry® Paint Dryer from DeVilbiss®. The CAMAIR® Aerodry® Paint Dryer is very effective in creating air movement while using less air volume than competitors. A portable and adjustable two blower stand is recommended.
- Paint Filtration** – Look for strainers that have the adhesive applied on the outside of the strainer to avoid adhesive residue contamination. Be sure to follow manufacturer recommendations for straining paint materials.
- Gun Cleaners for Waterborne** – A separate gun cleaner is needed for waterborne materials. These are made of non-corrosive materials and use water and waterborne cleaning solutions to clean spray equipment.

CAMAIR
by DeVilbiss

Aerodry® Paint Dryer Gun

Order No.
130530




Efficient Amplified Drying

- Waterborne paint dryer reduces drying time
- Coanda effect amplifies inlet air flow about 7 times
- Ultra quiet

CamAir® Paint Dryer

Order No.	Description
130530	Dryer Gun



Gravity Guns & Accessories



TEKNA
by DeVilbiss

TEKNA
PROLITE

GRAVITY SPRAY GUN

3 Models Available!

Includes:

- Multiple air caps and nozzles
- HAV-555 digital air adjusting valve with gauge
- Gun wrench and color ID rings
- Lightweight ergonomic design

QUICKCLEAN™

- Incredibly fast cleanup
- Coating has non-stick properties
- Excellent for solvent and waterborne coatings
- Gun body coated inside and out

EPA Compliant.
Approved in most
HVLP areas.

**TEKNA® ProLite
Gravity Feed Spray Guns**

Order No.	Needle/Nozzle	Cup	Air Cap
703517	1.3, 1.4, & 1.5	Uncupped Includes DPC adapter	TE20 & HV30
703567	1.2, 1.3, & 1.4	Uncupped Includes DPC adapter	TE10 & TE20
703566	1.2, 1.3, & 1.4	900cc Aluminum	TE10 & TE20

TEKNA® ProLite Air Caps

TE10 air cap (HE) Basecoats, low solids clear coats
Air Cap Order No. **703538**
Air Cap Model No. **PRO-103-TE10**
7.5–11 CFM @ 20–35 PSI inlet

TE20 air cap (HE) Basecoats, high solids clear coats
Air Cap Order No. **703539**
Air Cap Model No. **PRO-103-TE20**
9–12 CFM @ 16–26 PSI inlet

HV30 air cap (HVLP) Basecoats, clear coats
Air Cap Order No. **703540**
Air Cap Model No. **PRO-103-HV30**
14.5–16.5 CFM @ 20–24 PSI inlet

Fluid Tips 1.2mm, 1.3mm, 1.4mm, 1.5mm

* Waterborne compatible when using a plastic or disposable cup system.
View our approval letters at www.autorefinishdevilbiss.com



HAV-555

**Air Cap
Pattern**

12–13"

**Air Cap
Pattern**

12–13"

**Air Cap
Pattern**

13–14"

TEKNA
by DeVilbiss

TEKNA
PRO

GRAVITY SPRAY GUN

3 Models Available!

Includes:

- Multiple air caps and nozzles
- HAV-555 digital air adjusting valve with gauge
- Gun wrench and color ID rings
- Full-size gun body

QUICKCLEAN[™]

- Incredibly fast cleanup
- Coating has non-stick properties
- Excellent for solvent and waterborne coatings
- Gun body coated inside and out

EPA Compliant.
Approved in most
HVLP areas.

TEKNA[®] PRO Gravity Feed Spray Guns

Order No.	Needle/Nozzle	Cup	Air Cap
703582	1.3, 1.4, & 1.5	Uncupped Includes DPC adapter	TE20 & HV30
703581	1.2, 1.3, & 1.4	Uncupped Includes DPC adapter	TE10 & TE20
703580	1.2, 1.3, & 1.4	900cc Aluminum	TE10 & TE20

TEKNA[®] PRO Air Caps

TE10 air cap (HE) Basecoats, low solids clear coats
Air Cap Order No **703538**
Air Cap Model No. **PRO-103-TE10**
7.5–11 CFM @ 20–35 PSI inlet

**Air Cap
Pattern**
12–13"

TE20 air cap (HE) Basecoats, high solids clear coats
Air Cap Order No **703539**
Air Cap Model No. **PRO-103-TE20**
9–12 CFM @ 16–26 PSI inlet

**Air Cap
Pattern**
12–13"

HV30 air cap (HVLP) Basecoats, clear coats
Air Cap Order No **703540**
Air Cap Model No. **PRO-103-HV30**
14.5–16.5 CFM @ 20–24 PSI inlet

**Air Cap
Pattern**
13–14"

Fluid Tips 1.2mm, 1.3mm, 1.4mm, 1.5mm

* Waterborne compatible when using a plastic or disposable cup system.
View our approval letters at www.autorefinishdevilbiss.com





TEKNA® Copper HE GRAVITY SPRAY GUN

4 Models Available! Cupped or Uncupped

Includes:

- HAV-555 digital air adjusting valve with gauge
- Extra needle/nozzle set
- Gun wrench and color ID rings



703662,
703676



HAV-555

EPA Compliant.
Approved in most
HVLP areas.

*

Waterborne
Compatible

TEKNA® Copper Basecoat/Clearcoat Gravity Feed Spray Guns

Order No.	Needle/Nozzle	Cup	Air Cap
703675	1.2mm, 1.3mm	Uncupped Includes DPC adapter	7E7
703676	1.2mm, 1.3mm	900cc Aluminum	7E7
703661	1.3mm, 1.4mm	Uncupped Includes DPC adapter	7E7
703662	1.3mm, 1.4mm	900cc Aluminum	7E7



703661,
703675

TEKNA® Copper Air Caps

#7E7 air cap (HE)	Base coats, clearcoats Air Cap Order/Model No. 703062 9-11 CFM @ 16-22 PSI inlet for HVLP approved areas	Air Cap Pattern 12½"
#202 air cap (HVLP)	Base coats (solvent) Air Cap Order/Model No. 702723 13.5-15.5 CFM @ 18-22 PSI inlet	Air Cap Pattern 13"
#909 air cap (HVLP)	Clearcoats, waterborne base coats Air Cap Order/Model No. 702724 14-16 CFM @ 22-26 PSI inlet	Air Cap Pattern 12"

Fluid Tips 1.1mm, 1.2mm, 1.3mm, 1.4mm, 1.5mm (for hot climate waterborne)

* Waterborne compatible when using a plastic or disposable cup system.

SRI Pro™

SRIPro™ SPOT REPAIR GUN

Order No.

803311

Model No.

SRIPRO-635G-10**Includes:**

- 1.0 mm fluid tip
- TS1 high efficiency & HS1 HVLP air caps
- Starter set of (4) 9-oz. disposable cups; 4 lids and liners; 1 reusable sleeve and lid with 2 plugs; 1 gun adapter; 1 measuring guide; 1 300-micron barrel paint filter; 1 125-micron disk filter
- (3) 3 oz. plastic cups with lids
- Wrench, spray gun lube
- 4 colored identification rings



Small Gun • BIG Performance

Improved comfort and balance

- New body style; 2-finger trigger

Excellent atomization of solvent and waterborne materials

Versatile!

- ¼" to 9" fan pattern for everything from spot repairs to door jambs, bumpers, small panels, and motorcycle tanks

Balanced air valve for smooth triggering and control during fading and blending

SRIPro™ Spot Repair Gun Air Caps

**HS1 air cap
(HVLP)**
**Primers, base coats, clearcoats,
single stage, and low VOC**
Air Cap Order No. **803296**Air Cap Model No. **SRIPRO-101-HS1**

29 PSI inlet

4.8 CFM

**Air Cap
Pattern**
¼ to 9"
 
**TS1 air cap
(HE)**
**Base coats, clearcoats, primers,
single stage, and low VOC**
Air Cap Order No. **803297**Air Cap Model No. **SRIPRO-100-TS1**

29 PSI inlet

3.5 CFM

**Air Cap
Pattern**
¼ to 9"
 
Fluid tips0.8 mm, **1.0 mm**, 1.2 mm (Included tip size shown in bold)

* Waterborne compatible when using a plastic or disposable cup system.

PLUS[®]**PLUS[®]****HIGH EFFICIENCY
GRAVITY FEED
GUN/CUP**

Order No.

110264

Model No.

GFG-670**NEW!**
Anodized
Finish**Experience the
Power of PLUS[®] ...****Powerful atomization**

- Twice the energy available in HVLP guns

Powerful productivity

- Super fast fluid flow for high speed painting

Powerful efficiency

- Equal to or better than HVLP transfer efficiency

The choice for clearcoats**PLUS[®] Gravity Feed**

Order No.

Model No.

Fluid

Tip (mm)

Inlet Air

Pressure

Applications

110264

1.2 & 1.3

25-35 PSI

Base coats

GFG-670

30-40 PSI

High solids clearcoats

30-40 PSI

Single stages

1.4

30-40 PSI

Low solids clearcoats

30-40 PSI

Single stages


PLUS[®] Gravity Feed High Efficiency Air Cap#410 air cap
(HE)**Primers, base coats, clearcoats, single
stage and low VOC**Air Cap Order No. **192174**Air Cap Model No. **AV-440-410**

30-40 PSI

9-11 CFM

**Air Cap
Pattern****12½"****Fluid tips**1.0 mm, **1.2 mm**, **1.3 mm**, **1.4 mm**, 1.6 mm, 1.8 mm
(included tip sizes shown in bold)Visit autorefinishdevilbiss.com to view our approval letters.

* Waterborne compatible when using a plastic or disposable cup system.

EPA Compliant.
Approved in most
HVLP areas.**PLUS[®] Gravity Gun
includes:**

- 1.2 mm, 1.3 mm, and 1.4 mm fluid tips
- 900cc aluminum cup with push on lid
- HAV-511 high output air adjusting valve with gauge
- Spray gun lube, fluid filter, gun hook



GTi**GTi® Millennium****HVLP GRAVITY FEED
GUN/CUP**

Order No.

170156

Model No.

GTI-620G

NEW!
Anodized
Finish

**GTi® Gravity Gun
includes:**

- 1.3 mm, 1.4 mm, and 1.5 mm fluid tips
- 900cc aluminum cup with push on lid
- HAV-511 high output air adjusting valve with gauge
- Spray gun lube, fluid filter, gun hook

*

**Unique Air Cap Design
Produces Painter-
Friendly Pattern**

- Excellent value
- Three guns in one—includes three different fluid tips

GTi® Millennium Gravity Feed

Order No. Model No.	Fluid Tip (mm)	Inlet Air Pressure	Applications
170156 GTI-620G	1.3 & 1.4	20-25 PSI 25-30 PSI	Base coats High solids clearcoats, single stages
	1.5	20-25 PSI 25-30 PSI	Base coats Low solids clearcoats, single stages

(includes 1.3 mm, 1.4 mm, & 1.5 mm fluid tips)**GTi® Millennium Gravity Feed HVLP Air Cap****#2000 air cap (HVLP) Base coats, clearcoats, primers, single stage, and low VOC**Air Cap Order No. **192136**Air Cap Model No. **GTI-407-2000**

20-30 PSI

12.5-16 CFM

**Air Cap
Pattern****12"**

Fluid tips 1.2 mm, **1.3 mm**, **1.4 mm**, **1.5 mm**, 1.6 mm,
1.8 mm, 2.0 mm, 2.2 mm
(included tip sizes shown in bold)

* Waterborne compatible when using a plastic or disposable cup system.



FinishLine® Spray Guns

- Multiple fluid tips included in each model
- High grade stainless steel parts
- Easy to clean, blue anodized finish (FLG-670, FLG-671, and FLG-678)
- Proven reliability

803558

FLG-670 Solvent Base value kit includes:

- 900cc Aluminum cup
- 1.3mm fluid tip
- 1.5mm fluid tip
- 1.8mm fluid tip
- Air adjusting valve with gauge

803559

FLG-671

Waterborne value kit includes:

- 20 oz. Acetal cup
- 1.3mm fluid tip
- 1.5mm fluid tip
- 1.8mm fluid tip
- Air adjusting valve with gauge

803560

FLG-678 Primer value kit includes:

- 900cc Aluminum cup
- 1.8mm fluid tip
- 2.2mm fluid tip

FinishLine® Gravity Feed

Order No. Model No.	Fluid tip (mm)	Aircap	Cup	Application
803558 FLG-670	1.3, 1.5, 1.8	HVLP #3	900cc Aluminum	Top coats, light primers
803559 FLG-671	1.3, 1.5, 1.8	HVLP #3	20 oz. Acetal	Waterborne top coats, light primers, primers
803560 FLG-678	1.8, 2.2	HVLP #3	900cc Aluminum	Primers, liquid masking, chip guards, other specialty materials

CNV. = Conventional

FinishLine® Gravity Feed Air Caps

#1 air cap
Conventional
(optional)

**Primers, base coats, clearcoats,
single stage and low VOC**

Air Cap Order No. **690000**
Air Cap Model No. **FLG-1-1**
9.9 CFM @ 40 PSI inlet

**Air Cap
Pattern**
10½"



#3 air cap
(HVLP)
Included

**Primers, base coats, clearcoats,
single stage and low VOC**

Air Cap Order No. **690001**
Air Cap Model No. **FLG-1-3**
13 CFM @ 23 PSI inlet

**Air Cap
Pattern**
10½"



Fluid Tips

1.3 mm, 1.5 mm, 1.8 mm, 2.2 mm



FLG4 HVLP SOLVENT-BASED VALUE KIT

Order No.
803558
Model No.
FLG-670



ALWAYS THE
PRICE AND
PERFORMANCE
LEADER

FLG4 HVLP WATERBORNE/ SOLVENT BASED VALUE KIT

Order No.
803559
Model No.
FLG-671








FLG4 PRIMER GUN VALUE KIT

Order No.
803560
Model No.
FLG-678



* Waterborne compatible when using a plastic or disposable cup system.

StartingLine® HVLV Auto Painting Gun Kits

Order No.	Kit	Guns Included	Fluid Tip	Cup(s) Included	Accessories Included
802342 	Painting and Detail	Finish Coat Detail	1.0 1.3 1.8	One 600 cc (20 oz.) One 250 cc (8.5 oz.)	Cleaning brushes, wrench, air adjusting valve with gauge
802343 	2-Gun Painting and Priming	Finish Coat Primer	1.3 1.5 1.8	Two 600 cc (20 oz.)	Cleaning brushes, wrench, air adjusting valve with gauge
802789 	3-Gun Painting and Priming	Finish Coat Primer Detail	1.0 1.3 1.8	Two 600 cc (20 oz.) One 130 cc (4 oz.)	Cleaning brushes, wrench, air adjusting valve with gauge
803485 	2-Gun Primer Pack	Primer (2)	1.5(2) 1.8	Three 3-oz. plastic cups; Four 24-oz. liners & lids, One sleeve, Two plugs	Two DPC-81 adapters, 1.5 tip & needle
802405 	Detail Gun only		1.0	One 250 cc (8.5 oz.)	Cleaning brushes, wrench



HVLV Detail Spray Gun

Detail gun also sold separately

PRI**PRI**[®]**HVLP GRAVITY
FEED GUN/CUP**

Order No.

803248

Model No.

PRI-612G**PRI[®] Gravity Primer
Gun includes:**

- 900cc aluminum cup with push on lid
- Spray Gun Lube

**The Start of
a Great Finish**

- Reduces sanding and overspray
- Sprays a wide variety of primers and other undercoats

**PRI[®] HVLP Gravity Feed Primer**

Order No. Model No.	Fluid Tip (mm)	Inlet Air Pressure	Applications
803248 PRI-612G	1.4, 1.8	15-20 PSI	Primer surfacers

PRI[®] Gravity Feed HVLP Primer Air Cap


#101 air cap (HVLP)	Primers including low VOC	
	Air Cap Order No.	192187
	Air Cap Model No.	PRI-407-101
	16 CFM @ 30 PSI inlet	

**Air Cap
Pattern**
11"

Fluid tips	1.2 mm, 1.3 mm, 1.4 mm , 1.5 mm, 1.6 mm, 1.8 mm , 2.0 mm, 2.2 mm (included tip sizes shown in bold)
-------------------	--

* Waterborne compatible when using a plastic or disposable cup system.

Gravity Spray Gun Holders



803616



192219



GH-505 & GH-56

Gravity Gun Holders

180029 **Mixing Bench Gun Holder**

GH-505 Features a sturdy, no tip design for use on paint mixing benches

180026 **Paint Strainer Holder**

GH-56 Attaches to the GH-505 to allow easier pouring and mixing through a paint strainer

192219 **Wall Mount Gun Holder**

Protective coating prevents scratches on gravity cups

803616 **Multi Spray Gun Holder**

Spray Gun Accessories

803291 / HAV-555

Digital pressure gauge



130095 / HAF-507-K2

Whirlwind™ filter



803236 / HAV-512

Air adjusting valve with gauge, 100 PSI



220052 / HA-5867

3/8" HVLP air hose assy. (35')



Gravity Cups

Cups to Fit DeVilbiss®,
Binks®, FinishLine® and
TEKNA® Gravity Spray Guns



GFC-501



DPC-503-K24



SRI-478-K12



702576



81-381



54-4458

Gravity Feed Cups

Order No.	Model No.	Cup Size	Application
190252	GFC-501	20 oz. Acetal	All full size current DeVilbiss®, Binks® and FinishLine® gravity guns
803510	DPC-503-K24	3 oz. Disposable	Fits onto any gun with a DeKups® adapter
192191	SRI-478-K12	4 oz. Nylon	DeVilbiss® SRi, SRiW, SRiPro™, and Binks® Cub gravity guns
702576	702576	900 cc Aluminum	All full-size current DeVilbiss®, TEKNA®, Binks® and FinishLine® gravity guns
901430	81-381	8 oz. Aluminum	DeVilbiss® SRi, SRiW, SRiPro™ and Binks® Cub gravity guns
900875	54-4458	4 oz. Aluminum	DeVilbiss® SRi, SRiW, SRiPro™ and Binks® Cub gravity guns

U.S. Patent Nos. 6,820,824 and 7,374,111, owned by 3M Innovative Properties Co., additional U.S. Patent Nos. 7,380,680; 7,354,074; 7,353,964; 7,350,418; 7,344,040; 7,263,893; 7,165,732; 7,086,549.

Gravity Cups

StartingLine® GRAVITY CUPS



803610



803609



803591



803590

StartingLine Gravity Feed Cups

Order No.

Model No.

Cup Size

Application

803610

600 cc
Aluminum

StartingLine Finish Coat and Primer
gravity guns

803609

250 cc
Aluminum

StartingLine Detail gravity guns

803591

600 cc
Aluminum

Push-in lids (2)

803590

250 cc
Aluminum

Push-in lids (2)

E-Z Liners™



Most Economical Disposable Paint Cup System Available

- Saves painters time with easy clean up and less mess
- Saves shops money by greatly reducing solvent use for clean up

E-Z Liners

Order No.

Model No.

Description

190966

OMX-70-K48

E-Z Liner Kit
(48 liners & bushings)

192177

OMX-70-K10

E-Z Liner Kit
(10 liners & bushings)
(order qty. 12)



OMX-70-K10

Suction Guns & Accessories



JGA®

CONVENTIONAL SUCTION FEED GUN/CUP

Order No.
110225

Model No.
JGA-644

Order No.
110102

Model No.
JGA-636

JGA® Suction Gun

includes:

- TGC 1-qt. cup



Proven Technology and Durability

DeVilbiss JGA® Suction Feed Guns

Order No. Model No.	Type	Fluid Tip (mm)	Inlet Pressure	Application
110225 JGA-644	CNV.	1.6	35-50 PSI	Base, clear, low VOC, single stages, urethanes
110102 JGA-636	CNV.	1.8	25-45 PSI	Synthetic and acrylic enamels May need to restrict fluid flow with needle adj. for base and clearcoats.

CNV. = Conventional

JGA® Conventional Suction Feed Air Caps

#9000 air cap **Base coats, clearcoats, single stages**

JGA-644

Air Cap Order No. **199000**
 Air Cap Model No. **AV-440-9000**
 35-50 PSI inlet 9-13 CFM
 Fluid tips 1.6 mm, 1.8 mm

**Air Cap
Pattern**
10"



#80 air cap **Synthetic and acrylic enamels**

JGA-636

Air Cap Order No. **190230**
 Air Cap Model No. **MB-4039-80**
 25-45 PSI inlet 10-14 CFM
 Fluid tips 1.8 mm

**Air Cap
Pattern**
12"



**EGA™****CONVENTIONAL
SUCTION/PRESSURE
FEED TOUCH-UP GUN**

Order No.

110222

Model No.

EGA-503-390F**EGA™ Suction/Pressure
Feed Touch-up Gun**

Order No.

Model No.

Type

Fluid

Tip (mm)

Inlet

Pressure

Application

110222

CNV.

1.0

30 PSI

All automotive
refinishing materials**EGA-503-390F****CNV. = Conventional****EGA™ Conventional Suction or Pressure Feed
Touch-up Air Cap**

#390 air cap

General Purpose

Air Cap Order No. **190083**Air Cap Model No. **EGA-40-390**

30 PSI inlet

3 CFM

Air Cap
Pattern

3"

Fluid tip

1.0 mm

Suction Feed Cups

TGC-545

**Patented "Drip Free Design" –
One Quart Capacity**

TGS-503

**Durable Detail
Suction Cup****Suction Feed Cups**

Order No.

Model No.

Cup size

Application

120011

1 qt.

All full size DeVilbiss® and FinishLine®
suction guns**TGC-545**

Aluminum

120038

8 oz.

DeVilbiss® EGA™ & EGHV suction touch-up guns

TGS-503

Polyethylene

PLUS®

HIGH EFFICIENCY SUCTION FEED GUN/CUP

Order No.
110265
Model No.
JGA-670



PLUS® Suction Gun includes:

- 1.6 mm and 1.8 mm fluid tips
- TGC 1-qt. cup
- High output air adjusting valve with gauge
- Spray gun lube



PLUS® Suction Feed Gun

Order No. Model No.	Type	Fluid Tip (mm)	Inlet Pressure	Application
110265	High	1.6	30-40 PSI	Base coats
JGA-670	Efficiency		35-45 PSI	High and low solids clearcoats
			35-45 PSI	Single stages
		1.8	30-40 PSI	Synthetic and acrylic enamels

PLUS® Suction Feed High Efficiency Air Cap

#410 air cap **Primers, base coats, clearcoats, single stage, and low VOC**

Air Cap Order No. **192174**

Air Cap Model No. **AV-440-410**

30-40 PSI

9-11 CFM

**Air Cap
Pattern**

12"

Fluid tips 1.0 mm, 1.2 mm, 1.3 mm, 1.4 mm,
1.6 mm, 1.8 mm
(included tip sizes shown in bold)

* Waterborne compatible when using a disposable cup system.



GTi® Millennium

HVLP SUCTION FEED GUN/CUP

Order No.

170161

Model No.

GTI-620S



GTi® Suction Gun includes:

- 2.0 mm and 2.2 mm fluid tips
- TGC 1-qt. cup
- High output air adjusting valve with gauge
- Spray gun lube



NEW!
Anodized
Finish

GTi® Millennium HVLP Suction Feed Gun

Order No. Model No.	Type	Fluid Tip (mm)	Inlet Pressure	Application
170161	HVLP	2.0	20-25 PSI	Base coats
GTI-620S		2.2	25-30 PSI	Low and high solids, clearcoats and single stages

GTi® Millennium Suction Feed HVLP Air Cap

#2000 air cap (HVLP)	Air Cap Order No. 192136	Air Cap Pattern 11"
	Air Cap Model No. GTI-407-2000	
	20-30 PSI	
	12.5-16 CFM	

Fluid tips 1.0 mm, 1.2 mm, 1.3 mm, 1.4 mm, 1.5 mm, 1.6 mm, 1.8 mm, **2.0 mm, 2.2 mm**
(included tip sizes shown in bold)

* Waterborne compatible when using a disposable cup system.

Pressure Guns & Tanks & Accessories





TEKNA[®]
PROLITE

TEKNA[®] ProLite
HIGH EFFICIENCY/HVLP
PRESSURE FEED GUN

Order No. **703624**

- Multiple air caps and fluid tips
- HAV-512 analog gauge
- Gun wrench and color ID rings
- Lightweight ergonomic design

QUICKCLEAN[™]



HAV-512



TEKNA[®] ProLite Pressure Feed Gun

Order No.	Needle/Nozzle	Air Cap
703624	1.0, 1.4	TE40 & HV40
703663	1.0, 1.2, 1.4	TE40 & HV40

TEKNA[®] ProLite Pressure Feed Air Caps

TE20 air cap (HE)	Low to medium solids coatings Air Cap Order No. 703539 Air Cap Model No. PRO-103-TE20 12–19 CFM @ 26–50 PSI inlet	Air Cap Pattern 10–12"
TE40 air cap (HE)	Low to high solids coatings Air Cap Order No. 703626 Air Cap Model No. PRO-103-TE40 13–19 CFM @ 29–50 PSI inlet	Air Cap Pattern 11–13"
HV40 air cap (HVLP)	Low to high solids coatings Air Cap Order No. 703621 Air Cap Model No. PRO-103-HV40 10.5 CFM @ 17 PSI inlet	Air Cap Pattern 11–13"

FINISHLINE 
by DeVilbiss

FLG4 PRESSURE FEED GUN

Order No.
803692
Model No.
FLG-574-13

- 1.3mm fluid tip
- Air adjusting valve with gauge
- High grade 303 stainless steel components
- Easy to clean anodized finish



FLG 1.3 & 1.8mm PRESSURE FEED GUN AND PRESSURE CUP KIT

Order No.
803736
Model No.
FLG-675

Pressure Feed Gun and Pressure Cup Kit Includes

Order No.	Model No.	Description
803692	FLG-574-13	Pressure Feed Gun with HAV-512 gauge
120033	KB-555	Pressure Cup (includes 5 E-Z liners)
220019	KB-4006	Hose assembly
803053	FLG-332-18K	1.8mm fluid tip



FinishLine® Pressure Feed Air Caps

#4 air cap (HVLP) **General purpose, light to medium viscosity material, latex or heavy bodied materials**

Air Cap Order No. **803693**
Air Cap Model No. **FLG-1-4**
17-26 PSI inlet
12-15 CFM

Air Cap Pattern
12½"

Fluid tips **1.3 mm, 1.5 mm, 1.8 mm, 2.2 mm**
(included tip sizes shown in bold)

GTi® Millennium HVLP PRESSURE FEED GUN

Order No.
170165
Model No.
GTI-546P-14

NEW!
Anodized
Finish



HVLP Technology with Large Spray Pattern

- Smooth material and air flow
- Easy to clean
- Produce a high gloss finish and minimize orange peel
- Excellent fluid control for applying more film build with fewer passes



GTi® Millennium Pressure Feed Guns

Order No. Model No.	Fluid Tip (mm)	Inlet Pressure	Application	Fluid Flow
170165 GTI-546P-14	1.4	50 PSI	High solids	9-12 oz./min.

GTi® Millennium Pressure Feed HVLP Air Caps

#2000 air cap (HVLP)	Primers, base coats, clearcoats, and low VOC	Air Cap Order No. 192136 Air Cap Model No. GTI-407-2000 20-30 PSI 12.5-16 CFM	Air Cap Pattern 11"	
	#46MP air cap (HVLP)			
Fluid tips	1.1 mm, 1.4 mm			



PLUS® HIGH EFFICIENCY PRESSURE FEED GUN

Order No.
110272
Model No.
PLUS-514P-12

NEW!
Anodized
Finish



High Efficiency
Superior Atomization
Handles Difficult
Materials and Delivers
Superior Finishes



PLUS® High Efficiency Pressure Feed Guns

Order No.	Air Cap	Fluid Tip (mm)	Inlet Pressure	Application	Fluid Flow
110272 PLUS-514P-12	#414	1.2	60-65 PSI	High solids	7-14 oz./min.

PLUS® Pressure Feed High Efficiency Air Caps

#414 air cap	High solids	
Air Cap Order No.	192312	Air Cap Pattern 11-14"
Air Cap Model No.	AV-440-414	
60-65 PSI inlet	19-22 CFM	
Fluid tip	1.2 mm	
Fluid tips	1.0 mm, 1.2 mm , 1.3 mm, 1.4 mm (included tip sizes shown in bold)	

**JGA®****CONVENTIONAL
PRESSURE FEED GUN**

Order No.

110274

Model No.

JGA-504-777-14**High Production****High Performance**

- Worldwide choice for large area refinishing

JGA® Conventional Pressure Feed Guns

Order No. Model No.	Air Cap	Fluid Tip (mm)	Inlet Pressure	Application	Fluid Flow
110274 JGA-504-777-14	#777	1.4	50-80 PSI	High solids Fleet materials	9-17 oz./min.

JGA® Conventional Pressure Feed Air Caps

#777 air cap

High solids

Air Cap Order No.

192066

Air Cap Model No.

AV-440-777

50-80 PSI inlet

17-25 CFM

Fluid tip

1.4 mm

**Air Cap
Pattern****11-14"****Fluid tips**1.0 mm, 1.2 mm, 1.3 mm, **1.4 mm****(included tip sizes shown in bold)**



Pressure Tanks and Cups

Heavy-duty, A.S.M.E. Code Pressure Tanks Comply with O.S.H.A. Regulations

- 2.7 and 9.8 gallon capacity
- Available in single and double regulated versions
- Quick, efficient cleanup with anti-stat liners (p. 32)

9.8 Gallon*
A.S.M.E. Code
Pressure Tank



83C-220



83C-221



183G-520

Pressure Cups and Tanks

Order No.	Model No.	Capacity	Regulation	3/4 H.P. Air Driven Agitation included
901558	83C-210	2.7 gal.	Single	No
901560	83C-220	2.7 gal.	Double	No
901561	83C-221	2.7 gal.	Double	Yes
120033	KB-555	2 qt.	Single	N/A
930780	183G-520	9.8 gal.*	Double	No (available separately, order QMG-418 & QS-5012-1)

* 183G-520 holds a 5 gallon pail

PRESSURE CUP, 2-QUART

Order No.
120033
Model No.
KB-555



KBII™ Worldwide Favorite
KBII 2-qt. is comfortable to carry.
Easy clean ups with disposable liners

KBII Accessories

Order No.	Model No.	Description
220019	KB-4006	Hose assembly, 6 ft.
192025	KK-5051	KB E-Z Liner kit



Pressure Tank Liners

Pressure Tank Liners

Order No. Model No.	Description
192143 PT-52	Tank Liner 2.7 gal. (order quantity 10)
192153 PT-52-K60	Tank Liner 2.7 gal.
191696 PTL-406-K20	Tank Liner 9.8 gal.

Quick, Efficient Clean up with Anti-Stat Liners



80-356



PT-52 / PT-52-K60

PTL-406-K20

Tank Liners

DeVILBISS

Pressure Tanks

		Fits Tank Size	Case Qty.
DeVilbiss	PT-52	2.7 gal.	10
	PT-52-K60	2.7 gal.	60
	PTL-406-K20	9.8 gal.*	20
	PTL-410-K8	11.8 gal.	8
Binks	80-356	2 qt.	12
	83-2878	2 gal.	12
	6-228-60	2 gal.	60
	6-238-60	2 gal.	60
	6-239	5 gal.	24

All PT Series Tanks	QMGT- 5200 QMST- 5200	QMGT- 5500 QMST- 5500	QMGT- 51000 QMST- 51000
X	X		
X	X		
		X	
			X

Tank Liners

BINKS

Pressure Tanks and Cups

		Fits Tank Size	Case Qty.
DeVilbiss	PT-52	2.7 gal.	10
	PT-52-K60	2.7 gal.	60
	PTL-406-K20	9.8 gal.*	20
	PTL-410-K8	11.8 gal.	8
Binks	80-356	2 qt.	12
	83-2878	2 gal.	12
	6-228-60	2 gal.	60
	6-238-60	2 gal.	60
	6-239	5 gal.	24

83B 83C	183G-520 83G-520 83G-500	2 Qt. Cup Steady- Grip	83- 5600 83- 15600	83- 5500 83- 15500	83- 5400
X					
X					
	X				
		X			
			X		
				X	
					X

* 183G-520 holds a 5 gallon pail

DeVilbiss PT-52 series tank liners also fit Binks 83B and 83C tank series

DeVilbiss PTL-406 series tank liners also fit Binks 83G-500 tank series

Binks PTL-408 series tank liners also fit DeVilbiss QMGT-5500 and QMST-5500 tank series



Pressure Gun Accessories

FLUID REGULATOR

Order No.
130090
Model No.
HGS-5242



- 3/8" NPS (M) fluid inlet
- 3/8" NPS (F) swivel fluid outlet
- Regulates pressure from 2-50 PSI

FLUID FILTER

Order No.
180073
Model No.
VS-532



FLUID TUBE

Order No.
180042
Model No.
JGA-444

- 3/8" NPS thread
- Keeps hose from dragging over work and prevents twisted lines




*Does not fit FLG or ProLite Pressure Guns

KB ADAPTER FITTING AND HOSE KIT

Order No.
192026
Model No.
KK-5052

Allows flushing of cup tube, hose and gun using SolventSaver™. Kit includes: HD-410 adapter fitting and 2' hose assembly.



SOLVENT SAVER™

Order No.
180037
Model No.
HD-503



A Real Time Saver

Cleans fluid hoses quickly without wasting solvent

Disposable Cups & Accessories





DeKUPS[®]

by DeVilbiss

DeKups[®]

GRAVITY FEED DISPOSABLE CUP

The Ultimate in Productivity

Saves Time and Money

- Better fluid flow for great color match
- Positive locking gun connection
- Refill without opening the cup
- Self-dispensing packaging
- Larger capacity cups



Gun not included




24 oz.




9 oz.



34 oz.



1



2



3




4




5



6



7



8




9



10



11



12



DeKUPS

by DeVilbiss

24 oz.
DPC-601 & DPC-606

9 oz.
DPC-602 &
DPC-607

34 oz.
DPC-600
& DPC-608



DeKups® Disposables and Reusables

Order No.	Model No.	Description
802102	DPC-602	9 fl. oz./265 ml Disposable cup/lid (32)
802101	DPC-601	24 fl. oz./710 ml Disposable cup/lid (32)
802100	DPC-600	34 fl. oz./1000 ml Disposable cup/lid (32)
802972	DPC-607	9 fl. oz./265 ml Reusable sleeve/lid (2)
802759	DPC-606	24 fl. oz./710 ml Reusable sleeve/lid (2)
802973	DPC-608	34 fl. oz./1000 ml Reusable sleeve/lid (2)
803474	DPC-524	24 fl. oz./34 fl. oz. Disposable lid (32)
803889	DPC-509	9 fl. oz./265 ml Disposable lid (32)

Accessories

802334 / BXX-1279
Filters & plugs
storage case



802212 / DPC-44
Cleaning brush



802109 /
DPC-22-K24
Disposable funnel
(24)



803474 / DPC-524
Disposable lid (32)



192316 / DPC-8
Cleaning bottle



802950 / DPC-59-K10
24 oz. Universal measuring guide (10)

802951 / DPC-60-K10
9 oz. Universal measuring guide (10)

802952 / DPC-61-K10
34 oz. Universal measuring guide (10)

802953 / DPC-62-K10
24 oz. 2:1 and 3:1 Measuring guide (10)

802954 / DPC-63-K10
24 oz. 4:1 and 5:1 Measuring guide (10)





DeKups® Demo Kit

Order No.

803130

Model No.

DPC-654



Get Started with DeKups Today!

The Ultimate in Productivity

Saves Time and Money

Anti-Static Disposables

- Contains the perfect amount for several jobs
- Better fluid flow for greater color match
- Positive locking gun connection
- Anti-static cups for improved metallic distribution
- Larger capacity cups

Demo Trial Kit

Adapter for DeVilbiss®, TEKNA®, CVi®, PLUS™, GTi®, PRi®, JGA®, Binks® M1G, Sharpe Cobalt, Platinum & Titanium (1), 24 oz. Reusable Sleeve & Lid (1), 24 oz. Disposable Cups & Lids (8), Plugs (5), Disk Filter 125 Micron (4), Barrel Filter 300 Micron (1), Funnel (1), Measuring Guide (1), How-to-Use Guide

Disk Filters

802976 / DPC-42-K24

24 oz./34 oz. Disk filter
(125 micron) (24)
White frame/white mesh



802977 / DPC-65-K24

9 oz. Disk filter
(125 micron) (24)
White frame/white mesh



802978 / DPC-66-K24

24 oz./34 oz. Disk filter
(200 micron) (24)
Black frame/white mesh



802979 / DPC-67-K24

9 oz. Disk filter
(200 micron) (24)
Black frame/white mesh





DeKups® Shop Start Up Kit

Order No.
802371
Model No.
DPC-650



Shop Start Up Kit

24 oz. Reusable Sleeve & Lid (3), 9 oz. Reusable Sleeve & Lid (1), 24 oz. Disposable Cups & Lids (32), 9 oz. Disposable Cups & Lids (32), 24/34 oz. Disk Filter 125 Micron (12), 9 oz. Disk Filter 125 Micron (12), Barrel Filter 300 Micron (10), Funnel (24), 3 oz. Disposable Cups (3), Cleaning Brush, Cleaning Bottle, Magnets (5), How-to-Use Guide, Plugs (40)

Barrel Filters

802108 / DPC-27-K10

Very fine filter (200 micron) Pearls (10)



802107 / DPC-17-K10

Fine filter (300 micron) Colors and clears (10)



802106 / DPC-14-K10

Coarse filter (600 micron) Thick paint (10)



3 oz. Disposable Cup

Order No.
803510


Model No.

DPC-503-K24

(Kit of 24 cups & lids)



- Simple and affordable solution for spot repair and spraying at mobile repair locations
- Vented cup design provides consistent fluid flow for better color match and a better quality finish
- Easy and secure fit over DPC adapters





DEKUPS

by DeVilbiss

Adapters

Get started today!
Order adapters from
your distributor



802200 / DPC-43

Adapter

(DeVilbiss®, TEKNA®, CVi®, PLUS™, GTi®, PRi®, JGA®, Binks® M1G, Sharpe Cobalt, Platinum & Titanium)



802201 / DPC-26

Adapter

(Accuspray Issac)



802202 / DPC-31

Adapter

(FinishLine® 2, 3 & 4)



802203 / DPC-10

Adapter

(SATA® NR 2000, RP, KLC, MCB & Jet 90 series)



802204 / DPC-11

Adapter

(SATA® NR95 & 92, Iwata LPH-400 & W400LV, Astro GF14, 17 & 20S, Finex FX 200 & FX 300)



802205 / DPC-13

Adapter

(Sagola)



802206 / DPC-23

Adapter

(DeVilbiss® SRi, SRiW, SRiPro™, and Binks® Cub)

802340 / DPC-500

Conversion Adapter



803238 DPC-502

Adapter Kit

(SATA® Minis, QCC & threaded)



802955 / DPC-64

Adapter

(StartingLine touch-up gun)



803120 / DPC-69-K1

Suction Conversion Kit



803237 / DPC-501

Adapter Kit

(SATA® QCC full size)



803314 / DPC-78

Adapter

(Iwata SuperNova, Air Guns, LPH300, W300)



803850 / DPC-504

Adapter

(SATA® QCC full size)



803420 / DPC-81

Adapter

(StartingLine® full-size gun, Sharpe Finex 1000, 2000, 3000)

For additional adapters see www.autorefinishdevilbiss.com

U.S. Patent Nos. 6,820,824 and 7,374,111, owned by 3M Innovative Properties Co., additional U.S. Patent Nos. 7,380,680; 7,354,074; 7,353,964; 7,350,418; 7,344,040; 7,263,893; 7,165,732; 7,086,549.

Airbrushes & Accessories

- Airbrushes and Accessories Packages – featuring DAGR®
- Compressors and Accessories Packages – featuring AirBlade®





DAGR[®]
BY DEVILBISS
AIRBRUSH



DAGR[®]
SIPHON FEED AIRBRUSH
(.50MM)

Order No.
803635
Model No.
DGR-502S-50



- Includes ¼ fl. oz. metal cup and 1 fl. oz. plastic cup and lid
- Waterborne Compatible

DAGR[®]
GRAVITY AIRBRUSH
(.35MM)

Order No.
802609
Model No.
DGR-501G-35



- Includes ⅓ fl. oz. metal cup
- Waterborne Compatible

Excellent Control

- Hairline detail to high paint-flow shading and gradual fades
- Smooth double action trigger
- Pre-set handle for precise control of paint flow

Durable

- Solvent proof fluid passages
- Copper, nickel and chrome plated body

Value

- Crown cap standard for fine lines and needle protection
- Collector storage tin included

Order No.	Model No.	Description
803031	DGR-401	DAGR [®] Gravity Feed Parts Pak
803653	DGR-402	DAGR [®] Siphon Feed Parts Pak

DAGR[®] Studio

Order No. **803125** Model No. **DGR-603**





Quiet, Oilless, Piston Compressor with Automatic Shut-Off for Longer Compressor Life

AirBlade[®] COMPRESSOR WITH REGULATOR (1/8 HP)

Order No. 803286 Model No. DGR-518-1

AirBlade[®] Compressors include:


- Regulator
- Water trap filter
- Airbrush holder



DGR-518-1

DAGR[®] GRAVITY AIRBRUSH, 1/8 HP COMPRESSOR AND HOSE

Order No. 803285
Model No. DGR-604G-35



AirBlade[®] Compressor and Accessories

Order No.	Model No.	Description
803286	DGR-518-1	AirBlade [®] Compressor w/Regulator (1/8 hp) .07 CFM, up to 30 PSI, 120V
803287	DGR-140	Regulator w/filter, moisture trap, hanger
803285	DGR-604G-35	Gravity DAGR [®] w/Compressor (1/8 hp), hose

Accessories	Gravity Feed Cups	Siphon Feed Cups
802769 / DGR-123 10 ft. Braided Nylon Air Hose	802633 / DGR-119 1/2 fl. oz. (14 cc) Cup/Lid	803638 / DGR-319 3 fl. oz.
802770 / DGR-124 10 ft. Braided Nylon Air Hose w/QD DGR-127 802845	802632 / DGR-118 1/2 fl. oz. (9 cc) Cup/Lid	803637 / DGR-318 1 fl. oz.
802771 / DGR-125 20 ft. Braided Nylon Air Hose	802631 / DGR-117 1/4 fl. oz. (7 cc) Cup/Lid	803636 / DGR-317 1/4 fl. oz.
802772 / DGR-126 20 ft. Braided Nylon Air Hose w/QD		

Air Control

■ Includes:

Desiccant Dryer Systems, Air Filtration Systems, Hose and Fittings, Air Adjusting Valves, Air Regulators, Respirators, Breathable Air Systems



CAMAIR
by DeVilbiss

DAD-PRO™
DESICCANT AIR
DRYING SYSTEM

Order No.
130546



Worry free air filtration for top-quality paint jobs

- First stage filter removes oil, water and dirt down to 5 microns.
- Second stage coalescer removes oil vapors and dirt particles down to .01 microns.
- Desiccant tank removes water vapor and humidity down to a dew point of -40° F.
- Bagged desiccant for ease of maintenance.

**Replaceable Desiccant
Cartridge for Easy
Maintenance**



CamAir® DAD-PRO™

Order No. Description

130546	DAD-PRO Desiccant Air Drying System
130504	Replacement Desiccant Cartridge
130536	50 scfm 2-stage Filter Assy with Regulator
130538	Replacement Water Separator Element
130539	Replacement Oil Coalescing Element
130544	Filter Mounting Bracket
130545	Float Drain Kit

CAMAIR
by DeVilbiss

CT Plus™
**5-STAGE DESICCANT
FILTER SYSTEM**

Order No.
130522



Water
Separator

Oil
Coalescer

**Worry free air filtration for
top-quality paint jobs**

- First stage filter removes oil, water and dirt down to 40 microns
- Second stage coalescer removes oil vapors and dirt particles down to .01 micron
- CT30 desiccant tank repeats dirt and oil aerosol removal and removes humidity
- Install at point of use

30 CFM capacity at 100 PSI

**Meets air quality requirements
for spraying waterborne materials**

CamAir® CT Plus™

Order No. Description

130522	CT Plus™ 5-stage desiccant filter system
130517	Filter element, water (1st Stage)
130518	Filter element, coalescing (2nd Stage)
130504	DC30 desiccant cartridge
130516	Regulator assembly
130534	CT Plus™ tune up kit

**Easy and economical
maintenance**

- Longer desiccant life
- Air inlet valve shuts off CT Plus™ air without having to shut off shop air
- No tools needed to change first and second stage filters
- Easy change-out desiccant cartridge bag

**Ergonomic, self-relieving
regulator**

CAMAIR
by DeVilbiss

2-Stage Filter System

Order No.
130523



Water
Separator

Oil
Coalescer

3-Stage Filter System

Order No.
130526



Water
Separator

Oil
Coalescer

Charcoal
Adsorber

3-STAGE FILTER
SYSTEM MEETS TYPE 1
GRADE D BREATHABLE
AIR PARTICULATE
REQUIREMENTS

Air Filtration/Regulation Systems

- Compact and effective—perfect for cramped shop spaces
- Removes dirt, water and oil from air lines to 0.01 micron—assures superior finishes
- Quick change bowls and air inlet valve accommodate rapid, trouble free maintenance without shutting off main shop air
- Combine 2-stage filter with the CT-30 desiccant dryer to create a CT Plus™ 5-stage filter system

CamAir® Filter Systems

Order No. Description

130523	2-stage filter unit with regulator
130526	3-stage filter unit with 2 regulators
130517	Filter element, water (1st Stage)
130518	Filter element, coalescing (2nd Stage)
130527	Filter element, charcoal (3rd Stage)

65 CFM Capacity @ 90 PSIG

CAMAIR

by DeVilbiss

CT30 & CT30P**DESICCANT CARTRIDGE DRYERS**Order No. **130500** (CT30 Wall Mount)Order No. **130501** (CT30-P Portable)**Easy Change
Desiccant Air Dryer**

- CT series desiccant air dryers remove water vapor from the compressed air down to a dew point of -40°F
- Quick change 10 lb. desiccant cartridge bag is made of a special fiber media which removes oil aerosols and solid particles down to 0.1 micron—meaning no need for coalescing or final filters
- Install at point of use

Patent No.
7361214

130501 (CT30-P)

**COMPLETELY
PORTABLE.
ALLOWS PLACEMENT
AT POINT OF USE**
**CT Desiccant
Cartridge Dryer****Order No. Description**

130500	Desiccant Air Dryer wall mount
130501	Desiccant Air Dryer portable with stand
130504	Desiccant cartridge

30 CFM air flow capacity

QC3**FILTER AND DRYER UNIT**Order No. **130525****Light Duty, Compact
Air Filter/Dryer**

A great choice for light usage such as low volume shops, restorers, customizers, and hobbyists

- Three-stage filtering with 0.1 micron rating produces clean, oil- and humidity-free air.
- High performance filtration with only 2 PSI pressure drop.
- Quick change filter cartridge is easy to maintain. Bowl removal tool included.
- Larger filter media and longer life desiccant than disposable dryers



130525

QC3 Desiccant Cartridge Dryer**Order No. Description**

130525	Desiccant Filter and Dryer Unit
130524	QC3 Filter and Desiccant Cartridge Replacement

16 CFM air flow capacity



130524

DAD-500™

DESICCANT AIR DRYER SYSTEM

Avoid Costly Redos

Properly maintained air filtration system eliminates moisture and dirt in air lines

- Install at point of use
- Clean air = better finish

Meets air quality requirements for spraying waterborne materials



ALSO INCLUDES:
1/2" BALL VALVE
SHUTOFF FOR EASY
MAINTENANCE

Desiccant Air Dryer

Order No.	Model No.	Description
130026	DAD-500	3-stage desiccant air dryer system
190831	DAD-1	Desiccant refill
130030	DAD-600	Desiccant refill, 1st Stage filter element
802182	DAD-600-1	Desiccant refill, filter element kit, 1st and 2nd Stage filter elements

FINISHLINE 
by DeVilbiss

FinishLine® Air Control Unit

Order No.	Model No.
130099	HAR-602

The Value Leader

130099

- Removes moisture and dirt
- Regulates air pressure



Includes:

- 5 micron particle filter
- Mounting bracket
- Regulator and gauge



803642



803643

FinishLine® Air Control Unit

Order No.	Model No.	Description
130099	HAR-602	120 CFM air control unit with 50 CFM regulator
192315	HAF-39	Filter element and gasket kit
803642	HAF-580	80 CFM air control unit
803643	HAR-680	80 CFM air control unit with 50 CFM regulator
803641	HAF-47	80 CFM Filter element and gasket kit

Clean Air™**AIR LINE FILTERS
AND CONTROL UNITS****HAF-518
QUICK FACTS:**

- 1st Stage 5 micron filter
- 2nd Stage .01 micron filter
- Easier maintenance comes with manual flexible drain



HAF-518



13-0042

**REMOVES
DIRT, WATER AND
OIL—PERFECT FOR
LOW HUMIDITY
CONDITIONS**

**Air Filtration
and Regulation
Systems —
Remove Dirt,
Oil Vapor,
and Water from
Air Lines**

**Clean Air™ Air Line Filters and
Control Units****Order No.****Model No. Description**

130098	Two-stage filtration system,
HAF-518	including centrifugal and coalescer w/ 60 CFM regulator

130041	100 CFM air line filter
---------------	-------------------------

13-0041	5 micron filter
----------------	-----------------

130042	100 CFM air line filter
---------------	-------------------------

13-0042	w/ 60 CFM regulator
----------------	---------------------

CAMAIR
by DeVilbiss


**DESICCANT
SNAKE**[™]
Patent Pending

Desiccant Snake

Order No.
130502

Disposable, In-Line Desiccant Air Dryer

- A unique design that combines desiccant drying with built in dirt and oil aerosol filters
- Effective with both HVLP and Conventional spray equipment



- 200 PSI maximum
- 150° F maximum

Humidity Indicator

Order No. **130503**

Desiccant Snake and Indicator

Order No. Description

130502 Desiccant Snake

130503 Humidity Indicator



130503
(RHI-01)

**Alerts Painter
to Humidity in
the Air Line**

**Recommended
for use with
Desiccant Snake**

CAMAIR
by DeVilbiss

Automatic Drain with Y-Strainer Valve

Order No. **130512**

Automatically drains water from compressed air systems

- Use with air compressors, water separators and at drop legs — See properly piped shop diagram for install locations (pgs. 78–79)
- Adjustable interval time and drain time
- Removable filter for easy cleaning
- Includes electric timer, ¼" Y-strainer valve with filter screen and 6 ft. power cord





Premium Hose Helps Ensure Premium Paint Jobs

Smooth Cover — Spray and Air Tool Hose

Can be used for all kinds of air-operated equipment. Smooth brick-red cover, synthetic rubber compound tube with high tensile strength braid. Hose offers superior resistance to oil, weathering, ozone and abrasion. Can be used with reusable or permanent crimp connections. Maximum application temperature: 150°F

Nyliner II Fluid Hose

Ideal for use with a wide range of materials such as resins and solvents contained in latices, epoxies, urethanes, alkyds, primers, acrylics, ketone, MEK, acetone, polyesters, silicones, bitumastic coatings, oil and water-based paints, lacquers, latex coatings, toluene, turpentine, naphtha, and many other solvents. Tube is nylon; cover is black neoprene rubber; yarn reinforced. Can be used with permanent crimp or reusable connections. Maximum application temperature: 150°F

Bulk Hose Chart

Type of Hose	Size I.D.	Size O.D.	Bulk Hose Model No.	Maximum Working Pressure (PSI)	Feet per Reel	(Order No.)
Smooth Cover Air	1/4"	1/2"	H-1957	250	500	(210003)
	5/16"	5/8"	H-1921	250	500	(210002)
	3/8"	11/16"	H-1958	250	500	(210004)
Nyliner II Fluid	1/4"	1/2"	H-1975-1	500	500	(210007)
	3/8"	11/16"	H-1973-1	500	500	(210006)

Air/Fluid Hose Set (for use with KBII Cup)

Order No. Model No.	Bulk Air Hose Length	Bulk Fluid Hose	Conn. Thread Size	Type of Conn.	Conn. Nut & Nipple
220019 KB-4006	5'3"	210002 H-1921	1/4" NPS (F) Swivel	Three- Piece Reusable	240032 P-HC-4527
	6'3"	210007 H-1975-1	3/8" NPS (F)	Three- Piece Reusable	240034 P-HC-4543

For properly piped shop information, see pages 74–75



Hoses



Air Hose Assemblies

Size I.D.	Hose Assembly Order No. Model No.	Length of Hose	Bulk Hose #	Connection Thread Size	Type of Connection	Conn. Nut & Nipple
5/16"	220002 HA-2125	25'	H-1921	1/4" NPS (F) Swivel	Three-Piece Reusable	240032 P-HC-4527
5/16"	220004 HA-2150	50'	H-1921	1/4" NPS (F) Swivel	Three-Piece Reusable	240032 P-HC-4527
3/8"	220049 HA-5825	25'	H-1958	1/4" NPS (F) Swivel	Three-Piece Reusable	240033 P-HC-4528
3/8"	220052 HA-5867*	35'	H-1958	1/4" NPS (F) Swivel	Three-Piece Reusable	240033 P-HC-4528
3/8"	220054 HA-5835	35'	H-1958	1/4" NPS (F) Swivel	Three-Piece Reusable	240033 P-HC-4528
3/8"	220047 HA-5850	50'	H-1958	1/4" NPS (F) Swivel	Three-Piece Reusable	240033 P-HC-4528

*HA-5867 HVLP Air Hose Assembly includes HC-4719 High Volume Air Quick Disconnect and HC-4419 Stem.

Fluid Hose Assemblies

Size I.D.	Hose Assembly Order No. Model No.	Length of Hose	Bulk Hose #	Connection Thread Size	Type of Connection	Conn. Nut & Nipple
3/8"	220008 HA-7325	25'	H-1973-1	3/8" NPS (F)	Three-Piece Reusable	240035 P-HC-4548
3/8"	220040 HA-7335	35'	H-1973-1	3/8" NPS (F)	Three-Piece Reusable	240035 P-HC-4548
3/8"	220045 HA-7350	50'	H-1973-1	3/8" NPS (F)	Three-Piece Reusable	240035 P-HC-4548
1/4"	220055 HA-7535	35'	H-1975-1	3/8" NPS (F)	Three-Piece Reusable	240034 P-HC-4543




Hose Fittings

Designed to Optimize Airflow for Top Spray Gun and Air Tool Performance



Pressure Drop Comparison at 50 PSI inlet at 25 SCFM



The chart above shows test data at 25 SCFM using:

DeVilbiss high flow HC-4720 coupler, HC-4419 stem.

RBL 611 coupler, 612 stem.

Sharpe 8320 coupler, 8330 stem.

Original DeVilbiss P-HC-4120 coupler, P-HC-201 stem.

Milton/Sata "P" style 1804 coupler, 1810 stem.

Milton "M" style S715 coupler, S727 stem.

Sata/Milton "T" style 784 coupler, 786 stem.

Milton "A" style S775 coupler, S777 stem.



Reusable Connections

Hose Size and Type

Size I.D.	Size O.D.	Fits DeVilbiss Hose No.	(M) Male (F) Female Connection Thread Size	Straight Connections Female Complete Connection No.	Order Number	
1/4"	1/2"	H-1957	1/4" NPS (F)	P-HC-4523	240031	
		H-1975-1	3/8" NPS (F)	P-HC-4543	240034	
5/16"	5/8"	H-1921	1/4" NPS (F)	P-HC-4527	240032	
			1/4" NPT (M)	P-HC-4599	240037	
3/8"	11/16"	H-1973-1	3/8" NPS (F)	P-HC-4548	240035	
			H-1958	1/4" NPS (F)	P-HC-4528	240033
			1/4" NPT (M)	P-HC-4955	240159	



Quick Disconnects – High Flow Ball and Ring Lock Type

(For use with HVLP Spray Equipment)

Connection Number	Order Number	Thread Size
HC-4719 (A)	240147	1/4" NPT (M)
HC-4720 (B)	240148	1/4" NPT (F)
Stem Number		
HC-1166 (C)	240015	1/4" NPT (M)
HC-4419* (D)	240145	1/4" NPS (F)



*Designed for spray guns. Special cone seat prevents leaks!

Nipples (MBE) Male Both Ends

Part Number	Order Number	Straight Type Male Thread	Male Thread
AD-31	240002	1/4" NPS	1/4" NPS
H-2008	240006	1/4" NPS	1/4" NPT
H-1446	240004	3/8" NPS	3/8" NPS
AD-11	240000	3/8" NPS	3/8" NPT



Adapters

Part Number	Order Number	Straight Type Male Thread	Female Thread
AD-404	240003	1/4" NPS	3/8" NPS
P-H-4105	240023	3/8" NPS	1/4" NPS



Valves – Ball Type

Part Number	Order Number	Thread
VA-540	240038	3/8" NPS (M) x 3/8" NPT (M)
VA-542	240039	1/4" NPS (M) x 1/4" NPT (M)
VA-595	802188	1/2" NPT (M) x 1/2" NPT (M)




Coupler

Part Number	Order Number	Thread
SSP-69	802191	1/4" x 1/4" NPT (F)





Hose Fittings



NPT = tapered
NPS = straight
(M) = Male
(F) = Female

Whenever possible, match straight threads with straight threads and tapered with tapered. Otherwise, leakage may occur.

High Output Air Adjusting Valves and Gauges

Order No. Model No.
180005 HAV-500



HAV-500

Order No. Model No.
180006 HAV-501 w/Gauge



HAV-501

Order No. Model No.
180089 HAV-511 w/Gauge



HAV-511

Order No. Model No.
803236 HAV-512 w/Gauge



HAV-512

Digital Gauge with Air Adjusting Valve

Order No. Model No.
803291 HAV-555

Order No. Model No.
803289 DGI-101
 Digital Gauge Only



HAV-555

Specifications:

- Accuracy to +/- 0.5 PSI
- UL/CSA approved
- Gauge range: 2.5 to 160 PSI
- Auto off after 60 seconds to preserve battery life
- Up to 2 years of battery life, depending on usage

Gun Mounted Air Adjusting Valves and Gauges

Order No. Model No.	Max. Inlet Press.	Max. Reg Press. PSI	Air Inlet	Air Outlet
180005 HAV-500	175	—	1/4" NPS (M)	1/4" NPS (F) (Swivel)
180006 HAV-501 w/gauge	160	0-160 (Gauge Range)	1/4" NPS (M)	1/4" NPS (F) (Swivel)
180089 HAV-511 w/gauge	160	0-160 (Gauge Range)	1/4" NPS (M)	1/4" NPS (F) (Swivel)
803236 HAV-512 w/gauge	100	100	1/4" NPS (M)	1/4" NPS (F) (Swivel)
803291 HAV-555 Digital	160	2.5-160	1/4" NPS (M)	1/4" NPS (F) (Swivel)


Air Regulators

Order No. / Model No.
130516

Order No.
130093
Model No.
HAR-600

Order No.
192242
Model No.
HAR-511

Order No.
130100
Model No.
HAR-520



Air Regulators

Order No./Model No.	Description
130516 / 130516	75 CFM air regulator, gauge and valve (regulator available separately as 130521)
130093 / HAR-600	60 CFM air regulator, gauge and valve (regulator available separately as HAR-507)
192242 / HAR-511	60 CFM air regulator Flow through regulator for pressure tanks
130100 / HAR-520	50 CFM air regulator — non-relieving (purchase GA-375 gauge separately)

Gun Mounted Regulators and Gauges

Order No. Model No.
130015 **HARG-510**

Order No. Model No.
802419 **HARG-555**
w/digital gauge



Gun Mounted Regulators and Gauges

Order No. Model No.	Max. Inlet Press.	Max. Reg Press. PSI	Air Inlet	Air Outlet
802419 HARG-555 Digital	160	2.5–100	1/4" NPS (M)	1/4" NPS (F) (Swivel)
130015 HARG-510	175	100	1/4" NPS (M)	1/4" NPS (F) (Swivel)



CHAMPION™

by DeVilbiss

Champion Respirator

Order No.

803611

Model No.

DCR-502

MEDIUM

NIOSH APPROVED!

**Disposable Dual Cartridge
Respirator—OV/N95**

Order No.

803612

Model No.

DCR-503

LARGE



Packaged in
a resealable
storage bag.

**For Paint Spraying,
Priming, Undercoating
and Rust Proofing***



Champion™ Respirator

Order No.	Model No.	Size
803611	DCR-502	Medium
803612	DCR-503	Large

Champion™ Respirator Replacement Parts

Order No.	Model No.	Description
803728	DCR-101-K3	N95 Replacement Filters (3 Pairs)

*When used for isocyanate finishes, such as those with hardeners, epoxies containing amines, polyurethane paints, and some acrylics, or gases/vapors with poor warning properties, OSHA 29 CFR 1910.134 requires the respirator be used in accordance with a change out schedule that is based on objective information or data.



BINKS

Millennium 3000 Respirators

Order No.
900254
Model No.
40-141

Order No.
900253
Model No.
40-128

Order No.
900255
Model No.
40-143

**Extremely Comfortable,
Strong and Durable with
Sizes to Fit Most Painters
and Technicians**



Caution

Not for use with paints that contain isocyanates. Read and follow all printed warnings. A qualified safety expert or hygienist should be used to select the correct respirator.



Millennium 3000 Respirators

Order No. Model No.	Size	Description	Replaceable cartridges
900253 40-128	Medium	Millennium 3000 Respirator	Yes
900254 40-141	Small	Millennium 3000 Respirator	Yes
900255 40-143	Large	Millennium 3000 Respirator	Yes

Millennium 3000 Replacement Parts

Order No.	Model No.	Description
900259	40-1921-10	Cartridge (2/Card, Kit of 10 Cards)
900261	40-1924-10	Pre-filter (10/Card, Kit of 10 Cards)
900262	40-1925	Cover (Kit of 2)



Breathable Air Filtration

Order No. Model No.	Description	Removes dirt to 5 micron	Removes liquid water	Removes oil aerosols	Removes humidity	Removes odor
130089 DAD-503	3-stage filtration with desiccant air dryer system	Yes	Yes	Yes	Yes	Yes
130087 HAF-601	3-stage filtration system	Yes	Yes	Yes	No	Yes
130096 DAD-504	Desiccant retrofit system	Yes, when used with DAD-500 or HAF-518	Yes, when used with DAD-500 or HAF-518	Yes, when used with DAD-500 or HAF-518	Yes, when used with DAD-500	Yes

Breathable Air Hose

Order No.	Model No.	Description
160015	MPV-530	30' Breathable air hose assembly
160016	MPV-550	50' Breathable air hose assembly



DAD-503

ALSO INCLUDES 1/2" BALL VALVE SHUTOFF FOR EASY MAINTENANCE



HAF-601



DAD-504

CLEAN Solutions

- Anti-Static Wiper
- Booth Wall Coat
- Bumper Prep Pad
- Clear Glass Coat
- Demo Kits
- DeWIPE-OUTS™
- Dirt Control Floor Coat
- Disposable Coverall
- Flame Retardent Booth Paper
- Hooded Lab Coat
- Paint Prep Wipes
- Reusable Coverall
- Scrubs
- SHIM-MASK®
- Tack Wipe





TACK WIPE

by DeVilbiss

Features/Benefits

- Compatible with all paints
- Non-toxic
- Wax and silicone-free
- Engineered to leave no residue
- Use to remove dirt, dust and sanding particulates from surface



Tack Wipe

Order No.

Model No. Description

803816 Cotton Tack Wipe
TCK-101-K12

803817 Polyester Tack Wipe
TCK-121-K12

DeVilbiss® Reusable Coverall

Order No. Description

803596 Medium

803597 Large

803598 XL

803599 3XL



DeVilbiss® Hooded Lab Coat

Order No. Description

803664 Medium

803665 Large

803666 XL

803667 3XL



DeVilbiss® Disposable Coverall

Order No. Description

803671 Medium

803672 Large

803673 XL

803674 3XL





DeVilbiss

CLEAN™

DeVilbiss® Bumper Prep Pad



- Clean, abrade and degrease in one easy step
- Reduces steps in bumper prep process to increase efficiency
- Provides comprehensive abrasion for better adhesion

DeVilbiss® Bumper Prep Pad

Order No. Description

803557 All-In-One Bumper Prep Pad (1 per pkg.)

SHIM-MASK® by DeVilbiss

Order No. 803654

Package of 3

Ideal for:

- Paint and clearcoat runs
- Imperfections
- Minimizing exposed area when sanding paint-filled chips or scrapes



DeVilbiss® Anti-Static Wiper

...dirt isn't cheap!

- Final step before spraying sealer, base or clear
- Reduce paint defects caused by static and dirt
- Lint free, no VOCs, no marring
- Use dry only
- Avoid contact with any liquids
- Liquid may alter properties of the Anti-Static Wiper

DeVilbiss® Anti-Static Wiper

Order No. Description

803553 Anti-Static Wiper (1 per package)





DeWIPE-OUTS™

by DeVilbiss

Pre-saturated Prep Wipe

The final step before painting*

Improves paint job quality

- “Static Killer” formula dramatically reduces static charge and static-related dirt
- Great for plastic parts and bumper covers
- Removes residue and fibers left by tacking

Large, lint-free wipe OEM-preferred

*Use on two-component or waterborne primers

50 wipes per pouch



803045 and 803046
Resealable pouches



803418
VOC compliant



803048
Storage case



DeWipe-Outs™ Prep Wipes

Order No.	Size	Description	Application
803045	11" x 17"	85% IPA/15%DI Water	Most climates
803046	11" x 17"	50% IPA/50%DI Water	Warmer/drier climates or heated spray booths
803418	11" x 17"	Acetone blend, California exempt. Must be used with 803048 storage case	VOC compliant California blend
803048		Storage case w/lid gasket & snap closure	

Scrubs®

HAND CLEANER TOWELS

Order No. 192218
Bucket of 72 Scrubs

Pre-moistened, heavy-duty towels easily remove soil from your hands.

- Portable and convenient.
- Conditions and softens.
- Use on tools, equipment and work surfaces.
- Works fast on dirt, oils, adhesives, lubricants, paints, grease, tar, urethanes, epoxies, inks and dyes, sealants and caulks.





Demo Kits

Order No. Description

803853 Clean Kit Low VOC

Includes: Bumper Prep Pad (2), Paint Prep Wipe Sample Pack, Cotton Tack Wipe (6), Poly Tack Wipe (6), DeWipe-Outs Low VOC, Storage case w/lid gasket & snap closure, Anti-Static Wipe (2), Large Disposable Coverall, XL Disposable Coverall, Medium Disposable Coverall, SHIM-Mask®, SOP Poster

803854 Clean Kit Normal Climate

Includes: Bumper Prep Pad (2), Paint Prep Wipe Sample Pack, Cotton Tack Wipe (6), Poly Tack Wipe (6), DeWipe-Outs 85/15 blend, Storage case w/lid gasket & snap closure, Anti-Static Wipe (2), Large Disposable Coverall, XL Disposable Coverall, Medium Disposable Coverall, SHIM-Mask®, SOP Poster

803855 Clean Kit Dry Climate

Includes: Bumper Prep Pad (2), Paint Prep Wipe Sample Pack, Cotton Tack Wipe (6), Poly Tack Wipe (6), DeWipe-Outs 50/50 blend, Storage case w/lid gasket & snap closure, Anti-Static Wipe (2), Large Disposable Coverall, XL Disposable Coverall, Medium Disposable Coverall, SHIM-Mask®, SOP Poster

DeVilbiss® Paint Prep Wipes

- 300 Wipes

Order No. Description

DC-101 Paint Prep Wipes
803657



Flame Retardant Booth Paper

Order No.

900115

Model No.

29-836

Highly Absorbent

Suitable for floor, wall and equipment cover while spraying



Size: 60" x 300'

DeVilbiss CLEAN™

DeVilbiss® Dirt Control Floor Coat



Features/Benefits

- Significantly reduces buffing time caused by dirt in paint jobs
- Water-based, reduces VOC exposure
- Helps reduce static in paint booth, preventing paint contamination

DeVilbiss® Dirt Control Floor Coat

Order No.	Description
-----------	-------------

803491	Dirt Control Floor Coat (5 gal.)
--------	----------------------------------

803492	2-gallon Pump Sprayer
--------	-----------------------

DeVilbiss® Booth Wall Coat

Features/Benefits

- Protects paint booth surfaces from paint overspray
- Sprayable masking liquid
- Peels off easily



DeVilbiss® Booth Wall Coat

Order No.	Description
-----------	-------------

803668	Booth Wall Coat White (1 gal.)
--------	--------------------------------

DeVilbiss® Clear Glass Coat

Features/Benefits

- Peelable glass surface coating



DeVilbiss® Clear Glass Coat

Order No.	Description
-----------	-------------

803669	Clear Glass Coat (1 quart)
--------	----------------------------

Maintenance & Accessories

■ Includes:

Gun Cases, Spray Gun Cleaning Kits, Cup Lids, Fluid Strainers, Gun Wrenches, Spray Gun Lube, Whirlwind Air Filters, Paint Strainers, etc.





Paint Strainers

Order No. Model No.	Description	Pkg Qty.
901441 81-82	Fine Mesh (145) White	5
901442 81-83	Medium Mesh (100) Blue	5
901443 81-84	Coarse Mesh (80) Red	5



Fluid Strainers

Order No. Model No.	Application	Description	Max. Working Pressure
190181 KGP-5-K5	Gravity Cup	Fluid Strainer	N/A
900006 149-278	Suction Cup Tube	Fluid Strainer	N/A
240129 PLH-MF-6-100	Pressure Gun	Fluid Strainer Assy.	250 PSI
180073 VS-532	Pressure Gun	Fluid Strainer Assy.	300 PSI
191925 VS-58-K10	Replacement Screen for VS-532	Screen-100 Mesh	N/A
240131 PLH-MFC-100	Replacement Screen for PLH-MF-6-100	Screen-100 Mesh	N/A



PLH-MF-6-100

KGP-5-K5

149-278

VS-532

Gun Wrenches

Order No.	Model No.	Description
702740	702740	10mm and 14mm wrench, for use with all TEKNA® and DeVilbiss SRiPro™ guns
180008	WR-103	For use with DeVilbiss FLG, GTI, JGA, and PLUS guns as well as many other brands
900712	54-3918	For use with M1-G and Mach 1 HVLP spray guns
900431	5-476	For use with 2001 spray gun (not shown)
802531	SPN-5-K	For use with all DeVilbiss spray guns (except SRiPro™) and works with many other brands (not shown)



54-3918

702740

WR-103



Whirlwind™ DISPOSABLE AIR FILTER

**Whirlwind:
longer life and less pressure drop**



Can be used with all HVLP spray guns


Whirlwind™ Disposable Air Filter

Order No. Model No.	Description
130028 HAF-507	Whirlwind Filter
130095 HAF-507-K2	Whirlwind Filter 2 pack




FILTER ELEMENT INLET SURFACE AREA

Larger area = longer life & less pressure drop
DeVilbiss has largest surface area



FILTER PRESSURE DROP

Lower drop = better flow
DeVilbiss has lowest pressure drop





Cross-section view of filters


Patented two-stage filter

Stage 1- Swirl Chamber
Removes large water droplets

Stage 2- Filter Media
Removes smaller water droplets, oil droplets, and dirt particles

All other competitive filters:

- Water droplets saturate the filter media — shortening the life of the filter
- Smaller inlet surface area increases pressure drop



Professional Spray Gun Cleaning Kit

Order No.
192212



5 Pack Replacement Cleaning Brush Heads (Tool handle not included)

Order No.
803656
Model No.
BRU-1-K5




BINKS**Model 140-B Engine/Part Cleaning Gun**

Order No. Model No.
901205 6530-0000-1

Includes: 6' hose

**Extension gun for cleaning engines
 and automotive equipment**

**DeKONES**

by DeVilbiss

**Clean. Fast. Efficient.
 Premium Paint Strainers**

- Single meshed tip – eliminates unstrained paint passing through the tip
- Fast and strong
- Lint free nylon strainers
- Consistent mesh sizes for optimum filtration

**DeKones™ Premium Paint Strainers**

Order No.

Model No. Description

802352 Nylon - Medium, 226 micron, 100/box

802394 Nylon - Medium, 226 micron, 250/bag, 1000/case

802351 Nylon - Fine, 190 micron, 100/box

802353 Nylon - Fine, 190 micron, 250/bag, 1000/case

803253 Nylon - Superfine, 125 micron, 100/box

802852 Nylon - Superfine, 125 micron, 250/bag, 1000/case

**AF Filters™ Exhaust Air Filters**

High Holding Capacity for All Dry Spray Booths

Order No. Size: 3' x 30'
900113 90 sq. ft. of surface area
 Model No. 8 pleats per ft.
29-356

**Spray Gun Lube**

803888 Spray Gun Lube

- Contains no silicone or petroleum distillates
- Compatible with all paint materials
- 2 oz. bottle





CAMAIR®

by DeVilbiss

Desiccant Charge (10lbs.) TS-10 Tune-up Kit

Keep Your TS-10 and Other Desiccant Systems Performing Like New!



Desiccant Charge & TS-10 Tune-up Kit

Order No.	Description
130506	DC-10 10lbs. desiccant charge
130508	TUK10 tune-up kit for TS-10 (10lbs. desiccant charge, humidity indicator, coalescing filter)

DEVILBISS®

DAD-600-1

DAD-500™ DESICCANT TUNE-UP KIT

A Well-Maintained DAD-500 Helps Eliminate Paint Defects

Desiccant Tune-up Kit

Order No.	Model No.	Description
802182	DAD-600-1	Desiccant refill, 1st and 2nd stage filter elements
130030	DAD-600	Desiccant refill, 1st stage filter element
190831	DAD-1	Desiccant refill

Includes:

- Desiccant refill (DAD-1)
- Filter element kit (HAF-6)
- Coalescing filter element (HAF-28)



CAMAIR®

by DeVilbiss

CT DESICCANT CARTRIDGE DRYER

Order No.
130504



Gravity Spray Gun Cup Lids

190944 **Disposable Lid Kit**
GFC-404-K2 for 702576 and
GFC-502 gravity
cups (Kit of 2)

190225 **Lid Assembly Kit**
GFC-402 for GFC-501
gravity cup



GFC-404-K2

GFC-402



A Properly Piped Shop is of Prime Importance for a Premium Finish.

On the surface it may not seem like a significant factor in turning out a quality paint job, but the plumbing of your shop's air lines is very important. Correct installation is necessary for optimum performance of your equipment.

Correct air line piping is so important because it can reduce contaminants in your air supply by up to 75 percent. Reducing contaminants to the filter also reduces the frequency of filter replacement, maintenance, and most importantly, reduces the risk of contaminants in your paint job.


The following chart and diagram will help you reduce pressure drop in your air lines and help reduce contamination in your paint job.

Minimum Pipe Size Recommendations for Header or Main Air Lines

Compressor Size (HP)	Compressor Capacity (CFM)	Main Air Line	Min. Pipe Diameter
5-10	15-40	Up to 200 ft. Up to 1000 ft.	1 in. 1¼ in.
15-20	45-80	Up to 200 ft. Up to 1000 ft.	1¼ in. 1½ in.
25-30	75-120	Up to 200 ft. Up to 1000 ft.	1½ in. 2 in.

Minimum Pipe Size Recommendations for Drop Legs

Highest CFM Tool being used on this Drop Leg	Drop Leg	Min. Pipe Diameter
Up to 20 CFM	Up to 50 ft.	½ in.
Over 20 CFM	Over 50 ft.	¾ in.



Guidelines to Piping Your Shop

- Always use flex hose from compressor to piping
- Allow 20' minimum between compressor and refrigerant dryer
- Run header pipe in a full loop
- Eliminate unnecessary tees and elbows
- Take drops from the top of the header pipe
- Drops should be as close as possible to the point of application
- Slope the piping to accessible drain points



DEVILBISS

TEKNA

CAMAIR
by DeVilbiss

FINISHLINE 
by DeVilbiss

STARTINGLINE 
by DeVilbiss

email: askus@devilbissar.com
Customer Service: 800.445.3988
www.autorefinishdevilbiss.com

©2015 DeVilbiss Automotive Refinishing
All rights reserved
Form No. A-3011-A Litho in U.S.A. 09/15