



PERFORMANCE DRIVEN PRODUCTS

Repair | Refinish | Protect



dominionsureseal.com • 1-800-265-0790



DOMINION SURE SEAL GROUP OF COMPANIES

Dominion Sure Seal Limited
was established in Toronto, Canada in 1972.

The founder of Dominion Sure Seal Limited,
Ronald B. Morton served on the
Automotive Advisory Committee to the
Canadian Government. He was a past
Chairman of I-Car International,
Chicago, IL, USA and past Chairman of
the Automotive Association of Canada's
International Committee.



FOUNDER
RONALD B. MORTON
1940-2011

PRODUCTS:

Dominion Sure Seal Limited manufactures and distributes a comprehensive range of automotive sealants, anti-corrosion materials, adhesives, tapes, coatings, body and trim tools, auto glass items, specialty chemicals, aerosols and plastic repair products for the entire automotive industry. Dominion Sure Seal is considered the leader in sprayable coatings and truck bedliners.

PROFESSIONAL USES:

The products are also marketed through a global system of distributors to the professional auto repair industry. Retail Trade: In 1985 Dominion Sure Seal Limited entered the retail automotive market and its products can now be found in many of the major retail automotive chains around the globe.

PRIVATE BRANDING:

Dominion also "private brands" many of its products to over 56 companies.



Founded in 1973, Rust Check is the largest dealer network of rust proofing companies in Canada with over 260 dealers in Canada. Rust Check also manufactures a complete line of retail products including; rust preventatives, coatings, paints and lubricants.

Please visit www.dominionsureseal.com



CLEANING AND PREPARATION

Shop and Surface	2-4	Tools and Spray Guns	3-5, 26
------------------------	-----	----------------------------	---------

REPAIR

Glass Repair	6	Weld Thru and 2K Primers	15
Fillers	7	Aerosol Primers	16
Plastic Repair.....	8-13		
Attachment Tapes.....	10		
Panel Bonding.....	12		
Seam Sealers	13, 14		

REFINISH

Clear Coats.....	18-19
Reducers and Hardeners.....	18
Trim Black and Instant Clear	19
Refinishing Tools.....	26

PROTECT

Crystal Clear 2K Chip Guard.....	18
Gravel Guard.....	20
Undercoating	21
Anti-Corrosion	22-24, 27
Bedliners	24, 25
Rust Check	27

TOOLS

Glass Repair Tools.....	6	Rust Proofing Tools	22, 23, 25
Plastic Repair Tools.....	10, 25	Dispenser Guns and Bedliner Tools	25
Seam Sealer Tools	25, 14	Refinishing Tools.....	26
Panel Bonding Tools.....	25		
Gravel Guard and Undercoating Tools.....	20, 21, 25		

PAINT-OFF! HAND CLEANER

Waterless hand cleaner formulated with natural ingredients and pumice scrubbers to gently remove products from your skin.

- Works well on urethanes, paint, grease and epoxies.
- Contains Lanolin, glycerin and aloe vera to prevent skin from drying.

Stock	Code	Size	Qty.
CUSO	11019	500 mL / 16.9 fl oz	12
CUSOB	11020	2.5 L / 0.66 gal/2.64 qt	8
TCUSOB	11018	Pump-included with CUSOB	



RE-USABLE PAINT SUIT

Ideal for protecting clothes and bare skin from paint, chemicals and dirty environments. A comfortable fit with full range of movements.

- Lightweight and durable. Breathable and cool.
- Full zipper front and pull over hood.
- Washable

Stock	Code	Size	Qty.
PSUITM	8902	Medium	12
PSUITLG	8901	Large	12
PSUITXL	8900	Extra Large	12
PSUITXXL	8903	Extra Extra Large	12



SURE SPRAYER PUMP BOTTLE

Used for oxide removal, cleaning tire rims, inside car cleaning, glass cleaning and cleaning car bodies. Designed for use with wax and grease remover type products.

- Highly resistant to corrosive products, silicones and oils.
- Applies both stream and spray
- Completely enclosed to protect mechanisms from dirt and dust.
- Large capacity canister and opening for easy filling.
- Comes with extra Viton seals.



Stock	Code	Size	Qty.
PS900	8450	1-1.3 L/0.26-0.34 gal	11
PS900SK	8451	Spare Parts Kit	1

TACK CLOTHS

Stock	Code	Size	Qty.
TAC	00129	50 per Bag	1



SURE WIPE

Sure Wipe is a fast-evaporating solvent cleaner used to remove wax, grease, tar and silicones from OEM enamels or lacquer surfaces.

- Fast dry.
- Great on bare metals to remove oil & contaminants prior to body work.
- Also be used as a final wipe prior to paint & topcoats.
- General cleaner for bug and tar remover on car finishes.

Stock	Code	Size	Qty.
UUSW	6004	3.78 L/1 gal	4
UUSW5	6005	18.9 L/5 gal	1



LOW VOC WAX & GREASE REMOVER

A unique formulation of water based VOC compliant solvents and detergents designed to cut through surface contaminants prior to sanding or applying automotive paint or primer.

- VOC compliant – less than 25 grams/Litre
- Safely removes wax, silicones and sanding residue.
- Safe on most surfaces and leaves no residue.
- Spray with PS900.

Stock	Code	Size	Qty.
LVAPCQ	8009	946 mL/1 qt U.S	12
LVAPC	8010	3.78 L/1 gal	4
LVAPC5	8012	18.9 L/5 gal	1



FINAL WASH

A mild solvent cleaner used for removing sanding dust and compound residue from primed or painted metal surfaces.

- Cleans bare metal, existing finishes and primed surfaces.
- Not as strong as Sure Solv.
- Not recommended for use on plastics, fiberglass or fresh painted/primed surfaces.

Stock	Code	Size	Qty.
UFW5	10075	18.9 L/5 gal	1
UFW1	10071	3.78 L/1 gal	4
UFWQ	10079	946 mL/32 fl oz	12



EZ WIPE MILD PAINT PREP SOLVENT

EZ Wipe is a mild solvent cleaner formulated to remove sanding dust and compound residue from primed or painted metal surfaces prior to painting.

Stock	Code	Size	Qty.
BEZW	10054	3.78 L/1 gal	4
BEZW5	10064	18.9 L/5 gal	1



SURE SOLV

Removes sealants, adhesives, waxes and most other contaminants from painted and non-painted surfaces. Ideal for cleaning up uncured urethanes with no mess.

Stock	Code	Size	Qty.
SUS	10050	454 g/16 oz	12
BSS	10058	1 L/33.8 fl oz	12
BSS1	10056	4 L/1.06 gal	4
BSS5	10057	20 L/5.28 gal	1



PROFESSIONAL LABEL & STICKER REMOVER

Removes labels and stickers from bumpers, glass and painted surfaces safely and effectively.



Stock	Code	Size	Qty.
SLSR	240600	170 g	12

PANEL PREP

A high quality, VOC compliant surface cleaner. Panel Prep has a unique foaming action that lifts contaminants off the surface, making them easier to remove. Hangs well on vertical surfaces.

- Easy to use: spray on and wipe off.
- Removes wax, grease, dirt and oils.
- Silicone free.
- Works well on plastic, metal and painted surfaces.

Stock	Code	Size	Qty.
SPPV	24048	510 g/18 oz	12



GLASS CLEANER

Ammonia fortified, fast acting glass cleaner offers a medium foaming spray that will leave all surfaces clean, streak free and clear of all contaminants.

- Easy to use; spray on and wipe off.
- Streak free.
- Unique anti-fog formula.
- Compatible with quality tint systems.
- Excellent cleaner for glass installation.



Stock	Code	Colour	Size	Qty.
SKS	240440	Clear	500 g/17.64 oz	12

BUMPER STRIPPER

A unique formulation that strips all refinish materials off most bumpers and will not swell or attack urethanes.

- Will remove all refinish material but not OEM factory-baked finish.
- Test a small area before applying to entire bumper.

Stock	Code	Colour	Size	Qty.
SBS	24019	Clear	482 g/17 oz	12



SURE STRIP HIGH STRENGTH PAINT & COATING STRIPPER

A fast acting paint stripper designed to remove all types of paint finish (including OEM) from metal substrates. Will remove acrylics, epoxies, enamels, lacquers, polyurethanes and most other automotive finishes.

- Fast Acting.
- Works on most paint types.
- Also comes in convenient aerosol (SPS2) for "spot jobs".
- Easy to use.



Stock	Code	Description	Size	Qty.
SPS2	24018	Aerosol	425 g/15 oz	12
BPSQ	11007	Bulk	946 mL/32 fl oz	6
BPS	11003	Bulk	3.78 L/1 gal	4



SPRAY GUN PAINT REMOVER

Quickly dissolves paint and cleans fluid passages to keep paint guns running smoothly and ready for the next job.

- Powerful pinpoint spray quickly dislodges and dissolves paint.
- Saves time, labour and material.
- Works with all gravity feed and PPS style guns.



Stock	Code	Size	Qty.
SSGC	10065	425g / 15 oz	12

PREMIUM GUN WASH

Solvent based gun wash for gun cleaning systems. Not for sale in California.

Stock	Code	Qty.
UGW5	10070	1



AQUA SOLV CLEANING SOLUTION

Aqua Solv is a unique low VOC water based cleaning solution for use in waterborne gun cleaning systems.

Stock	Code	Size	Qty.
TB101AS	00050	20 L pail	1



SURE MASK

Easy to apply, sprayable paint masking system that dramatically reduces overspray experienced with traditional masking techniques. Reduces the time required to sufficiently mask a vehicle prior to painting, along with post painting removal of the masking products, saving up to 30 minutes of labour each paint job.

- Easy to use.
- Safe and economical.
- Reduces time.
- No odor.
- Biodegradable.



Stock	Code	Size	Qty.
BSM	124000	3.78 L/1 gal	4
BSM20	124100	18.9 L/5 gal	1
BSM15	124150	56.8 L/15 gal	1
BSM205	124200	205 L/54.2 gal	1

HEAVY DUTY ALL PURPOSE SILICONE SPRAY

Ideal for use on plastic, metal and rubber parts. It will not only lubricate, but also maintain, protect and insulate.

- Ozone friendly. Anti-Static.
- Will not stain.
- Maintains rubber parts such as door and hood sealings, bumper strips, rubber baffles, radiator tubes etc.

Stock	Code	Size	Qty.
SSL	24052	320 g/11.3 oz	12



LIQUID MASK

A water-based clear liquid masking solution that is very effective in preventing paint overspray on parts and booth walls. Dries to a firm coating that will not adhere to skin or clothing.

- VOC compliant – less than 25 grams/litre
- Clear and water based
- Dissolves easily when coated with water.

Stock	Code	Size	Qty.
BLM	124400	4 L/1.06 gal	4
BLM20	124402	18.9 L/5 gal	1
BLM15	124404	56.8 L/15 gal	1
BLM205	124406	205 L/54.2 gal	1





DOMINION SURE SEAL SPRAY GUN PAINT REMOVER

**Quickly dissolves paint.
Pinpoint spray.**

Dominion Sure Seal Spray Gun Paint Remover will keep paint guns running smoothly, saving time, labor and material.

Spray Gun Paint Remover is an easy to use economical product for removing paint from spray guns after painting.



**Code: 10065 / Stock: SSGC
425 g / 15 oz aerosol**



**DOMINION SURE SEAL LTD.
1-800-265-0790 • www.dominionsureseal.com**

FAST CURE URETHANE AUTO GLASS ADHESIVE/SEALANT

Fast setting with an average drive away time of 2 hours, this autoglass urethane provides excellent strength and adhesion to glass and metal.

- Primerless urethane.
- Passes U.S. MVSS 212 and 216 drive away tests.
- Can also be used as a high strength adhesive for re-applying moldings and ground effects.

Stock	Code	Colour	Size	Qty.
CUSF	3010	Black	310 mL/10.5 fl oz	12



URETHANE AUTO GLASS ADHESIVE/SEALANT

An average 6 hr setting autoglass urethane provides excellent strength and adhesion to glass and metal.

- Passes U.S. MVSS 212 and 216 drive away tests.
- Can also be used as a high strength adhesive for re-applying moldings and ground effects.

Stock	Code	Colour	Size	Qty.
CUS	9006	Black	310 mL/10.5 fl oz	12



LIQUI-BUTYL WINDOW INSTALLER

General purpose sealant for butyl type window installations.

Stock	Code	Colour	Size	Qty.
CLW	9009	Clear	300 mL/10.1 oz	12



GLASS CLEANER

Ammonia fortified, fast acting glass cleaner offers a medium foaming spray that will leave all surfaces clean, streak free and clear of all contaminants.

- Easy to use; spray on and wipe off.
- Streak free.
- Unique anti-fog formula.
- Compatible with quality tint systems.
- Excellent cleaner for glass installation.

Stock	Code	Colour	Size	Qty.
SKS	240440	Clear	500 g/17.64 oz	12



REVEAL MOLDING REMOVAL TOOLS

Removes all conventional glass moldings from windshield

Stock	Code	Qty.
TMLR	00080	1



PUTTY STICK

Inserts and removes rubber gaskets. Tools and feathers sealants.

Stock	Code	Qty.
TWP	00118	1



GOLD PLATED WINDSHIELD WIRE

Gold plated windshield wire. Features a serrated edge for fast cutting.

Stock	Code	Qty.
TWWG	21900	1



PRO SERIES

PRO SERIES LITE WEIGHT GRIP FILLER

A creamy body filler, with a smooth texture that is easily spreadable and sands to a fine featheredge.

- Non-sag and tack free.
- Perfect for vertical surfaces, filling dents, dings, scratches and small holes up to 1/4".
- Can be used on metal (galvanized and zinc coated), aluminum, fiberglass, wood, 2k primers and SMC (cosmetic repairs only).

Stock	Code	Size	Qty.
PS007	00733	Off-White 3 L/3.17 qt	4



PRO SERIES FINISHING GLAZE

A two part polyester fine finishing and blending putty. To be applied in very thin layers as a top coat glaze in order to fill pin holes, minor irregularities, small paint damage or fine scratches. Helps prevent bleed through under paint systems.

- Adheres to iron, steel, aluminum, galvanized substrates, SMC & fiberglass.
- Easy to use with quick sanding times.
- Applied by spreader or brush.
- No shrinking of the topcoat.

Stock	Code	Size	Qty.
PS088	2088	Light Green 500 mL/16.9 fl oz	12



EUROPEAN 2K POLYESTER FINISHING PUTTY

Easy sanding and tack free, this two-component finishing putty fills minor imperfections on body filler, steel, aluminum, galvanized metals and SMC.

- Adheres to steel, aluminum, galvanized substrates and iron.
- Glass fibre reinforced materials.
- Easily sandable.
- High filling properties with high elasticity.
- Bright white pigmentation.
- No sinking of the topcoat.

Stock	Code	Colour	Size	Qty.
XEP25	4602	White	2 kg	6



SURE GLAZING & SPOT PUTTY

A finishing putty used to smooth minor defects and imperfections on body filler or steel, aluminum, galvanized metals, SMC and many plastics.

- Fast Drying.
- Spreads and sands easily with great feathering characteristics with high elasticity.
- Great for pinholes on painted surfaces.

Stock	Code	Colour	Size	Qty.
XSP1	440205	Red	290 mL/9.8 fl oz	12



KEVLAR REINFORCED REPAIR COMPOUND

A two-part, simple to use, high strength material designed for heavy duty repair on rigid plastics such as SMC, BMC, ABS, polycarbonates, fiberglass and all other fiber reinforced plastics.

- Designed for structural repairs.
- One to one mixing ratio.
- Easy to sand, and sandable in 2 hours.
- No pin holes.
- Compatible with all topcoats.
- Great working time for building reinforcement patches.
- VOC free.

Stock	Code	Size	Qty.
XRFHSQ	4099	1 L/3.18 lbs	3





WE HAVE THE PRODUCTS FOR YOUR ALUMINUM REPAIRS

**CLEANERS - PRIMERS
SEAM SEALERS - ADHESIVES
PROTECTIVE COATINGS - UNDERCOATINGS**



www.dominionsureseal.com 1-800-265-0790

ADHESION PROMOTER

A uniquely formulated blend of proprietary resins that create adhesion on "tough to bond" plastics allowing adhesion of repair fillers and coatings.

- Also used as an excellent wet on wet "sealer" for all flexible and semi-rigid pastics, including TPO and TPE.
- Aerosol has a comfort button tip for a wide spray pattern.



Stock	Code	Description	Size	Qty.
SXPP24	420701	Aerosol: Clear	480 g/16.9 oz	12
XPPPQ	400100	Clear	1 L/33.8 fl oz	6
XPPP1	400101	Clear	3.78 L/1 gal	4
XPPP5	400105	Clear	20 L/5 gal	1

VOC COMPLIANT

XPPP-VQ	400200	VOC: Clear	1 US Quart
XPPP-V1	400201	VOC: Clear	1 Gallon

FIBRE REINFORCEMENT TAPE

A self adhesive fibre reinforced tape generally used on the backside of plastic repairs.

- Adds necessary strength to the repair area.
- Allows filler to penetrate through the tape for added strength.



Stock	Code	Colour	Size	Qty.
XWT	40900	White	20 m/65.62 ft	12

BUMPER REPAIR KIT

For repairing gouges, tears, holes and scratches on bumpers and general plastic parts on all types of cars & boats.

- Bonds to most plastics, glass, wood and metal.
- Sands easily.

Stock	Code	Size	Qty.
XPSKR	50005	0.36 kg	12



SURE SEAL PLASTIC SURGERY



FLEXIBLE

A two component flexible modified epoxy designed for the repair of flexible plastics. Works on the more common (TPUR, PUR, Rim) types of plastics as well as (PP, TPO, TPE).

Stock	Code	Size	Qty.
XPST	4008	440 g/15.5 oz	12
XPSTC	400801	908 g/2 lbs	12

RIGID

A two component rigid modified epoxy designed for the repair of rigid plastics including (SMC, BC & RTM). Ideal for use on fiberglass parts where extra strength is needed.

Stock	Code	Size	Qty.
XRF	4006	440 g/15.5 oz	12
XRFC	40132	908 g/2 lbs	12

SEMI-RIGID/ALL PURPOSE

A two-component semi-rigid modified epoxy designed as an 'All Purpose' plastic repair material. XPSAP is the best sanding plastic filler available.

Stock	Code	Size	Qty.
XPSAP	4013	440 g/15.5 oz	12
XPSAPC	401301	908 g/2 lbs	12

GENERAL PURPOSE REPAIR EPOXY

A two-part, VOC free epoxy designed for rigid material such as plastics and metals. Formulated to stick to all rigid type plastics such as SMC, ABS, Poly-carbonate and other rigid substrates.

Stock	Code	Colour	Size	Qty.
XE89	4019	Grey	440 g/ 15.5 oz	12

PANEL PREP

A high quality, VOC compliant surface cleaner. Panel Prep has a unique foaming action that lifts contaminants off the surface, making them easier to remove. Hangs well on vertical surfaces.

- Easy to use; spray on and wipe off.
- Removes wax, grease, dirt and oils.
- Silicone free.
- Works well on plastic, metal and painted surfaces.



Stock	Code	Colour	Size	Qty.
SPPV	24048	Clear	510 g/18 oz	12

PLASTIC ADHESIVE WELD KIT

High performance grade cyanoacrylate adhesive with pump spray accelerator. Designed to provide a near instant and maximum bond strength to various tears in plastics, elastomers and metals while performing the permanent repair with DSS plastic fillers.

- High temperature resistance and impact strength.
- Will not crack or craze.
- Capable of penetrating between parts.
- Full cure in 10-30 seconds.
- For best results clean both sides of the repair with SPPV.



Stock	Code	Size	Qty.
XPSA1	402520	59.2 mL-2 fl oz US/19 mL-0.64 fl oz US	12



SUREMIX ALL PURPOSE URETHANE REPAIR ADHESIVE/SEALANT

Designed for fast repairs, bonding and reinforcements on all plastics. Great for use on plastic backer panels, cracked headlight buckets and grill repair. Can be used to set screws when stripped.

- Unique formulation – compatible with all 'tough to bond' plastics.
- Also bonds to metal, wood, SMC & fiberglass, glass and more.
- 1-2 minute work time.
- Sand and paintable in 8 minutes.
- Full cure in 1 hour.
- Use with XSMAPG and XSMAPT



Stock	Code	Size	Qty.
XSMAP	440199	50 mL/1.7 fl oz	12

APPLICATOR GUN FOR 50 mL SUREMIX CARTRIDGE

Heavy duty all metal gun for use with 50ml Suremix products XSMAP.



Stock	Code	Qty.
XSMAPG	201B	1

CONVERSION ADAPTER FOR 50 mL SUREMIX CARTRIDGE

Easily fits into a standard 2-part caulking gun to allow for use with 50ml cartridge.



Stock	Code	Qty.
XSMAPT	440202	1

TOTAL TRIM ADHESIVE

A unique acrylic blend adhesive for general interior and other trim applications. The mist spray pattern provides 100% substrate covering without attacking or staining materials.

- Strong adhesive, even in dramatic temperature changes, including high heat.
- Easy to use "mist" spray pattern.
- Does not stain substrate.
- Does not attack sensitive materials.
- Multi-purpose adhesive.



Stock	Code	Size	Qty.
STT	24059	320 g/11.29 oz	12

MIXERS FOR XSMAP

Stock	Code	Value	Qty.
XSMM50	440203	1/pack	1
XSMM5012	440981	12/pack	1
XSMM5050	440984	50/pack	1
XSMM50100	440983	100/pack	1



DOUBLE SIDED ACRYLIC FOAM ATTACHMENT TAPE

High performance double sided tape used for bonding lightweight trim and body moldings including nameplates and badges.

- For maximum adhesion to plastic use DSS adhesion promoter SXPP24.
- Repositionable then press for permanent hold.

Stock	Code	Size	Qty.
WTS1/2S	3066	1/2"/12 mm x 60'	12
WTS1S	3077	1"/12 mm x 60'	6
WTS3/4S	3078	3/4"/19 mm x 60'	6
WTS5/8S	3069	5/8"/16 mm x 60'	12
WTS7/8S	3072	7/8"/22 mm x 60'	6



DOUBLE SIDED PREMIUM ACRYLIC FOAM ATTACHMENT TAPE

Professional formula designed for the application of medium weight and larger body side moldings, door edges, interior trim panels, emblems and other accessories.

- 1/4 " and 7/8" widths are available in 15' and 60' lengths.
- For maximum adhesion to plastic use DSS adhesion promoter SXPP24.
- Repositionable then press for permanent hold.

Stock	Code	Size	Qty.
WTSR1/4S	306115	1/4"/6 mm x 60'	12
WFT1/2S	3092	1/2"/12 mm x 15'	12
WTSR1/2S	306000	1/2"/12 mm x 60'	10
WTSR7/8S	306100	7/8"/22 mm x 60'	7



SUPERIOR DOUBLE SIDED ACRYLIC FOAM ATTACHMENT TAPE

Our strongest double sided foam tape with an acrylic adhesive — suited for heavyweight trim components.

- Very high shear strength and cold temperature resistance.
- For maximum adhesion to plastic use DSS adhesion promoter SXPP24.
- Repositionable then press for permanent hold.

Stock	Code	Size	Qty.
WTSP1/2S	306110	1/2"/12 mm x 60'	12
WTSP7/8S	306120	7/8"/22 mm x 60'	6





SureMix

2 PART ADHESIVE REPAIR GUIDE

Panel Bonding Metal and Aluminum

*All times can be accelerated with heat
*Times shown are @ 72°F (21°C)

XSM11002
Fast

Description	Application	Work Time	Set Time
Small Panel Adhesive	Non structural bonding of smaller panels, patch panels and weld bonding as well as small door skins.	13-18 min	60-90 min

XSM5002
Medium

Medium Panel Adhesive	Non structural medium sized panel and weld bonding. Qtr panels, door panels, roof skins and other body panels. Can be accelerated with heat.	50-55 min	3.5 - 4 hrs
------------------------------	--	-----------	-------------

XSM7002
Slow

Large Panel Adhesive	Non structural large sized panel and weld bonding. Qtr panels, door panels, and other body panels. Also suitable for smaller repairs where you want more set time. Can be accelerated with heat.	85-90 min	4.5 - 5 hrs
-----------------------------	--	-----------	-------------

- Clean area with Sure Solv BSS, LVAPC or SPPV. Use CUSF or CUSS on intrusion beams and roof bows when bonding Door Skins and Roof Panels.

Panel Bonding SMC and Fiberglass

XSM11052
Fast

Description	Application	Work Time	Set Time
Small Panel Adhesive	Use for bonding small panels, backer panels, ground effects, headlight buckets, small spoilers. Any small SMC, Fiberglass or other rigid plastic panels that a short work time is needed.	13-18 min	60-90 min

XSM5052
Medium

Medium Panel Adhesive	Non structural medium sized panel bonding. Qtr panels, door panels, wind deflectors, cab extenders and other outer body panels.	50-55 min	3.5 - 4 hrs
------------------------------	---	-----------	-------------

XSM7052
Slow

Large Panel Adhesive	Bonding of all medium and large sized SMC and Fiberglass non structural panels. Can be used on all SMC and Fiberglass non structural small, medium and large sized panels where a 90 min work time is desired.	85-90 min	4.5 - 5 hrs
-----------------------------	--	-----------	-------------

- Use Sure Solv BSS, LVAPC or SPPV to clean the bond area. Use XRF 2 Part epoxy Adhesive filler as a skim coat over a panel slice. XWT tape may be used as reinforcement.

Plastic Repair

XSM15002
Super Fast

Description	Application	Work Time	Sand Time
Urethane Super Fast Adhesive Translucent	Bumper tab repair, bonding/repairing of body side moldings, ground effects, emblems, vents, sun visors. Repair of stripped threads. Use as a general fast set bonder on metal, plastic, SMC and Fiberglass.	40-60 sec	5-6 min

XSM6002
Fast

Urethane Fast Adhesive Black	Use to repair bumpers and to adhere all types of automotive plastics. Great for use for bumper repair, tabs, or bonding/repairing of body side molding, emblems, small patch panels, bonding on SMC/Fiberglass and more.	1-2 min	8-15 min
-------------------------------------	--	---------	----------

XSM2002
Medium

Urethane Medium Adhesive Black	Medium to large bumper repairs. Also used to bond/repair SMC and fiberglass applications. Works well for small door skins, spoilers, ground effects, headlight buckets and more.	5-10 min	45-60 min
---------------------------------------	--	----------	-----------

- Clean all plastics with SPPV prior to applying adhesive. Adhesion promoter SXPP24 or XPPPQ may be used to increase the bond and XPSA temporarily holding the tear during the repair. XWT may be used as a rear side reinforcement. Use XPSAP, XPST or XRF for front side perfect sanding and a feather finish.

Sealers *all of our seam sealers can be used DTM on Metal and Aluminum

XSM8002

Description	Application	Work Time	Paint Time
DTM Heavy Body Epoxy Seam Sealer	Cosmetic seams, sound deadening, body panel seams, truck bed seams, door skin seams, floor pan seams, ground effects, brushed seams, core support and anywhere a non-sag seam sealer is required.	5-10 min	30 min

XSM9002

DTM Epoxy Self-levelling Seam Sealer	Drip rails, trunks, roof seams and anywhere a self-levelling sealer that requires no additional tooling would be desired.	5-10 min	30 min
---	---	----------	--------

XSM16002

DTM Control Flow Epoxy Seam Sealer	Standing horizontal and sloped cosmetic seams, trunk seams, floor pans, door skins. Drip rails and core supports. Used anywhere a controllable self leveling seam sealer is needed.	5-10 min	30 min
---	---	----------	--------

- Clean area with SPPV Panel Prep prior to use.

Metal & Aluminum

*All Panel Bonding adhesives use **mixing tip XSMM218**

SMALL PANEL ADHESIVE METAL & ALUMINUM

Non structural bonding of smaller panels, patch panels, and bonding as well as small door skins.

- 13–18 minute work time.
- Unclamp in 60–90 min.

Stock	Code	Colour	Size	Qty.
XSM11002	11002	Grey	207 mL/7.0 fl oz	6



MEDIUM PANEL ADHESIVE METAL & ALUMINUM

Non structural, medium sized panel and weld bonding. Ideal for quarter panels, door panels, roof skins and other body panels.

- High strength.
- Bonds & seals simultaneously.
- Built in spacers to assist in obtaining the proper bond line thickness.
- Reduces conventional welding and related hazards.
- Can be accelerated with heat.
- 50–55 minute work time.
- Paintable in 1 hour.
- Unclamp in 3.5–4 hours.

Stock	Code	Colour	Size	Qty.
XSM5002	5002	Grey	207 mL/7.0 fl oz	6



LARGE PANEL ADHESIVE – METAL & ALUMINUM

Non structural, large sized panel and weld bonding. Ideal for use on quarter panels, door panels and other body panels. Also suitable for smaller repairs where a longer work time is desired.

- High strength.
- Bonds & seals simultaneously.
- Built in spacers to assist in obtaining the proper bond line thickness.
- Weld Thru when wet.
- Reduces conventional welding, and related hazards.
- Can be accelerated with heat.
- 85–90 minute work time.
- Paintable in 1 hour.
- Unclamp in 4.5–5 hours.

Stock	Code	Colour	Size	Qty.
XSM7002	7002	White	207 mL/7.0 fl oz	6



SMC & Fiberglass

*All Panel Bonding adhesives use **mixing tip XSMM218**

SMALL PANEL ADHESIVE SMC & FIBERGLASS

Use for bonding small panels, backer panels, headlight buckets, small spoilers. Any small SMC, fiberglass or other rigid plastic panels where a short work time is needed.

- 13–18 minute work time.
- Unclamp in 60–90 min.

Stock	Code	Colour	Size	Qty.
XSM11052	110052	Grey	207 mL/7.0 fl oz	6



MEDIUM PANEL ADHESIVE SMC & FIBERGLASS

Non structural, medium sized panel bonding. Ideal for quarter panels, door panels, wind deflectors, cab extenders and other outer body panel.

- High strength.
- Bonds & seals simultaneously.
- Built in spacers to assist in obtaining the proper bond line thickness.
- Can be accelerated with heat.
- 50–55 minute work time.
- Paintable in 1 hour.
- Unclamp in 3.5–4 hours.

Stock	Code	Colour	Size	Qty.
XSM5052	5052	Grey	207 mL/7.0 fl oz	6



LARGE PANEL ADHESIVE – SMC & FIBERGLASS

Bonding of all medium and large sized SMC and fiberglass non-structural panels. Can also be used on all sizes of non-structural panels where a 90 minute work time is desired.

- High strength.
- Bonds & seals simultaneously.
- Built in spacers to assist in obtaining the proper bond line thickness.
- Can be accelerated with heat.
- 85–90 minute work time.
- Paintable in 1 hour.
- Unclamp in 4.5–5 hours.

Stock	Code	Colour	Size	Qty.
XSM7052	7052	Tan	207 mL/7.0 fl oz	6



USE: DISPENSER GUN T221 FOR ALL 200 ML SUREMIX CARTRIDGES

MIXING TIPS

Stock	Description
XSMM2188	Bag of 8 XSMM218 18 element mixing tips
XSMM21825	Bag of 25 XSMM218 18 element mixing tips



Plastic Repair

*All plastic repair adhesives use **mixing tip XSM250U**

URETHANE MEDIUM ADHESIVE – PLASTICS, SMC & FIBERGLASS

Designed for bumper and plastic repairs. Ideal for reinforcement and repairs on all plastics including TPO, PP and other “olefin” plastics.

- Multi purpose – works on all flexible and semi rigid bumpers.
- Compatible with all automotive plastics.
- 100% solids/VOC free.
- 5–10 minute work time.
- 45–60 minute sand & paint time.
- Full cure strength in 3 hours.

Stock	Code	Colour	Size	Qty.
XSM2002	2002	Black	207 mL/7.0 fl oz	6



URETHANE FAST ADHESIVE – PLASTICS, SMC & FIBERGLASS

Use to repair bumpers and to adhere all types of automotive plastics. Great for use on bumper repair, tabs, or bonding/repairing body side molding, emblems, small patch panels and bonding to SMC and fiberglass.

- Great for use as reinforcement on plastics.
- Multi purpose – bonds, fills and repairs.
- Excellent bonding strength.
- Excellent featheredging characteristics with no pinholing.
- 1–2 minute work time.
- Sandable in 8–15 minutes.
- Full cure strength in 1 hour.

Stock	Code	Colour	Size	Qty.
XSM6002	60002	Black	207 mL/7.0 fl oz	6



URETHANE SUPER FAST ADHESIVE – PLASTICS, SMC & FIBERGLASS

Bumper tab repair, bonding/repairing of body side moldings, ground effects, emblems, vents, sun visors. Repair of stripped threads. Use as a general fast set bonder on metal, plastic, SMC and Fiberglass.

Stock	Code	Colour	Size	Qty.
XSM15002	15002	Black	207 mL/7.0 fl oz	6



2K Seam Sealer

DTM HEAVY BODY EPOXY SEAM SEALER

Used for cosmetic seams, sound deadening, body panel seams, truck bed seams, door skins, floor pan seams, core support and anywhere a non-sag seam sealer is required.

- Used for sealing of galvanized and cold rolled steel, also excellent on aluminum.
- Can be used on painted surfaces as well as DTM.
- Fast setting, fast curing and fast to paint.
- Permanently flexible.
- Compatible with urethane and epoxy topcoats.
- Excellent tooling characteristics.
- Use mixing tip **XSM200U**.

Stock	Code	Size	Qty.
XSM8002	8002	207 mL/7.0 fl oz	6



DTM SELF-LEVELING EPOXY SEAM SEALER

Ideal for use on drip rails, trunks, roof seams and anywhere a self-leveling sealer, that requires no additional tooling would be desired.

- Use on primed steel and aluminum.
- Blue Fast setting, fast curing and fast to paint.
- VOC free.
- Permanently flexible and durable.
- Compatible with urethane and epoxy topcoats.
- Use mixing tip XSM218.

Stock	Code	Size	Qty.
XSM9002	90002	207 mL/7.0 fl oz	6



DTM CONTROL FLOW EPOXY SEAM SEALER

Great for standing horizontal and sloped cosmetic seams, truck seams, floor pans, door skins, door rails and core supports. Can also be used anywhere a controllable self leveling seam sealer is desired.

- Excellent for both horizontal and sloped areas.
- Use on galvanized and cold rolled steel as well as aluminum.
- Fast setting, fast curing and fast to paint.
- Almost zero VOC.
- Permanently flexible and durable.
- Compatible with urethane and epoxy topcoats.
- Use mixing tip **XSM200U**.

Stock	Code	Size	Qty.
XSM16002	16002	207 mL/7.0 fl oz	6



MIXING TIPS

Stock	Code	
XSM250U	440211	Turbo Mixer Single
XSM250U5-25P	440215	Turbo Mixer 25 pack



SURE SEAL SEAM & JOINT SEALER

All purpose seam and joint sealer. Use for all sealing applications.

- High rubber content.
- Highly elastic with very little shrinkage.
- Low and high temperature flexibility.
- Fast drying and non sagging.
- Paintable in 30 minutes.



Stock	Code	Colour	Size	Qty.
CSB	9003	Black	300 mL/10.1 fl oz	12
CSC	9001	Clear	300 mL/10.1 fl oz	12
CSG	9004	Grey	300 mL/10.1 fl oz	12
CSW	9002	White	300 mL/10.1 fl oz	12
CSN	9005	Beige	300 mL/10.1 fl oz	12

EUROPEAN SOUND DEADENING PADS

Non-flammable and paintable, these sound deadener pads are ideal for vehicle doors, floors, roofs and trunks.

- Excellent adhesion to bare or primed metal, plastic, concrete, glass and wood.
- Flexible at low temperatures.
- Resistant to chemicals, oil, grease and radiation.
- OEM appearance and approved.



Stock	Code	Colour	Size	Qty.
BSDE	100901	Black	17-3/4" x 19-3/4"	10/box

BRUSH ON SEAM SEALER

A 100% rubberized seam and joint sealer for bare and primed metals. Excellent adhesion and is ideal for all "lap" and "flange" seams and joints.

- Grey in colour and holds a perfect brush mark.
- Paintable in 20 minutes.
- Heavy bodied sealer remains flexible.
- Will not "sag" or "sink".
- Minimal Shrinkage.



Stock	Code	Colour	Size	Qty.
PBGQ	500001	Grey	900 mL/30.4 fl oz	6

DELUXE CAULKING GUN

All standard 300ml cartridges may be used with this high thrust caulking gun. Thrust ratio 26:1

Stock	Code	Qty.
TCG	00072	1



SURETHANE – POLYURETHANE ADHESIVE/SEALANT

A one component, permanently flexible, polyurethane adhesive sealer. This high strength adhesive can replace rivets, welds and other fasteners particularly in the repair and construction of trailers, trucks, buses and other specialty vehicles.

- Excellent adhesion to painted and non-painted metals, aluminum, SMC, fiberglass and most plastics.
- Paintable, sandable and remains permanently flexible. Non-staining.



Stock	Code	Colour	Size	Qty.
CUSS	9020	Black	310 mL/10.5 fl oz	12



COPPER WELD-THRU PRIMER

Designed to eliminate the corrosion that forms between welded substrates. Copper enriched formula provides superior conductive properties that minimize the heat zone and reduces distortion and welding splatter.

- Exceptional for welding.
- Excellent adhesion to bare metal.
- Fast drying with superior corrosion protection.

Stock	Code	Size	Qty.
SCW	240800	410 g/14.46 oz	12



HI-BUILD ZINC WELD THRU PRIMER

A zinc rich coating specially formulated to prepare metal surfaces for welding.

- Fast dry (10–15 minutes).
- Excellent corrosion protection.
- Reduces "mig" weld splatter.
- Fast coverage.
- Paint gun style fan pattern.
- Excellent adhesion. Can be topcoated.

Stock	Code	Size	Qty.
SZC	24090	410 g/14.46 oz	12



LOW VOC ULTRA PRIMER

- Direct to metal.
- Multi-purpose primer.
- Roll or spray.
- Fast and easy sanding.



Stock	Code	Description	Size	Qty.
EUP105	2105	Grey	3.78 L/1 gal	4
EUP105Q	3105	Grey	946 mL/32 fl oz	12
EUP105K	21005	Ultra Primer Kit	4.73 L/1.25 gal	1

LOW VOC ULTRA PRIMER ACTIVATOR



Goes with EUP105/Q

For use with Ultra Primer (EUP105).



Stock	Code	Colour	Size	Qty.
EUA105	2100	Clear	946 mL/32 fl oz	12
EUA105HP	3100	Clear	236 mL/8 fl oz	12

2K URETHANE PRIMER/SURFACER

A high build extremely fast primer. Easy sanding with excellent hold out.

- Excellent humidity & salt spray resistance.
- Touch dry in 30 minutes.
- Full cure 1–3 hours.
- Excellent filling properties.



Stock	Code	Colour	Size	Qty.
HEPSG	72647	Grey	3.78 L/1 gal	4

2K URETHANE CATALYST

Catalyst for 2K Urethane Primer (HEPSG).

- Excellent filling properties.
- Fast dry.
- Non-shrinking.
- Excellent color holdout.

Stock	Code	Colour	Size	Qty.
HEPSC	72644	Clear	946 mL/32 fl oz	4



PRIMERS

3 IN 1 PRIMER

An excellent, high-build primer with great flexibility. This unique formulation is able to provide a coating thickness that is similar to a spray gun application.

- Sandable in 15 minutes.
- Paintable in 30 minutes.
- Great flexibility and film build.
- Great filling characteristics.
- Suitable for metal, aluminum and plastics.
- Large paint gun style fan pattern.



Stock	Code	Colour	Size	Qty.
SAPB	24025	Black	454 g/16 oz	12
SAPG	24023	Grey	454 g/16 oz	12
SAPW	24028	White	454 g/16 oz	12

SUPER ACID ETCH PRIMER

Used for priming bare metal surfaces, promoting adhesion of additional primers, sealers or topcoats. Great on sand through areas prior to painting, on bare metal panels or seams before sealant is applied.

- Fast drying and fast coverage.
- Prevents steel from rusting.
- Can be top coated in as little as 10 minutes.
- Can be painted directly over.



Stock	Code	Colour	Size	Qty.
SEPA	24010	Grey	425 g/15 oz	12

FLEX FILL MULTI-PURPOSE FILLER

A high build flexible primer specially designed to fill sanding scratches with great adhesion to most plastics. Sanding is easy and fast, without clogging the sand paper.

- Ready to spray.
- Fast drying.
- Great filling properties.
- Compatible with most automotive top coats.
- Hides minor surface defects and sand scratches.



Stock	Code	Colour	Size	Qty.
SFX	24002	Aerosol - Grey	425 g/15 oz	12

ONE STEP SELF-ETCH PRIMER

A convenient and easy to use "etching" primer that provides excellent adhesion for additional top coats, primers and sealers to metal surfaces. Compatible with all primer surfacers for spot repair and refinishing.

- Fast drying.
- Superior adhesion and corrosion protection.
- **Great filling characteristics.**
- Great for sand through areas prior to painting.
- Large paint gun style fan pattern.
- One to two medium wet coats covers 150 to 180 grit sand scratches marks.



Stock	Code	Colour	Size	Qty.
SEP	24008	Grey	425 g/15 oz	12
SEP1	24009	Black	425 g/15 oz	12

1K HIGH BUILD PRIMER/FILLER

Designed as a fast drying, easy sanding primer that can fill uneven surfaces, minor scratches, and sanding scratches prior to top coating.

- Paintable in as little as 30 minutes.
- Great filling characteristics.
- Large paint gun style fan pattern.
- DTM.



Stock	Code	Colour	Size	Qty.
SHBP	24016	Grey	454 g/16 oz	12
SHBPB	24020	Black	454 g/16 oz	12
SHBPW	24021	White	454 g/16 oz	12

SURE TEX FLEXIBLE TEXTURE MATERIAL

A flexible texturizing material designed to match most OEM bumper and vinyl dash pad textures.

- Easily applied direct from the aerosol can.
- Fast drying.
- Remains flexible.
- Compatible with all primers and topcoats.
- OEM appearance and texture.



Stock	Code	Size	Qty.
SST16	240201	350 g/12.3 oz	12

GUIDE COAT

An easily applied black coating that will act as a visual guide to help identify pinholes and other imperfections. Ideally used to provide a smooth surface when sanding grey, red or other contrasting primer colours.

- Fast Drying.
- Easily "misted" onto surfaces.
- Easy sanding to reveal any existing imperfections.
- Flat black colour.



Stock	Code	Size	Qty.
SGC	24001	340g/12 oz	12





REDUCE YOUR CYCLE TIME



3 IN 1 Primer

3 in 1 Primers are quick to dry and easy to sand, paintable in as little as 30 minutes. Apply direct to metal, aluminum, plastic, fiberglass and SMC.

SAPS I 24025 Black 454g I 16oz

SAPW I 24028 White 454g I 16 oz

SAPG I 24023 Grey 454g I 16 oz



dominionsureseal.com

1-800-265-0790

ULTRA CLEAR COAT 4:1

Utilizing the latest in low viscosity, high solid resin technology, this clear coat has excellent clarity and gloss. Works well in down draft baking applications.

- Complies with Canadian and California VOC requirements.



Stock	Code	Description	Size	Qty.
EU102	2120	Ultra Clear Coat 4:1	3.78 L/1 Gal	4
EA100F	2104	Fast Activator	946 mL/32 fl oz	12
EA100M	2102	Medium Activator	946 mL/32 fl oz	12
EA100S	2103	Slow Activator	946 mL/32 fl oz	12

EU102Q	3120	Ultra Clear Coat 4:1	946 mL/32 fl oz	12
EA100FHP	3104	Fast Activator	236 mL/8 fl oz.	12
EA100MHP	3012	Medium Activator	236 mL/8 fl oz.	12
EA100SHP	3103	Slow Activator	236 mL/8 fl oz.	12

EU102KF	21002F	4:1 Fast – KIT	4.7 L/1.25 gal	1
EU102KM	21002M	4:1 Medium – KIT	4.7 L/1.25 gal	1
EU102KS	21002S	4:1 Slow – KIT	4.7 L/1.25 gal	1

URETHANE GRADE REDUCER

NEW FORMULA

Low VOC urethane grade reducer/thinner.
New formula will not amber.



Stock	Code	Speed	Size	Qty.
UURF1LV	6007	Fast	3.78 L/1 gal	4
UURM1LV	6009	Medium	3.78 L/1 gal	4

CRYSTAL CLEAR 2K CHIP GUARD

A high solid, low VOC, Crystal Clear coating with excellent UV resistance that is designed to provide a resilient, durable, invisible barrier to repel stones and other road debris that could damage the finish of your vehicle's painted surface.

- Crystal Clear – Excellent UV resistance.
- Leaves no tape line like protective adhesive films.
- Extremely resilient and durable against chips.
- Permanently flexible.
- Apply to any area where chip resistance is needed.



Stock	Code	Colour	Size	Qty.
BCG4	101004	Clear	946 mL/32 fl oz (2 Part Kit)	6
BCG4G	101007	Clear	7.56L/2gal kit (2 part kit)	

WET LOOK – HARDENER CATALYST FOR ACRYLIC ENAMEL

A high solids formulation designed to produce an excellent high gloss finish.

- Will produce an advanced acrylic finish that will dry harder & faster.
- Excellent gloss retention.
- Superior chemical resistance.



Stock	Code	Colour	Size	Qty.
HEWL	72308	Clear	473 mL/16 fl oz	12

UNIVERSAL ACRYLIC URETHANE HARDENER MEDIUM

- For use with all acrylic urethane clearcoats.



Stock	Code	Colour	Size	Qty.
EUH130	1300	Clear	946 mL/32 fl oz	12



INSTANT CLEAR COAT

Used for finishing coated surfaces in order to achieve a high gloss, UV resistant and durable finish.

- Easy application.
- Gives 2K performance.
- Excellent build and compatible with water based coatings.
- Ideal for spot repairs in trunk, door jambs, under hood and other areas with minimal sun exposure.
- Large paint gun style fan pattern.

Stock	Code	Size	Qty.
SIC	24042	340 g/12 oz	12



LOW VOC 2:1 EUROPEAN CLEAR COAT

This 2:1 low VOC Clearcoat is formulated to produce a finish that will compare with any clear coat available on the market today. It provides exceptional flow, leveling characteristics, excellent gloss and is easy to buff.



FADEAWAY FADE OUT SPRAY

A fast, simple and accurate way to dissolve the edges of repairs using 2K coatings. The blended edge will melt into the original paint requiring little or no processing once the clearcoat has cured.

- Use for both MS and HS Clearcoats.
- 100% UV stable.
- Remains permanently flexible.
- Ultra chemical resistant.

Stock	Code	Colour	Size	Qty.
SFA	23999	Clear	357 g/12.6 oz	12



Stock	Code	Description	Size	Qty.
EU121	2121	Clear Coat 2:1	5 L/1.32 Gal	2
EUA121F	2124	Fast Activator	2.5 L/0.66 gal	2
EUA121M	2122	Medium Activator	2.5 L/0.66 Gal	2
EUA121S	2125	Slow Activator	2.5 L/0.66 Gal	2

EU121Q	3121	Clear Coat 2:1	946 mL/32 fl oz	12
EUA121FP	3124	Fast Activator	473 mL/16 fl oz	12
EUA121MP	3122	Medium Activator	473 mL/16 fl oz	12
EUA121SP	3125	Slow Activator	473 mL/16 fl oz	12

EU121KF	21021F	2:1 Fast – KIT	7.5 L/2 gal	1
EU121KM	21021M	2:1 Medium – KIT	7.5 L/2 gal	1
EU121KS	21021S	2:1 Slow – KIT	7.5 L/2 gal	1

TRIM BLACK SEMI GLOSS AND FLAT

Trim Black restores faded and peeling paint from exterior trim parts. Specially formulated to stick to properly cleaned metal, stainless steel, chrome and other plastic trim pieces.

- Convenient aerosol.
- Restores automotive trim pieces back to original black colour.
- Fast coverage.
- Self etching.
- Minimal surface prep.

Stock	Code	Colour	Size	Qty.
STW1	24003	Semi Gloss Black	425 g/15 oz	12
STW2	24007	Trim Black Flat	425 g/15 oz	12





GRAVEL GUARD

A fast drying, flexible and tough coating that protects rocker panels and ground effects from stone chips and other road debris. Can be over painted in approximately 30 minutes. Also provides sound deadening and corrosion resistance.

- Easy application by aerosol or schutz can.
- High build up and texture.
- Highest rubber content in the industry.
- Quick Drying.
- Paintable.

Texture: **Black = Coarse**
Silver = Medium
Beige = Fine
Clear = No Texture

Stock	Code	Colour	Size	Qty.
BVG1	103710	Black	830 mL/28.1 fl oz	12
BVG11	103720	Black	3.78 L/1 gal	4
SVG1	240081	Black-Aerosol	405 g/4.3 fl oz	12
SVG124US	240080	Black-Aerosol	503 g/17.7 fl oz	12
SVG124	240083	Black-Aerosol	550 g/19.4 fl oz	12

BVG3	1005	Beige	830 mL/28.1 fl oz	12
SVG3	24006	Beige-Aerosol	550g/19.4 fl oz	12
SVG3US	24032	Beige-Aerosol	405g/14.3 fl oz	12

BVG2	1039	Silver	830 mL/28.1 fl oz	12
SVG2	24005	Silver-Aerosol	405 g/14.3 oz	12

SVGC	240085	Clear	454 g/16 oz	12
------	--------	-------	-------------	----

CLEAR

A low VOC gravel guard designed to form a tough clear finish for the protection of rocker panels from scuffing, chipping and abrasion.

- Meets southern California requirements.
- High rubber content.
- Permanently flexible.
- Produces a fine wet look finish.
- Excellent build.

BEDLINER, UNDERCOATING AND GRAVEL GUARD GUN

The gun has a threaded collar which allows for direct attachment to standard US quart cans. This gun sprays a variety of products.



Stock	Code
BUPA	0003

ADJUSTABLE SCHÜTZ GUN

Adjustable nozzle to obtain different textures with undercoating, gravelguards and bedliners.

- Fits standard US cans



Stock	Code
BUPAE	0004

EMPTY SCHÜTZ CAN

Empty Schutz Can with lid for spraying applications.



Stock	Code	Size	Qty.
CCSHUTZ	00033	830 mL/28.1 fl oz	12



FAST DRY PAINTABLE BLACK RUBBERIZED UNDERCOATING

An easy to use rubberized undercoating that dries fast, is paintable and provides excellent abrasion protection, sound deadening and corrosion protection. **Not for sale in California.**

- Easy application.
- Fast drying with good build up and texture.
- Apply to vehicle chassis, wheel wells, inner panels and fenders.
- OEM appearance and texture.
- No odor when dry.



Stock	Code	Colour	Size	Qty.
BUF	1004	Black	830 mL/28.1 fl oz	12
BUF1	1089	Black	3.78 L/1 gal	4
BUF5	1025	Black	18.9 L/5 gal	1

BLACK ASPHALT UNDERCOATING

An asphaltic based undercoating that provides excellent abrasion resistance, sound deadening and corrosion protection for use on car chassis and wheel wells. Not paintable.

- Easy application with schutz gun or aerosol.
- Remains permanently tacky.
- Excellent protection against rust.
- OEM appearance and texture.
- No odor when dry.



Stock	Code	Colour	Size	Qty.
SUP20	24012	Black-Aerosol	510 g/18 oz	12
SUP	24013	Black-Aerosol	550 g/19.4 oz	12
BUP	1028	Black	830 mL/28.1 fl oz	12
BUP5	10275	Black	20 L	1

RUBBERIZED UNDERCOATING – AEROSOL

Fast Dry Paintable Black Rubberized and Low Voc Undercoatings

High rubber content, fast dry, paintable undercoating used for sound deadening, corrosion protection, and abrasion protection. California compliant.

- Easily applied by aerosol or schutz gun.
- Fast drying with the look OEM type texture.
- High rubber content (no asphalt).
- Paintable.
- Excellent build and non-sag properties.



Stock Code	Colour	Size	Qty.
SUF 240040	Black	405 g/14.29 oz	12
SUFV 240041	Black	503 g/17.75 oz	12

SUPER PROTECTOR – PAINTABLE RUBBERIZED UNDERCOAT

A hi-build rubberized coating that provides excellent abrasion and chip protection, sound deadening, and corrosion resistance to the vehicle underside, wheel wells, trunk, hood and inner panels. California compliant.

- Easy application.
- High build up and texture.
- Superior rubber content.
- No odor when dry.
- Quick Drying.



Stock	Code	Colour	Size	Qty.
SUR	240051	Black-Aerosol	550g/19.4 oz	12
BUR	1008	Black	830 mL/28.1 fl oz	12
BUR1	1033	Black	3.78 L/1 gal	4
BUR5	1030	Black	18.9 L/5 gal	1

BLACK ASPHALT UNDERCOATING – BRUSHABLE

A brushable heavy body undercoating that is asphaltic and non-paintable. Provides excellent abrasion resistance, sound deadening and corrosion protection.

- Easily applied directly from the can with a brush or airless equipment.
- Very high build up and texture.
- OEM appearance and texture.



Stock	Code	Colour	Size	Qty.
BUC1	1026	Black	1 kg/2.2 lbs	6
BUC4	1029	Black	4 kg/8.8 lbs	2



NO DRIP RUST PROOFING

Dripless oil based rust protection that should be applied annually.

- Easy to apply.
- Superior adhesion.
- Unique No-Drip formula.
- Incredible capillary action to reach inner cavities.
- Minimal overspray.
- Non-Offensive odour.



Stock	Code	Colour	Size	Qty.
ASS512SC4L	1023	Amber	4 L/1.06 gal	4
ASS512SCP	10131	Amber	20 L/5 gal	1
ASS512SCK	1010	Amber	60 L/16 gal	1
ASS512SCD	1011	Amber	205 L/54.2 gal	1

Stock	Code	Colour	Size	Qty.
ASS512SB4L	1024	Black	4 L/1.06 gal	4
ASS512SBP	10121	Black	20 L/5 gal	1
ASS512SBK	1015	Black	60 L/16 gal	1
ASS512SBD	1017	Black	205 L/54.2 gal	1

RUST OFF! RUST CONVERTER

Converts rust through a unique chemical process to an insoluble black coating. An excellent foundation for paint and body fillers. Also available in a gel (BROG).



- Unique rust converting formula.
- Easy to apply.
- Gets into 'tough-to-reach' rusted areas.
- Can be painted and primed over.

Stock	Code	Colour	Size	Qty.
BROQ	10044	Brown	1 L/33.8 fl oz	12
BR01	10043	Brown	3.78 L/1 gal	4
BR05	10042	Brown	18.9 L/5 gal	1

GELLED RUST REMOVER

Rust Remover is a unique gel designed to stop and convert rust in areas to be primed and refinished. Gel works especially well on vertical surfaces.

- Unique rust converting formula.
- Easy to apply.
- Gets into 'tough-to-reach' rusted areas.
- Can be painted and primed over.



Stock	Code	Size	Qty.
BROG	10045	473 mL/16 fl oz	12

ADJUSTABLE SCHUTZ GUN

Adjustable nozzle to obtain different textures with undercoating, gravelguards and bedliners.

- Fits standard US cans



Stock	Code
BUPAE	0004

DOM16 ULTIMATE RUST PREVENTATIVE COATING

Formulated to be applied directly over rusted metal, this rock hard coating isolates the surface from moisture and oxygen, effectively killing existing and preventing further rust. Ideal for auto-frame repairs.

- Scratch, chip and chemical resistant.
- Flexible.
- Seals out moisture.
- Paintable. Apply by brush or spray.



Stock	Code	Colour	Size	Qty.
DOM16CQ	10040	Clear	946 mL/32 fl oz	6

DOM16GP	10053	Grey	473 mL/16 fl oz	6
DOM16GQ	10052	Grey	946 mL/32 fl oz	6

DOM16P	10048	Black	473 mL/16 fl oz	6
DOM16Q	10049	Black	946 mL/32 fl oz	6

RUST DISSOLVER GEL

Quickly removes rust from iron, steel and other metals and alloys. Transforms surfaces to original like-new condition. This formula inhibits the return of rust and prepares surfaces for painting. Ideal for use on autos, bikes, tools, barbecues, chrome or plated surfaces.

- Non-dripping formulation.
- Restores rusty areas to original metal surfaces.
- Rinses off with water.
- Protects steel from further rust.



Stock	Code	Size	Qty.
BROH	10035	236 mL/8 fl oz	12



COMPLETE ANTI-CORROSION SPRAY EQUIPMENT

Deluxe Rustproofing Gun and Accessories.

- Complete kit includes 2 wands – flexible and rigid.
- Washer and gasket kit included.



Stock	Code	Qty.
ASSE	'0001	1

REPLACEMENT WAND FOR ASSE GUN

Flexible wand with 360° spray nozzle.

Stock	Code	Qty.
WAND1	1410	1

Flexible wand with 90° spray nozzle.

Stock	Code	Qty.
WAND3	1420	1

ANTI-CORROSION RUBBER BODY PLUGS

1/2" (13 mm) rubber plugs for sealing drilled holes for rustproofing.



Stock	Code	Size	Qty.
BUPP	1306	1/2"	100
BUPP1M	1307	1/2"	1000
BUPP5M	1308	1/2"	5000

1/2" UNIBIT FOR DRILLING HOLES FOR SEALER

High quality cobalt HSS stepped bit for drilling 1/2" holes.



Stock	Code	Size	Qty.
1058	10310	1/2" unibit	1

AMBER ANTI-CORROSION SEALER

An amber coloured, wax based, interior spray compound to inhibit rust.

- Never dries.
- Easy to use.
- No harsh odors.



Stock	Code	Colour	Size	Qty.
SACM	101004	Amber	350 g/12.35 fl oz	12



SHAKE & SHOOT BEDLINER

Easy to use urethane bedliner: simply pour part B into part A, shake and shoot! Also can be applied by roller or brush. Provides a tough, durable finish with excellent UV resistance.

- New improved finish with our new BUPASS gun.
- Provides superior resistance to abrasion and scraping damage.
- Tintable product is UV Resistant.
- Tint with urethane solvent base coat tints with no binders.



Stock	Code	Description	Size	Qty.
BSSBL	1216	Black - Full Bed Kit	4 L/1.06 Gal (KIT)	4
BSSBLT	1235	Tintable - Full Bed Kit	3.6 L/0.95 gal	4
BSSBL1S	1217	Black - Single Can Kit	828 mL/28 fl oz	1
BSSBLT1S	1219	Tintable - Single Can Kit	828 mL/28 fl oz	1

EZ LINER BEDLINER AND INDUSTRIAL STRENGTH COATING

Our easiest to apply bedliner, EZ Liner is a one part moisture cure urethane coating that remains flexible and offers the best anti-skid, adhesion and durability of any after-market bedliner.

- Apply with a brush, rolller or schutz gun (BUPA).
- Very low odour.
- The perfect product for professional use and retail distribution.
- 1 kit is enough for 1 average size truck bed.
- Also available in a convenient aerosol (SEZL).



Stock	Code	Colour	Size	Qty.
BEZLG	100105	Black	3.78 L/1 gal	3

EZ LINER BEDLINER AND INDUSTRIAL STRENGTH COATING

Convenient aerosol of our gallon kit (BEZLG) EZ Liner Bedliner. Suitable for trim work around the bed and touching up any tears, scratches and chips in liquid bedliners.

- Resists heavy impact, scratches, severe weather, rust and fading.
- Seals out moisture and corrosion.
- Remains permanently flexible.
- Ultra chemical resistant.



Stock	Code	Colour	Size	Qty.
SEZL	24040	Black	467 g/16.47 oz	12

GATOR GUARD LIQUID BEDLINER AND MULTI-PURPOSE COATING

A superior quality epoxy/urethane that is reinforced with Kevlar to provide the ultimate protection for truck beds. Withstands abrasion, gasoline, acids and has a very high tear strength. The industry's first.

- Excellent adhesion to bare or primed metal, plastic, concrete, glass and wood.
- Available in Black and White.
- High impact, abrasion and chemical resistance.
- Easily applied with BUPA gun or by brush or roller.
- Top Coats can be applied in 20 minutes
- Excellent sound deadening capacities.



Stock	Code	Colour	Size	Qty.
BGG2	100096	Black	1.7L/0.45 gal	3
BGG2W	100098	White	1.7L/0.45 gal (kit)	3

BGG21	100097	Black	6.8L/1.8 gal	1
BGG21W	100099	White	6.8L/1.8 gal	1

BGG25	1000100	Black	34L/9 gal	1
BGG25W	1000101	White	34L/9 gal	1

HIPPO LINER

A urethane based 2k coating that can be used on truck beds, trailers, hoppers, boats, off road vehicles, RV's and other surfaces.

- Excellent adhesion to bare or primed metal, plastic, concrete, glass and wood.
- High impact, chemical and abrasion resistance.
- Apply with a BUPA gun or roller.
- Excellent sound deadening capacities.



Stock	Code	Colour	Size	Qty.
BHBLCR	100500	Black-Canada	1.7 L/0.45 gal	3
BHBLUR	10001	Black-USA	1.7 L/0.45 gal	3

COLOR YOUR HIPPO TINTABLE BEDLINER & PROTECTIVE COATING

A tough, tintable, 2 part urethane coating used to protect Truck Beds (replaces drop-in plastic liners), Trailers, Boats, Off-Road Vehicles, RV's and almost anything that requires extreme durability.

- Apply with schutz style spray gun, brush, or roller.
- Add your own Single Stage urethane grade tint for any color!
- Aliphatic – resists fading.
- Excellent adhesion to metals, wood, fiberglass, concrete and most plastic.
- Seals surfaces against moisture and corrosion.



Stock	Code	Colour	Size	Qty.
BCYH	100600	Clear	1.7 L/0.45 gal (kit)	3



BEDLINER, UNDERCOATING AND GRAVEL GUARD GUN

The gun has a threaded collar which allows for direct attachment to standard US quart cans. This gun sprays a variety of products.



Stock	Code	Qty.
BUPA	0003	1

ADJUSTABLE SCHUTZ GUN

Adjustable nozzle to obtain different textures with undercoating, gravelguards and bedliners.



Stock	Code	Qty.
BUPAE	0004	1

SHAKE & SHOOT GUN

New + improved gun lays out our Shake & Shoot bedliner perfectly.



Stock	Code	Qty.
BUPASS	0005	1

NYLON CUP BRUSH

Designed to ensure proper adhesion of all bedliners this sanding cup creates an 80 – 120 grit surface scratch.

- Cuts sanding time up to 50%.
- Works with standard 5/8" thread buffer/polisher at 1000 to 1400 RPM.



Stock	Code	Qty.
TNBC	208	12

EMPTY SCHUTZ CAN

Empty Schutz Can with lid for spraying applications.



Stock	Code	Size	Qty.
CCSHUTZ	00033	830 mL/28.1 fl oz	12

APPLICATION ROLLER FOR BEDLINERS

Designed to be compatible for applications of our EZ Liner and Hippo Bed Liners.

- Perforated roller head and material creates the best non-slip surface texture of any roller.



Stock	Code	Qty.
TROLLER	00021	12

BEDLINER WIRE TRIM TAPE

Designed for use with our bedliner products. The embedded metal wire ensures a clean edge on truck rails.



Stock	Code	Size	Qty.
WBWT	3086	100 Ft.	1

DELUXE CAULKING GUN

All standard 300 mL cartridges may be used with this high thrust caulking gun. Thrust ratio 26:1



Stock	Code	Qty.
TCG	00072	1

ECONOMY CAULKING GUN

All standard cartridges may be used. One year guarantee.



Stock	Code	Qty.
TCG1	00073	1

DISPENSER GUN FOR 207 mL SURE MIX CARTRIDGE

Applicator gun for both 1:1 and 2:1 207 mL cartridges.



Stock	Code	Qty.
T221	221	1



REFINISHING TOOLS

PRO SERIES LVMP GUN

Professional Series Spray Gun adopts low volume middle pressure technology (LVMP). The optimized pressure inner cap can bring better economic value, painting with quicker speed and over 65% transferring efficiency. (Not available in U.S.A.)



Stock	Code	Size	Qty.
PS403	8403	1.3 mm Spray Tip	1
PS404	8404	1.4 mm Spray Tip	1
PS408	8408	1.8 mm Spray Tip	1
PS409	8409	2.0 mm Spray Tip	1

REPLACEMENT TIP FOR PRO SERIES LVMP GUN

Replacement tips for our PS403, PS404 and PS408 professional paint guns.

Stock	Code	Size	Qty.
T403	8611	1.3 mm tip	1
T404	8612	1.4 mm tip	1
T408	8613	1.8 mm tip	1

GRAVITY-FED MINI SPRAY GUN

High performing and efficient, this slender gun is ideal for blending, jams and spot repair. Superior flexibility in tight spaces.



Stock	Code	Size	Qty.
PS420	8420	1.0 mm Spray Tip	1
PS422	8422	1.2 mm Spray Tip	1

SPRAY GUN PAINT REMOVER

Quickly dissolves paint and cleans fluid passages to keep paint guns running smoothly and ready for the next job.

- Powerful pinpoint spray quickly dislodges and dissolves paint.
- Saves time, labour and material.
- Works with all gravity feed and PPS style guns.



Stock	Code	Size	Qty.
SSGC	10065	270 g/9.5 oz	12

PRO SERIES HVLP GUN

A low cost production capable HVLP gun that greatly increases your transfer efficiency and is USA compliant.



Stock	Code	Size	Qty.
PS413	8413	1.3 mm Spray Tip	1
PS414	8414	1.4 mm Spray Tip	1
PS418	8418	1.8 mm Spray Tip	1

PAINT GUN CUP

Replaceable paint cup designed for professional series spray guns.



Stock	Code	Qty.
PS400C	8400	1

PREMIUM GUN WASH

Solvent based gun wash for gun cleaning systems. **Not for sale in California.**



Stock	Code	Qty.
UGW5	10070	1

RE-USABLE PAINT SUIT


Ideal for protecting clothes and bare skin from paint, chemicals and dirty environments. A comfortable fit with full range of movements.

- Lightweight and durable. Breathable and cool.
- Full zipper front and pull over hood.
- Washable



Stock	Code	Size	Qty.
PSUITM	8902	Medium	12
PSUITLG	8901	Large	12
PSUITXL	8900	Extra Large	12
PSUITXXL	8903	Extra Extra Large	12





Rust Paint

Superior rust protection paint.

- Outstanding gloss retention.
- Durable finish.
- Fast dry.
- For clean or rusted metal.
- No primer required.



Stock	Code	Colour	Size	Qty.
DS21012	21012	John Deere Green	340 g/12 fl oz	6
DS21013	21013	Ford Blue	340 g/12 fl oz	6
DS21014	21014	International Red	340 g/12 fl oz	6
DS21015	21015	John Deere Yellow	340 g/12 fl oz	6
DS21016	21016	Old Cat Yellow	340 g/12 fl oz	6
DS21017	21017	New Cat Yellow	340 g/12 fl oz	6
DS21423	21423	White	340 g/12 fl oz	6
DS21425	21425	Black	340 g/12 fl oz	6
DS21426	21426	Flat Black	340 g/12 fl oz	6
DS21427	21427	Red	340 g/12 fl oz	6
DS21431	21431	Holland Yellow	340 g/12 fl oz	6
DS21432	21432	Green	340 g/12 fl oz	6
DS21434	21434	Aluminum	340 g/12 fl oz	6
DS21440	21440	Silver Grey	340 g/12 fl oz	6



ENVIRO RUST WASH

An easy to use water soluble solution for washing away rust. Simply soak the rusted item in the solution, scrubbing is usually not required.

Stock	Code	Size	Qty.
DS11004	11004	1 L/33.8 fl oz	6



Coat & Protect

Coat & Protect is a heavy-duty protectant and lubricant. It forms a gel-like coating that resists moisture and abrasion. Provides durable lubrication and protection against rusting and seizing even under adverse outdoor weather conditions.

- Protects new and old metals.
- Wear resistant corrosion protection.
- Heavy duty lubrication.
- Resists severe weather conditions.

Stock	Code	Size	Qty.
CP6010	6010	830 mL/28.1 fl oz	6
DS10025	10025	350 g/12.35 fl oz	6



Rust Inhibitor

A multi-purpose rust inhibitor and residual lubricant that penetrates the tightest seams, bonding to metal and displacing moisture — the number one cause of corrosion.

- Protects new and old metals.
- Deep penetrating and long lasting.
- Lubricates and prevents seizing.

Stock	Code	Description	Size	Qty.
DS1043	1043	Aerosol	180 g/6.35 oz	12
DS1054	1054	Aerosol	350 g/12.3 oz	6
RC5010	5010		830 mL	6
DS1044	1044		4 L/1.06 gal	4



RUST KILLER

Provides a primed surface and can be applied directly over rust.

- Protects new and old metals.
- Resists high temperatures and common chemicals.
- Touch up rust surface spots, autobody repairs, frame rails, etc.
- No sanding required.

Stock	Code	Size	Qty.
DS11001	11001	236 g/8 fl oz	6
DS11000	11000	350 g/12.35 fl oz	6



RUST CONVERTER

Quickly converts rusted surfaces from all metals to a paintable primer. Leaves a protective coating that inhibits further rust formation.

- Provides a primed surface and can be applied directly over rust.
- Resists high temperatures and common chemicals.
- Touch up rust surface spots, autobody repairs, frame rails etc.
- No sanding required.

Stock	Code	Size	Qty.
DS11005	11005	236 g/8 fl oz	12
DS11006	11006	283 g/10 fl oz	12





DOMINION SURE SEAL LTD.

INDEX

PREP & CLEANING

All Purpose Silicone Spray	4
Aqua Solv Cleaning Solution	4
Bumper Stripper	3
European Sound Deadening Pads.....	14
EZ Wipe Mild Paint Prep Solvent.....	2
Final Wash.....	2
Liquid Mask.....	4
Low VOC Wax & Grease Remover.....	2
Paint Off! Hand Cleaner.....	2
Paint Stripper.....	3
Paint Suit.....	2, 26
Panel Prep.....	3, 9
Premium Gun Wash.....	4, 26
Professional Label & Sticker Remover	3
Spray Gun Paint Remover	4, 5, 26
Sure Mask.....	4
Sure Solv.....	3
Sure Sprayer Pump Bottle	2
Sure Strip	3
Sure Wipe.....	2
Tack Cloths.....	2

GLASS REPAIR

Glass Cleaner	6
Glass Molding tool	6
Liqui-Butyl window Installer	6
Putty Stick.....	6
Urethane Auto Glass Adhesive/Sealant....	6
Windshield Wire.....	6

FILLERS AND PUTTY

European 2K Polyester Finishing Putty	7
Guide Coat.....	16
Kevlar Reinforced Repair Compound	7
Pro Series Finishing Glaze	7
Pro Series Lite Weight Grip Filler	7
Sure Glazing & Spot Putty	7
Sure Seal Plastic Surgery	9
Sure Tex Flexible Texture Material	16

PLASTIC REPAIR

Adhesion Promoter.....	9
Bumper Repair Kit.....	9
Fibre Reinforcement Tape.....	9
Flex Fill	16
General Purpose Repair Epoxy.....	9
Kevlar Reinforced Repair Compound	7
Panel Prep.....	3, 9
Plastic Adhesive Weld Kit	9
Sure Mix 207 mL Tools.....	12, 13, 25
Sure Mix 50 mL Tools.....	10
Sure Mix All Purpose Urethane Repair ...	10
Sure Mix Urethane Plastic Repair	13
Sure Seal Plastic Surgery	9

ATTACHMENT TAPE

Double Sided Foam Attachment Tapes ..	10
---------------------------------------	----

PANEL BONDING

Dispenser Gun.....	25
SMC & Fiberglass.....	12
Sure Mix Panel Bonding – Metal & Aluminum.....	12

SEAM SEALER

Brush On Seam Sealer	14
Seam Sealer Tools.....	14, 25
Sure Seal Seam & Joint Sealer	14
Surethane – Poly Adhesive/Sealant.....	14

PRIMERS

1K High Build Primer/Filler.....	16
2K Urethane Primer/Surfacer	15
3 in 1 Primer.....	16, 17
Copper Weld Thru Primer	15
Flex Fill	16
Guide Coat.....	16
Hi Build Zinc Weld Thru Primer	15
Low VOC Ultra Primer	15
One Step Self-Etch Primer.....	16
Super Acid Etch Primer.....	16
Sure Tex Flexible Texture Material	16

CLEAR COATS

Acrylic Urethane Hardener Medium	18
Crystal Clear 2k Chip Guard	18
Fadeaway Fade Out Spray	19
Instant Clear Coat.....	19
Low VOC European 2:1 Clear Coat.....	19
Tools and accessories	26, 2, 3, 4, 5
Trim Black	19
Ultra Clear Coat 4:1	18
Urethane Grade Reducer	18
Wet Look Hardener	18

GRAVEL GUARD

Clear, Black, Beige, Silver.....	20
Gravel Guard Tools and Accessories.....	20, 21, 25

UNDERCOATING

Asphaltic Undercoating.....	21
Rubberized Undercoating.....	21
Undercoating Tools.....	20, 25
DOM16 – Rust Preventative Coating.....	22
Gelled Rust Remover	22
No Drip – Black & Amber.....	22
Rust Check.....	27
Rust Off! Rust Converter	22
Rust Proofing Tools.....	22, 23

BEDLINERS

Bedliner Tools.....	25
EZ Liner.....	24
Gator Guard.....	24
Hippo Liner.....	24
Shake & Shoot.....	24

TOOLS

Anti-Corrosion.....	22, 23
Bedliner	25
Glass.....	6
Gravel Guard	20, 21, 25
Paint Gun Parts and Cleaners.....	26, 2
Panel Bonding	25
Plastic repair	10, 25
Pro Series HVLP Gun.....	26
Pro Series LVMP Gun.....	26
Seam Sealer.....	14, 25
Sure Mix.....	10, 12, 13, 25
Sure Sprayer Pump Bottle	2
Undercoating.....	20, 21, 25

RUST CHECK

Coat & Protect.....	27
Enviro Rust Wash	27
Rust Check.....	27
Rust Converter	27
Rust Inhibitor	27
Rust Killer.....	27

NOTES



ADHESIVES & TAPES
ANTI-CORROSION
BEDLINERS
PROTECTIVE COATINGS
CLEARs & PRIMERS
PANEL BONDING
PLASTIC REPAIR
SEALANTS

DOMINION SURE SEAL GROUP OF COMPANIES

6175 Danville Road, Mississauga, Ontario, Canada L5T 2H7

Tel: (905) 670-5411 • Fax: (905) 670-5174

U.S.A. 1-800-265-0790

www.dominionsureseal.com • www.rustcheck.com