

FALL 2020



FESTOOL®

Innovation. Unmatched.

Tools for the Toughest Demands



CERTIFIED
HEPA
DUST EXTRACTORS

OSHA Table 1
Silica dust control*

CT 48 E AC HEPA

The Remodeler's Dust Extractor

No more clogged filters – the AUTOCLEAN (AC) automatic main filter cleaning keeps the filter clean and provides a continuously high suction power. With its huge container capacity of 12.7 gal (48 l), the CT 48 AC provides maximum volume and a high degree of flexibility. Equipped with swiveling front casters and large rear wheels for optimum mobility. It also has a locking brake that provides stability on any surface as well as during transport. The flat filter fully integrated with the suction head ensures the full volume of the tank is utilized: This means that the gross and net container volumes are nearly identical. The extremely compact high-performance turbine provides the right suction power. A 137 CFM volume flow means that virtually nothing remains except clean air.

Strengths & Benefits

- OSHA Table 1 Silica dust control solution*
- HEPA Filtration
- AutoClean automatic filter cleaning function
- High volume capacity for big jobs with high dust volume.
- Tapered 36-32 mm hose ensures optimal airflow.
- 3-piece cleaning accessory kit
- Ready to work – included reducer allows for connection to all Festool products with both 36mm & 27mm ports.

*For the applications outlined as; iii, vii, viii, x, xi, xii (always check your local guidelines to ensure the proper equipment and PPE is being used for the given application)

CT 48 E AC HEPA



\$975.00
576761

Dust Extractor

CT 48 E AC HEPA

High-performance HEPA Filter; SELFCLEAN Filter Bag; Disposal bag; Smooth suction hose dia. 36/32 x 3.5 m AS with rotating connecting sleeves; Hose holder; SYS-Dock with T-LOC function; Cable holder; Hose reducer; 3-piece cleaning accessory set



\$50.00
497540

Disposable Dust Liners


Not suitable for CT standard version (without AC);
For extracting dust with the CT 48 with Autoclean function.
5 pieces



\$53.00
497539

SELCLEAN Filter Bag

Optimum usage of filter bag volume and constantly high suction power thanks to SELFCLEAN filter bag.
5 pieces



\$100.00
205412

Main Filter

HEPA main filter designed for use with AutoClean function;
Replacement High-Performance filter optimized for the CT 48; AutoClean. Filters 99.99% of particles down to 0.3 micron in size. Includes one filter.



\$175.00
204923

Suction hose

Antistatic; For remodeling and cleaning work; 36/32 x 3.5 m AS conical hose; Temperature resistant to 158 °F (+70°C); Smooth



\$30.00
768135

Reducing sleeve

Tool connection end; Reduction of dia. 36 to 27 mm; Can be attached by inserting into end of D36 or D32 hose. Allows to connect any D36 or D32 hose to a Festool tool with a 27 mm dust port.



\$27.00
500671

Reducing sleeve

For all power tools with D36 flange and cleaning accessories; For D 36/32 suction hose; Antistatic; Hose connector for electric tool or suction nozzle; For efficient, clean and systematic work with minimized dust exposure.

Limited Edition Systainer Installer's Set



SYS-ToolBox 2

SYSTAINER SYS TB-2 | 499550

SYS-StorageBox

SYS-StorageBox SYS-SB | 499901

SYSTAINER T-LOC SYS 1

SYSTAINER T-LOC SYS 1 TL B | 497563

SYS-MFT Systainer

SYSTAINER T-LOC SYS-MFT | 500076

Accessory

SYSTAINER T-LOC

576913 \$275.00

INSTL-SYS-B-Set

Including: SYS-ToolBox TB-2; SYSTAINER SYS-StorageBox; SYSTAINER SYS-MFT; SYSTAINER T-LOC TL B; Container Set 60x60x71/6; Container Set 60x120x71/4; Container Set 180x120x71/2; 2x quick clamp



AH-ES-ETS/ETSC Edge Sanding Guide

The Festool Edge Sanding Guide gives you the speed and reliable finish quality that you would otherwise only expect from stationary edge-sanding equipment. Easily and quickly attaches to the 5" Random Orbit Sander ETS 125 REQ and the Cordless Sander ETSC 125. Its intuitive and ergonomic design adapts to practically any kind of edge, angle, or curvature. Create finished results with consistency and in less time than hand sanding.

Compatible with the 5" Random Orbit Sanders and not included.



Corded Sander
ETS 125 REQ



Cordless Sander
ETSC 125

Edge Sanding Guide



\$99.00
205316

AH-ES-ETS/ETSC

For ETS 125 REQ, ETSC 125
For sanding filled, painted and solid wood edges in fixed angular positions without any tipping;
Including: Base LAS-H-ES, Base LAS-W-ES, Hex key

Edge Sanding Guide Accessories



\$25.00
205491

Base LAS-H-ES

Plastic all-round base attachment for wood or similar materials.



\$25.00
205492

Base LAS-W-ES

Base attachment with hook-and-loop lining for attaching a velour; Velour peel-away lining for sanding smooth or delicate workpieces; Including: GB-LAS-STF-ES velour peel-away lining.



\$25.00
205493

Velour Element GB-LAS-STF-ES/5

Velour peel-away lining for quick and simple replacement; Use a separate linings for different applications, e.g. oiled and painted surfaces. 5 pieces



STM 1800

Mobile Sawing Table

Limited Availability
at participating dealers

Ideal for cutting sheet goods and/or using as an assembly bench on construction sites, production shop, or the home workshop: designed to be operated by one person, saving both time and money during your fabrication and assembly process.

Strengths & Benefits

- Ideal for use on the go thanks to compact dimensions (when collapsed for transport), low weight, and robust chassis
- Intuitive design promotes easy setup and use
- Footprint is adjustable for working environment and material sizes
- Height adjustable from 27-9/16" to 35-7/16" / 2" increments (35-7/16" matches and compliments the MFT)
- Robust locking casters for stability and ease of mobility
- 71" x 71" support area with replaceable table supports

STM 1800




\$995.00
205183

Mobile saw table and work bench

STM 1800

Fitted wooden coverings; Four extension supports with wooden coverings.



FESTOOL®

Festool USA, LLC
400 N. Enterprise Blvd.
Lebanon, IN 46052

festoolusa.com



 Festool Products Fall 2020
5720 0144 EN

Festool is not responsible for typographical errors.
Printed in the USA