


Fuseal Fusion Fittings PPR

A



Coupling (S x S)

Size (inch)	Part No.	N (inch)
1 ½	527001	0.06
2	527002	0.06
3	527003	0.13
4	527004	0.13
6	527006	0.19




A



Sleeve Coupling (S x S)

4" & 6" Sleeve Couplings Require Metal Clamps

Size (inch)	Part No.	L (inch)
1 ½	527041	1.56
2	527042	1.81
3	527043	2.00
4	527044	2.00
6	527046	2.69




A




1/4 Bend (91.2°) - Long Sweep (S x S)

Size (inch)	Part No.	G (inch)
1 ½	526276	2.75
2	526277	3.25
3	526278	4.06
4	526279	4.94
6	526280F	11.00




A

1/4 Bend (91.2°) - Short Sweep (S x S)


Size (inch)	Part No.	G (inch)
1 1/2	526251	1.75
2	526252	2.31
3	526253	3.06
4	526254	3.88
6	526256	5.63

A

1/4 Bend (91.2°) - Street (S x SPG)


Size (inch)	Part No.	G (inch)	K (inch)
1 1/2	526451	1.75	3.11
2	526452	2.31	3.70
3	526453	3.06	4.75
4	526454	3.88	5.38
6	526456F	11.00	10.81

A

1/4 Bend (90°) - Vent (S x S)

Size (inch)	Part No.	G (inch)
1 1/2	526201	1.19
2	526202	1.50
3	526203	1.88

A



1/6 Bend (60°) (S x S)

Size (inch)	Part No.	J (inch)
1 ½	526601	1.00
2	526602	1.31
3	526603	1.69
4	526604	2.06


A



1/8 Bend (45°) (S x S)

Size (inch)	Part No.	J (inch)
1 ½	526501	1.13
2	526502	1.50
3	526503	1.75
4	526504	2.19
6	526506	3.37

A



1/8 Bend (45°) - Street (S x SPG)

Size (inch)	Part No.	J (inch)	K (inch)
1 ½	526401	1.13	2.44
2	526402	1.50	2.50
3	526403	1.75	3.25
4	526404	2.19	3.25
6	526406	3.38	4.75

A



1/12 Bend (30°) (S x S)

Size (inch)	Part No.	J (inch)
1 1/2	526951	0.75
2	526952	0.88
3	526953	1.25
4	526954	1.50

A



1/12 Bend (30°) - Street (S x SPG)

Size (inch)	Part No.	J (inch)	K (inch)
1 1/2	526461	0.75	1.88
2	526462	0.88	2.26
3	526463	1.25	2.56
4	526464	1.50	2.81

A



1/16 Bend (22.5°) (S x S)

Size (inch)	Part No.	J (inch)
1 1/2	526551	0.50
2	526552	0.69
3	526553	0.81
4	526554	1.00
6	526556F	6.25

A



1/24 Bend (15°) (S x S)


Size (inch)	Part No.	J (inch)
1 1/2	526971	0.62
2	526972	0.63
3	526973	0.81
4	526974	0.87

A

1/24 Bend (15°) - Street (S x SPG)



Size (inch)	Part No.	J (inch)	K (inch)
1 1/2	526961	0.62	1.51
2	526962	0.63	1.75
3	526963	0.81	2.12
4	526964	0.88	2.18




A

3-Way Ell (91.2°) (S x S x S)



Size (inch)	Part No.	G (inch)
1 1/2	526261	1.75
2	526262	2.31




A


45° Wye (S x S x S)



Size (inch)	Part No.	GJ (inch)	GN (inch)	N (inch)
1 1/2	526301	2.88	1.13	4.00
2	526302	3.63	1.38	5.00
3	526303	5.00	1.63	6.63
4	526304	6.38	1.88	8.25
6	526306	9.13	1.63	10.75




A



45° Wye - Reducing (S x S x S)

Size (inch)	Part No.	GJ (inch)	GN (inch)	N (inch)
2 x 2 x 1 1/2	526325	3.44	1.06	4.38
3 x 3 x 1 1/2	526324	6.25	0.88	5.00
3 x 3 x 2	526326	4.63	0.88	5.00
4 x 4 x 2	526328	5.56	0.38	5.06
4 x 4 x 3	526327	6.00	1.06	6.63
6 x 6 x 2	526342	6.75	-1.13	4.73
6 x 6 x 3	526343	7.43	0.19	6.38
6 x 6 x 4	526344	7.75	0.68	7.73


A



45° Wye - Double (S x S x S x S)

Size (inch)	Part No.	GJ (inch)	GN (inch)	N (inch)
1 1/2	526380	3.50	1.13	4.63
2	526381	4.00	1.38	5.38
3	526382	5.00	1.63	7.63
4	526383	6.38	1.88	9.25
6	526351F	12.18	6.18	18.38

A



45° Wye - Double Reducing (S x S x S x S)


Size (inch)	Part No.	GJ (inch)	GN (inch)	N (inch)
2 x 2 x 1 1/2 x 1 1/2	526384	3.44	1.06	5.38
3 x 3 x 1 1/2 x 1 1/2	526389	4.31	0.50	5.25
3 x 3 x 2 x 2	526385	4.63	0.88	6.00
4 x 4 x 2 x 2	526386	5.56	0.38	6.06
4 x 4 x 3 x 3	526387	6.00	1.06	7.63
6 x 6 x 3 x 3	526390T	9.94	1.75	12.38
6 x 6 x 4 x 4	526388T	10.13	2.25	12.38

A



Long Turn Tee Wye (91.2°) (S x S x S)

Size (inch)	Part No.	G (inch)	N (inch)
1 1/2	527301	3.94	3.63
2	527302	5.13	4.44
3	527303	7.56	6.50
4	527304	9.82	8.75




A



Long Turn Tee Wye (91.2°) - Reducing (S x S x S)

Size (inch)	Part No.	GJ (inch)	GK (inch)	N (inch)
2 x 2 x 1 1/2	527320	3.94	4.19	3.63
3 x 3 x 1 1/2	527326	3.94	4.75	3.81
3 x 3 x 2	527327	5.13	5.69	4.75
4 x 4 x 2	527337	5.13	6.13	4.50
4 x 4 x 3	527338	7.56	8.06	6.50




A



Combo Wye & 1/8 Bend (90°) (S x S x S)


Size (inch)	Part No.	GJ (inch)	GK (inch)	N (inch)
6	527306F	11.41	13.18	10.75



A

Combo Wye & 1/8 Bend (90°) - Reducing (S x S x S)


Size (inch)	Part No.	GJ (inch)	GK (inch)	N (inch)
6 x 6 x 2	527344F	5.44	8.06	4.73
6 x 6 x 3	527339F	7.00	9.19	6.38
6 x 6 x 4	527340F	8.44	9.94	7.73



A

Combo Wye (90°) - Double (S x S x S x S)


Size (inch)	Part No.	GJ (inch)	GK (inch)	N (inch)
1 1/2	526801	5.31	5.31	4.63
2	526802	5.98	6.10	5.38
3	526803	7.47	7.59	7.63
4	526804	8.69	9.00	9.25
6	526806F	18.18	15.44	18.38



A

Combo Wye (90°) - Double Reducing (S x S x S x S)


Size (inch)	Part No.	GJ (inch)	GK (inch)	N (inch)
2 x 2 x 1 1/2 x 1 1/2	526825	5.22	5.27	5.38
3 x 3 x 1 1/2 x 1 1/2	526824	5.27	5.89	5.25
3 x 3 x 2 x 2	526826	5.91	6.54	6.00
4 x 4 x 2 x 2	526828	6.08	7.20	6.06
4 x 4 x 3 x 3	526827	7.61	8.29	7.63
6 x 6 x 3 x 3	526843T	11.18	11.18	12.38
6 x 6 x 4 x 4	526844T	11.81	11.75	12.38




A

Sanitary Tee (91.2°) (S x S x S)

Size (inch)	Part No.	G (inch)	N (inch)
1 1/2	526151	1.75	2.75
2	526152	2.31	3.69
3	526153	3.06	4.88
4	526154	3.88	6.13
6	526156F	14.25	18.38




A



Sanitary Tee (91.2°) - Reducing (S x S x S)

Size (inch)	Part No.	GJ (inch)	GK (inch)	N (inch)
2 x 2 x 1 1/2	526126	1.96	2.21	3.17
3 x 3 x 1 1/2	526131	1.75	2.56	2.68
3 x 3 x 2	526130	2.13	2.88	3.31
4 x 4 x 2	526134	2.06	3.31	3.19
4 x 4 x 3	526136	3.00	3.56	4.75
6 x 6 x 2	526137F	3.93	6.00	6.13
6 x 6 x 3	526138F	3.93	6.40	6.13
6 x 6 x 4	526139	3.93	4.90	6.13


A



Sanitary Tee (91.2°) - Double (S x S x S x S)

Size (inch)	Part No.	G (inch)	N (inch)
1 1/2	526187	1.75	2.75
2	526186	2.31	3.69
3	526183	3.06	4.88
4	526185	3.88	6.13

A



Sanitary Tee (91.2°) - Double Reducing (S x S x S x S)


Size (inch)	Part No.	GJ (inch)	GK (inch)	N (inch)
2 x 2 x 1 1/2 x 1 1/2	526188	1.94	2.19	3.13
3 x 3 x 1 1/2 x 1 1/2	526184F	2.13	4.38	3.31
3 x 3 x 2 x 2	526181	2.13	2.88	3.31
4 x 4 x 2 x 2	526190F	3.88	5.01	6.13
4 x 4 x 3 x 3	526191F	3.88	5.38	6.13

A

Pipe Increaser (S x S)

Size (inch)	Part No.	N (inch)
1 1/2 x 2	527022	0.53
1 1/2 x 3	527023F	2.63
2 x 3	527024	0.88
2 x 4	527025	1.38
3 x 4	527026	0.94
3 x 6	527027F	1.81
4 x 6	527028F	1.63

A

Reducer Bushing (SPG x S)

Size (inch)	Part No.	N (inch)	X (inch)
2 x 1 1/2	526752	1.61	2.38
3 x 1 1/2	526762	1.50	3.50
3 x 2	526754	1.50	3.50
4 x 2	526758	1.13	4.50
4 x 3	526756	1.50	4.50
6 x 4	526767	1.28	6.63

A

Cap (S)


Size (inch)	Part No.	HL (inch)
1 1/2	527081	0.53
2	527082	0.32
3	527083	0.91
4	527084	1.09
6	527087	1.56

A



Male Adapter (S x MPT)

Size (inch)	Part No.	HL (inch)
1 ½	526871	1.18
2	526872	1.25
3	526873	1.84
4	526874	2.00
6	526876F	3.50




A



Female Adapter (S x FPT)

Size (inch)	Part No.	HL (inch)
1 ½	526891	1.12
2	526892	1.15
3	526893	1.72
4	526894	1.81
6	526896	2.82




A



Glass Pipe Adapter (SPG x Glass Pipe Bead)

Compression Coupling and Clamp available from Glass Vendor

Size (inch)	Part No.	M (inch)	N (inch)	X (inch)
1 ½	527411	2.06	2.00	1.90
2	527412	2.58	2.00	2.38
3	527413	3.69	2.50	3.50
4	527414	4.84	2.50	4.50
6	527416	7.12	3.00	6.63




A

Silicon Iron Pipe Adapter (S x Iron Pipe Bead)

Silicon Iron Clamp available from Iron Pipe Vendor



Size (inch)	Part No.	M (inch)	N (inch)
1 ½	527431	2.25	1.88
2	527432	2.72	2.00
3	527433	3.81	2.63
4	527434	4.81	2.63




A

Caulked Joint Adapter (S x Caulked Joint Bead)

Use with Caulked Joint Coupling




Size (inch)	Part No.	M (inch)	N (inch)
1 ½	527441	2.38	4.50
2	527442	2.88	4.25
3	527443	3.88	4.65
4	527444	4.88	4.83



A

Lead Pipe Adapter (S x Flare)

Size (inch)	Part No.	HL (inch)
1 ½	527401	1.12



A

**Polyethylene Adapter
(HDPE Socket x Female Union Nut)**

Use with Male Union Adapter

Size (inch)	Part No.	HL (inch)
1 ½	527268A	0.63
2	527278A	0.75



A

Female Union Nut Adapter (S x Female Union Nut)

Size (inch)	Part No.	HL (inch)
1 ½	527260A	0.63
2	527270A	0.75



A

Female Union Nut Adapter (SPG x Female Union Nut)



Size (inch)	Part No.	HL (inch)
1 1/2	527262A	0.63




A

Male Union Adapter (S x Male Union)



Size (inch)	Part No.	HL (inch)
1 1/2	527264	0.44



A

Male Union Adapter (SPG x Male Union)

Size (inch)	Part No.	HL (inch)
2	527276	0.56



A

Male Union Adapter (MPT x Male Union)


Size (inch)	Part No.	HL (inch)
2	527277	0.56



A

Male Union Adapter (FPT x Male Union)

Size (inch)	Part No.	HL (inch)
2	527275	0.50




A

Flange - Van Stone ANSI 150 lb. Pattern (S)



Size (inch)	Part No.	# holes	bolt hole dia. (inch)	bolt cir. dia. (inch)	D (inch)	N (inch)	W (inch)
1 ½	526931	4	0.56	3.88	5.00	0.31	0.75
2	526932	4	0.68	4.75	6.00	0.34	0.81
3	526933	4	0.75	6.00	7.50	0.44	1.00
4	526934	8	0.75	7.50	9.00	0.42	1.10
6	526936	8	0.88	9.50	11.00	0.45	1.26




A

Union (PPFR x PPFR)/PPFR Nut (S x S)



Size (inch)	FKM Part No.	EPDM Part No.	D (inch)	L (inch)	N (inch)
1 ½	528291	527271	3.75	3.38	0.63
2	528292	527272	4.63	3.75	0.75
3	528293	527273	6.75	4.68	0.90
4	528294	527274	8.50	5.54	1.00




A




Expansion Joint (S x SPG)

Size (inch)	EPDM Part No.	A (inch)	B (inch)	C (inch)	D (inch)	L (inch)
1 1/2	527811A	0.97	4.09	0.75	2.65	4.10
2	527812A	1.19	4.53	0.88	3.15	4.50
3	527813A	1.59	5.31	0.94	4.64	5.25
4	527814A	2.09	6.34	0.94	5.78	5.69



A




Metal Transition Fitting (PPFR x SS)(SPG x SPG)

Instruments:

- USPH Compliant Transition

Size (inch)	Part No.	L (inch)	L1 (inch)	L2 (inch)	X (inch)	X1 (inch)
2 x 2	528729	21.96	10.50	10.00	2.38	2.38
3 x 2 1/2	528730	22.13	9.50	10.13	3.50	2.88
3 x 3	528731	22.13	9.50	10.13	3.50	3.50
4 x 4	528732	22.63	9.50	11.50	4.50	4.50

A




Metal Transition Fitting (PPFR x SS)(SPG x MPT)

Size (inch)	Part No.	L (inch)	L1 (inch)	L2 (inch)	X (inch)
2 x 2	528907	11.72	6.50	3.72	2.38

Fuseal Cleanouts & Floor Drains PPR

A



Nickel Bronze Floor Cleanout Housing

Size (inch)	Part No.	A (inch)	B (inch)	C (inch)
All	527715A	6.13	2.81	5.70


A

Nickel Bronze Floor Cleanout Assembly (S)

2" adjustment



Size (inch)	Part No.	A (inch)	B (inch)	C (inch)	N (inch)
3	527713A	6.13	2.81	5.70	2.78
4	527714A	6.13	2.81	5.70	3.06




A

Cleanout Tee with Plug (S x S x FT)



Size (inch)	Part No.	HL (inch)	N (inch)
1 ½	526114A	1.82	2.12
2	526115A	2.13	2.74
3	526116A	2.63	3.75
4	526117A	3.38	5.00
6	526118AF	7.75	18.00




A

Cleanout Adapter with Plug (SPG x FT)



Size (inch)	Part No.	HL (inch)	N (inch)	X (inch)
1 ½	527701A	0.78	2.09	1.90
2	527702A	0.78	2.22	2.38
3	527703A	1.09	2.66	3.50
4	527704A	1.13	2.94	4.50
6	527706A	1.31	2.63	6.63




A

Countersunk Plug for Cleanout (MT)



Size (inch)	Part No.	L (inch)	Q (inch)
3	527063	1.03	1.31
4	527064	1.16	1.63




A

Plug (MT)

Use with cleanout tees, cleanout adapters and cleanout p-traps only



Size (inch)	Part No.	L (inch)	Q (inch)	Remarks
1	527049	0.99	0.75	Used for 527201A & 527202A
1 ½	527051	1.56	1.00	Used for 527203A & 527204A
2	527052	1.54	1.25	
3	527053	2.03	1.63	
4	527054	2.16	2.00	
6	527057	2.38	2.38	




A

Floor Drain (S)



Size (inch)	Part No.	A (inch)	B (inch)	C (inch)	D (inch)	E (inch)	F (inch)
2	527749F	8.50	12.00	1.63	6.69	5.06	5.81
3	527750	8.50	12.00	1.63	5.25	3.63	4.31
4	527751	8.50	12.00	1.63	5.25	3.63	4.31
6	527752F	8.50	12.00	1.63	7.26	5.63	6.00



A

Replacement Strainer for Floor Drain



Size (inch)	Part No.
All	527502A



A

Replacement Grate for Floor Drain



Size (inch)	Part No.
All	527503A





A

Anti-Splash Funnel for Floor Drain



Size (inch)	Part No.	G (inch)	H (inch)
All	527505A	6.00	4.00






Stainless Steel Adjustable Floor Drains

Drains have a pipe spigot end and come standard with a sediment bucket. Drain design has a section to tap for trap primer. Optional square and round grates are available.

Size (inch)	Part No.	Description	A (inch)	B (inch)	D (inch)	E (inch)
2	150 999 100	6" Round SS drain C= 3/4 to 2 1/2"	6.00	8.38	5.00	3.00
3	150 999 101	6" Round SS drain C= 3/4 to 2 1/2"	6.00	8.38	6.19	3.69
4	150 999 102	6" Round SS drain C= 3/4 to 2 1/2"	6.00	8.38	6.31	3.81

Fuseal Traps PPR

A



P-Trap (SxS)

1-1/2" - 4" U-Bend Joint must be fused in the field
6" U-Bend Joint is Factory Fused

Size (inch)	Part No.	GJ (inch)	GN (inch)	L1 (inch)	L2 (inch)	L3 (inch)
1 1/2	527201	4.71	1.68	2.06	3.64	3.50
2	527202	6.94	2.44	2.71	4.75	5.06
3	527203	8.88	2.79	3.41	6.43	6.75
4	527204	10.75	3.88	3.88	8.06	8.50
6	527206F	20.88	5.63	9.19	15.25	15.25

A



P-Trap with Cleanout (S x S)

1-1/2" - 4" U-Bend Joint must be fused in the field

Size (inch)	Part No.	GJ (inch)	GN (inch)	L1 (inch)	L2 (inch)	L3 (inch)
1 1/2	527201A	4.71	1.68	2.06	3.64	3.50
2	527202A	6.94	2.44	2.71	4.75	5.06
3	527203A	8.88	2.79	3.41	6.43	6.75
4	527204A	10.75	3.88	3.88	8.06	8.50

A



P-Trap with Union Connection (S x S)


Size (inch)	Part No.	GJ (inch)	GN (inch)	L1 (inch)	L2 (inch)	L3 (inch)
1 1/2	527211E	4.84	1.68	2.38	4.00	3.50
2	527212E	6.50	2.44	2.84	4.88	5.06

A



**P-Trap with Union Connection
(Slip Joint Inlet x S)
(Slip Joint Inlet x FPT)**

Size (inch)	(S) Part No.	(FPT) Part No.	GJ (inch)	GN (inch)	L1 (inch)	L2 (inch)	L3 (inch)
1 1/2	527225	527235	4.51	1.80	2.08	3.71	3.30




A



Jar Trap (FPT Inlet x S Outlet)

Size (inch)	Part No.	L (inch)	L1 (inch)	N (inch)
1 1/2	527242C	9.50	1.63	2.75



A



**Replacement Polypropylene Jar for Jar Trap
Translucent**

Size (inch)	NFR Part No.
1 Quart	37X005006


A



Replacement Gasket for Jar Trap

Size (inch)	Part No.
1 Quart	37X002101

A




**Drum Trap with Domed Cap
(Male Union Thread x Male Union Thread)**

Use with Union Nut Adapters: 527260A, 527270A or 527262A

Size (inch)	Part No.	D (inch)	G (inch)	L (inch)	L1 (inch)	L2 (inch)
1 ½	527246A	6.50	4.31	13.44	2.75	4.50
2	527247A	6.50	4.31	13.44	2.75	4.50

A



**Drum Trap with Flat Cap
(Male Union Thread x Male Union Thread)**

Use with Union Nut Adapters: 527260A or 527262A

Size (inch)	Part No.	D (inch)	G (inch)	L (inch)	L1 (inch)	L2 (inch)
1 ½	527246B	6.50	4.31	10.50	2.75	4.50


A



Drum Trap (S x S)

Must field fuse body

Size (inch)	Part No.	D (inch)	G (inch)	L (inch)	L1 (inch)	L2 (inch)
1 ½	527248	4.50	2.25	9.34	1.25	5.13
2	527249	4.50	2.38	9.34	1.35	5.13




A



P-Trap Inlet/Outlet Pipe (SPG x MPT)

Size (inch)	Part No.	L (inch)	X (inch)
1 ½	527538	18.00	1.90




A



Sink Strainer Assembly (MT)

Includes Sink Strainer, Gasket, Plug and Locknut

Size (inch)	Part No.	L (inch)	M (inch)	R (inch)
1 ½	527841A	2.75	3.31	0.25




A



Sink Strainer Adapter (FT x SPG)

Size (inch)	Part No.	D (inch)	L (inch)	X (inch)
1 ½	527451	2.88	3.38	1.90




A



Swivel Sink Strainer Adapter with Gasket (S x FT)

Size (inch)	Part No.	L (inch)	N (inch)
1 ½	527217	1.72	0.44




A




Swivel Sink Strainer Adapter with Gasket (SPG x FT)

Size (inch)	Part No.	L (inch)
1 ½	527216	2.50
1 ½	527218	13.00



A



Swivel Sink Strainer Adapter with Gasket (SPG x FT) and Dishwasher Hook-up

Size (inch)	Part No.	D (inch)	L (inch)	L2 (inch)
1 ½	150 991 103	0.79	13.00	5.50

A



Replacement Gasket for Swivel Sink Strainer Adapter

Material: FKM

Size (inch)	Part No.	Pack Qty
1 ½	37X002100	5


A



Tailpiece Adapter (SPG x Brass Nut)

Size (inch)	Part No.	L (inch)	X (inch)
1 ½	527561	2.13	1.90



A



Trap Primer with FPT Tap (SPG x SPG)

Size (inch)	Part No.	L (inch)	X (inch)	FPT (inch)
1 ½	527221F	12.00	1.90	½
2	527222F	12.00	2.38	½
3	527223F	12.00	3.50	½
4	527224F	12.00	4.50	½
6	527226F	12.00	6.63	¾

A



Cup Sink - MT Outlet

Includes Sink Strainer, Plug and Retainer Nut

Size (inch)	Part No.	H (inch)	H1 (inch)	L (inch)	L1 (inch)	W (inch)	W1 (inch)
1 1/2	527851A	7.00	4.00	9.75	8.56	4.50	3.31
1 1/2	527852A	7.00	4.00	7.50	6.31	4.50	3.31


A

Replacement Parts for Cup Sink

Description	Part No.
Strainer	527853
Plug	527854

Fuseal LD Fusion Fittings PP


A



Coupling (S x S)

Size (inch)	FR Part No.	NFR Part No.	N (inch)
8	527008		0.25
10	527100		0.25
12	527120		0.25


A



1/4 Bend (90°) - 3 Segment (S x S)

Size (inch)	NFR Part No.	FR Part No.	G (inch)
8	216258F	526258F	12.25
10	216255F	526255F	14.25
12	216257F	526257F	16.25


A



1/4 Bend (90°) - Street (S x SPG)

Size (inch)	NFR Part No.	FR Part No.	G (inch)	K (inch)
8	216458F	526458F	12.25	12.00
10	216455F	526455F	14.25	14.00
12	216457F	526457F	16.25	16.00


A



1/8 Bend (45°) (S x S)

Size (inch)	NFR Part No.	FR Part No.	J (inch)
8	216508F	526508F	6.94
10	216505F	526505F	7.75
12	216507F	526507F	8.50


A



1/8 Bend (45°) - Street (S x SPG)


Size (inch)	NFR Part No.	FR Part No.	J (inch)	K (inch)
8	216408F	526408F	6.94	6.69
10	216405F	526405F	7.75	7.25
12	216407F	526407F	8.50	8.25

A

**45° Wye (S x S x S)**

Size (inch)	NFR Part No.	FR Part No.	GJ (inch)	GN (inch)	N (inch)
8	216308F	526308F	15.50	7.00	22.50
10	216305F	526305F	20.75	7.75	28.50
12	216300F	526300F	22.00	8.50	30.50


A

**45° Wye - Reducing (S x S x S)**

Size (inch)	NFR Part No.	FR Part No.	GJ (inch)	GN (inch)	N (inch)
8 x 8 x 3	216347T	526347T	10.50	1.50	12.00
8 x 8 x 4	216346T	526346T	11.00	2.00	13.00
8 x 8 x 6	216345T	526345T	12.50	3.50	16.00
10 x 10 x 3	216321T	526321T	12.00	2.00	14.00
10 x 10 x 4	216322T	526322T	12.63	2.13	14.75
10 x 10 x 6	216323T	526323T	14.50	4.00	18.50
10 x 10 x 8	216324T	526324T	15.75	5.25	21.00
12 x 12 x 4	216332T	526332T	14.00	1.50	15.50
12 x 12 x 6	216333T	526333T	15.50	3.00	18.50
12 x 12 x 8	216334T	526334T	17.25	4.50	24.75
12 x 12 x 10	216335T	526335T	19.25	6.00	25.25

A


45° Wye - Double (S x S x S x S)



Size (inch)	NFR Part No.	FR Part No.	GJ (inch)	GN (inch)	N (inch)
8	216352F	526352F	15.50	7.00	22.50
10	216355F	526355F	20.75	7.75	28.50
12	216350F	526350F	22.00	8.50	30.50

A


45° Wye - Double Reducing (S x S x S x S)



Size (inch)	NFR Part No.	FR Part No.	GJ (inch)	GN (inch)	N (inch)
8 x 8 x 3 x 3	216389T	526393T	10.50	1.50	12.00
8 x 8 x 4 x 4	216388T	526391T	11.00	2.00	13.00
8 x 8 x 6 x 6	216386T	526392T	12.50	3.50	16.00
10 x 10 x 3 x 3	216370T	526370T	13.18	2.18	15.38
10 x 10 x 4 x 4	216371T	526371T	12.63	2.13	14.75
10 x 10 x 6 x 6	216372T	526372T	14.50	4.00	18.50
10 x 10 x 8 x 8	216373T	526373T	15.75	5.25	21.00
12 x 12 x 4 x 4	216382T	526394T	14.00	1.50	15.50
12 x 12 x 6 x 6	216383T	526395T	15.50	3.00	18.50
12 x 12 x 8 x 8	216384T	526396T	17.25	4.50	21.75
12 x 12 x 10 x 10	216385T	526397T	19.25	6.00	25.25

A


Combo Wye & 1/8 Bend (90°) (S x S x S)




Size (inch)	NFR Part No.	FR Part No.	GJ (inch)	GK (inch)	GN (inch)	N (inch)
8	216716F	526716F	22.63	22.63	7.00	22.50
10	216700F	526700F	27.75	27.75	7.75	28.50
12	216701F	526701F	30.00	30.00	8.50	30.50

A

Combo Wye & 1/8 Bend (90°) - Reducing (S x S x S)




Size (inch)	NFR Part No.	FR Part No.	GJ (inch)	GK (inch)	GN (inch)	N (inch)
8 x 8 x 3	216709T	526709T	11.25	11.50	1.50	12.00
8 x 8 x 4	216717T	526717T	12.00	12.25	2.00	13.00
8 x 8 x 6	216715T	526715T	15.69	15.56	3.50	16.00
10 x 10 x 3	216707T	526707T	12.81	12.56	2.00	14.00
10 x 10 x 4	216721T	526721T	13.38	13.44	2.13	14.75
10 x 10 x 6	216711T	526711T	17.63	17.00	4.00	18.50
10 x 10 x 8	216712T	526712T	21.13	22.75	5.25	21.00
12 x 12 x 4	216720T	526720T	13.69	14.38	1.50	15.50
12 x 12 x 6	216718T	526718T	17.31	17.69	3.00	18.50
12 x 12 x 8	216719T	526719T	21.44	23.81	4.50	24.75
12 x 12 x 10	216710T	526710T	24.88	26.69	6.00	25.25




Combo Wye (90°) - Double (S x S x S x S)

Size (inch)	NFR Part No.	FR Part No.	GJ (inch)	GK (inch)	GN (inch)	N (inch)
8	216816F	526816F	22.63	22.63	7.00	22.50
10	216800F	526800F	27.75	27.75	7.75	28.50
12	216801F	526801F	30.00	30.00	8.50	30.50




Combo Wye (90°) - Double Reducing (S x S x S x S)

Size (inch)	NFR Part No.	FR Part No.	GJ (inch)	GK (inch)	GN (inch)	N (inch)
8 x 8 x 3 x 3	216809T	526809T	11.25	11.50	1.50	12.00
8 x 8 x 4 x 4	216817T	526817T	12.00	12.25	2.00	13.00
8 x 8 x 6 x 6	216815T	526815T	15.69	15.56	3.50	16.00
10 x 10 x 3 x 3	216807T	526807T	12.81	12.56	2.00	14.00
10 x 10 x 4 x 4	216821T	526821T	13.38	13.44	2.13	14.75
10 x 10 x 6 x 6	216811T	526811T	17.63	17.00	4.00	18.50
10 x 10 x 8 x 8	216812T	526812T	21.13	22.75	5.25	21.00
12 x 12 x 4 x 4	216820T	526820T	13.69	14.38	1.50	15.50
12 x 12 x 6 x 6	216818T	526818T	17.31	17.69	3.00	18.50
12 x 12 x 8 x 8	216819T	526819T	21.44	23.81	4.50	21.75
12 x 12 x 10 x 10	216810T	526810T	24.88	26.69	6.00	25.25



Pipe Increaser (S x S)


Size (inch)	NFR Part No.	FR Part No.	N (inch)
8 x 3		527035F	2.00
8 x 4		527034F	1.75
8 x 6		527033F	1.63
10 x 3	217040F	527040F	1.00
10 x 4	217030F	527030F	1.18
10 x 6	217031F	527031F	1.50
10 x 8	217032F	527032F	2.13
12 x 4	217036F	527036F	1.00
12 x 6	217037F	527037F	1.50
12 x 8	217038F	527038F	2.00
12 x 10	217039F	527039F	3.00



Cap (S)

Size (inch)	NFR Part No.	FR Part No.	HL (inch)
8		527088	1.81
10	217090F	527090F	3.38
12	217092F	527092F	3.38


A



P-Trap (S x S)

Size (inch)	NFR Part No.	FR Part No.	G (inch)	L (inch)	L1 (inch)
8	217208F	527208F	12.25	18.25	30.50
10	217210F	527210F	14.25	22.25	36.50
12	217212F	527212F	16.25	26.50	42.75


A



Male Adapter (S x MPT)

Size (inch)	NFR Part No.	HL (inch)
8	216878F	4.38

A




Flange - Van Stone ANSI 150 lb. Pattern (S)

Flange Ring Material: CPVC

Size (inch)	NFR Part No.	# holes	bolt hole dia. (inch)	bolt cir. dia. (inch)	D (inch)	N (inch)	R (inch)	Bolt Length (inch)
8	216928	8	0.88	11.75	13.50	0.44	1.71	3.50
10	216930	12	1.00	14.25	16.00	0.50	1.73	3.75
12	216932	12	1.00	17.00	19.00	0.50	1.71	4.00


A



Cleanout Tee with Plug (S x S x FT)

Size (inch)	NFR Part No.	HL (inch)	N (inch)
8	216119AF	11.00	22.50
10	216120AF	14.00	28.50
12	216121AF	15.00	30.50

A



Cleanout Adapter with Plug (SPG x FT)

Size (inch)	NFR Part No.	HL (inch)
8	217708AF	4.00
10	217710AF	5.00
12	217712AF	5.00

Fuseal Fusion Accessories

B



Fusion Locking Collar with Plastic Clamp

6" Fusion Locking Collars without plastic clamp

Size (inch)	Part No.	Pack Qty
1 1/2	526042	10
2	526043	10
3	526044	10
4	526045	10
6	526047	10

B



Loose Coil

Size (inch)	Part No.	Pack Qty
8	37B160808	10
10	37B160810	10
12	37B160812	10

B



Plastic Clamp

Size (inch)	Part No.	weight (lb)	Pack Qty
1 1/2	37A160601	0.022	10
2	37A160602	0.033	10
3	37A160603	0.042	10
4	37A160604	0.110	10

B



Metal Clamp

Size (inch)	Part No.	weight (lb)	Pack Qty
6	37Z000600	0.399	1
8	37Z000800	0.500	1
10	37Z001000	0.600	1
12	37Z001200	0.600	1

D



Channel Locks

Size (inch)	Part No.	Description	Pack Qty
1 1/2, 2, & 3	37X004817	440 Channel Locks	1
4	37X004818	460 Channel Locks	1