

# CONSTRUCTION NAILS NAILS, TACKS, AND BRADS

Catalog



**HILLMAN™**

# Terms and Conditions of Sale

## GENERAL

The terms and conditions of this document shall constitute the entire Agreement for the purchase and sale of the products to Purchaser. Acceptance made expressly conditional upon Purchaser's assent to these terms, which may differ from, vary or be in addition to the terms in Purchaser's purchase order or request for quotation. Any varying, differing or additional terms and conditions contained in the Purchaser's purchase order or request for quotation shall not be binding upon Hillman.

## DISCOUNT TERMS

A 1% cash discount is allowed for invoices paid within 10 days of invoice date or net payment due within 30 days. Any new orders or back-orders will be held without shipment if there are unpaid invoices in excess of 45 days, or if authorized credit limit is exceeded.

## PRICES

Prices are subject to change without advance notice. All items will be invoiced at the catalog price less the applicable discounts. Prices apply for full box quantities only. Partial boxes will be invoiced at full retail price. Only certain products will be available for partial box sales.

## QUOTATIONS

Written price quotations remain in effect for thirty days from time of quotation unless otherwise stated in writing.

## MINIMUM ORDER

Minimum order is \$25, based on Hillman current Net Purchaser Prices. Orders of less than \$25 will be processed with a \$25 Net Invoice.

## BACK ORDERS

All orders will be accepted on a ship and cancel basis, unless otherwise requested. Displays, assortments and special items WILL be back-ordered unless otherwise stated.

## FREIGHT

The routing of ALL shipments shall be entirely within the discretion of Hillman. Special shipping requests – airfreight – bus shipments – special dispatch – drop shipments, etc. – will be sent freight collect and will be F.O.B. shipping point. Long length rods, angles, flats, etc. will be shipped F.O.B. shipping point on shipments of 300 lbs. or less. Orders less than \$400.00 will be charged freight. Handling charges will be as follows: Orders less than \$400.00 are subject to a \$1.00 handling charge. Orders over \$400.00 are subject to a \$4.00 handling charge. As economic circumstances dictate, a fuel surcharge may be assessed in addition to freight and handling on all orders. Freight terms are subject to change without prior notice.

## SPECIAL ORDERS AND ORDERS

### FOR NON-STOCKING PRODUCT

Special orders are non-cancelable, non-returnable and must be ordered via a purchase order from the Purchaser. All special orders will be shipped in accordance with quoted lead times and at industry standard  $\pm 10\%$  of the order quantity. Purchaser is liable for the entire order quantity.

## CLAIMS AND DAMAGES

All damages and shortages must be reported to us within five days after receipt of merchandise. If goods are damaged in transit or shortages received, notification should be made directly with carriers. Before reporting shortages, please check to make sure packing slip indicates shorted items have been shown as being shipped.

## RETURNS

Materials returned for credit or exchange will be accepted only under the following conditions:

- 1) Materials must be current, cataloged, and must have been purchased within the 6 months immediately preceding the return of such materials. Specials and discontinued products, defined at the sole discretion of Hillman, cannot be returned.
- 2) Prior to returning any product to Hillman, approval and a return authorization number must be obtained. Freight carrier and routing must also be approved by Hillman.
- 3) Materials received by Hillman without prior approval and authorization number will be returned, freight collect, to the

Purchaser. R.A. # must be printed on outer carton.

- 4) All returns should be shipped freight prepaid. If Hillman determines the product to be defective, Purchaser's account will be credited, including the appropriate freight charges.
- 5) Returning materials for credit or exchange are subject to a minimum restocking charge of 20%, plus any freight expenses originally incurred by Hillman in the delivery of said materials. The restock charge may be calculated at the sole discretion of Hillman. All returns must be in saleable condition.

## LIMITATIONS OF LIABILITY

All goods returned to and accepted by Hillman as defective or incorrect shall be replaced or credited in full. No claim made hereunder by the Purchaser, whether as to goods delivered or for non-delivery, shall be greater than the purchase price of the goods in respect of which such claim is made. PURCHASER WAIVES ANY CLAIM AGAINST HILLMAN FOR DIRECT, INDIRECT, SPECIAL, EXEMPLARY, PUNITIVE, COMPENSATORY, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS AND BUSINESS INTERRUPTION, WHICH MAY RESULT FROM YOUR PURCHASE AND/OR USE OF THE PRODUCTS.

HILLMAN MAKES NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY AND NO OTHER WARRANTY, ORAL OR WRITTEN, EXPRESSED OR IMPLIED, EXCEPT AS SPECIFICALLY SET FORTH HEREIN. Purchaser agrees to indemnify and hold Hillman harmless from all claims, demands, and costs, including reasonable attorneys' fees, made by third parties against Hillman relating to Purchaser's use of the products, and to pay any costs and expenses incurred by Hillman to enforce Purchaser's obligations, including, without limitation, the costs of collection for any unpaid amounts owed to Hillman by Purchaser.

## COSTS

Any and all costs resulting from, or incurred in connection with the collection of any monies due from the Purchaser, including court costs, appellate court costs, and Hillman's reasonable attorney's fees will be the responsibility of the Purchaser.

## ELECTRONIC DATA INTERCHANGE

If Hillman and Purchaser have mutually agreed to use an Electronic Data Interchange (EDI) system to facilitate purchase and sale transactions, Purchaser agrees: that it will not contest (i) any contract of sale resulting from an EDI transaction under the provisions of any law relating to whether agreements must be in writing or signed by the party to be bound thereby; or (ii) the admissibility of copies of EDI records under the business records exception to the hearsay rule, the best evidence rule or any other similar rule, on the basis that such records were not originated or maintained in documentary form. Hillman and Purchaser will negotiate and agree on technical standards and methods to use in making EDI purchases, and will use proper security procedures to protect EDI records from improper access. The business records maintained by Hillman regarding EDI purchases made by Purchaser shall be controlling.

## TAXES

All applicable federal, state or local sales, use, occupational or excise taxes are the responsibility of the Purchaser and shall be in addition to the price or prices stated. Hillman shall have the right to invoice separately any such tax as may be imposed at a later time. Applicable tax exemption certificates must accompany any order to which the same applies.

## CONFIDENTIALITY

Purchaser will hold any information concerning Hillman's business, or any other information about Hillman, in absolute and strict confidence.

## APPLICABLE LAW

This Agreement shall be governed by and construed in accordance with the laws of the State of Ohio, without regard to its choice of law provisions, and the sole jurisdiction and venue for any litigation arising with regard to this Agreement shall be an appropriate federal or state court located in Hamilton County, Ohio.

## SEVERABILITY

If any provision of this Agreement is held to be invalid, illegal, or unenforceable in any respect, the validity, legality, or enforceability of the remaining provisions contained herein shall not in any way be affected or impaired thereby.

# Hillman Reseller Policy

This Hillman Reseller Policy ("Policy") applies to all resellers of Hillman products. This Policy is effective immediately. By purchasing products from Hillman for retail sale, you ("Reseller") agree to adhere to the following terms and conditions.

## MANNER OF SALE

Reseller is authorized to offer products purchased from Hillman for retail sale in accordance with the terms herein. Sales in violation of the terms of this Policy are strictly prohibited and may result in Hillman's immediate revocation of Reseller's status as Reseller, in addition to other legal remedies. Hillman products sold to unauthorized persons or through unauthorized channels, including unauthorized Internet sites, shall not be eligible for certain Hillman promotions, services, and/or benefits, including, unless prohibited by law, coverage under any Hillman product guarantees.

- 1) **End Users.** Reseller shall sell Hillman products solely to end users of the products. Reseller shall not sell to anyone a quantity of Hillman products greater than that generally purchased by an individual for personal use.
- 2) **No Foreign Transactions.** Reseller shall not sell, ship, invoice, or promote Hillman products outside the United States without obtaining Hillman's prior written consent.
- 3) **No Resale Transfers.** Reseller shall not sell or transfer any Hillman products to any person or entity for re-sale without Hillman's prior written consent. This includes sales to B2B accounts, wholesalers, freight forwarders/drop shippers for other resellers, or any other person or entity Reseller knows or should have reason to know intends to re-sell Hillman products.
- 4) **Online Limitations.** Reseller shall not market or offer for sale Hillman products on any website or fulfill Reseller's sales of Hillman products through any website without Hillman's prior written consent. No Hillman employee or agent may authorize online sales through oral statements or by any other means. Selling on or through third-party marketplace sites (e.g., eBay, Amazon, Walmart Marketplace, Sears Marketplace), drop-ship accounts (e.g., Rakuten.com, Newegg.com, Overstock.com, Jet.com), classified sites (e.g., Craigslist.com, Facebook Marketplace), or by any social media or Internet forum is strictly prohibited.
- 5) **Retail Locations.** Qualifying retail locations can only be one of the following: Reseller's physical brick and mortar store(s), Reseller's commerce-enabled website(s) tied to Reseller's physical brick and mortar store(s), or any temporary storefronts (events, trade shows, pop up stores, etc.) managed solely by Reseller.
- 6) **No Other Sources.** Reseller shall not buy Hillman products from other resellers or from other sources other than Hillman.
- 7) **Hillman Audit.** Reseller shall provide sell-through information by SKU and approved retail location upon Hillman's request. Hillman reserves the right to perform an audit of all financial statements of Reseller pertaining to Hillman's products sales or the business operations (conduct) to ensure compliance with this Policy.
- 8) **Use of Hillman's Intellectual Property.** Hillman owns all proprietary rights in and to Hillman's brands, names, logos, trademarks, service marks, trade dress, patents, copyrights, and other intellectual property (collectively, "IP"). Reseller is granted a limited, non-exclusive, non-transferable, revocable license to use Hillman's IP solely for purposes of marketing and selling Hillman products as set forth herein, and this license shall cease immediately upon termination of Reseller's status as a Reseller. Hillman may review, approve, and/or reject, in its sole discretion, Reseller's use of Hillman's IP at any time. All goodwill arising from Reseller's use of Hillman's IP shall inure solely to the benefit of Hillman.
- 9) **No Bundling of Hillman Products without Obtaining Permission.** Reseller shall not re-SKU or bundle or re-bundle Hillman products in Reseller assortments and data feeds without receiving Hillman's prior written consent.
- 10) **Customer Confusion.** Reseller will not advertise, market, display, or demonstrate non-Hillman products together with Hillman products in a manner that would create the impression that the non-Hillman products are made by, endorsed by, or associated with Hillman.
- 11) **Packaging.** Reseller shall sell Hillman products in their original packaging, with all seals intact. Relabeling, repackaging (including the separation of bundled products or the bundling of products), and other alterations to Hillman products or their

packaging is prohibited. Reseller is prohibited from tampering with, defacing, or otherwise altering serial numbers, UPC codes, lot or batch codes, or other identifying information on Hillman products or packaging. Removing, translating, or modifying the contents of any label or literature on or accompanying Hillman products is also prohibited.

- 12) **Termination.** If Reseller violates any term of this Policy, Hillman reserves the right to terminate Reseller's status as a Reseller in addition to all other available legal remedies. Upon termination of Reseller's status, Reseller shall immediately cease (i) selling Hillman products, (ii) representing itself as a Reseller of Hillman products, and (iii) using anything that may give the impression that Reseller is a Reseller of Hillman products or has any affiliation whatsoever with Hillman.
- 13) **Availability of Injunctive Relief.** If there is a breach or threatened breach of this Policy, it is agreed and understood that Hillman shall have no adequate remedy in money or other damages and, accordingly, shall be entitled to injunctive relief and other equitable remedies; provided, however, no specification in this Policy of any particular remedy shall be construed as a waiver or prohibition of any other remedies in the event of a breach or threatened breach of this Policy. No failure, refusal, neglect, delay, waiver, forbearance, or omission by Hillman to exercise any right(s) herein or to insist upon full compliance by Reseller with Reseller's obligations herein shall constitute a waiver of any provision or otherwise limit Hillman's right to fully enforce any or all provisions and parts thereof.
- 14) **WARRANTY DISCLAIMER.** HILLMAN DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL OTHER WARRANTIES ARISING BY OPERATION OF LAW, COURSE OF DEALING, CUSTOM OF TRADE OR OTHERWISE. HILLMAN SHALL NOT BE LIABLE TO RESELLER UNDER ANY CIRCUMSTANCES FOR SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE, OR CONSEQUENTIAL DAMAGES, LOSS OF SALES, OR LOSS OF PROFITS.
- 15) **Modification.** Hillman reserves the right to update, amend, or modify this Policy at any time.

# NAIL FINISHES & MATERIALS

## Interior

**Minimal protection against rust, recommended for interior applications only. Do not use in treated lumber or where corrosion is a concern.**

### Bright Finish

Uncoated steel intended for interior applications where corrosion resistance is not required.

### Blued

Thin, blue film improves visibility of nail in drywall. Intended for interior applications where corrosion protection is not required.

### Phosphate Coated

Dark grey finish that reduces friction when driven and provides a good surface that bonds well with joint compound and paint. Intended for interior applications where corrosion protection is not required.

### Vinyl Coated

Yellow colored coating helps the fastener drive fast. Coating is heated when driven and then cools when seated providing a tight bond in base material for holding power. Intended for interior applications where corrosion protection is not required.

### Heat Treated

Fastener is heat treated resulting in a hardened steel material that provides strength and bending resistance. Heat treating alone does not protect the fastener from corrosion.

### Electro-Galvanized

Zinc coating applied through electrolysis. Use where minimal corrosion resistance is required.

## Exterior

**High resistance against rust. Recommended for exterior use.**

### Hot Dipped Galvanized

Most common method of galvanizing where a thick zinc coating is applied by dipping the fastener in a molten bath of zinc. All FasnTite Nails conform to ASTM A153. Recommended for use with treated lumber.

### Stainless Steel

Provides the best corrosion resistance and is the #1 choice when extreme corrosion protection is required. Recommended for treated lumber, cedar and redwood.

### Aluminum

Used for specialty exterior applications. Do not use with treated lumber.

### Copper

Used for specialty exterior applications with copper materials or where copper fasteners are required. Recommended for use with treated lumber.

## Material Strength

Most nails are made of non-hardened low carbon steel. Some applications such as masonry, concrete, and hardwoods demand a stronger fastener that penetrates the base material and reduces bending. The strength and "stiffness" of a nail is dependent on the type of steel used and if the steel is heat treated. The different types of steel used for nail production are explained below:

**Standard Stock Steel** – Low to medium carbon steel content, not heat treated. This is typically the standard type of material used for most nail production.

**Stiff Stock** – Medium to high carbon steel content, not heat treated. Material is harder and stiffer than standard stock steel. This steel type is used primarily to increase strength and reduce bending when driving into hardwoods.

**Hardened Steel** – High carbon steel content, heat treated. The additional process of heat treating results in a hardened surface that provides a strong, increased bend resistant nail suitable for demanding masonry, concrete, and hardwood applications.

## Helpful Tips

- Nails should always be about three times as long as the thickness of wood being attached. This would allow 2/3rds of the nail length embedded into the base material for strong holding power.
- When selecting a nail set ensure the nail set tip is the same size or smaller than the head of nail being countersunk.
- Use care when driving nails near a board end. Never drive two nails in the same grain of wood near the board end.
- Bend nails over at the end when attaching two pieces of wood where appearance is not important. Bending the nail over increases the strength of the joint.

Hot dipped galvanized nails conform to ASTM A153. Nails conform to ASTM F1667 and ASTM C514 if applicable.

**CAUTION:** All steel nails may rust and cause streaking and/or staining over time, depending on the application. If possible streaking or staining is unacceptable use stainless steel nails.

**CAUTION:** The use of galvanized nails is NOT recommended for cedar or redwood. Tannins in the wood may chemically react, causing unsightly surface staining and/or streaking. The risk of staining is greatly reduced when stainless steel nails are used, these fasteners will not react with the tannins.

## TABLE KEY

### PRODUCT TYPE

#### Product Subcategory

Product Characteristics

#### PRODUCT IMAGE

BRAND NAME &  
CLASSIFICATION

Item #	Size	Head Size	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Finish	UPC
461278	1-1/2"	12.5GA	4d	1/4"	1lb	279	Nickel	038902055323

# UNDERSTANDING WHAT "D" SIZE AND "PENNY" MEAN


For historical reasons, nails are sold both by a number followed by "d" and by length. The "d" stands for penny, so 8d refers to an 8-penny nail, 16d to a 16-penny nail and so on. The larger the number, the longer the nail length. It's a way to indicate nail length, as you can see in the illustrative table below.

Where does the sizing system come from and why does "d" stand for penny? The "d" goes way back to the time when the Romans occupied what is now England. The "d" is associated with a Roman coin called the denarius, which was also the name for an English penny.

How does this affect nails? It was associated with nails when they were hand-forged one at a time. Back then, penny sizes referred to the cost per hundred nails. For example, a hundred 3" nails would cost 10 pennies and thus became known as 10-penny or 10d nails.

The "d" designation continues to be used within modern building codes and is also prevalent on retail packages of nails marked with the penny size and the length in inches.

## Common Nail Sizes



## Nail Diameter Gauge Chart

Wire Gauge	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
inch	.3065	.2830	.2625	.2437	.2253	.2070	.1920	.1770	.1620	.1483	.1350	.1205	.1055	.0915	.0800	.0720	.0625	.0540	.0475	.0410	.0348
mm	7.785	7.188	6.667	6.189	5.722	5.257	4.876	4.495	4.114	3.766	3.429	3.060	2.679	2.324	2.032	1.828	1.587	1.371	1.206	1.041	.883

# NAIL CHARACTERISTICS

## Heads



### Brad Head

Small diameter head can be easily concealed. Holding power is reduced. Primarily used for trim and finishing projects. Can be concealed with putty or caulk for an invisible appearance.



### Cupped Head

Used for drywall installation. Concave head provides an area for drywall compound to adhere for concealing.



### Flat Head

Most common head style that provides a large striking surface and strong holding power. Large head also prevents nail from pulling through material.



### Checkered Flat Head

Provides a rough, textured surface on the nail head that prevents hammer slipping when driven.



### Duplex Head

Double head allows for easy removal. Used for temporary nailing work.



### Countersunk Head

Designed for finishing work. Head is shaped to allow for countersinking below the material surface. Can be concealed with putty or caulk for an invisible appearance.

## Shanks



### Fluted

Straight, vertical threads reduce cracking when driven into soft masonry materials such as cinder block and mortar joints. Primary found on masonry nails.



### Spiral

Helical shanked nail used with medium to hardwoods. Bites into wood similar to screw thread. Provides strong holding power and high withdrawal values.



### Ring

Small, horizontal rings embed themselves into wood creating a strong hold. Provides high withdrawal values.



### Smooth

Most common shank type used for framing and general construction applications. Provides low holding power values compared to other shank types.



### Barbed

Horizontal, raised nibs on the shank that provide slightly better holding power than a smooth shank.

## Points



### Blunt Point

Reduces the chance of wood splitting. Does not drive into wood as easy as diamond point nails.



### Diamond Point

Most common nail point that has a four sided cut construction for fast driving into soft and hard woods. Drives easier than a blunt point nail.



### Long Diamond Point

Found primarily on drywall nails to easily penetrate drywall and wood studs without drywall paper tearing.

# Contents

<b>HILLMAN™</b>		<b>PAGE #</b>
<b>Interior</b>		<b>9</b>
Framing .....		. 9
Finishing .....		. 9-10
Flooring & Trim .....		. 11
Paneling .....		. 12
Furniture & Upholstery .....		. 12-13
Specialty .....		. 13-15
Kits .....		. 15
<b>Exterior</b>		<b>16</b>
Finishing .....		. 16
Furniture & Upholstery .....		. 17
Specialty .....		. 17
<b>Fas·n·Tite®</b>		<b>PAGE #</b>
<b>Interior</b>		<b>19</b>
Common .....		. 19-20
Sinker .....		. 21
Framing .....		. 22-23
Finishing .....		. 23-24
Flooring & Trim .....		. 24-26
Paneling .....		. 26
<b>Exterior</b>		<b>27</b>
Common .....		. 27-28
Framing .....		. 29-32
Finishing .....		. 32-33
Fencing .....		. 33-34
<b>Roofing</b>		<b>35</b>
Roofing .....		. 35-37
Siding .....		. 37-38
Cap .....		. 39
Trim .....		. 39
<b>Drywall</b>		<b>40</b>
Drywall .....		. 40-42
<b>ANCHORWire™</b>		<b>PAGE #</b>
<b>Interior</b>		<b>44</b>
Common .....		. 44
Sinker .....		. 44
Framing .....		. 45
Finishing .....		. 45-47
Flooring & Trim .....		. 47-48
Paneling .....		. 49
Furniture & Upholstery .....		. 49-50
Specialty .....		. 50-53
Kits .....		. 53
<b>Exterior</b>		<b>54</b>
Framing .....		. 54-55
Finishing .....		. 55-56
Furniture & Upholstery .....		. 56
Fencing .....		. 57
Specialty .....		. 57
<b>Roofing</b>		<b>58</b>
Roofing .....		. 58
<b>Drywall</b>		<b>59</b>
Drywall .....		. 59

HILLMAN™

**BUILT  
HILLMAN  
STRONG**





# INTERIOR

## INTERIOR - FRAMING

### Box Nails

Smooth Thin Shank  
Flat Head



- Use for interior framing, carpentry, boxes and general construction.
- Thin shank prevents wood splitting.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>									
532590	1-1/2"	14GA	4d	0.219	1.75 oz	1.75 oz	6	Bright (Unplated)	008236166996
532683	2"	12.50GA	6d	0.266		30	6	Bright (Unplated)	008236684582
532684	2-1/2"	11.50GA	8d	0.297		20	6	Bright (Unplated)	008236684599

## INTERIOR - FINISHING

### Finish Nails

Smooth Shank  
Small Head



- Use for interior trim and finishing work where a concealed head is required.
- Countersink beneath wood surface and fill with spackle or caulk.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>									
532586	1-1/2"	15GA	4d	0.106	2.0 oz	2.0 oz	6	Bright (Unplated)	008236166972
532685	2"	13GA	6d	0.135		60	6	Bright (Unplated)	008236684605
532686	2-1/2"	12.50GA	8d	0.142		40	6	Bright (Unplated)	008236684612
532687	3"	11.50GA	10d	0.155		15	6	Bright (Unplated)	008236684629

## INTERIOR - FINISHING

**Wire Nails**Smooth Shank  
Small Flat Head

- Wider than brad nails, offers a more secure load-bearing surface when secured.
- Offers security and safeguards against wood splitting.
- Do not use in treated lumber or where corrosion is a concern.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>									
532623	1/2"	20GA		0.100	1.75 oz	1.75 oz	6	Bright (Unplated)	008236400731
532392	1/2"	19GA		0.120	1.75 oz	1.75 oz	6	Bright (Unplated)	008236123555
532605	5/8"	19GA		0.120	1.75 oz	1.75 oz	6	Bright (Unplated)	008236222920
532608	3/4"	19GA		0.120	1.75 oz	1.75 oz	6	Bright (Unplated)	008236222951
532622	1/2"	18GA		0.130	1.75 oz	1.75 oz	6	Bright (Unplated)	008236400717
532395	5/8"	18GA		0.130	2.0 oz	2.0 oz	6	Bright (Unplated)	008236123562
532398	3/4"	18GA		0.130	2.0 oz	2.0 oz	6	Bright (Unplated)	008236123579
532624	7/8"	18GA		0.130	2.0 oz	2.0 oz	6	Bright (Unplated)	008236400755
532473	1"	18GA	2d	0.130	2.0 oz	2.0 oz	6	Bright (Unplated)	008236123821
532607	3/4"	17GA		0.130	2.0 oz	2.0 oz	6	Bright (Unplated)	008236222944
532401	7/8"	17GA		0.130	2.0 oz	2.0 oz	6	Bright (Unplated)	008236123586
532404	1"	17GA	2d	0.130	2.0 oz	2.0 oz	6	Bright (Unplated)	008236123593
532626	1-1/4"	17GA	3d	0.130	1.75 oz	1.75 oz	6	Bright (Unplated)	008236400793
532606	3/4"	16GA		0.170	2.0 oz	2.0 oz	6	Bright (Unplated)	008236222937
532609	1"	16GA	2d	0.170	2.0 oz	2.0 oz	6	Bright (Unplated)	008236222968
532407	1-1/4"	16GA	3d	0.170	1.75 oz	1.75 oz	6	Bright (Unplated)	008236123609
532476	1-1/2"	16GA	4d	0.170	1.75 oz	1.75 oz	6	Bright (Unplated)	008236123838
532625	1"	15GA	2d	0.190	2.0 oz	2.0 oz	6	Bright (Unplated)	008236400779
532627	1-1/2"	15GA	4d	0.190	1.75 oz	1.75 oz	6	Bright (Unplated)	008236400816
532640	1/2"	19GA		0.120	1.5 oz	1.5 oz	6	Electro-Galvanized	008236401059
532641	5/8"	18GA		0.130	1.75 oz	1.75 oz	6	Electro-Galvanized	008236401073
532642	3/4"	18GA		0.130	1.75 oz	1.75 oz	6	Electro-Galvanized	008236401097
532643	7/8"	17GA		0.130	1.75 oz	1.75 oz	6	Electro-Galvanized	008236401110
532644	1"	17GA	2d	0.130	1.75 oz	1.75 oz	6	Electro-Galvanized	008236401134
532645	1-1/4"	16GA	3d	0.170	1.5 oz	1.5 oz	6	Electro-Galvanized	008236401158

**Brad Nails**Thin Shank  
Small Brad Head

- Ideal for trim, molding & paneling work.
- Designed to countersink into material for concealment.
- Do not use in treated lumber or where corrosion is a concern.

**FAS-PAK**

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>									
532371	1/2"	19GA		0.063	1.75 oz	1.75 oz	6	Bright (Unplated)	008236123487
532374	5/8"	18GA		0.063	2.0 oz	2.0 oz	6	Bright (Unplated)	008236123494
532377	3/4"	18GA		0.063	2.0 oz	2.0 oz	6	Bright (Unplated)	008236123500
532604	1-1/4"	18GA	3d	0.063	1.75 oz	1.75 oz	6	Bright (Unplated)	008236222913
532380	7/8"	17GA		0.089	2.0 oz	2.0 oz	6	Bright (Unplated)	008236123517
532383	1"	17GA	2d	0.089	2.0 oz	2.0 oz	6	Bright (Unplated)	008236123524
532621	1-1/2	17GA	4d	0.089	1.75 oz	1.75 oz	6	Bright (Unplated)	008236400694
532603	1"	16GA	2d	0.098	2.0 oz	2.0 oz	6	Bright (Unplated)	008236222906
532386	1-1/4"	16GA	3d	0.098	2.0 oz	2.0 oz	6	Bright (Unplated)	008236123531
532389	1-1/2"	16GA	4d	0.098	1.75 oz	1.75 oz	6	Bright (Unplated)	008236123548

## INTERIOR - FLOORING & TRIM

### Metal Trim Nails

Smooth Shank  
Flat Head



- Ideal for fastening wood trim to door and window castings.
- Great for small wood and craft projects.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>									
532594	7/8"	13GA		0.178	1.0 oz	1.0 oz	6	Zinc Plated	008236167016
532596	1-1/4"	13GA	3d	0.178	1.0 oz	1.0 oz	6	Zinc Plated	008236167023
532598	7/8"	13GA		0.178	1.0 oz	1.0 oz	6	Brass Plated	008236167030
532600	1-1/4"	13GA	3d	0.178	1.0 oz	1.0 oz	6	Brass Plated	008236167047

### Linoleum Nails

Smooth Shank  
Round Head



- Use to install linoleum flooring to the subfloor.
- Simply hammer into place.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>								
532425	5/8"	16GA	0.170	1.5 oz	1.5 oz	6	Brass	008236123661

### Shade Bracket Nails

Round Head  
Ringed Shank



- Use for molding and trim applications.
- Round head seats flush against surface.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>								
532631	3/4"	15GA	0.190	1.5 oz	1.5 oz	6	Nickel	008236400892
532491	3/4"	15GA	0.190	1.5 oz	1.5 oz	6	Brass	008236123883

### Weather Strip Nails

Round Head  
Barbed Shank



- Use to install weather stripping in doorways.
- Barbed shank ensures secure placement once installed.
- Combines lasting strength and durability.

Item #	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>								
532428	3/4"	17GA	0.170	1.5 oz	1.5 oz	6	Copper	008236123678

## INTERIOR - PANELING

**Panel Nails**Ringed Shank  
Painted

- Attach panel board to wood furring strips or studs.
- Available in colors to match paneling.
- Do not use in treated lumber or where corrosion is a concern.

Item #	Color	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>									
532655	Dark Oak	1"	16GA	0.130	1.5 oz	77	6	Painted	008236436785
532656	Dark Oak	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236436808
532657	Oak	1"	16GA	0.130	1.5 oz	77	6	Painted	008236436822
532658	Oak	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236436846
532661	White	1"	16GA	0.130	1.5 oz	77	6	Painted	008236436907
532662	White	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236436921
532667	Brown	1"	16GA	0.130	1.5 oz	77	6	Painted	008236437027
532668	Brown	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236437041

## INTERIOR - FURNITURE &amp; UPHOLSTERY

**Furniture Nails**Smooth Shank  
Assorted Heads

- Ideal for tacking on cloth & fabric material to upholstery.
- Adds an ornate flair to furniture.
- Provides an attractive finished look.
- Available in assorted finishes and styles.

Item #	Description	Size	Gauge	Head Size	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>								
532467	Black Large Round Head	1/2"	17GA	0.410	25	6	Black	008236123807
532689	White Large Round Head	1/2"	17GA	0.410	25	6	White	008236684643
532709	Brass Hammered Head	1/2"	17GA	0.410	25	6	Brass	008236701814
532464	Brass Large Round Head	1/2"	17GA	0.410	25	6	Brass	008236123791
532461	Antique Brass Daisy Oxford Head	1/2"	17GA	0.410	25	6	Antique Brass	008236123784
532455	Antique Brass Hammered Head	1/2"	17GA	0.410	25	6	Antique Brass	008236123760
532458	Nickel Hammered Head	1/2"	17GA	0.410	25	6	Nickel	008236123777
532707	Nickel Small Round Head	7/16"	17GA	0.360	25	6	Nickel	008236701791
532632	Nickel Large Round Head	1/2"	17GA	0.410	25	6	Nickel	008236401318
532690	Bronze Large Round Head	1/2"	17GA	0.410	25	6	Bronze	008236684650
532708	Brown Large Round Head	1/2"	17GA	0.410	25	6	Brown	008236701807

## INTERIOR - FURNITURE & UPHOLSTERY

### Cut Tacks

Angular Cut Shank  
Large Flat Head

- Ideal for attaching carpet to tack board and upholstery work.
- Tacks are lightweight and install by simply hammering into place.
- Offers increased holding power in material.




Item #	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>								
532692	1/4"	#2	0.160	1.5 oz	1.5 oz	6	Blued (Bluish-Gray)	008236684674
532350	3/8"	#3	0.170	1.75 oz	1.75 oz	6	Blued (Bluish-Gray)	008236123418
532353	7/16"	#4	0.185	2.0 oz	2.0 oz	6	Blued (Bluish-Gray)	008236123425
532356	1/2"	#6	0.210	2.0 oz	2.0 oz	6	Blued (Bluish-Gray)	008236123432
532359	9/16"	#8	0.220	2.0 oz	2.0 oz	6	Blued (Bluish-Gray)	008236123449
532362	5/8"	#10	0.235	2.0 oz	2.0 oz	6	Blued (Bluish-Gray)	008236123456
532365	3/4"	#14	0.265	2.0 oz	2.0 oz	6	Blued (Bluish-Gray)	008236123463
532479	11/16"	#12	0.250	2.0 oz	2.0 oz	6	Blued (Bluish-Gray)	008236123845
532677	13/16"	#16	0.270	1.0 oz	1.0 oz	6	Blued (Bluish-Gray)	008236652178
532678	7/8"	#18	0.279	1.0 oz	1.0 oz	6	Blued (Bluish-Gray)	008236651959
532679	1"	#22	0.320	1.0 oz	1.0 oz	6	Blued (Bluish-Gray)	008236651966
532646	3/8"	#3	0.170	1.5 oz	1.5 oz	6	Electro-Galvanized (Gray)	008236401172
532647	7/16"	#4	0.185	1.75 oz	1.75 oz	6	Electro-Galvanized (Gray)	008236401196
532648	1/2"	#6	0.210	1.75 oz	1.75 oz	6	Electro-Galvanized (Gray)	008236401219
532649	9/16"	#8	0.220	1.75 oz	1.75 oz	6	Electro-Galvanized (Gray)	008236401233
532650	5/8"	#10	0.235	1.75 oz	1.75 oz	6	Electro-Galvanized (Gray)	008236401257
532651	3/4"	#14	0.265	1.75 oz	1.75 oz	6	Electro-Galvanized (Gray)	008236401271

## INTERIOR - SPECIALTY

### Corrugated Joint Fasteners

Steel

- Teeth design for holding and attaching wood together.
- Sharp points provide positive contact between wood material.



Item #	Size	Gauge	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>						
532431	3/8"	5GA	30	6	Bright (Unplated)	008236123685
532434	1/2"	5GA	25	6	Bright (Unplated)	008236123692
532437	5/8"	5GA	20	6	Bright (Unplated)	008236123708

### Wood Joiners

Steel

- Corrugated design for holding and attaching wood together.
- Sharp edge provides positive cutting through wood.



Item #	Size	Gauge	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>						
532578	1"	#0	8	6	Bright (Unplated)	008236166934
532580	1-5/16"	#1	6	6	Bright (Unplated)	008236166941
532582	1"	#2	4	6	Bright (Unplated)	008236166958

## INTERIOR - SPECIALTY

**Double Point Tacks**

Smooth Shank

- Great for attaching small materials & items to wood, such as fabric & wire.
- Sharp points ensure easy, secure insertion into material.



Item #	Size	Gauge	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>							
532485	3/8"	#5	1.5 oz	1.5 oz	6	Bright (Unplated)	008236123869
532488	1/2"	#11	1.5 oz	1.5 oz	6	Bright (Unplated)	008236123876
532368	7/16"	#9	1.5 oz	1.5 oz	6	Bright (Unplated)	008236123470
532705	3/4"	#14	1.5 oz	1.5 oz	6	Bright (Unplated)	008236701777
532652	7/16"	#9	1.5 oz	1.5 oz	6	Electro-Galvanized	008236401295

**Insulated Staples**Smooth Shank  
Flat Head

- Used to secure cable and wire to wood.
- Prevents direct contact with cable or wire with fastened.
- Ensures easy installation and secure hold in material.
- Do not use in treated lumber or where corrosion is a concern.



Item #	Color	Size	Gauge	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>								
532576	White	1/2"	#5		15	6	Painted	008236166927
532681	White	1/2"	#10	1.0 oz	1.0 oz	6	Painted	008236651980
532574	Brown	1/2"	#5		15	6	Painted	008236166910
532680	Brown	1/2"	#10	1.0 oz	1.0 oz	6	Painted	008236651973

**Escutcheon Pins**Smooth Shank  
Round Head

- Ideal for home woodworking, finishing projects, and repairs.
- Offers a smooth, decorative appearance.
- Provides greater security without the threat of bending or wood splitting.
- Do not use in treated lumber or where corrosion is a concern.

Item #	Color	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>									
532413	Gold	1/2"	18GA	0.105	1.5 oz	1.5 oz	6	Brass Plated	008236123623
532416	Gold	5/8"	18GA	0.105	1.5 oz	1.5 oz	6	Brass Plated	008236123630
532628	Gold	3/4"	14GA	0.169	1.5 oz	1.5 oz	6	Brass Plated	008236400830
532629	Gold	3/4"	16GA	0.135	1.5 oz	1.5 oz	6	Brass Plated	008236400854
532419	Gold	3/4"	18GA	0.105	1.5 oz	1.5 oz	6	Brass Plated	008236123647
532422	Gold	1"	16GA	0.138	1.5 oz	1.5 oz	6	Brass Plated	008236123654
532630	Gold	1"	18GA	0.105	1.5 oz	1.5 oz	6	Brass Plated	008236400878

**Glazier Points**

Strong, Sturdy, Reliable



- Designed to hold glass panes in place for installation.
- Made of high-quality steel.
- Offers durability and an attractive finish.

Item #	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>					
532440	1.0 oz	1.0 oz	6	Nickel	008236123715

## INTERIOR - SPECIALTY

**Push Pins**

Smooth Shank



- Good for simple, lightweight mounting of photos, documents & more.
- Quick to install & remove.
- Works well with a variety of paper stock.

Item #	Color	Size	Gauge	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Blister Card</b>							
122262	Clear	7/16"	18GA	16	10	Painted	008236652017
121152	Assorted	7/16"	18GA	16	10	Painted	008236181470
532452	Assorted	5/16"	19GA	25	6	Painted	008236123753
<b>Fas-Pak</b>							
532691	Clear	7/16"	18GA	40	6		008236684667
532711	Blue	7/16"	18GA	25	6	Painted	008236772906
532712	Green	7/16"	18GA	25	6	Painted	008236772913
532713	Red	7/16"	18GA	25	6	Painted	008236772920
532714	White	7/16"	18GA	25	6	Painted	008236772937
532715	Yellow	7/16"	18GA	25	6	Painted	008236772944
532716	Nickel	7/16"	18GA	25	6	Bright	008236772951
532717	Aluminum	7/16"	18GA	25	6	Bright	008236772968

**Thumb Tacks**

Smooth Shank



- Good for simple, lightweight mounting of photos, documents & more.
- Quick to install & remove.
- Works well with a variety of paper stock.

Item #	Color	Size	Gauge	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>							
532443	Nickel	5/16"	19GA	40	6	Bright	008236123722
532446	White	5/16"	19GA	40	6	Painted	008236123739
532449	Red	5/16"	19GA	40	6	Painted	008236123746
532610	Green	5/16"	19GA	40	6	Painted	008236387025
532611	Yellow	5/16"	19GA	40	6	Painted	008236387032
532612	Brass Plated	5/16"	19GA	40	6	Bright	008236387339
532710	Blue	5/16"	19GA	40	6	Painted	008236701821

## INTERIOR - KITS

**Kits**

- Contains a variety of products and sizes useful for multiple projects.



Products	Item #	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	UPC
Tack & Brad Nail Assortment	41823	Assorted	Assorted	Assorted	6.0 oz	6.0 oz	008236582758
Push Pin Kit	41824	Assorted	Assorted	Assorted	1.5 oz	1.5 oz	008236582772
Nail & Brad Nail Assortment	41826	Assorted	Assorted	Assorted	6.0 oz	6.0 oz	008236582802
Panel Nail Kit	130209	Assorted	Assorted	Assorted	0.409 lb	0.409 lb	008236797107
Finish Nail Kit	130220	Assorted	Assorted	Assorted		150	038902005076
Box Nail Kit	130221	Assorted	Assorted	Assorted	0.323 lb	0.323 lb	038902005083
Home Nail Assortment	130363	Assorted	Assorted	Assorted		100	038902090836
Wire Nail & Brad Nail Assortment	130207	Assorted	Assorted	Assorted		260	008236797084



## EXTERIOR - FINISHING

### Stainless Steel Wire Nails

Smooth Shank  
Small Flat Head

- Wider than brad nails, offers a more secure load-bearing surface when secured.
- Offers security and safeguards against wood splitting.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>									
532673	3/4"	17GA		0.130	1.0 oz	1.0 oz	6	Passivated	008236651911
532674	7/8"	17GA		0.130	1.0 oz	1.0 oz	6	Passivated	008236651928
532676	1-1/4"	17GA	3d	0.130	1.0 oz	1.0 oz	6	Passivated	008236651942
532675	1"	17GA	2d	0.130	1.0 oz	1.0 oz	6	Passivated	008236651935

### Aluminum Wire Staples

- Used for fastening a variety of items to wood such as wires, fencing, etc.
- Ideal for outdoor applications.



Item #	Size	Gauge	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>							
532706	3/8"	#5	1.5 oz	1.5 oz	6	Aluminum	008236701784

### Stainless Steel Brad Nails

Thin Shank  
Small Brad Head



- Ideal for trim, molding & paneling work.
- Designed to countersink into material for concealment.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>									
532671	1"	17GA	2d	0.089	1.0 oz	1.0 oz	6	Passivated	008236651898
532672	1-1/4"	17GA	3d	0.089	1.0 oz	1.0 oz	6	Passivated	008236651904

## EXTERIOR - FURNITURE & UPHOLSTERY

### Cut Tacks

Angular Cut Shank  
Large Flat Head

- Ideal for attaching carpet to tack board and upholstery work.
- Tacks are lightweight and install by simply hammering into place.
- Offers increased holding power in material.



Item #	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>								
532693	3/8"	#3	0.170	.5 oz	.5 oz	6	Aluminum	008236684681
532482	7/16"	#4	0.185	.5 oz	.5 oz	6	Aluminum	008236123852
532694	1/2"	#6	0.210	.5 oz	.5 oz	6	Aluminum	008236684698
532682	7/16"	#4	0.185	.5 oz	.5 oz	6	Copper	008236651997
532697	1/2"	#6	0.210	.5 oz	.5 oz	6	Copper	008236684728
532696	5/8"	#10	0.235	.5 oz	.5 oz	6	Copper	008236684711
532695	3/4"	#14	0.265	.5 oz	.5 oz	6	Copper	008236684704

## EXTERIOR - SPECIALTY

### Fence Staples

- For attaching round, welded, or barbed wire fencing to wood posts.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.



Item #	Size	Gauge	Penny Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>								
532699	1-1/4"	9GA	3d	1.5 oz	1.5 oz	6	Hot Dipped Galvanized	008236684742

### Poultry Net Staples

- For attaching poultry netting to wooden posts.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.



Item #	Size	Gauge	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>							
532698	3/4"	14GA	1.5 oz	1.5 oz	6	Hot Dipped Galvanized	008236684735

### Escutcheon Pins

Smooth Shank  
Round Head

- Ideal for home woodworking, finishing projects, and repairs.
- Offers a smooth, decorative appearance.
- Provides greater security without the threat of bending or wood splitting.
- Recommended for exterior use.



Item #	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>								
532701	1/2"	18GA	0.105	2.0 oz	2.0 oz	6	Brass	008236701739
532702	5/8"	18GA	0.105	2.0 oz	2.0 oz	6	Brass	008236701746
532703	3/4"	18GA	0.105	2.0 oz	2.0 oz	6	Brass	008236701753
532704	1"	18GA	0.105	2.0 oz	2.0 oz	6	Brass	008236701760

**Fas·n·Tite®**

**QUALITY.  
CONSISTENCY.  
PERFORMANCE.**





## INTERIOR - COMMON

### Common Nails

Smooth Thick Shank  
Flat Head

- Use for carpentry, general construction and framing.
- Large shank prevents bending.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461354	1-1/2"	12.50GA	4d	0.250	1 lb.	279	1	Bright (Unplated)	038902057273
461355	2"	11.50GA	6d	0.266	1 lb.	159	1	Bright (Unplated)	038902055491
461357	2-1/2"	10.25GA	8d	0.281	1 lb.	94	1	Bright (Unplated)	038902055514
461359	3"	9GA	10d	0.312	1 lb.	61	1	Bright (Unplated)	038902056306
461361	3-1/4"	9GA	12d	0.312	1 lb.	57	1	Bright (Unplated)	038902056320
461363	3-1/2"	8GA	16d	0.344	1 lb.	44	1	Bright (Unplated)	038902056627
461366	4"	6GA	20d	0.406	1 lb.	27	1	Bright (Unplated)	038902056658
462003	1-1/2"	12.50GA	4d	0.250	1 lb.	279	4	Bright (Unplated)	038902057273
462004	2"	11.50GA	6d	0.266	1 lb.	159	4	Bright (Unplated)	038902055491
462005	2-1/2"	10.25GA	8d	0.281	1 lb.	94	4	Bright (Unplated)	038902055514
462006	3"	9GA	10d	0.312	1 lb.	61	4	Bright (Unplated)	038902056306
462007	3-1/4"	9GA	12d	0.312	1 lb.	57	4	Bright (Unplated)	038902056320
462008	3-1/2"	8GA	16d	0.344	1 lb.	134	4	Bright (Unplated)	038902057280
<b>5 LB. Box</b>									
461356	2"	11.50GA	6d	0.266	5 lb.	793	1	Bright (Unplated)	038902055507
461358	2-1/2"	10.25GA	8d	0.281	5 lb.	480	1	Bright (Unplated)	038902055521
461360	3"	9GA	10d	0.312	5 lb.	314	1	Bright (Unplated)	038902056313
461362	3-1/4"	9GA	12d	0.312	5 lb.	290	1	Bright (Unplated)	038902056337
461364	3-1/2"	8GA	16d	0.344	5 lb.	223	1	Bright (Unplated)	038902056634
461528	4"	6GA	20d	0.406	5 lb.	135	1	Bright (Unplated)	038902071064
<b>Eighth Keg</b>									
461884	3-1/2"	8GA	16d	0.344		500	1	Bright (Unplated)	038902167866
<b>30 LB. Keg</b>									
461573	2-1/2"	10.25GA	8d	0.281	30 lb.	2,727	1	Bright (Unplated)	008236486193
461365	3-1/2"	8GA	16d	0.344	30 lb.	1,269	1	Bright (Unplated)	038902056641
<b>50 LB. Keg</b>									
461579	2"	11.50GA	6d	0.266	50 lb.	7,515	1	Bright (Unplated)	008236486254
461578	2-1/2"	10.25GA	8d	0.281	50 lb.	4,545	1	Bright (Unplated)	008236486247
461576	3"	9GA	10d	0.312	50 lb.	2,970	1	Bright (Unplated)	008236486223
461577	3-1/4"	9GA	12d	0.312	50 lb.	2,745	1	Bright (Unplated)	008236486230
461575	3-1/2"	8GA	16d	0.344	50 lb.	2,115	1	Bright (Unplated)	008236486216
461574	4"	6GA	20d	0.406	50 lb.	1,305	1	Bright (Unplated)	008236486209
461587	4-1/2"	6GA	30d	0.438	50 lb.	990	1	Bright (Unplated)	008236487053
461591	5"	6GA	40d	0.469	50 lb.	765	1	Bright (Unplated)	008236487244
461589	6"	6GA	60d	0.531	50 lb.	475	1	Bright (Unplated)	008236487220

## INTERIOR - COMMON

**Ringed Common Nails**

Ringed Thick Shank  
Flat Head



- Use for carpentry, general construction and framing.  
Large shank prevents bending.
- Ringed shank increases holding power and resists vibration.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461367	2"	11.50GA	6d	0.266	1 lb.	159	1	Bright (Unplated)	038902056627
461368	2-1/2"	10.25GA	8d	0.281	1 lb.	94	1	Bright (Unplated)	038902057297

**Common Spikes**

Smooth Thick Shank  
Flat Head



- For landscape timbers, railroad ties, and log home construction.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>5 LB. Box</b>								
461493	8"	3/8	0.750	5 lb.	20	1	Bright (Unplated)	038902062475
461494	10"	3/8	0.750	5 lb.	15	1	Bright (Unplated)	038902062499
461495	12"	3/8	0.750	5 lb.	15	1	Bright (Unplated)	038902062512
<b>25 LB. Box</b>								
461899	10"	3/8	0.750	25 lb.	100	1	Bright (Unplated)	038902234148
461900	12"	3/8	0.750	25 lb.	75	1	Bright (Unplated)	038902234162
461901	8"	3/8	0.750	25 lb.	60	1	Bright (Unplated)	038902234186
<b>50 LB. Box</b>								
461491	10"	3/8	0.750	50 lb.	143	1	Bright (Unplated)	038902062437
461492	12"	3/8	0.750	50 lb.	113	1	Bright (Unplated)	038902062451

## INTERIOR - SINKER

### Sinker Nails

Smooth Shank  
Checkered Flat Head



- For construction, carpentry, and framing. Vinyl coating provides easier driving and strong holding power.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461410	1-1/8"	15.50GA	3d	0.172	1 lb.	877	12	Vinyl Coated	038902055880
461411	1-3/8"	14GA	4d	0.203	1 lb.	501	12	Vinyl Coated	038902056740
461412	1-7/8"	13GA	6d	0.234	1 lb.	278	12	Vinyl Coated	038902056757
461414	2-3/8"	11.50GA	8d	0.266	1 lb.	145	12	Vinyl Coated	038902056771
461418	2-7/8"	11GA	10d	0.281	1 lb.	103	12	Vinyl Coated	038902056931
461420	3-1/8"	10GA	12d	0.313	1 lb.	75	12	Vinyl Coated	038902055668
461424	3-1/4"	9GA	16d	0.344	1 lb.	60	12	Vinyl Coated	038902055903
461428	3-3/4"	7GA	20d	0.375	1 lb.	37	12	Vinyl Coated	038902056795
<b>5 LB. Box</b>									
461566	1-3/8"	14GA	4d	0.203	5 lb.	2,240	4	Vinyl Coated	008236486124
461413	1-7/8"	13GA	6d	0.234	5 lb.	1,392	4	Vinyl Coated	038902056764
461415	2-3/8"	11.50GA	8d	0.266	5 lb.	727	4	Vinyl Coated	038902056900
461419	2-7/8"	11GA	10d	0.281	5 lb.	527	4	Vinyl Coated	038902055651
461421	3-1/8"	10GA	12d	0.313	5 lb.	385	4	Vinyl Coated	038902055675
461425	3-1/4"	9GA	16d	0.344	5 lb.	304	4	Vinyl Coated	038902055910
461429	3-3/4"	7GA	20d	0.375	5 lb.	190	4	Vinyl Coated	038902056801
<b>30 LB. Keg</b>									
461416	2-3/8"	11.50GA	8d	0.266	30 lb.	4,131	1	Vinyl Coated	038902056917
461422	3-1/8"	10GA	12d	0.313	30 lb.	2,187	1	Vinyl Coated	038902055682
461426	3-1/4"	9GA	16d	0.344	30 lb.	1,728	1	Vinyl Coated	038902055927
<b>50 LB. Box</b>									
461569	1-7/8"	13GA	6d	0.234	50 lb.	13,185	1	Vinyl Coated	008236486155
461417	2-3/8"	11.50GA	8d	0.266	50 lb.	6,885	1	Vinyl Coated	038902056924
461568	2-7/8"	11GA	10d	0.281	50 lb.	4,995	1	Vinyl Coated	008236486148
461423	3-1/8"	10GA	12d	0.313	50 lb.	3,645	1	Vinyl Coated	038902055897
461427	3-1/4"	9GA	16d	0.344	50 lb.	2,880	1	Vinyl Coated	038902056788
461567	3-3/4"	7GA	20d	0.375	50 lb.	1,800	1	Vinyl Coated	008236486131

## INTERIOR - FRAMING

**Box Nails**

Smooth Thin Shank  
Flat Head



- Use for interior framing, carpentry, boxes and general construction.
- Thin shank prevents wood splitting.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461385	1-1/2"	14GA	4d	0.219	1 lb.	449	12	Bright (Unplated)	038902057341
461386	1-3/4"	14GA	5d	0.219	1 lb.	386	12	Bright (Unplated)	038902057358
461387	2"	12.50GA	6d	0.266	1 lb.	224	12	Bright (Unplated)	038902055576
461388	2-1/2"	11.50GA	8d	0.297	1 lb.	135	12	Bright (Unplated)	038902055583
461499	3"	10.50GA	10d	0.312	1 lb.	87	12	Bright (Unplated)	038902062574
461390	3-1/2"	10GA	16d	0.344	1 lb.	66	12	Bright (Unplated)	038902055606
<b>5 LB. Box</b>									
461498	2-1/2"	11.50GA	8d	0.297	5 lb.	689	4	Bright (Unplated)	038902062550
461389	3"	10.50GA	10d	0.312	5 lb.	447	4	Bright (Unplated)	038902055590
461391	3-1/2"	10GA	16d	0.344	5 lb.	337	4	Bright (Unplated)	038902055811
<b>50 LB. Box</b>									
461558	1-1/2"	14GA	4d	0.219	50 lb.	21,285	1	Bright (Unplated)	008236486032
461557	2"	12.50GA	6d	0.266	50 lb.	10,620	1	Bright (Unplated)	008236486025
461556	2-1/2"	11.50GA	8d	0.297	50 lb.	6,525	1	Bright (Unplated)	008236486018
461555	3"	10.50GA	10d	0.312	50 lb.	4,230	1	Bright (Unplated)	008236486001
461554	3-1/2"	10GA	16d	0.344	50 lb.	3,195	1	Bright (Unplated)	008236485998
461553	4"	9GA	20d	0.375	50 lb.	2,340	1	Bright (Unplated)	008236485981

**Duplex Nails**

Smooth Shank  
Double Head



- For temporary construction where nail removal is required.
- Second exposed head allows for easy removal.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461570	1-3/4"	11.50GA	6d	.188 x .266	1 lb.	148	12	Bright (Unplated)	008236486162
461392	2-1/4"	10GA	8d	.234 x .281	1 lb.	84	12	Bright (Unplated)	038902055828
461396	3"	8GA	16d	.281 x .344	1 lb.	42	12	Bright (Unplated)	038902056719
<b>5 LB. Box</b>									
461571	1-3/4"	11.50GA	6d	.188 x .266	5 lb.	741	4	Bright (Unplated)	008236486179
461393	2-1/4"	10GA	8d	.234 x .281	5 lb.	428	4	Bright (Unplated)	038902055835
461397	3"	8GA	16d	.281 x .344	5 lb.	214	4	Bright (Unplated)	038902056726
<b>30 LB. Keg</b>									
461394	2-1/4"	10GA	8d	.234 x .281	30 lb.	2,430	1	Bright (Unplated)	038902055842
461399	3"	8GA	16d	.281 x .344	30 lb.	1,350	1	Bright (Unplated)	038902057365
<b>50 LB. Box</b>									
461395	2-1/4"	10GA	8d	.234 x .281	50 lb.	4,050	1	Bright (Unplated)	038902056702
461398	3"	8GA	16d	.281 x .344	50 lb.	2,250	1	Bright (Unplated)	038902056733

## INTERIOR - FRAMING

**Polebarn Nails**

Stiff Stock  
Ring Shank  
Flat Head



- Use for load-bearing, wood framed, polebarn structures where high holding strength is required.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>5 LB. Box</b>									
461529	3-1/2"	9GA	16d	0.313	5 lb.	271	4	Bright (Unplated)	038902071088
461530	4"	7GA	20d	0.375	5 lb.	166	4	Bright (Unplated)	038902071101
461531	5"	7GA	40d	0.375	5 lb.	130	4	Bright (Unplated)	038902071132
461532	6"	5GA	60d	0.469		85	4	Bright (Unplated)	038902071170

## INTERIOR - FINISHING

**Finish Nails**

Smooth Shank  
Small Head



- Use for interior trim and finishing work where a concealed head is required.
- Countersink beneath wood surface and fill with spackle or caulk.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

**1 LB. BOX**

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
462009	1-1/2"	15GA	4d	0.106	1 lb.	599	4	Bright (Unplated)	038902057310
462010	2"	13GA	6d	0.135	1 lb.	274	4	Bright (Unplated)	038902055538
462011	2-1/2"	12.50GA	8d	0.142	1 lb.	186	4	Bright (Unplated)	038902055552
461369	1-1/4"	15.50GA	3d	0.099	1 lb.	836	1	Bright (Unplated)	038902057303
461370	1-1/2"	15GA	4d	0.106	1 lb.	599	1	Bright (Unplated)	038902057310
461496	1-3/4"	15GA	5d	0.106	1 lb.	508	1	Bright (Unplated)	038902062536
461371	2"	13GA	6d	0.135	1 lb.	274	1	Bright (Unplated)	038902055538
461373	2-1/2"	12.50GA	8d	0.142	1 lb.	186	1	Bright (Unplated)	038902055552
461375	3"	11.50GA	10d	0.155	1 lb.	115	1	Bright (Unplated)	038902056344
461376	3-1/2"	11GA	16d	0.162	1 lb.	86	1	Bright (Unplated)	038902056351
<b>5 LB. Box</b>									
461603	1-1/2"	15GA	4d	0.106	5 lb.	2,930	1	Bright (Unplated)	008236487428
461372	2"	13GA	6d	0.135	5 lb.	1,339	1	Bright (Unplated)	038902055545
461374	2-1/2"	12.50GA	8d	0.142	5 lb.	931	1	Bright (Unplated)	038902055569
461602	3"	11.50GA	10d	0.155	5 lb.	589	1	Bright (Unplated)	008236487411
461601	3-1/2"	11GA	16d	0.162	5 lb.	442	1	Bright (Unplated)	008236487404
<b>50 LB. Box</b>									
461606	1-1/2"	15GA	4d	0.106	50 lb.	28,350	1	Bright (Unplated)	008236487459
461605	2"	13GA	6d	0.135	50 lb.	12,960	1	Bright (Unplated)	008236487442
461604	2-1/2"	12.50GA	8d	0.142	50 lb.	8,820	1	Bright (Unplated)	008236487435

## INTERIOR - FINISHING

**Fencing Staples**

- For attaching round wire fencing to wooden members.



Item #	Size	Gauge	Penny Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>								
461630	1-1/4"	9GA	3d	1 lb.	81	1	Bright (Unplated)	008236487749
<b>5 LB. Box</b>								
461633	1-1/4"	9GA	3d	5 lb.	413	1	Bright (Unplated)	008236487800
461639	1-1/2"	9GA	4d	5 lb.	274	1	Bright (Unplated)	008236649161

## INTERIOR - FLOORING &amp; TRIM

**Hardwood Trim Nails**

Hardened Steel  
Smooth Shank  
Small Head



- Use to fasten hardwood trim such as oak, birch, and walnut.
- Extra strong, resists bending.
- Small head can be covered with wood putty for concealment.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461377	1-1/2"	15GA	4d	0.106	1 lb.	659	12	Bright (Unplated)	038902056368
461378	2"	13GA	6d	0.135	1 lb.	415	12	Bright (Unplated)	038902056375
461379	2-1/2"	12.50GA	8d	0.142	1 lb.	333	12	Bright (Unplated)	038902056665

**Hardwood Flooring Nails**

Hardened Steel  
Spiral Shank  
Small Head



- Use to secure hardwood flooring strips to subfloor.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461593	2-1/4"	11.50GA	7d	0.203	1 lb.	152	12	Bright (Unplated)	008236487268
461497	2-1/2"	11.50GA	8d	0.203	1 lb.	102	12	Bright (Unplated)	038902062543

**Underlayment Nails**Ring Shank  
Flat Head

- Use for attaching composition underlayment or plywood over subfloor.
- Ringed shank provides holding strength.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461380	1-1/4"	12.50GA	3d	0.250	1 lb.	328	12	Bright (Unplated)	038902056672
461382	1-7/8"	12.50GA	6d	0.250	1 lb.	205	12	Bright (Unplated)	038902056696
461383	2"	12.50GA	6d	0.250	1 lb.	194	12	Bright (Unplated)	038902057327
<b>5 LB. Box</b>									
461381	1-1/4"	12.50GA	3d	0.250	5 lb.	1,639	4	Bright (Unplated)	038902056689
461384	2"	12.50GA	6d	0.250	5 lb.	969	4	Bright (Unplated)	038902057334

**Fluted Masonry Nails**Fluted Shank  
Flat Head

- Attach wood to concrete or masonry.
- Hardened fluted shank provides strong holding power and drives fast.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461400	1"	9GA	2d	0.344	1 lb.	177	12	Bright (Unplated)	038902057372
461544	1-1/4"	9GA	3d	0.344	1 lb.	144	12	Bright (Unplated)	038902074096
461401	1-1/2"	9GA	4d	0.344	1 lb.	119	12	Bright (Unplated)	038902057389
461402	2"	9GA	6d	0.344	1 lb.	91	12	Bright (Unplated)	038902057396
461403	2-1/2"	9GA	8d	0.344	1 lb.	73	12	Bright (Unplated)	038902055613
461404	3"	9GA	10d	0.344	1 lb.	73	12	Bright (Unplated)	038902055620

**Masonry Stub Nails**Smooth Shank  
Countersunk Head

- Attach thin fixture to concrete or masonry.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>								
461409	1/2"	9GA	0.375	1 lb.	318	12	Bright (Unplated)	038902055873
461408	3/4"	9GA	0.375	1 lb.	236	12	Bright (Unplated)	038902055866

## INTERIOR - FLOORING &amp; TRIM

**Tapered Masonry Nails**

Flat Rectangular Head

- For attaching wood to cinder block, mortar joints, brick, and concrete.
- 3/4" minimum embedment into base material for maximum holding power.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.



Item #	Size	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>								
461405	1-1/2"	4d	0.188x0.250	1 lb.	116	12	Bright (Unplated)	038902055637
461500	2"	6d	0.188x0.313	1 lb.	79	12	Bright (Unplated)	038902062581
461406	2-1/2"	8d	0.219x0.375	1 lb.	60	12	Bright (Unplated)	038902055644
461501	3"	10d	0.250x0.438	1 lb.	45	12	Bright (Unplated)	038902062598
461407	3-1/2"	16d	0.250x0.438	1 lb.	32	12	Bright (Unplated)	038902055859

## INTERIOR - PANELING

**Panel Nails**Ringed Shank  
Painted

- Attach panel board to wood furring strips or studs.
- Available in colors to match paneling.
- Do not use in treated lumber or where corrosion is a concern.

**FAS-PAK**

Item #	Color	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>									
461654	Black Walnut	1"	16GA	0.130	1.5 oz	77	6	Painted	008236672886
461655	Black Walnut	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236672893
461656	Dark Oak	1"	16GA	0.130	1.5 oz	77	6	Painted	008236672909
461657	Dark Oak	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236672916
461658	Oak	1"	16GA	0.130	1.5 oz	77	6	Painted	008236672923
461659	Oak	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236672930
461661	Cherry	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236672954
461662	White	1"	16GA	0.130	1.5 oz	77	6	Painted	008236672961
461663	White	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236672978
461664	Ash	1"	16GA	0.130	1.5 oz	77	6	Painted	008236672985
461665	Ash	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236672992
461666	Black	1"	16GA	0.130	1.5 oz	77	6	Painted	008236673005
461667	Black	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236673012
461668	Brown	1"	16GA	0.130	1.5 oz	77	6	Painted	008236673029
461669	Brown	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236673036
<b>XL-Pak</b>									
461792	Black Walnut	1"	16GA	0.130	6 oz	334	5	Painted	008236676754
461793	Black Walnut	1-5/8"	15GA	0.146	6 oz	192	5	Painted	008236676761
461525	Dark Oak	1"	16GA	0.130	6 oz	334	5	Painted	038902070241
461520	Dark Oak	1-5/8"	15GA	0.146	6 oz	192	5	Painted	038902070272
461523	Oak	1"	16GA	0.130	6 oz	334	5	Painted	038902070227
461518	Oak	1-5/8"	15GA	0.146	6 oz	192	5	Painted	038902070258
461794	Cherry	1"	16GA	0.130	6 oz	334	5	Painted	008236676778
461795	Cherry	1-5/8"	15GA	0.146	6 oz	192	5	Painted	008236676785
461527	White	1"	16GA	0.130	6 oz	334	5	Painted	038902070302
461522	White	1-5/8"	15GA	0.146	6 oz	192	5	Painted	038902070210
461797	Ash	1-5/8"	15GA	0.146	6 oz	192	5	Painted	008236676808
461524	Black	1"	16GA	0.130	6 oz	334	5	Painted	038902070234
461519	Black	1-5/8"	15GA	0.146	6 oz	192	5	Painted	038902070265
461526	Brown	1"	16GA	0.130	6 oz	334	5	Painted	038902070296
461521	Brown	1-5/8"	15GA	0.146	6 oz	192	5	Painted	038902070289



# EXTERIOR

## EXTERIOR - COMMON

### Common Nails

Smooth Thick Shank  
Flat Head



- Use for carpentry, general construction and framing.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461278	1-1/2"	12.50GA	4d	0.250	1 lb.	279	1	Hot Dipped Galvanized	038902055323
461279	2"	11.50GA	6d	0.266	1 lb.	159	1	Hot Dipped Galvanized	038902056016
461281	2-1/2"	10.25GA	8d	0.281	1 lb.	94	1	Hot Dipped Galvanized	038902056030
461283	3"	9GA	10d	0.312	1 lb.	61	1	Hot Dipped Galvanized	038902056429
461285	3-1/4"	9GA	12d	0.312	1 lb.	57	1	Hot Dipped Galvanized	038902056443
461287	3-1/2"	8GA	16d	0.344	1 lb.	44	1	Hot Dipped Galvanized	038902057068
462000	3-1/2"	8GA	16d	0.344	1 lb.	44	4	Hot Dipped Galvanized	038902057068
461473	4"	6GA	20d	0.406	1 lb.	27	1	Hot Dipped Galvanized	038902062130
<b>5 LB. Box</b>									
461280	2"	11.50GA	6d	0.266	5 lb.	793	1	Hot Dipped Galvanized	038902056023
461282	2-1/2"	10.25GA	8d	0.281	5 lb.	480	1	Hot Dipped Galvanized	038902056047
461284	3"	9GA	10d	0.312	5 lb.	314	1	Hot Dipped Galvanized	038902056436
461286	3-1/4"	9GA	12d	0.312	5 lb.	290	1	Hot Dipped Galvanized	038902056450
461288	3-1/2"	8GA	16d	0.344	5 lb.	223	1	Hot Dipped Galvanized	038902057075
461572	4"	6GA	20d	0.406	5 lb.	135	1	Hot Dipped Galvanized	008236486186
<b>Eighth Keg</b>									
461880	2-1/2"	10.25GA	8d	0.281		1,070	1	Hot Dipped Galvanized	038902167781
461881	3-1/2"	8GA	16d	0.344		500	1	Hot Dipped Galvanized	038902167804
<b>25 LB. Box</b>									
461895	6"	6GA	60d	0.531	50 lb.	225	0	Hot Dipped Galvanized	038902234063
<b>30 LB. Box</b>									
461289	2-1/2"	10.25GA	8d	0.281	30 lb.	2,727	1	Hot Dipped Galvanized	038902057082
461290	3-1/4"	9GA	12d	0.312	30 lb.	1,647	1	Hot Dipped Galvanized	038902057099
461291	3-1/2"	8GA	16d	0.344	30 lb.	1,269	1	Hot Dipped Galvanized	038902055330
<b>50 LB. Box</b>									
461581	1-1/2"	12.50GA	4d	0.250	50 lb.	13,230	1	Hot Dipped Galvanized	008236486278
461586	2"	11.50GA	6d	0.266	50 lb.	7,515	1	Hot Dipped Galvanized	008236486681
461585	2-1/2"	10.25GA	8d	0.281	50 lb.	4,545	1	Hot Dipped Galvanized	008236486674
461584	3"	9GA	10d	0.312	50 lb.	2,970	1	Hot Dipped Galvanized	008236486667
461583	3-1/4"	9GA	12d	0.312	50 lb.	2,745	1	Hot Dipped Galvanized	008236486650
461582	3-1/2"	8GA	16d	0.344	50 lb.	2,115	1	Hot Dipped Galvanized	008236486643
461580	4"	6GA	20d	0.406	50 lb.	1,305	1	Hot Dipped Galvanized	008236486261
461588	4-1/2"	6GA	30d	0.438	50 lb.	990	1	Hot Dipped Galvanized	008236487060
461590	5"	6GA	40d	0.469	50 lb.	765	1	Hot Dipped Galvanized	008236487237
461292	6"	6GA	60d	0.531	50 lb.	475	1	Hot Dipped Galvanized	038902055347
461895	6"	6GA	60d	0.531	50 lb.	225	0	Hot Dipped Galvanized	038902234063

## EXTERIOR - COMMON

## Stainless Steel Common Nails

- Conforms to ASTM F1667.



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461351	1-1/2"	12GA	4d	0.250	1 lb.	217	1	Passivated	038902057242
461352	2"	11GA	6d	0.266	1 lb.	134	1	Passivated	038902057259
461353	'2-1/2"	10GA	8d	0.281	1 lb.	87	1	Passivated	038902057266
461545	2-1/2"	10GA	8d	0.281	1 lb.	87	1	Passivated	038902075598
461546	3"	10GA	10d	0.281	1 lb.	62	12	Passivated	038902075604
461547	3-1/2"	9GA	16d	0.312	1 lb.	41	12	Passivated	038902075611

## Common Spikes

Smooth Thick Shank  
Flat Head



- Use for landscape timbers, railroad ties, and log home construction.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>5 LB. Box</b>								
461474	8"	3/8	0.750	5 lb.	18	4	Hot Dipped Galvanized	038902062147
461475	10"	3/8	0.750	5 lb.	14	4	Hot Dipped Galvanized	038902062161
461476	12"	3/8	0.750	5 lb.	14	4	Hot Dipped Galvanized	038902062185
<b>10 PC Box</b>								
461890	10"	3/8	0.750	10 lb.	10	1	Hot Dipped Galvanized	038902167880
<b>25 LB. Box</b>								
461896	8"	3/8	0.750	25 lb.	100	0	Hot Dipped Galvanized	038902234087
461897	10"	3/8	0.750	25 lb.	75	0	Hot Dipped Galvanized	038902234100
461898	12"	3/8	0.750	25 lb.	60	0	Hot Dipped Galvanized	038902234124
<b>50 LB. Box</b>								
461293	8"	3/8	0.750	50 lb.	190	4	Hot Dipped Galvanized	038902055354
461294	10"	3/8	0.750	50 lb.	143	4	Hot Dipped Galvanized	038902055361
461295	12"	3/8	0.750	50 lb.	113	1	Hot Dipped Galvanized	038902056092

## EXTERIOR - FRAMING

**Box Nails**

Smooth Thin Shank  
Flat Head



- Use for framing, carpentry, boxes and general construction.
- Thin shank prevents wood splitting.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461550	1-1/4"	14.50GA	3d	0.219	1 lb.	603	12	Hot Dipped Galvanized	008236485950
461314	1-1/2"	14GA	4d	0.219	1 lb.	449	12	Hot Dipped Galvanized	038902056214
461315	1-3/4"	14GA	5d	0.219	1 lb.	386	12	Hot Dipped Galvanized	038902056504
461316	2"	12.50GA	6d	0.266	1 lb.	224	12	Hot Dipped Galvanized	038902056511
461318	2-1/4"	12.50GA	7d	0.266	1 lb.	200	12	Hot Dipped Galvanized	038902056535
461319	2-1/2"	11.50GA	8d	0.297	1 lb.	135	12	Hot Dipped Galvanized	038902057167
461322	3"	10.50GA	10d	0.312	1 lb.	87	12	Hot Dipped Galvanized	038902057198
461324	3-1/4"	10.50GA	12d	0.312	1 lb.	82	12	Hot Dipped Galvanized	038902055422
461326	3-1/2"	10GA	16d	0.344	1 lb.	66	12	Hot Dipped Galvanized	038902055446
461484	4"	9GA	20d	0.375	1 lb.	48	12	Hot Dipped Galvanized	038902062314
<b>5 LB. Box</b>									
461317	2"	12.50GA	6d	0.266	5 lb.	1,121	4	Hot Dipped Galvanized	038902056528
461552	2-1/4"	12.50GA	7d	0.266	5 lb.	713	4	Hot Dipped Galvanized	008236485974
461320	2-1/2"	11.50GA	8d	0.297	5 lb.	689	4	Hot Dipped Galvanized	038902057174
461323	3"	10.50GA	10d	0.312	5 lb.	447	4	Hot Dipped Galvanized	038902055415
461325	3-1/4"	10.50GA	12d	0.312	5 lb.	418	4	Hot Dipped Galvanized	038902055439
461327	3-1/2"	10GA	16d	0.344	5 lb.	337	4	Hot Dipped Galvanized	038902056221
461551	4"	9GA	20d	0.375	5 lb.	247	4	Hot Dipped Galvanized	008236485967
<b>Eighth Keg</b>									
461882	2-1/2"	11.50GA	8d	0.297		1,550	1	Hot Dipped Galvanized	038902167828
461883	3-1/2"	10GA	16d	0.344		750	1	Hot Dipped Galvanized	038902167842
<b>30 LB. Keg</b>									
461321	2-1/2"	11.50GA	8d	0.297	30 lb.	3,915	1	Hot Dipped Galvanized	038902057181
461328	3-1/2"	10GA	16d	0.344	30 lb.	1,917	1	Hot Dipped Galvanized	038902056238
<b>50 LB. Box</b>									
461565	2"	12.50GA	6d	0.266	50 lb.	10,620	1	Hot Dipped Galvanized	008236486117
461560	2-1/4"	12.50GA	7d	0.266	50 lb.	9,450	1	Hot Dipped Galvanized	008236486063
461563	2-1/2"	11.50GA	8d	0.297	50 lb.	6,525	1	Hot Dipped Galvanized	008236486094
461561	3-1/2"	10GA	16d	0.344	50 lb.	3,195	1	Hot Dipped Galvanized	008236486070
461559	4"	9GA	20d	0.375	50 lb.	2,340	1	Hot Dipped Galvanized	008236486049

## EXTERIOR - FRAMING

**Joist Hanger Nails**Smooth Thick Shank  
Flat Head

- For attaching joist hangers to wood joists.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461329	1-1/4"	9GA	3d	0.313	1 lb.	139		Hot Dipped Galvanized	038902056245
461485	1-1/2"	9GA	4d	0.313	1 lb.	116		Hot Dipped Galvanized	038902062321
<b>5 LB. Box</b>									
461330	1-1/4"	9GA	3d	0.313	5 lb.	708		Hot Dipped Galvanized	038902056252
461486	1-1/2"	9GA	4d	0.313	5 lb.	594		Hot Dipped Galvanized	038902062338
<b>50 LB. Box</b>									
461607	1-1/2"	9GA	4d	0.313	50 lb.	5,625		Hot Dipped Galvanized	008236487466

**Ringed Polebarn Nails**Stiff Stock  
Ringed Shank  
Flat Head

- Use for load-bearing, wood framed, polebarn structures where high holding strength is required.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>5 LB. Box</b>									
461337	3-1/2"	9GA	16d	0.313	5 lb.	271	4	Hot Dipped Galvanized	038902057228
461338	4"	7GA	20d	0.375	5 lb.	166	4	Hot Dipped Galvanized	038902057235
461339	4-1/2"	7GA	30d	0.375	5 lb.	147	4	Hot Dipped Galvanized	038902055453
461340	6"	5GA	60d	0.469	5 lb.	85	1	Hot Dipped Galvanized	038902055460
<b>10 PC Box</b>									
461891	6"	5GA	60d	0.469		10	1	Hot Dipped Galvanized	038902167903
<b>25 LB. Box</b>									
461902	6"	5GA	60d	0.469	25 lb.	325	0	Hot Dipped Galvanized	038902234209
<b>50 LB. Box</b>									
461313	6"	5GA	60d	0.469	50 lb.	765	1	Hot Dipped Galvanized	038902056207

## EXTERIOR - FRAMING

**Spiral Timber Ties**

Spiral Shank  
Flat Head



- For landscape timbers, railroad ties, and log home construction.
- Spiral shank provides increased holding power and reduces wood splitting.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>5 LB. Box</b>									
461488	6"	1/4	60d	0.50	5 lb.	45	4	Hot Dipped Galvanized	038902062376
<b>30 LB. Keg</b>									
461489	6"	1/4	60d	0.50	30 lb.	285	1	Hot Dipped Galvanized	038902062390

**Ringed Deck Nails**

Ringed Shank  
Flat Head



- Use for decks, patios, general construction and framing.
- Ring shank provides increased holding power, vibration resistance and pull out.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461331	2"	11GA	6d	0.283	1 lb.	128	12	Hot Dipped Galvanized	038902056542
461333	2-1/2"	11GA	8d	0.283	1 lb.	99	12	Hot Dipped Galvanized	038902056566
461336	3-1/2"	9GA	16d	0.313	1 lb.	48	12	Hot Dipped Galvanized	038902057211
<b>5 LB. Box</b>									
461332	2"	11GA	6d	0.283	5 lb.	656	4	Hot Dipped Galvanized	038902056559
461334	2-1/2"	11GA	8d	0.283	5 lb.	504	4	Hot Dipped Galvanized	038902056573
461341	3-1/2"	9GA	16d	0.313	5 lb.	247	4	Hot Dipped Galvanized	038902055477

## EXTERIOR - FRAMING

**Spiral Deck Nails**

Spiral Shank  
Flat Head

- Use for decks, patios, general construction and framing.
- Spiral shank provides increased holding power and reduces wood splitting.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461344	2-1/2"	11GA	8d	0.283	1 lb.	99	12	Hot Dipped Galvanized	038902056276
461347	3"	10GA	10d	0.281	1 lb.	71	12	Hot Dipped Galvanized	038902056580
461592	3-1/4"	10GA	12d	0.281	1 lb.	71	12	Hot Dipped Galvanized	008236487251
461348	3-1/2"	9GA	16d	0.313	1 lb.	48	12	Hot Dipped Galvanized	038902056597
<b>5 LB. Box</b>									
461345	2-1/2"	11GA	8d	0.283	5 lb.	504	4	Hot Dipped Galvanized	038902056283
461487	3"	10GA	10d	0.281	5 lb.	361	4	Hot Dipped Galvanized	038902062352
461594	3-1/4"	10GA	12d	0.281	5 lb.	361	4	Hot Dipped Galvanized	008236487275
461349	3-1/2"	9GA	16d	0.313	5 lb.	247	4	Hot Dipped Galvanized	038902056603
<b>50 LB. Box</b>									
461596	2-1/2"	11GA	8d	0.283	50 lb.	4,770	1	Hot Dipped Galvanized	008236487299
461595	3-1/2"	9GA	16d	0.313	50 lb.	2,340	1	Hot Dipped Galvanized	008236487282

## EXTERIOR - FINISHING

**Finish Nails**

Smooth Shank  
Small Brad Head



- Use for exterior trim and finishing work where a concealed head is required.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461304	1-1/2"	15GA	4d	0.106	1 lb.	599	1	Hot Dipped Galvanized	038902057136
461305	2"	13GA	6d	0.135	1 lb.	274	1	Hot Dipped Galvanized	038902057143
461306	2-1/2"	12.50GA	8d	0.142	1 lb.	186	1	Hot Dipped Galvanized	038902057150
461640	3"	11.50GA	10d	0.155	1 lb.	115	1	Hot Dipped Galvanized	008236649185
461308	3-1/2"	11GA	16d	0.162	1 lb.	86	1	Hot Dipped Galvanized	038902055385
<b>5 LB. Box</b>									
461307	2-1/2"	12.50GA	8d	0.142	5 lb.	931	1	Hot Dipped Galvanized	038902055378
461309	3-1/2"	11GA	16d	0.162	5 lb.	442	1	Hot Dipped Galvanized	038902055392

**Stainless Steel Finish Nails**

- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461310	1-1/2"	14GA	4d	0.12	1 lb.	412	1	Passivated	038902055408
461311	2"	13GA	6d	0.135	1 lb.	235	1	Passivated	038902056184
461312	2-1/2"	12GA	8d	0.148	1 lb.	136	1	Passivated	038902056191

## EXTERIOR - FINISHING

### Casing Nails

Smooth Shank  
Small Head



- Use for exterior window and door frames, trim, and finishing work.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461301	2"	12.50GA	6d	0.142	1 lb.	232	12	Hot Dipped Galvanized	038902056481
461302	2-1/2"	12.50GA	8d	0.155	1 lb.	137	12	Hot Dipped Galvanized	038902056498
461483	3"	10.50GA	10d	0.170	1 lb.	89	12	Hot Dipped Galvanized	038902062307
461303	3-1/2"	10GA	16d	0.177	1 lb.	69	12	Hot Dipped Galvanized	038902057129

### Stainless Steel Trim Nails

Smooth Shank  
Small Flat Head



- Use for exterior trim and finishing work where a concealed head is required.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667.

Item #	Color	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>										
461535	White	1-1/4"	15GA	3d	0.234	1 lb.	651	12	Passivated	038902074034
461536	Brown	1-1/4"	15GA	3d	0.234	1 lb.	651	12	Passivated	038902074041
461537	Clay	1-1/4"	15GA	3d	0.234	1 lb.	651	12	Passivated	038902074058
461538	Almond	1-1/4"	15GA	3d	0.234	1 lb.	651	12	Passivated	038902074065

### Aluminum Trim Nails

Item #	Color	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>5 LB. Box</b>										
461446	White	1-1/4"	12.50GA	3d	0.234	5 lb.	988	4	Aluminum	038902056856
461540	Brown	1-1/4"	12.50GA	3d	0.234	5 lb.	988	4	Aluminum	038902074027
461447	White	1-1/4"	12.50GA	3d	0.234		475	12	Aluminum	038902056986

## EXTERIOR - FENCING

### Poultry Net Staples



- For attaching poultry netting to wooden posts.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>							
462001	3/4"	14GA	1 lb.	475	4	Hot Dipped Galvanized	038902056108
461296	3/4"	14GA	1 lb.	475	12	Hot Dipped Galvanized	038902056108
<b>5 LB. Box</b>							
461534	3/4"	14GA	5 lb.	2,375	4	Hot Dipped Galvanized	038902071217
<b>50 LB. Box</b>							
461638	3/4"	14GA	50 lb.	22,500	1	Hot Dipped Galvanized	008236487916

## EXTERIOR - FENCING


## Fence Staples

- For attaching round, welded, or barbed wire fencing to wood posts.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.



Item #	Size	Gauge	Penny Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>								
461477	1"	9GA	2d	1 lb.	99	1	Hot Dipped Galvanized	038902062208
461297	1-1/4"	9GA	3d	1 lb.	81	1	Hot Dipped Galvanized	038902056115
462002	1-1/4"	9GA	3d	1 lb.	81	4	Hot Dipped Galvanized	038902056115
461299	1-1/2"	9GA	4d	1 lb.	67	1	Hot Dipped Galvanized	038902056467
461478	1-3/4"	9GA	5d	1 lb.	57	1	Hot Dipped Galvanized	038902062215
<b>5 LB. Box</b>								
461632	1"	9GA	2d	5 lb.	425	1	Hot Dipped Galvanized	008236487794
461298	1-1/4"	9GA	3d	5 lb.	413	1	Hot Dipped Galvanized	038902056122
461300	1-1/2"	9GA	4d	5 lb.	342	1	Hot Dipped Galvanized	038902056474
461479	1-3/4"	9GA	5d	5 lb.	290	1	Hot Dipped Galvanized	038902062222
461481	2-1/2"	6GA	8d	5 lb.	121	1	Hot Dipped Galvanized	038902062260
<b>Eighth Keg</b>								
461516	1-1/4"	9GA	3d		940	1	Hot Dipped Galvanized	038902062802
461517	1-1/2"	9GA	4d		778	1	Hot Dipped Galvanized	038902062826
461480	1-3/4"	9GA	5d		659	1	Hot Dipped Galvanized	038902062246
461482	2-1/2"	6GA	8d		296	1	Hot Dipped Galvanized	038902062284
<b>50 LB. Box</b>								
461634	1"	9GA	2d	50 lb.	4,770	1	Hot Dipped Galvanized	008236487879
461637	1-1/4"	9GA	3d	50 lb.	3,915	1	Hot Dipped Galvanized	008236487909
461636	1-1/2"	9GA	4d	50 lb.	3,240	1	Hot Dipped Galvanized	008236487893
461635	1-3/4"	9GA	5d	50 lb.	2,745	1	Hot Dipped Galvanized	008236487886

## Fencing Staples - Double Barbed



- For a solid grip in attaching round wire fencing to wooden members.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Penny Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>								
461862	1-1/4"	8GA	3d	1 lb.	75	12	Hot Dipped Galvanized	038902126245
461864	1-1/2"	8GA	4d	1 lb.	57	12	Hot Dipped Galvanized	038902126283
461866	1-3/4"	8GA	5d	1 lb.	55	12	Hot Dipped Galvanized	038902126320
461868	2-1/2"	8GA	8d	1 lb.	32	12	Hot Dipped Galvanized	038902126368
<b>5 LB. Box</b>								
461863	1-1/4"	8GA	3d	5 lb.	353	4	Hot Dipped Galvanized	038902126269
461865	1-1/2"	8GA	4d	5 lb.	289	4	Hot Dipped Galvanized	038902126306
461867	1-3/4"	8GA	5d	5 lb.	275	4	Hot Dipped Galvanized	038902126344
461869	2-1/2"	8GA	8d	5 lb.	174	4	Hot Dipped Galvanized	038902126382
<b>Eighth Keg</b>								
461870	1-1/4"	8GA	3d	5 lb.	858	1	Hot Dipped Galvanized	038902126405
461564	1-1/2"	8GA	4d	5 lb.	708	1	Hot Dipped Galvanized	038902090270
461871	1-3/4"	8GA	5d	5 lb.	696	1	Hot Dipped Galvanized	038902126429




## ROOFING

### Roofing Nails

Smooth Shank  
Flat Head

- For attaching roof shingles, insulation board, and felt to wood framing.
- Large flat head provides large bearing surface and strong holding power.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461609	2-1/2"	11GA	8d	0.438	1 lb.	100	12	Hot Dipped Galvanized	008236487480
<b>5 LB. Box</b>									
461608	1-1/4"	11GA	3d	0.438	5 lb.	998	4	Hot Dipped Galvanized	008236487473
461613	1-1/2"	11GA	4d	0.438	5 lb.	855	4	Hot Dipped Galvanized	008236487527
461612	1-3/4"	11GA	5d	0.438	5 lb.	713	4	Hot Dipped Galvanized	008236487510
461611	2"	11GA	6d	0.438	5 lb.	656	4	Hot Dipped Galvanized	008236487503
461616	2-1/2"	11GA	8d	0.438	5 lb.	513	4	Hot Dipped Galvanized	008236487558
<b>50 LB. Box</b>									
461626	1"	11GA	2d	0.438	50 lb.	11,475	1	Hot Dipped Galvanized	008236487671
461625	1-1/4"	11GA	3d	0.438	50 lb.	9,450	1	Hot Dipped Galvanized	008236487664
461624	1-1/2"	11GA	4d	0.438	50 lb.	8,100	1	Hot Dipped Galvanized	008236487633
461623	2"	11GA	6d	0.438	50 lb.	6,210	1	Hot Dipped Galvanized	008236487626

### Copper Roofing Nails

- Conforms to ASTM F1667

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461512	1-1/2"	11GA	4d	0.375	1 lb.	147	12	Copper	038902062741

## ROOFING

## Roofing Nails, cont.

## Electro-Galvanized Roofing Nails

- Conforms to ASTM F1667

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461511	3/4"	11GA		0.438	1 lb.	331	12	Electro-Galvanized	038902062734
461453	7/8"	11GA		0.438	1 lb.	291	12	Electro-Galvanized	038902055750
461455	1"	11GA	2d	0.438	1 lb.	258	12	Electro-Galvanized	038902055972
461457	1-1/4"	11GA	3d	0.438	1 lb.	207	12	Electro-Galvanized	038902055996
461459	1-1/2"	11GA	4d	0.438	1 lb.	177	12	Electro-Galvanized	038902056863
462012	1-1/2"	11GA	4d	0.438	1 lb.	177	4	Electro-Galvanized	038902056863
461461	1-3/4"	11GA	5d	0.438	1 lb.	144	12	Electro-Galvanized	038902056887
461463	2"	11GA	6d	0.438	1 lb.	134	12	Electro-Galvanized	038902057020
461513	2-1/2"	11GA	8d	0.438	1 lb.	106	12	Electro-Galvanized	038902062758
<b>5 LB. Box</b>									
461614	3/4"	11GA		0.438	5 lb.	1,653	4	Electro-Galvanized	008236487534
461454	7/8"	11GA		0.438	5 lb.	1,454	4	Electro-Galvanized	038902055767
461456	1"	11GA	2d	0.438	5 lb.	1,265	4	Electro-Galvanized	038902055989
461458	1-1/4"	11GA	3d	0.438	5 lb.	1,036	4	Electro-Galvanized	038902056009
461460	1-1/2"	11GA	4d	0.438	5 lb.	884	4	Electro-Galvanized	038902056870
461462	1-3/4"	11GA	5d	0.438	5 lb.	722	4	Electro-Galvanized	038902056894
461464	2"	11GA	6d	0.438	5 lb.	684	1	Electro-Galvanized	038902057037
461514	2-1/2"	11GA	8d	0.438	5 lb.	542	4	Electro-Galvanized	038902062765
461465	3"	11GA	10d	0.438	5 lb.	92	4	Electro-Galvanized	038902057044
<b>Eighth Keg</b>									
461515	1-1/2"	11GA	4d	0.438		2,093	1	Electro-Galvanized	038902062789
<b>30 LB. Box</b>									
461466	7/8"	11GA		0.438	30 lb.	8,262	1	Electro-Galvanized	038902057051
461467	1"	11GA	2d	0.438	30 lb.	7,344	1	Electro-Galvanized	038902055774
461468	1-1/4"	11GA	3d	0.438	30 lb.	5,886	1	Electro-Galvanized	038902055781
461470	1-1/2"	11GA	4d	0.438	30 lb.	5,022	1	Electro-Galvanized	038902055804
461471	1-3/4"	11GA	5d	0.438	30 lb.	4,104	1	Electro-Galvanized	038902056177
<b>50 LB. Box</b>									
461622	1"	11GA	2d	0.438	50 lb.	12,240	1	Electro-Galvanized	008236487619
461469	1-1/4"	11GA	3d	0.438	50 lb.	9,810	1	Electro-Galvanized	038902055798
461619	1-1/2"	11GA	4d	0.438	50 lb.	8,370	1	Electro-Galvanized	008236487589
461617	2"	11GA	6d	0.438	50 lb.	6,480	1	Electro-Galvanized	008236487565
461628	2-1/2"	11GA	8d	0.438	50 lb.	5,130	1	Electro-Galvanized	008236487725

## Roofing Nails - Metal Cap

Ringed Shank  
Large Metal Cap

- Ideal for applying shingles to asphalt, insulation, roofing underlayment and felt paper.
- Large metal cap increases holding power.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Eighth Keg</b>									
461504	1"	12GA	2d	1		1,204	1	Bright (Unplated)	038902062635

## Roofing Nails - Cedar Shake

Ringed Shank  
Checkered Brad Head



- Ideal for cedar shake siding applications.
- Checkered head prevents hammer slippage.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.


Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461631	1-3/4"	14GA	5d	0.156	1 lb.	384		Hot Dipped Galvanized	008236487787

## ROOFING

### Roofing Nail & Neoprene Washer

Smooth Shank  
Flat Head

- For steel and fiberglass roofing.
- Neoprene washer provides a waterproof seal.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667 and ASTM F153



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461642	1-1/2"	10GA	4d	0.375	1 lb.	110	12	Hot Dipped Galvanized	008236649208
461451	1-3/4"	10GA	5d	0.375	1 lb.	100	1	Hot Dipped Galvanized	038902055736
461621	2"	10GA	6d	0.375	1 lb.	89	12	Hot Dipped Galvanized	008236487602
461618	2-1/2"	10GA	8d	0.375	1 lb.	74	12	Hot Dipped Galvanized	008236487572
<b>5 LB. Box</b>									
461610	1-1/2"	10GA	4d	0.375	5 lb.	561	4	Hot Dipped Galvanized	008236487497
461452	1-3/4"	10GA	5d	0.375	5 lb.	508	1	Hot Dipped Galvanized	038902055743
461615	2"	10GA	6d	0.375	5 lb.	456	4	Hot Dipped Galvanized	008236487541
461620	2-1/2"	10GA	8d	0.375	5 lb.	380	4	Hot Dipped Galvanized	008236487596
<b>50 LB. Box</b>									
461627	1-3/4"	10GA	5d	0.375	50 lb.	4815	1	Hot Dipped Galvanized	008236487718

### Aluminum Roofing Nail & Neoprene Washer

- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461450	1-3/4"	10GA	5d	0.375		114	12	Aluminum	038902057013

### Electro-Galvanized Roofing Nail & Neoprene Washer

- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461507	1-3/4"	10GA	5d	0.375	1 lb.	100	12	Electro-Galvanized	038902062680
461508	2"	10GA	6d	0.375	1 lb.	89	12	Electro-Galvanized	038902062697
461509	2-1/2"	10GA	8d	0.375	1 lb.	74	12	Electro-Galvanized	038902062703
<b>5 LB. Box</b>									
461533	1-3/4"	10GA	5d	0.375	1 lb.	508	4	Electro-Galvanized	038902071194
461510	2-1/2"	10GA	8d	0.375	1 lb.	380	4	Electro-Galvanized	038902062710

## SIDING

### Smooth Siding Nails

Smooth Shank  
Flat Head



- Use for attaching wood and hardboard siding.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461542	2"	11.50GA	6d	0.219	1 lb.	164	12	Hot Dipped Galvanized	038902074072
461543	3"	11.50GA	10d	0.219	1 lb.	100	12	Hot Dipped Galvanized	038902074089

## SIDING

**Ringed Siding Nails**Ringed Shank  
Flat Head

- Use for attaching wood and hardboard siding.
- Ringed shank provides holding strength.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461430	1-1/2"	14GA	4d	0.219	1 lb.	372		Hot Dipped Galvanized	038902056818
461431	2"	12.50GA	6d	0.265	1 lb.	269		Hot Dipped Galvanized	038902056948

**Spiral Siding Nails**Spiral Shank  
Flat Head


- Use for attaching wood and hardboard siding..
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461432	2"	11.50GA	6d	0.219	1 lb.	164	12	Hot Dipped Galvanized	038902056955
461437	2-1/2"	11.50GA	8d	0.219	1 lb.	130	12	Hot Dipped Galvanized	038902055712
461433	3"	11GA	10d	0.219	1 lb.	100	12	Hot Dipped Galvanized	038902056962
<b>5 LB. Box</b>									
461434	2"	11.50GA	6d	0.219	5 lb.	822	4	Hot Dipped Galvanized	038902056979
461438	2-1/2"	11.50GA	8d	0.219	5 lb.	665	4	Hot Dipped Galvanized	038902055729
461435	3"	11GA	10d	0.219	5 lb.	513	4	Hot Dipped Galvanized	038902055699

**Vinyl Siding Nails**Ringed Shank  
Flat Head

- Use for attaching vinyl and aluminum siding.
- Oversized head provides increased holding power.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Approx. Pcs. Per Box	Master Pack QTY	UPC
<b>1 LB. Box</b>							
461436	1-1/2"	12GA	4d	0.106	95	12	038902055705

**Furring Nails**Smooth Shank  
Flat Head

- Used to attach stucco wire netting to structure exterior in preparation for stucco mud.
- Use with paper that does not have wad pre-attached.
- Not recommended for use in treated lumber or where surface corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>5 LB. Box</b>									
461643	1-1/2"	11GA	4d	0.438	5 lb.	380	4	Electro-Galvanized	008236671414
461644	1-3/4"	11GA	5d	0.438	5 lb.	380	4	Electro-Galvanized	008236671438


**CAP****Round Tin Caps**

Round Head



- Used with fasteners to create a larger surface area for holding materials in place.
- Do not use in treated lumber or where corrosion is a concern.

Item #	Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>						
461449	2"	1 lb.	116	12	Bright (Unplated)	038902057006
461505	1-5/8"	1 lb.	238	12	Bright (Unplated)	038902062659
<b>5 LB. Box</b>						
461448	2"	5 lb.	713	4	Bright (Unplated)	038902056993
461506	1-5/8"	5 lb.	1,188	4	Bright (Unplated)	038902062666

**TRIM****Plastic Cap Nails**Ringed Shank  
Flat Head

- Use for securing housewrap, insulation, roofing underlayment and felt paper.
- Large head and ringed shank provide strong holding power.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>								
461439	1"	12GA	2d	0.250	250	1	Electro-Galvanized	038902055934
461441	1-1/4"	12GA	3d	0.250	212	1	Electro-Galvanized	038902055958
461443	1-1/2"	12GA	4d	0.250	185	1	Electro-Galvanized	038902056825
461444	1-3/4"	12GA	5d	0.250	168	1	Electro-Galvanized	038902056832
461503	2"	12GA	6d	0.250	153	1	Electro-Galvanized	038902062628
461548	3"	12GA	10d	0.250	102	1	Electro-Galvanized	038902075581
<b>30 LB. Keg</b>								
461440	1"	12GA	2d	0.250	3,000	1	Electro-Galvanized	038902055941
461442	1-1/4"	12GA	3d	0.250	2,000	1	Electro-Galvanized	038902055965
461502	1-1/2"	12GA	4d	0.250	2,000	1	Electro-Galvanized	038902062604
461445	1-3/4"	12GA	5d	0.250	2,000	1	Electro-Galvanized	038902056849
461549	3"	12GA	10d	0.250	2,000	1	Electro-Galvanized	038902075628



## DRYWALL

### Plasterboard Nails

Smooth Shank  
Large Flat Head

- Fasten plasterboard to wood stud.
- Large head prevents pull through and holds board secure.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461255	1-1/8"	13GA	3d	0.297	1 lb.	418	12	Blued	038902056054

### Lath Nails

Smooth Shank  
Large Flat Head

- Use for attaching metal lath to drywall and wood.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461256	1-1/8"	16GA	3d	0.156	1 lb.	935	12	Blued	038902056061

**Smooth Drywall Nails (Cement Coated)**

Smooth Shank  
Large Flat Head

- For attaching drywall to wood studs.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461266	1-1/4"	13GA	3d	0.344	1 lb.	309		Cement Coated	038902056160
461268	1-3/8"	13GA	4d	0.344	1 lb.	287		Cement Coated	038902056399
<b>5 LB. Box</b>									
461269	1-3/8"	13GA	4d	0.344	5 lb.	1,435		Cement Coated	038902056405
<b>30 LB. Keg</b>									
461267	1-1/4"	13GA	3d	0.344	30 lb.	8,775		Cement Coated	038902056382

**Cupped Head Drywall Nails**

Smooth Shank  
Cupped Head

- For attaching drywall to wood studs.
- Cupped head countersinks into drywall and prevents paper tearing.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667, C514.



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461270	1-3/8"	13GA	4d	0.297	1 lb.	304	12	Phosphate Coated	038902056412
461273	1-5/8"	13GA	5d	0.297	1 lb.	257	12	Phosphate Coated	038902057426
<b>5 LB. Box</b>									
461271	1-3/8"	13GA	4d	0.297	5 lb.	1,520	4	Phosphate Coated	038902057402
461274	1-5/8"	13GA	5d	0.297	5 lb.	1,256	4	Phosphate Coated	038902057433
<b>30 LB. Keg</b>									
461272	1-3/8"	13GA	4d	0.297	30 lb.	8,640	1	Phosphate Coated	038902057419
<b>50 LB. Box</b>									
461600	1-3/8"	13GA	4d	0.297	50 lb.	14,400	1	Phosphate Coated	008236487336
461599	1-5/8"	13GA	5d	0.297	50 lb.	13,275	1	Phosphate Coated	008236487329

## DRYWALL

**Ringed Drywall Nails**

Ringed Shank  
Flat Head

- For attaching drywall to wood studs.
- Ringed shank provides superior pull out strength.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>1 LB. Box</b>									
461472	1-1/4"	12.50GA	3d	0.297	1 lb.	308	12	Bright (Unplated)	038902062123
461258	1-3/8"	12.50GA	4d	0.297	1 lb.	300	12	Bright (Unplated)	038902056085
461260	1-1/2"	12.50GA	4d	0.297	1 lb.	293	12	Bright (Unplated)	038902055262
461262	1-5/8"	12.50GA	5d	0.297	1 lb.	280	12	Bright (Unplated)	038902055286
461276	1-1/2"	12.50GA	4d	0.297	1 lb.	293	12	Electro-Galvanized	038902055309
461264	1-3/8"	12.50GA	4d	0.297	1 lb.	300	12	Blued	038902056146
<b>5 LB. Box</b>									
461257	1-1/4"	12.50GA	3d	0.297	5 lb.	1,539	4	Bright (Unplated)	038902056078
461259	1-3/8"	12.50GA	4d	0.297	5 lb.	1,501	4	Bright (Unplated)	038902055255
461261	1-1/2"	12.50GA	4d	0.297	5 lb.	1,463	4	Bright (Unplated)	038902055279
461263	1-5/8"	12.50GA	5d	0.297	5 lb.	1,401	4	Bright (Unplated)	038902056139
461275	1-1/4"	12.50GA	3d	0.297	5 lb.	1,539	4	Electro-Galvanized	038902055293
461265	1-3/8"	12.50GA	4d	0.297	5 lb.	1,501	4	Blued	038902056153
<b>50 LB. Box</b>									
461598	1-1/4"	12.50GA	3d	0.297	50 lb.	14,580	1	Bright (Unplated)	008236487312



**BUILDING  
NEVER  
STOPS**





## INTERIOR - COMMON

### Common Nails

Smooth Thick Shank  
Flat Head



- Use for carpentry, general construction and framing.
- Large shank prevents bending.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>XL-Pak</b>									
42020	1-1/2"	12.50GA	4d	0.250		175	5	Bright (Unplated)	08236800401
42021	2"	11.50GA	6d	0.266		100	5	Bright (Unplated)	08236800418
42022	2-1/2"	10.25GA	8d	0.281		50	5	Bright (Unplated)	08236800425
42023	3"	9GA	10d	0.312		40	5	Bright (Unplated)	08236800432
42024	2"	11.50GA	6d	0.266	1lb.	159	3	Bright (Unplated)	08236800456
42025	2-1/2"	10.25GA	8d	0.281	1lb.	94	3	Bright (Unplated)	08236800500
42026	3"	9GA	10d	0.312	1lb.	61	3	Bright (Unplated)	08236800517
42027	3-1/2"	8GA	16d	0.344	1lb.	44	3	Bright (Unplated)	08236800524

## INTERIOR - SINKER

### Sinker Nails

Smooth Shank  
Checkered Flat Head



- For construction, carpentry, and framing. Vinyl coating provides easier driving and strong holding power.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>XL-Pak</b>									
42036	2-3/8"	11.50GA	8d	0.266		75	5	Vinyl Coated	008236800616
42037	2-7/8"	11GA	10d	0.281		50	5	Vinyl Coated	008236800623
42038	3-1/4"	9GA	16d	0.344		35	5	Vinyl Coated	008236800630
42039	2-3/8"	11.50GA	8d	0.266	1 lb.	145	3	Vinyl Coated	008236800647
42040	3-1/4"	9GA	16d	0.344	1 lb.	60	3	Vinyl Coated	008236800654

## INTERIOR - FRAMING

### Box Nails

Smooth Thin Shank  
Flat Head



- Use for interior framing, carpentry, boxes and general construction.
- Thin shank prevents wood splitting.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>									
532588	1-1/4"	14.50GA	3d	0.219	1.75 oz	1.75 oz		Bright (Unplated)	008236166989

## INTERIOR - FINISHING

### Wire Nails

Smooth Shank  
Small Flat Head



- Wider than brad nails, offers a more secure load-bearing surface when secured.
- Offers security and safeguards against wood splitting.
- Do not use in treated lumber or where corrosion is a concern.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>									
122542	1/2"	18GA		0.130	1.75 oz	1.75 oz	6	Bright (Unplated)	037504565605
122543	1/2"	19GA		0.120	1.75 oz	1.75 oz	6	Bright (Unplated)	037504565612
122544	5/8"	18GA		0.130	2.0 oz	2.0 oz	6	Bright (Unplated)	037504565636
122545	5/8"	19GA		0.120	1.75 oz	1.75 oz	6	Bright (Unplated)	037504565643
122546	3/4"	16GA		0.170	2.0 oz	2.0 oz	6	Bright (Unplated)	037504565650
122547	3/4"	17GA		0.130	2.0 oz	2.0 oz	6	Bright (Unplated)	037504565667
122548	3/4"	18GA		0.130	2.0 oz	2.0 oz	6	Bright (Unplated)	037504565674
122549	7/8"	17GA		0.130	2.0 oz	2.0 oz	6	Bright (Unplated)	037504565681
122550	7/8"	18GA		0.130	2.0 oz	2.0 oz	6	Bright (Unplated)	037504565698
122551	1"	15GA	2d	0.190	2.0 oz	2.0 oz	6	Bright (Unplated)	037504565742
122552	1"	16GA	2d	0.170	2.0 oz	2.0 oz	6	Bright (Unplated)	037504565759
122553	1"	17GA	2d	0.130	2.0 oz	2.0 oz	6	Bright (Unplated)	037504565766
122554	1"	18GA	2d	0.130	2.0 oz	2.0 oz	6	Bright (Unplated)	037504565773
122555	1-1/4"	16GA	3d	0.170	1.75 oz	1.75 oz	6	Bright (Unplated)	037504565780
122556	1-1/4"	17GA	3d	0.130	1.75 oz	1.75 oz	6	Bright (Unplated)	037504565797
122558	1-1/2"	16GA	4d	0.170	1.75 oz	1.75 oz	6	Bright (Unplated)	037504565827
122559	1/2"	19GA		0.120	1.5 oz	1.5 oz	6	Electro-Galvanized	037504565834
122560	5/8"	18GA		0.130	1.75 oz	1.75 oz	6	Electro-Galvanized	037504565841
122561	3/4"	18GA		0.130	1.75 oz	1.75 oz	6	Electro-Galvanized	037504565858
122562	7/8"	17GA		0.130	1.75 oz	1.75 oz	6	Electro-Galvanized	037504565865
122563	1"	17GA	2d	0.130	1.75 oz	1.75 oz	6	Electro-Galvanized	037504565872
122564	1-1/4"	16GA	3d	0.170	1.5 oz	1.5 oz	6	Electro-Galvanized	037504565889

## INTERIOR - FINISHING

**Finish Nails**Smooth Shank  
Small Head

- Use for interior trim and finishing work where a concealed head is required.
- Countersink beneath wood surface and fill with spackle or caulk.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>									
532584	1-1/4"	15.50GA	3d	0.099	2.0 oz	2.0 oz	6	Bright (Unplated)	008236166965
<b>XL-Pak</b>									
42028	1-1/2"	15GA	4d	0.106		250	5	Bright (Unplated)	008236800531
42029	2"	13GA	6d	0.135		160	5	Bright (Unplated)	008236800548
42030	2-1/2"	12.50GA	8d	0.142		125	5	Bright (Unplated)	008236800555
42031	3"	11.50GA	10d	0.155		75	5	Bright (Unplated)	008236800562
42032	1-1/2"	15GA	4d	0.106	1 lb.	599	3	Bright (Unplated)	800236800579
42033	2"	13GA	6d	0.135	1 lb.	274	3	Bright (Unplated)	008236800586

**Brad Nails**Thin Shank  
Small Brad Head

- Ideal for trim, molding & paneling work.
- Designed to countersink into material for concealment.
- Do not use in treated lumber or where corrosion is a concern.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>									
122500	1/2"	19GA		0.041	1.75 oz	1.75 oz	6	Bright (Unplated)	037504566718
122501	1/2"	20GA		0.033	1.75 oz	1.75 oz	6	Bright (Unplated)	037504566725
122502	5/8"	18GA		0.048	2.0 oz	2.0 oz	6	Bright (Unplated)	037504566732
122503	5/8"	19GA		0.041	2.0 oz	2.0 oz	6	Bright (Unplated)	037504566756
122504	3/4"	16GA		0.063	2.0 oz	2.0 oz	6	Bright (Unplated)	037504566763
122505	3/4"	17GA		0.054	2.0 oz	2.0 oz	6	Bright (Unplated)	037504566770
122506	3/4"	18GA		0.0475	2.0 oz	2.0 oz	6	Bright (Unplated)	037504566787
122507	7/8"	17GA		0.054	2.0 oz	2.0 oz	6	Bright (Unplated)	037504566800
122508	7/8"	18GA		0.0475	2.0 oz	2.0 oz	6	Bright (Unplated)	037504566817
122509	1"	16GA	2d	0.063	2.0 oz	2.0 oz	6	Bright (Unplated)	037504566824
122510	1"	17GA	2d	0.054	2.0 oz	2.0 oz	6	Bright (Unplated)	037504566831
122511	1"	18GA	2d	0.048	2.0 oz	2.0 oz	6	Bright (Unplated)	037504566855
122512	1-1/4"	15GA	3d	0.072	2.0 oz	2.0 oz	6	Bright (Unplated)	037504566862
122513	1-1/4"	16GA	3d	0.0625	2.0 oz	2.0 oz	6	Bright (Unplated)	037504566879
122514	1-1/4"	17GA	3d	0.054	2.0 oz	2.0 oz	6	Bright (Unplated)	037504566886
122515	1-1/4"	18GA	3d	0.0475	1.75 oz	1.75 oz	6	Bright (Unplated)	037504566909
122516	1-1/2"	16GA	4d	0.063	1.75 oz	1.75 oz	6	Bright (Unplated)	037504566916
122517	1-1/2"	17GA	4d	0.054	1.75 oz	1.75 oz	6	Bright (Unplated)	037504566923
532613	1/2"	20GA		0.033	1.75 oz	1.75 oz	6	Bright (Unplated)	008236400533
532616	3/4"	20GA		0.033	1.75 oz	1.75 oz	6	Bright (Unplated)	008236400595
532614	5/8"	19GA		0.041	1.75 oz	1.75 oz	6	Bright (Unplated)	008236400557
532618	1"	19GA	2d	0.041	2.0 oz	2.0 oz	6	Bright (Unplated)	008236400632
532601	1/2"	18GA		0.048	1.75 oz	1.75 oz	6	Bright (Unplated)	008236222883
532617	7/8"	18GA		0.048	2.0 oz	2.0 oz	6	Bright (Unplated)	008236400618
532470	1"	18GA	2d	0.048	2.0 oz	2.0 oz	6	Bright (Unplated)	008236123814
532602	3/4"	17GA		0.054	2.0 oz	2.0 oz	6	Bright (Unplated)	008236222890
532620	1-1/4"	17GA	3d	0.054	2.0 oz	2.0 oz	6	Bright (Unplated)	008236400670
532615	3/4"	16GA		0.063	2.0 oz	2.0 oz	6	Bright (Unplated)	008236400571
532619	1-1/4"	15GA	3d	0.072	1.75 oz	1.75 oz	6	Bright (Unplated)	008236400656
122518	1/2"	19GA		0.041	1.5 oz	1.5 oz	6	Electro-Galvanized	037504566930
122519	5/8"	18GA		0.0475	1.75 oz	1.75 oz	6	Electro-Galvanized	037504566947
122520	3/4"	18GA		0.0475	1.75 oz	1.75 oz	6	Electro-Galvanized	037504566954
122521	7/8"	17GA		0.054	1.75 oz	1.75 oz	6	Electro-Galvanized	037504566961
122522	1"	17GA	2d	0.054	1.75 oz	1.75 oz	6	Electro-Galvanized	037504566978
122523	1-1/4"	16GA	3d	0.0625	1.75 oz	1.75 oz	6	Electro-Galvanized	037504566985
122524	1-1/2"	16GA	4d	0.0625	1.5 oz	1.5 oz	6	Electro-Galvanized	038902566997
532633	1/2"	19GA		0.041	1.5 oz	1.5 oz	6	Electro-Galvanized	008236400915
532634	5/8"	18GA		0.048	1.75 oz	1.75 oz	6	Electro-Galvanized	008236400953
532635	3/4"	18GA		0.048	1.75 oz	1.75 oz	6	Electro-Galvanized	008236400939
532636	7/8"	17GA		0.054	1.75 oz	1.75 oz	6	Electro-Galvanized	008236400977
532637	1"	17GA	2d	0.054	1.75 oz	1.75 oz	6	Electro-Galvanized	008236400991
532638	1-1/4"	16GA	3d	0.063	1.75 oz	1.75 oz	6	Electro-Galvanized	008236401011
532639	1-1/2"	16GA	4d	0.063	1.75 oz	1.75 oz	6	Electro-Galvanized	008236401035

## INTERIOR - FLOORING & TRIM

### Metal Trim Nails

Hardened Steel  
Spiral Shank  
Flat Head

- Use to fasten hardwood trim such as oak, birch, and walnut.
- Extra strong, resists bending.
- Small head can be covered with wood putty for concealment.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>									
122534	7/8"	13GA		0.178	1.0 oz	1.0 oz	6	Zinc Plated	037504565209
122536	1-1/4"	13GA	3d	0.178	1.0 oz	1.0 oz	6	Zinc Plated	037504565247
122535	7/8"	13GA		0.178	1.0 oz	1.0 oz	6	Brass Plated	037504565223
122537	1-1/4"	13GA	3d	0.178	1.0 oz	1.0 oz	6	Brass Plated	037504565261

### Hardwood Trim Nails

Hardened Steel  
Smooth Shank  
Small Head

- Use to fasten hardwood trim such as oak, birch, and walnut.
- Extra strong, resists bending.
- Small head can be covered with wood putty for concealment.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>XL Pak</b>									
42051	1-1/4"	15.50GA	3d	0.099	6 oz	6 oz	5	Bright (Unplated)	008236800760
42052	1-5/8"	15GA	4d	0.106	6 oz	6 oz	5	Bright (Unplated)	008236800777
42053	2"	13GA	6d	0.135	6 oz	6 oz	5	Bright (Unplated)	008236800784
42054	2-1/2"	12.50GA	8d	0.142	6 oz	6 oz	5	Bright (Unplated)	008236800791

## INTERIOR - FLOORING &amp; TRIM

**Shade Bracket Nails**

Round Head  
Ringed Shank



- Use for molding and trim applications.
- Round head seats flush against surface.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>								
122565	3/4"	15GA	0.190	1.5 oz	1.5 oz	6	Nickel	037504571040

**Weather Strip Nails**

Round Head  
Barbed Shank



- Use to install weather stripping in doorways.
- Barbed shank ensures secure placement once installed.
- Combines lasting strength and durability.

Item #	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>								
122540	3/4"	17GA	0.170	1.5 oz	1.5 oz	6	Copper	037504565346

**Linoleum Nails**

Smooth Shank  
Round Head



- Use to install linoleum flooring to the subfloor.
- Simply hammer into place.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>									
122538	5/8"	16GA		0.170	1.5 oz	1.5 oz	6	Brass	037504565308
122539	5/8"	16GA		0.170	1.5 oz	1.5 oz	6	Nickel	038902565310

**Fluted Masonry Nails**

Fluted Shank  
Flat Head



- Attach wood to concrete or masonry.
- Hardened fluted shank provides strong holding power and drives fast.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>XL-Pak</b>									
42055	1"	9GA	2d	0.344	6 oz	6 oz	5	Bright (Unplated)	008236800807
42056	1-1/2"	9GA	4d	0.344	6 oz	6 oz	5	Bright (Unplated)	008236800814
42057	1-3/4"	9GA	5d	0.344	6 oz	6 oz	5	Bright (Unplated)	008236800821
42058	2"	9GA	6d	0.344	6 oz	6 oz	5	Bright (Unplated)	008236800838
42059	2-1/2"	9GA	8d	0.344	6 oz	6 oz	5	Bright (Unplated)	008236800845
42060	3"	9GA	10d	0.344	6 oz	6 oz	5	Bright (Unplated)	008236800852

## INTERIOR - PANELING

**Panel Nails**Ringed Shank  
Painted

- Attach panel board to wood furring strips or studs.
- Available in colors to match paneling.
- Do not use in treated lumber or where corrosion is a concern.

Item #	Color	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>									
532653	Black Walnut	1"	16GA	0.130	1.5 oz	77	6	Painted	008236436747
532654	Black Walnut	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236436761
532659	Cherry	1"	16GA	0.130	1.5 oz	77	6	Painted	008236436860
532660	Cherry	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236436884
532663	Ash	1"	16GA	0.130	1.5 oz	77	6	Painted	008236436945
532664	Ash	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236436969
461664	Ash	1"	16GA	0.130	1.5 oz	77	6	Painted	008236672985
532665	Black	1"	16GA	0.130	1.5 oz	77	6	Painted	008236436983
532666	Black	1-5/8"	15GA	0.146	1.5 oz	44	6	Painted	008236437003
<b>XL-Pak</b>									
41798	Black Walnut	1"	16GA	0.130	6 oz	334	5	Painted	008236435641
41799	Black Walnut	1-5/8"	15GA	0.146	6 oz	192	5	Painted	008236435665
41800	Dark Oak	1"	16GA	0.130	6 oz	334	5	Painted	008236435689
41801	Dark Oak	1-5/8"	15GA	0.146	6 oz	192	5	Painted	008236435702
42012	Dark Oak	1"	16GA	0.130	1 lb.	825	5	Painted	008236800326
42016	Dark Oak	1-5/8"	15GA	0.146	1 lb.	475	3	Painted	008236800364
41802	Oak	1"	16GA	0.130	6 oz	334	5	Painted	008236435825
41803	Oak	1-5/8"	15GA	0.146	6 oz	192	5	Painted	008236435726
42013	Oak	1"	16GA	0.130	1 lb.	825	5	Painted	008236800333
42017	Oak	1-5/8"	15GA	0.146	1 lb.	475	3	Painted	008236800371
41804	Cherry	1"	16GA	0.130	6 oz	334	5	Painted	008236435740
41805	Cherry	1-5/8"	15GA	0.146	6 oz	192	5	Painted	008236435764
41806	White	1"	16GA	0.130	6 oz	334	5	Painted	008236435788
41807	White	1-5/8"	15GA	0.146	6 oz	192	5	Painted	008236435801
42014	White	1"	16GA	0.130	1 lb.	825	3	Painted	008236800340
42018	White	1-5/8"	15GA	0.146	1 lb.	475	3	Painted	008236800388
41808	Ash	1"	16GA	0.130	6 oz	334	5	Painted	008236435849
41809	Ash	1-5/8"	15GA	0.146	6 oz	192	5	Painted	008236435863
41810	Black	1"	16GA	0.130	6 oz	334	5	Painted	008236435887
41811	Black	1-5/8"	15GA	0.146	6 oz	192	5	Painted	008236435900
41812	Brown	1"	16GA	0.130	6 oz	334	5	Painted	008236435924
41813	Brown	1-5/8"	15GA	0.146	6 oz	192	5	Painted	008236435948
42015	Brown	1"	16GA	0.130	1 lb.	825	3	Painted	008236800357
42019	Brown	1-5/8"	15GA	0.146	1 lb.	475	3	Painted	008236800395

## INTERIOR - FURNITURE &amp; UPHOLSTERY

**Furniture Nails**Smooth Shank  
Assorted Heads

- Ideal for tacking on cloth & fabric material to upholstery.
- Adds an ornate flair to furniture.
- Provides an attractive finished look.
- Available in assorted finishes and styles.

Item #	Description	Size	Gauge	Head Size	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>								
122684	Black Large Round Head	1/2"	17GA	0.410	25	6	Black	037504571217
122685	White Large Round Head	1/2"	17GA	0.410	25	6	White	037504571279
122691	Brass Hammered Head	1/2"	17GA	0.410	25	6	Brass	037504571378
122690	Brass Small Round Head	7/16"	17GA	0.360	25	6	Brass	037504571361
122682	Brass Large Round Head	1/2"	17GA	0.410	25	6	Brass	037504571149
122680	Antique Hammered Head	1/2"	17GA	0.410	25	6	Antique Brass	037504571101
122681	Antique Brass Daisy Oxford Head	1/2"	17GA	0.410	25	6	Antique Brass	037504571125
122688	Nickel Hammered Head	1/2"	17GA	0.410	25	6	Nickel	037504571330
122687	Nickel Small Round Head	7/16"	17GA	0.360	25	6	Nickel	037504571316
122683	Nickel Large Round Head	1/2"	17GA	0.410	25	6	Nickel	037504571163
122686	Bronze Large Round Head	1/2"	17GA	0.410	25	6	Bronze	037504571293
122689	Brown Large Round Head	1/2"	17GA	0.410	25	6	Brown	037504571354

## INTERIOR - FURNITURE &amp; UPHOLSTERY

**Upholstery Twist Pin**

Smooth Shank  
Decorated Head

- Ideal for tacking on cloth & fabric material to upholstery.
- Adds an ornate flair to furniture.
- Provides an attractive finished look.
- Sharp point easily penetrates material.



Item #	Size	Gauge	Penny Size	Head Size	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Clamshell</b>								
122264	1/2"	17GA		0.410	16	10	Clear	008236652024

**Cut Tacks**

Angular Cut Shank  
Large Flat Head

- Ideal for attaching carpet to tack board and upholstery work.
- Tacks are lightweight and install by simply hammering into place.
- Offers increased holding power in material.
- Do not use with treated lumber.



Item #	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>								
122590	1/4"	#2	0.160	1.75 oz	1.75 oz	6	Blued (Bluish-Gray)	037504564707
122591	3/8"	#3	0.170	1.75 oz	1.75 oz	6	Blued (Bluish-Gray)	037504564714
122592	7/16"	#4	0.185	2.0 oz	2.0 oz	6	Blued (Bluish-Gray)	037504564721
122593	1/2"	#6	0.210	2.0 oz	2.0 oz	6	Blued (Bluish-Gray)	037504564738
122594	9/16"	#8	0.220	2.0 oz	2.0 oz	6	Blued (Bluish-Gray)	037504564745
122595	5/8"	#10	0.235	2.0 oz	2.0 oz	6	Blued (Bluish-Gray)	037504564752
122596	11/16"	#12	0.250	2.0 oz	2.0 oz	6	Blued (Bluish-Gray)	037504564783
122597	3/4"	#14	0.265	2.0 oz	2.0 oz	6	Blued (Bluish-Gray)	037504564790
122598	13/16"	#16	0.270	2.0 oz	2.0 oz	6	Blued (Bluish-Gray)	037504564806
122599	7/8"	#18	0.279	2.0 oz	2.0 oz	6	Blued (Bluish-Gray)	037504564813
122600	1"	#22	0.320	2.0 oz	2.0 oz	6	Blued (Bluish-Gray)	037504564820
122601	3/8"	#3	0.170	1.5 oz	1.5 oz	6	Electro-Galvanized (Gray)	037504564967
122602	7/16"	#4	0.185	1.75 oz	1.75 oz	6	Electro-Galvanized (Gray)	037504564974
122603	1/2"	#6	0.210	1.75 oz	1.75 oz	6	Electro-Galvanized (Gray)	037504564981
122604	9/16"	#8	0.220	1.75 oz	1.75 oz	6	Electro-Galvanized (Gray)	037504565001
122606	11/16"	#12	0.250	1.75 oz	1.75 oz	6	Electro-Galvanized (Gray)	037504565025
122605	5/8"	#10	0.235	1.75 oz	1.75 oz	6	Electro-Galvanized (Gray)	038902565013
122608	13/16"	#16	0.270	1.75 oz	1.75 oz	6	Electro-Galvanized (Gray)	037504565049
122607	3/4"	#14	0.265	1.75 oz	1.75 oz	6	Electro-Galvanized (Gray)	038902565037
122609	7/8"	#18	0.279	1.75 oz	1.75 oz	6	Electro-Galvanized (Gray)	038902565051

## INTERIOR - SPECIALTY

**Concrete Screw Nails**

Square Shank  
Flat Head

- Attach wood to concrete or masonry.
- Hardened fluted shank provides strong holding power and drives fast.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.




Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>XL-Pak</b>									
42061	3/4"	9GA		0.312	6 oz	6 oz	5	Bright (Unplated)	008236800869
42062	1"	9GA	2d	0.312	6 oz	6 oz	5	Bright (Unplated)	008236800876
42063	1-1/2"	9GA	4d	0.312	6 oz	6 oz	5	Bright (Unplated)	008236800883
42064	2"	9GA	6d	0.312	6 oz	6 oz	5	Bright (Unplated)	008236800890
42065	2-1/2"	9GA	8d	0.312	6 oz	6 oz	5	Bright (Unplated)	008236800906
42066	3"	9GA	10d	0.312	6 oz	6 oz	5	Bright (Unplated)	008236800913
42067	1"	9GA	2d	0.312	1 lb.	1 lb.	3	Bright (Unplated)	008236800920
42068	1-1/2"	9GA	4d	0.312	1 lb.	1 lb.	3	Bright (Unplated)	008236800937
42069	2"	9GA	6d	0.312	1 lb.	1 lb.	3	Bright (Unplated)	008236800944
42070	2-1/2"	9GA	8d	0.312	1 lb.	1 lb.	3	Bright (Unplated)	008236800951

## INTERIOR - SPECIALTY

### Corrugated Joint Fasteners

Steel

- Teeth design for holding and attaching wood together.
- Sharp points provide positive contact between wood material.



Item #	Size	Gauge	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>						
122706	3/8"	5GA	100	5	Bright (Unplated)	038902022066
122707	1/2"	5GA	100	5	Bright (Unplated)	038902022073
122708	5/8"	5GA	100	5	Bright (Unplated)	038902022080

### Wood Joiners

Steel

- Corrugated design for holding and attaching wood together.
- Sharp edge provides positive cutting through wood.



Item #	Size	Gauge	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>						
122728	1"	#0	40	5	Bright (Unplated)	038902022158
122723	1-5/16"	#1	30	5	Bright (Unplated)	038902022165
122724	1-11/16"	#2	16	5	Bright (Unplated)	038902022172

### Double Point Tacks

Smooth Shank

- Great for attaching small materials & items to wood, such as fabric & wire.
- Sharp points ensure easy, secure insertion into material.



Item #	Size	Gauge	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>							
122655	7/16"	#9	1.5 oz	1.5 oz	6	Blued (Bluish Gray)	037504570692
122656	3/4"	#14	1.5 oz	1.5 oz	6	Blued (Bluish Gray)	037504570715
122657	1/2"	#11	1.5 oz	1.5 oz	6	Blued (Bluish Gray)	037504570722
122658	3/8"	#5	1.5 oz	1.5 oz	6	Blued (Bluish Gray)	037504570739
122660	3/8"	#5	1.5 oz	1.5 oz	6	Electro-Galvanized	038902570758
122661	7/16"	#9	1.25 oz	1.25 oz	6	Electro-Galvanized	037504570760
122662	1/2"	#11	1.5 oz	1.5 oz	6	Electro-Galvanized	038902570772

### Insulated Staples

Smooth Shank

Flat Head

- Used to secure cable and wire to wood.
- Prevents direct contact with cable or wire with fastened.
- Ensures easy installation and secure hold in material.
- Do not use in treated lumber or where corrosion is a concern.



Item #	Color	Size	Gauge	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>							
122651	White	1/2"	#5	25	6	Painted	037504570616
122653	White	1/2"	#10	15	6	Painted	037504570654
122652	Brown	1/2"	#5	25	6	Painted	037504570630

## INTERIOR - SPECIALTY

**Escutcheon Pins**Smooth Shank  
Round Head

- Ideal for home woodworking, finishing projects, and repairs.
- Offers a smooth, decorative appearance.
- Provides greater security without the threat of bending or wood splitting.
- Do not use in treated lumber or where corrosion is a concern.



Item #	Color	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>XL-Pak</b>									
122618	Gold	1/2"	18GA	0.105		1.5 oz	6	Brass Plated	037504570098
122619	Gold	5/8"	18GA	0.105		1.5 oz	6	Brass Plated	037504570104
122624	Gold	3/4"	14GA	0.169		1.5 oz	6	Brass Plated	037504570159
122620	Gold	3/4"	16GA	0.135		1.5 oz	6	Brass Plated	037504570111
122622	Gold	3/4"	18GA	0.105		1.5 oz	6	Brass Plated	037504570135
122625	Gold	1"	14GA	0.169		1.5 oz	6	Brass Plated	037504570166
122623	Gold	1"	16GA	0.138		1.5 oz	6	Brass Plated	037504570142
122621	Gold	1"	18GA	0.105		1.5 oz	6	Brass Plated	037504570128

**Push Pins**

Smooth Shank



- Good for simple, lightweight mounting of photos, documents & more.
- Quick to install & remove.
- Works well with a variety of paper stock.

Item #	Color	Size	Gauge	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>							
122639	Yellow	7/16"	18GA	16	6	Painted	038902679611
122640	Clear	7/16"	18GA	16	6		037504679623
122641	White	7/16"	18GA	16	6	Painted	038902679635
122642	Red	7/16"	18GA	16	6	Painted	038902679642
122643	Assorted	7/16"	18GA	16	6	Painted	037504679661

**Thumb Tacks**

Smooth Shank



- Good for simple, lightweight mounting of photos, documents & more.
- Quick to install & remove.
- Works well with a variety of paper stock.

Item #	Color	Size	Gauge	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>							
122670	Nickel	5/16"	19GA	40	6	Bright	037504670804
122671	Yellow	5/16"	19GA	40	6	Painted	037504670811
122672	Brass Plated	5/16"	19GA	40	6	Bright	037504670828
122673	Red	5/16"	19GA	40	6	Painted	037504670842
122674	White	5/16"	19GA	40	6	Painted	037504670866
122675	Green	5/16"	19GA	40	6	Painted	037504670873
122676	Black	5/16"	19GA	40	6	Painted	037504670880
122678	Blue	5/16"	19GA	40	6	Painted	037504670903
122679	Brown	5/16"	19GA	40	6	Painted	038902670915
122677	Assorted	5/16"	19GA	40	6	Painted	037504670897

## INTERIOR - SPECIALTY

### Glazier Points

Strong, Sturdy, Reliable

- Designed to hold glass panes in place for installation.
- Made of high-quality steel.
- Offers durability and an attractive finish.



Item #	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>					
122633	1.0 oz	1.0 oz	6	Nickel	037504577035

## INTERIOR - KITS

### Kits

- Contains a variety of products and sizes useful for multiple projects.



Products	Item #	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	UPC
Ringed Nail Assortment	122541	3/4"	16GA	0.0625	1.5 oz	1.5 oz	6	038902565365
Nail, Tack, & Brad Assortment	123746	Assorted	Assorted	Assorted	2.0 oz	2.0 oz	6	037504237465
Nail, Tack, & Brad Assortment	532410	Assorted	Assorted	Assorted	2.0 oz	2.0 oz	6	008236123616
Spiral Shank Nail Assortment	532592	Assorted	Assorted	Assorted	1.5 oz	1.5 oz	6	008236167009



## EXTERIOR - FRAMING

### Box Nails

Smooth Thin Shank  
Flat Head



- Use for framing, carpentry, boxes and general construction.
- Thin shank prevents wood splitting.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>XL-Pak</b>									
42046	2"	12.50GA	6d	0.266		85	5	Hot Dipped Galvanized	008236800715
42047	2-1/2"	11.50GA	8d	0.297		70	5	Hot Dipped Galvanized	008236800722
42048	3-1/2"	10GA	16d	0.344		35	5	Hot Dipped Galvanized	008236800739
42049	2-1/2"	11.50GA	8d	0.297	1 lb.	135	3	Hot Dipped Galvanized	008236800746
42050	3-1/2"	10GA	16d	0.344	1 lb.	66	3	Hot Dipped Galvanized	008236800753

### Boat Nails

Annular Threads  
Ringed Shank  
Flat Head



- For use in exterior, marine & treated wood applications.
- Ringed shank increases holding power and resists backing out.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>									
9524	3/4"	14GA		0.175	2.0 oz	2.0 oz	6	Bronze	008236800470
9525	1"	14GA	2d	0.175	2.0 oz	2.0 oz	6	Bronze	008236800487
9526	1-1/4"	14GA	3d	0.175	2.0 oz	2.0 oz	6	Bronze	008236040142
9527	1-1/2"	14GA	4d	0.175	2.0 oz	2.0 oz	6	Bronze	008236800494

## EXTERIOR - FRAMING

**Stainless Steel Trim Nails**

Smooth Shank  
Small Flat Head



- Use for exterior trim and finishing work where a concealed head is required.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Color	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>XL-Pak</b>										
42074	White	1-1/4"	15GA	3d	0.234	6 oz	6 oz	5	Passivated	008236838510
42075	Dark Brown	1-1/4"	15GA	3d	0.234	6 oz	6 oz	5	Passivated	008236838527
42076	Blue	1-1/4"	15GA	3d	0.234	6 oz	6 oz	5	Passivated	008236838534
42077	Clay	1-1/4"	15GA	3d	0.234	6 oz	6 oz	5	Passivated	008236838541
42078	Gray	1-1/4"	15GA	3d	0.234	6 oz	6 oz	5	Passivated	008236838565
42079	Almond	1-1/4"	15GA	3d	0.234	6 oz	6 oz	5	Passivated	008236838572

## EXTERIOR - FINISHING

**Stainless Steel Wire Nails**

Smooth Shank  
Small Flat Head



- Wider than brad nails, offers a more secure load-bearing surface when secured.
- Offers security and safeguards against wood splitting.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>									
122530	3/4"	17GA		0.130	2.0 oz	2.0 oz	6	Passivated	038902548504
122531	7/8"	17GA		0.130	2.0 oz	2.0 oz	6	Passivated	038902548528
122532	1"	17GA	2d	0.130	2.0 oz	2.0 oz	6	Passivated	038902548542
122533	1-1/4"	17GA	3d	0.130	2.0 oz	2.0 oz	6	Passivated	038902548566

**Aluminum Wire Staples**

- Used for fastening a variety of items to wood such as wires, fencing, etc.
- Ideal for outdoor applications.

Item #	Size	Gauge	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>							
122659	3/8"	#5	.5 oz	.5 oz	6	Aluminum	037504570746

## EXTERIOR - FINISHING

**Stainless Steel Brad Nails**

Thin Shank  
Small Brad Head



- Ideal for trim, molding & paneling work.
- Designed to countersink into material for concealment.
- Recommended for exterior use and with treated lumber.

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>									
122525	3/4"	18GA		0.048	2.0 oz	2.0 oz	6	Passivated	038902548306
122526	3/4"	17GA		0.054	2.0 oz	2.0 oz	6	Passivated	038902548320
122527	7/8"	17GA		0.054	2.0 oz	2.0 oz	6	Passivated	038902548344
122528	1"	17GA	2d	0.054	2.0 oz	2.0 oz	6	Passivated	038902548368
122529	1-1/4"	17GA	3d	0.054	2.0 oz	2.0 oz	6	Passivated	038902548382
<b>Fas-Pak</b>									
532700	3/4"	18GA		0.048	1.0 oz	1.0 oz	6	Passivated	008236701722
532669	3/4"	17GA		0.054	1.0 oz	1.0 oz	6	Passivated	008236651874
532670	7/8"	17GA		0.054	1.0 oz	1.0 oz	6	Passivated	008236651881

**Brass Brad Nails**

Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	UPC
<b>Snap-Pak</b>								
123743	3/4"	17GA		0.0475	2.0 oz	2.0 oz	6	037504237434
123744	1"	17GA	2d	0.054	2.0 oz	2.0 oz	6	037504237441
123745	1-1/4"	16GA	3d	0.0625	2.0 oz	2.0 oz	6	037504237458

## EXTERIOR - FURNITURE &amp; UPHOLSTERY

**Cut Tacks**

Angular Cut Shank  
Large Flat Head




Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Fas-Pak</b>									
122610	3/8"	#3		0.170	.5 oz	.5 oz	6	Aluminum	037504565063
122611	7/16"	#4		0.185	.5 oz	.5 oz	6	Aluminum	037504565070
122612	1/2"	#6		0.210	.5 oz	.5 oz	6	Aluminum	037504565087
122613	3/8"	#3		0.170	.5 oz	.5 oz	6	Copper	037504565100
122614	7/16"	#4		0.185	.5 oz	.5 oz	6	Copper	037504565117
122615	1/2"	#6		0.210	.5 oz	.5 oz	6	Copper	037504565124
122616	5/8"	#10		0.235	.5 oz	.5 oz	6	Copper	037504565148
122617	3/4"	#14		0.265	.5 oz	.5 oz	6	Copper	037504565186

## EXTERIOR - FENCING

### Fence Staples

- For attaching round, welded, or barbed wire fencing to wood posts.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.



Item #	Size	Gauge	Penny Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>								
122664	1-1/4"	9GA	3d	1.5 oz	1.5 oz	6	Hot Dipped Galvanized	038902570796

### Poultry Net Staples

- For attaching poultry netting to wooden posts.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.



Item #	Size	Gauge	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>							
122663	3/4"	14GA	1.5 oz	1.5 oz	6	Hot Dipped Galvanized	038902570789

## EXTERIOR - SPECIALTY

### Solid Brass Escutcheon Pins

Smooth Shank  
Round Head



- Ideal for home woodworking, finishing projects, and repairs.
- Offers a smooth, decorative appearance.
- Provides greater security without the threat of bending or wood splitting.
- Recommended for exterior use.

Item #	Size	Gauge	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>Snap-Pak</b>								
122626	1/2"	18GA	0.105	2.0 oz	2.0 oz	6	Brass	037504570340
122630	5/8"	16GA	0.063	2.0 oz	2.0 oz	6	Brass	038902570383
122627	5/8"	18GA	0.105	2.0 oz	2.0 oz	6	Brass	037504570357
122631	3/4"	16GA	0.135	2.0 oz	2.0 oz	6	Brass	038902570390
122628	3/4"	18GA	0.105	2.0 oz	2.0 oz	6	Brass	037504570364
122629	1"	16GA	0.138	2.0 oz	2.0 oz	6	Brass	037504570371




## ROOFING

### Roofing Nails

Smooth Shank  
Flat Head

- For attaching roof shingles, insulation board, and felt to wood framing.
- Large flat head provides large bearing surface and strong holding power.
- Recommended for exterior use and with treated lumber.
- Conforms to ASTM F1667 and ASTM A153.



Item #	Size	Gauge	Penny Size	Head Size	Package Type	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>XL-Pak</b>									
42080	1-1/4"	11GA	3d	0.375	6 oz	6 oz	5	Copper	008236838596
42081	1-1/2"	11GA	4d	0.375	6 oz	6 oz	5	Copper	008236838619
42041	1"	11GA	2d	0.438		100	5	Electro-Galvanized	008236800661
42042	1-1/4"	11GA	3d	0.438		75	5	Electro-Galvanized	008236800678
42043	1-1/2"	11GA	4d	0.438		75	5	Electro-Galvanized	008236800685
42044	1-1/4"	11GA	3d	0.438	1 lb.	207	3	Electro-Galvanized	008236800692
42045	1-1/2"	11GA	4d	0.438	1 lb.	177	3	Electro-Galvanized	008236800708

# DRYWALL

## DRYWALL

### **Ringed Drywall Nails**

Ringed Shank  
Flat Head

- For attaching drywall to wood studs.
- Ringed shank provides superior pull out strength.
- Do not use in treated lumber or where corrosion is a concern.
- Conforms to ASTM F1667.



Item #	Size	Gauge	Penny Size	Head Size	Approx. Pcs. Per Box	Master Pack QTY	Finish	UPC
<b>XL-Pak</b>								
42034	1-1/4"	12.50GA	3d	0.297	100	5	Bright (Unplated)	008236800593
42035	1-5/8"	12.50GA	5d	0.297	80	5	Bright (Unplated)	008236800609

**Corporate Office**  
Cincinnati, Ohio

**All Points Division**  
Pompano Beach, Florida

**Big Time Products Division**  
Rome, Georgia

**ST Fastening Division**  
Tyler, Texas

**Hillman Canada**  
Pickering, Ontario


**Robotic Digital Solutions  
& Manufacturing**  
Tempe, Arizona  
Boulder, Colorado

**Distribution Centers**

- Tempe, Arizona
- Bakersfield, California
- Rialto, California
- Jacksonville, Florida
- Rome, Georgia
- Cincinnati, Ohio
- Forest Park, Ohio
- Jonestown, Pennsylvania
- Dallas, Texas
- Pickering, Ontario
- Monterrey, Mexico

**1280 Kemper Meadow Dr.  
Forest Park, OH 45240  
Phone: 1 (800) 800-4900  
Fax: (513) 851-4997  
[www.hillmangroup.com](http://www.hillmangroup.com)**

8/23



EST. 1964  
**HILLMAN**  
GROUP  
• A LEGACY OF SERVICE AND GROWTH •  
• BUILDING NEVER STOPS •