

INDASA



CATALOGUE 2020

INDASA

**PERFECT FINISH,
WE KNOW HOW.**



If you wish to discover more information about a specific product, just click on the icon and you will be redirected to the Product Sheet on our Website.




THIS IS AN INTERACTIVE CATALOGUE.





Here's an example of how it works:


ABRASIVES DISCS

ABRASIVES DISCS




RHYNOGRIP HT LINE	
SPECIFICATIONS	Lubricant coating → P80-P2000 FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800, 1000, 1200, 1500, 2000 Backing → Paper with velour: D wt (P40-120); B wt latex (P150-2000) Abrasive → Special aluminium oxide Bonding → Modified synthetic resin
FEATURES AND BENEFITS	High flexibility → Adaptable to curves and contoured surfaces High initial cutting action → Rapid stock removal Uniformity of scratch pattern → Optimum substrate preparation High strength resin bond → Minimal grit shedding Advanced technology clog resistant coating → Extended working performance Nylon grip backing system → Quick and easy to fit

- 
 AUTOMOTIVE
- 
 MARINE & COMPOSITES
- 
 WOOD
- 
 OTHER INDUSTRIES



150mm 21H/57H ULTRAVENT			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
563339	P80	50	500
563322	P100	50	500
563315	P120	50	500
563305	P150	50	1000
563299	P180	50	1000
562063	P220	50	1000
562070	P240	50	1000
562087	P280	50	1000
562094	P320	50	1000
562100	P360	50	1000
562117	P400	50	1000
562124	P500	50	1000
562131	P600	50	1000
562148	P800	50	1000
562155	P1000	50	1000
553696	P1200	50	1000
553702	P1500	50	1000
553719	P2000	50	1000



In there, you will be able to read more about the product and understand its value proposition, Features & Benefits, Substrates, Applications Suggestions, Markets, Technical Specifications and Download related documents.

INDASA 2020 CATALOGUE

INDASA

PROFESSIONAL SANDING SYSTEMS




AUTOMOTIVE




MARINE &
COMPOSITES



WOOD



BUILDING &
DECORATION



OTHER
INDUSTRIES



YEARS
1979-2019

Founded in 1979, Indasa is now one of Europe's leading manufacturers of high performance coated abrasives.

From its headquarters in Aveiro, Portugal, the company specialises in the production of innovative sanding materials and systems that deliver market specific solutions to a wide range of manufacturing and service industries.

An ongoing program of investment has resulted in the manufacturing plant becoming one of the most modern production facilities in Europe, with increased capacity to respond to the growing demands of the global market for Indasa's Rhyno brand of abrasive products. The consistently high standards of development, production and marketing of coated abrasives has earned the company a number of globally recognized accreditations over the years.

The Indasa Group consists of 8 wholly owned subsidiaries that are located in Spain, UK, France, Germany, Poland, Brazil, USA and Italy.

Export markets have been established in over 100 countries worldwide with a network of key distribution partners that service local market demand and promote continued business development.



INDASA
CORPORATE
VIDEO





In 1994 Indasa implemented a Quality Assurance System according to the NP EN ISO 9002 which was a natural step to strengthen and standardise our manufacturing capabilities. Indasa extended its certification to ISO 9001 in 2000, including development, manufacturing and distribution of flexible abrasives. The company's management system is currently certified for the "development, manufacturing and selling of flexible abrasives and complementary products."

INDASA CORE VALUES

MANUFACTURING

We have been at the forefront of manufacturing abrasives for over 40 years. Fundamental to our strategic goal is our desire to continuously fulfil the highest quality and performance standards.

An essential component of our work ethic is our manufacturing expertise, which is a direct result of the investment in the personal development of the Indasa employee. This collaborative synergy ensures that we manufacture and operate with customer value and market specific solutions in mind.

QUALITY AND R&D

Our commitment to deliver an inspired and valued range of products is one that can only be achieved by a company whose culture strives for excellence.

We utilise our key areas of expertise in the manufacturing process to ensure that nothing but the highest quality product leaves our production plant and represents our brand.

Through highly competent internal resources, unique partnerships with key suppliers, universities and R&D centres, we have created a business and operating model that differentiates us from other renowned global players.

Our ability to challenge traditional concepts in an ever-evolving industry positions us as a leading provider for performance products, materials and service.

CORPORATE RESPONSIBILITY

It's becoming increasingly evident that responsible business practices are imperative for a successful future.

Corporate responsibility and sustainability drives our business development and innovation - ultimately it shapes the way in which we operate.

ENVIRONMENTAL SUSTAINABILITY

Recognition of our environmental sustainability is gaining momentum throughout the business operation, from energy resource or waste generation to commercial mileage consumption.

We believe that having a positive reputation exemplifies our proposition for our customers, employees, shareholders and business partners alike.




MORE ABOUT
INDASA






R&

RESEARCH & DEVELOPMENT



Indasa has developed a unique and highly advanced dust free sanding solution with the ability to transform the future of machine sanding. The extraction capacity of the new Ultravent system virtually eliminates abrasive clogging, prolongs performance and provides a clean, healthy working environment. The superior dust free sanding process produces a highly consistent finish, maximizes operator efficiency and optimises bodyshop key performance indicators (KPI's).



INNOVATIVE CELL TECHNOLOGY
by INDASA

Indasa launched the Rhynocell abrasive system that brings a new dimension to specialised surface preparation for compound and high gloss polishing applications. It is a system resulting from a collaboration between our R&D department and leading paint and polish companies. This pre-polishing process incorporates an innovative cell technology developed by Indasa. The uniformity and consistency of scratch delivers the optimum surface for compound/polish applications and offers a labour efficient and material savings polishing process.

You can see it in the finish.

Research & Development plays a crucial role in the ongoing development of technically advanced, high performance abrasive materials. Only the highest quality raw materials and FEPA compliant mineral grains are used, thus providing consistency of performance and efficiency across the abrasive grit range.

Indasa utilises its key areas of expertise to offer complete systems for surface treatment, preparation and finishing, across diverse market sectors such as automotive, marine & composite, woodworking and building & decorative trades.

INDASA ACADEMY



Opened in January 2016, the Indasa Academy welcomes customers from all over the world serving the broadest spectrum of industry markets. The Academy represents not only a major investment in the facility but also the commitment and delivery of technical expertise and instruction.

The application of best working practice is a key essential in driving efficiency for the workforce and business operation. Our team of experienced technicians instruct delegates in the very latest process and application techniques utilising Indasa's innovative range of abrasive system technologies. The bespoke and tailored training programmes develop the customer's skill base and optimise efficiencies in the workplace.

INDASA
ACADEMY 

INDASA
ACADEMY 

ABRASIVES

BEST CHOICE FOR SURFACE PREPARATION



INDASA

PRODUCT

Indasa's flexible abrasive materials integrate a full range of product for the most demanding sanding processes

HTLine Faster and sustained power
Increased flexibility
Prolonged performance

FilmLine Flexible film backing
Micro finishing grain
Consistent scratch pattern

PlusLine Flexible paper backing
Excellent clog resistance
Longer working life

RedLine High performance abrasive grain
Latex paper backing
Lubricant coating minimises loading

WhiteLine High performance abrasive grain
Latex paper backing
Lubricant coating minimises loading

HeavyLine Heavy duty paper backing
Aluminium oxide mineral grain
Durable cutting performance



PRODUCT TYPE



DISCS



STRIPS



DELTAS



SHEETS



ROLLS



BELTS



SPONGES

THE COMPONENTS

RHYNO ABRASIVE SYSTEMS

Rhyno products offer the optimum performance and durability for all refinishing operations. Developed specifically to meet the exact standards of the professionals and to keep pace with advanced refinishing techniques, they perform quicker and last longer while producing the ideal surface for the next stage of the work process.



ABRASIVES

High performance mineral grains:

- Aluminum oxide
- Silicon carbide
- Zirconium

BONDING

Advanced modified synthetic resins.

DRY SANDING SPECIAL COATING

As a 3rd coating, a clog resistant lubricant technology is used in specific products for dry sanding operations.

BACKINGS

PAPER

The most used are the following premium backing papers:

A B C D E G H
flexibility Resistance

The waterproof latex papers incorporate a synthetic polymer which also increases flexibility.

CLOTH

F¹ X¹ Y²
flexibility Resistance

VULCANIZED FIBRE

Is used in abrasive discs for very heavy duty applications.

POLYESTER FILM

Used for finishing operations performed with microfine grits.

FASTENING SYSTEMS

THE TAB SYSTEM



Indasa has developed a simple but efficient system – the “Tab” – that allows the quick removal of the release paper from the **Rhynostick** discs.



THE GRIP SYSTEM



The brushed nylon “Grip” system enables the removal of the **Rhynogrip** discs from the machine’s backing pad for reuse.



Indasa abrasives systems are at the forefront of coated abrasive technology. The investments in the development of our products are always in response to the needs of our customers and in trend with the latest surface treatment techniques, resulting in the unquestionable recognition of our brand worldwide. Indasa’s offering includes a complete range of accessories for the autobody professionals.

GRIT STANDARDS

Indasa coated abrasives are manufactured using the highest quality raw materials and in compliance with FEPA grit standards.

FEPA P GRIT	AVERAGE DIAMETER (micra)
P16	1324
P24	764
P30	642
P36	538
P40	425
P50	336
P60	269
P80	201
P100	162
P120	125
P150	100
P180	82
P220	68
P240	58.5 ±2.0
P280	52.2 ±2.0
P320	46.2 ±1.5
P360	40.5 ±1.5
P400	35.0 ±1.5
P500	30.2 ±1.5
P600	25.8 ±1.0
P800	21.8 ±1.0
P1000	18.3 ±1.0
P1200	15.3 ±1.0
P1500	12.6 ±1.0
P2000	10.3 ±0.8
P2500	8.4 ±0.5

¹ Cotton
² Polyester

SAFETY RECOMMENDATIONS

Ensure that the working area is clean and tidy.
 Wear protective ear and eye equipment.
 Wear suitable respiratory equipment when working with hazardous materials.
 Wear protective gloves.
 Follow the correct procedures for handling and storage.
 Make sure that the abrasive selected is suitable for its intended use.
 Avoid clogging to ensure the abrasive works efficiently.
 Let the abrasive stop naturally, not by applying pressure to its surface.

As the majority of coated abrasive backings are hygroscopic, they cause different superficial tensions with the resin layer. This phenomenon might cause positive (convex) or negative (concave) flexing. In order to maintain the abrasives in their natural form (straight), it is recommended that they be stored at a temperature between 64-70 F and a relative humidity of 55-60%.



READ INSTRUCTIONS



NOT PERMITTED FOR HAND-HELD MACHINES



WEAR EYE PROTECTION



NOT PERMITTED FOR WET GRINDING



WEAR A RESPIRATOR



NOT PERMITTED FOR FACE GRINDING



WEAR GLOVES



DO NOT USE IF DAMAGED



WEAR HEARING PROTECTION







ONLY PERMITTED WITH A BACK-UP PAD



ABRASIVES DISCS

RHYNOGRIP HT LINE	
SPECIFICATIONS	<p>Lubricant coating → P80-P2000</p> <p>FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800, 1000, 1200, 1500, 2000</p> <p>Backing → Paper with velour: D wt (P40-120); B wt latex (P150-2000)</p> <p>Abrasive → Special aluminium oxide</p> <p>Bonding → Modified synthetic resin</p>
FEATURES AND BENEFITS	<p>High flexibility → Adaptable to curves and contoured surfaces</p> <p>High initial cutting action → Rapid stock removal</p> <p>Uniformity of scratch pattern → Optimum substrate preparation</p> <p>High strength resin bond → Minimal grit shedding</p> <p>Advanced technology clog resistant coating → Extended working performance</p> <p>Nylon grip backing system → Quick and easy to fit</p>



-  AUTOMOTIVE
-  MARINE & COMPOSITES
-  WOOD
-  OTHER INDUSTRIES



150mm 21H/57H ULTRAVENT

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
563339	P80	50	500
563322	P100	50	500
563315	P120	50	500
563305	P150	50	1000
563299	P180	50	1000
562063	P220	50	1000
562070	P240	50	1000
562087	P280	50	1000
562094	P320	50	1000
562100	P360	50	1000
562117	P400	50	1000
562124	P500	50	1000
562131	P600	50	1000
562148	P800	50	1000
562155	P1000	50	1000
553696	P1200	50	1000
553702	P1500	50	1000
553719	P2000	50	1000


21 HOLES
57 HOLES



150mm 15H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
511262	P40	50	500
511279	P60	50	500
511286	P80	50	500
511293	P100	50	500
511309	P120	50	500
511313	P150	50	1000
511320	P180	50	1000
511337	P220	50	1000
511344	P240	50	1000
511351	P280	50	1000
511368	P320	50	1000
511375	P360	50	1000
511382	P400	50	1000
511399	P500	50	1000
511405	P600	50	1000
511412	P800	50	1000





ULTRAVENT

ADVANCED DUST FREE SOLUTION

CLEANER FASTER CLEVER



Advanced dust free solution

Indasa has developed a unique and highly advanced dust free sanding solution with the scope to transform the future of machine sanding.



Surface preparation is one of the most labour intensive and time consuming phases of the painting process.

ULTRAVENT adds value by saving time and providing a cleaner working environment.



INDASA
indasa-abrasives.com

RHYNOGRIP HT LINE



150mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
519237	P40	50	500
519244	P60	50	500
521162	P80	50	500
527140	P100	50	500
521308	P120	50	500
532776	P150	50	1000
521312	P180	50	1000
532783	P220	50	1000
521329	P240	50	1000
540290	P280	50	1000
521336	P320	50	1000
540306	P360	50	1000
521343	P400	50	1000
523514	P500	50	1000
523521	P600	50	1000
523538	P800	50	1000



125mm 5H			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
543065	P80	50	500
543072	P120	50	500
543086	P150	50	1000
543093	P180	50	1000
543109	P220	50	1000
543116	P320	50	1000
543123	P400	50	1000
583372	P500	50	1000
543130	P600	50	1000
583389	P800	50	1000







75mm 3H			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
559728	P40	50	1000
559735	P60	50	1000
559742	P80	50	1000
559759	P100	50	1000
559766	P120	50	1000
559773	P150	50	1000
559780	P180	50	1000
559797	P220	50	1000
559803	P240	50	1000
559810	P280	50	1000
559827	P320	50	1000
559834	P360	50	1000
559841	P400	50	1000
559858	P500	50	1000
559865	P600	50	1000
559872	P800	50	1000





RHYNOGRIP FILM LINE	
SPECIFICATIONS	<p>Lubricant coating → P600-P1500</p> <p>FEPA P Grit → 600, 800, 1000, 1200, 1500</p> <p>Backing → Polyester film with velour</p> <p>Abrasive → Special aluminium Oxide</p> <p>Bonding → Modified synthetic resin</p>
FEATURES AND BENEFITS	<p>Advanced dust extraction → Cleaner working environment</p> <p>Increased efficiency → Maximises productivity</p> <p>Flexible film backing → Crease and tear resistant</p> <p>Uniformity of scratch pattern → Optimum substrate preparation</p> <p>High strength resin bond → Minimal grit shedding</p> <p>Advanced technology clog resistant coating → Extended working performance</p>

-  AUTOMOTIVE
-  MARINE & COMPOSITES
-  WOOD



150mm 57H ULTRAVENT			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
568539	P600	50	1000
562964	P800	50	1000
562971	P1000	50	1000
562988	P1200	50	1000
562995	P1500	50	1000



150mm 15H			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
407586	P600	50	1000
405650	P800	50	1000
486208	P1000	50	1000
405667	P1200	50	1000
405674	P1500	50	1000



150mm 7H			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
374710	P600	50	1000
374727	P800	50	1000
486789	P1000	50	1000
374734	P1200	50	1000
353883	P1500	50	1000



150mm 6H			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
390710	P600	50	1000
390727	P800	50	1000
519616	P1000	50	1000
390734	P1200	50	1000
357805	P1500	50	1000


RHYNOGRIP FILM LINE



150mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
374819	P600	50	1000
380520	P800	50	1000
486710	P1000	50	1000
380537	P1200	50	1000
356365	P1500	50	1000



125mm 5H			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
414591	P600	50	1000
414607	P800	50	1000
494401	P1000	50	1000
414614	P1200	50	1000
414621	P1500	50	1000



125mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
398662	P600	50	1000
414546	P800	50	1000
490335	P1000	50	1000
414553	P1200	50	1000
414560	P1500	50	1000



75mm 3H			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
426969	P600	50	1000
426976	P800	50	1000
490670	P1000	50	1000
426181	P1200	50	1000
426198	P1500	50	1000



75mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
390406	P600	50	1000
390413	P800	50	1000
486161	P1000	50	1000
390420	P1200	50	1000
385624	P1500	50	1000

RHYNOCELL

SPECIFICATIONS

Backing → Foam with velour
Grit → MF3000

FEATURES AND BENEFITS



Fully integrated surface finishing system → Continuity of process
Significant reduction of P1500 sanding scratches → Faster polishing time and less material usage
Dry use → Cleaner, faster and easier



AUTOMOTIVE



150mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
552125	MF3000	10	200
552586	MF3000	20	200



INNOVATIVE CELL TECHNOLOGY by INDASA



INDASA

RHYNOCELL

YOU CAN SEE IT IN THE FINISH



INNOVATIVE CELL TECHNOLOGY
by INDASA



Fully integrated system



Faster polishing time using
less material



Dry use for a cleaner and
faster process



Microcell construction for a
longer working life



Excellent tear resistance
and shape retention



INDASA



www.indasa-abrasives.com

RHYNOFINISH MICROFINE

SPECIFICATIONS
Backing → Foam with velour
Grit → Super Fine, Micro Fine
Abrasive → Silicon carbide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
Flexible foam backing with nylon grip backing system
Ideal for paint rectification and pre-polish applications
Uniformity of grit → Eliminates rogue scratches



AUTOMOTIVE



MARINE & COMPOSITES



OTHER INDUSTRIES



150mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
423639	Super Fine	20	-
423646	Micro Fine	20	-



75mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
434871	Super Fine	20	-
433676	Micro Fine	20	-



RHYNOFINISH

SPECIFICATIONS
Lubricant coating → P500-P1500
FEPA P Grit → 500, 800, 1200, 1500
Backing → B wt latex paper with velour
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
High flexibility → Adaptable to curves and contoured surfaces
Uniformity of scratch pattern → Optimum substrate preparation
Nylon grip backing system → Quick and easy to fit




AUTOMOTIVE



MARINE & COMPOSITES



OTHER INDUSTRIES




150mm 7H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
348116	P500	20	-
348123	P800	20	-
348130	P1200	20	-
348147	P1500	20	-



RHYNOFINISH



150mm 6H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
053560	P500	20	-
053577	P800	20	-
053584	P1200	20	-
160343	P1500	20	-



RHYNOGRIP PLUS LINE

SPECIFICATIONS

Lubricant coating → P150-P800
FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800
Backing → Paper with velour: D wt (P40-60); C wt (P80-120); B wt (P150-800)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High flexibility → Adaptable to curves and contoured surfaces
Uniformity of scratch pattern → Optimum substrate preparation
Clog resistant coating → Long lasting sanding



AUTOMOTIVE





MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



150mm 21H/57H ULTRAVENT

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
568440	P80	50	500
568457	P100	50	500
568464	P120	50	500
568478	P150	50	1000
568485	P180	50	1000
553597	P220	50	1000
553603	P240	50	1000
553610	P280	50	1000
553627	P320	50	1000
553634	P360	50	1000
553641	P400	50	1000
553658	P500	50	1000
553665	P600	50	1000
553672	P800	50	1000

21 HOLES

57 HOLES



RHYNOGRIP PLUS LINE



150mm 15H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
394148	P40	50	500
394155	P60	50	500
394162	P80	50	500
394179	P100	50	500
394186	P120	50	500
394190	P150	50	1000
394206	P180	50	1000
394213	P220	50	1000
394220	P240	50	1000
394237	P280	50	1000
394244	P320	50	1000
394251	P360	50	1000
394268	P400	50	1000
394275	P500	50	1000
493022	P600	50	1000
493039	P800	50	1000



150mm 7H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
339194	P40	50	500
339200	P60	50	500
339217	P80	50	500
339224	P100	50	500
339231	P120	50	500
341316	P150	50	1000
341323	P180	50	1000
341330	P220	50	1000
341347	P240	50	1000
341354	P280	50	1000
341361	P320	50	1000
341378	P360	50	1000
341385	P400	50	1000
341392	P500	50	1000
493251	P600	50	1000
493268	P800	50	1000



150mm 6H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
215566	P40	50	500
215573	P60	50	500
215580	P80	50	500
215597	P100	50	500
215603	P120	50	500
215617	P150	50	1000
215624	P180	50	1000
215631	P220	50	1000
215648	P240	50	1000
215655	P280	50	1000
215662	P320	50	1000
215679	P360	50	1000
215686	P400	50	1000
215693	P500	50	1000
492995	P600	50	1000
493008	P800	50	1000



RHYNOGRIP PLUS LINE



150mm 9H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
222267	P40	50	500
222274	P60	50	500
222281	P80	50	500
222298	P100	50	500
222304	P120	50	500
222318	P150	50	1000
222325	P180	50	1000
222332	P220	50	1000
222349	P240	50	1000
222356	P280	50	1000
222363	P320	50	1000
222370	P360	50	1000
222387	P400	50	1000
222394	P500	50	1000
493220	P600	50	1000
493237	P800	50	1000



150mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
222595	P40	50	500
222588	P60	50	500
222601	P80	50	500
222618	P100	50	500
222625	P120	50	500
222172	P150	50	1000
222189	P180	50	1000
222196	P220	50	1000
222202	P240	50	1000
222219	P280	50	1000
222226	P320	50	1000
222233	P360	50	1000
222240	P400	50	1000
222257	P500	50	1000
492964	P600	50	1000
492971	P800	50	1000



125mm 5H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
291911	P40	50	500
291928	P60	50	500
291935	P80	50	500
291942	P100	50	500
291959	P120	50	500
291966	P150	50	500
288911	P180	50	500
288928	P220	50	500
291973	P240	50	500
291980	P280	50	500
288935	P320	50	500
288942	P360	50	500
291997	P400	50	500
292000	P500	50	500
492936	P600	50	500
492943	P800	50	500



RHYNOGRIP PLUS LINE



125mm 3+3H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
467477	P40	50	500
368934	P60	50	500
364400	P80	50	500
467484	P100	50	500
368699	P120	50	500
364414	P150	50	1000
368702	P180	50	1000
467498	P220	50	1000
368719	P240	50	1000
467504	P280	50	1000
364421	P320	50	1000
467511	P360	50	1000
368726	P400	50	1000
419633	P500	50	1000
505824	P600	50	1000
505831	P800	50	1000



125mm 8HI

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
222069	P40	50	500
222076	P60	50	500
222083	P80	50	500
222090	P100	50	500
222106	P120	50	500
222113	P150	50	500
222120	P180	50	500
222137	P220	50	500
222144	P240	50	500
222151	P280	50	500
222168	P320	50	500
221925	P360	50	500
221932	P400	50	500
233287	P500	50	500



125mm 6H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
427105	P40	50	500
427112	P60	50	500
427129	P80	50	500
427136	P100	50	500
427143	P120	50	500
427150	P150	50	500
427167	P180	50	500
427174	P220	50	500
427181	P240	50	500
427198	P280	50	500
427204	P320	50	500
427211	P360	50	500
427228	P400	50	500
427235	P500	50	500

RHYNOGRIP PLUS LINE



125mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
322660	P40	50	500
322677	P60	50	500
322684	P80	50	500
322691	P100	50	500
299658	P120	50	500
301719	P150	50	500
322653	P180	50	500
402331	P220	50	500
324886	P240	50	500
307940	P280	50	500
303430	P320	50	500
421226	P360	50	500
283749	P400	50	500
283756	P500	50	500
499553	P600	50	500
499560	P800	50	500



75mm 3H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
426761	P40	50	1000
426778	P60	50	1000
426785	P80	50	1000
426792	P100	50	1000
426808	P120	50	1000
426815	P150	50	1000
426822	P180	50	1000
426839	P220	50	1000
426846	P240	50	1000
426853	P280	50	1000
426860	P320	50	1000
426877	P360	50	1000
426884	P400	50	1000
426891	P500	50	1000
493190	P600	50	1000
493206	P800	50	1000



75mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
373942	P40	50	1000
373959	P60	50	1000
373805	P80	50	1000
374130	P100	50	1000
374147	P120	50	1000
374154	P150	50	1000
373812	P180	50	1000
373829	P220	50	1000
373836	P240	50	1000
373843	P280	50	1000
373850	P320	50	1000
373867	P360	50	1000
373874	P400	50	1000
373881	P500	50	1000
493169	P600	50	1000

RHYNOGRIP RED LINE

SPECIFICATIONS

Lubricant coating → P80-P2000
FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800, 1000, 1200, 1500, 2000
Backing → Paper with velour: D wt (P40-120); B wt latex (P150-2000)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High flexibility → Adaptable to curves and contoured surfaces
High initial cutting action → Rapid stock removal
Uniformity of scratch pattern → Optimum substrate preparation
High strength resin bond → Minimal grit shedding
Clog resistant coating → Long lasting sanding



AUTOMOTIVE




MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES




150mm 15H


CODE	GRIT	QTY P/ BOX	QTY P/ CASE
392434	P40	50	500
392441	P60	50	500
391666	P80	50	500
392458	P100	50	500
391642	P120	50	500
392462	P150	50	1000
392479	P180	50	1000
392486	P220	50	1000
392493	P240	50	1000
392509	P280	50	1000
391670	P320	50	1000
392516	P360	50	1000
391687	P400	50	1000
386676	P500	50	1000
386683	P600	50	1000
386690	P800	50	1000
386706	P1000	50	1000
386713	P1200	50	1000
386720	P1500	50	1000
386737	P2000	50	1000

150mm 7H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
339118	P40	50	500
339156	P60	50	500
339163	P80	50	500
339170	P100	50	500
339187	P120	50	500
341408	P150	50	1000
341415	P180	50	1000
341422	P220	50	1000
341439	P240	50	1000
341446	P280	50	1000
341453	P320	50	1000
341460	P360	50	1000
341477	P400	50	1000
341484	P500	50	1000
341491	P600	50	1000
341507	P800	50	1000
341514	P1000	50	1000
341521	P1200	50	1000
341538	P1500	50	1000
341545	P2000	50	1000



RHYNOGRIP RED LINE



150mm 6H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
003064	P40	50	500
003071	P60	50	500
006003	P80	50	500
006010	P100	50	500
006027	P120	50	500
006376	P150	50	1000
006383	P180	50	1000
006390	P220	50	1000
006406	P240	50	1000
006413	P280	50	1000
006420	P320	50	1000
006437	P360	50	1000
006444	P400	50	1000
006451	P500	50	1000
006468	P600	50	1000
006475	P800	50	1000
035253	P1000	50	1000
035260	P1200	50	1000
156323	P1500	50	1000
214955	P2000	50	1000



150mm 9H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
013148	P40	50	500
013155	P60	50	500
013117	P80	50	500
013124	P100	50	500
013131	P120	50	500
013008	P150	50	1000
013015	P180	50	1000
013039	P240	50	1000
013046	P280	50	1000
013053	P320	50	1000
013077	P400	50	1000
013084	P500	50	1000
013091	P600	50	1000
013107	P800	50	1000


RHYNOGRIP RED LINE




150mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
003040	P40	50	500
003057	P60	50	500
005976	P80	50	500
005983	P100	50	500
005990	P120	50	500
006260	P150	50	1000
006277	P180	50	1000
006284	P220	50	1000
006291	P240	50	1000
006307	P280	50	1000
006314	P320	50	1000
006321	P360	50	1000
006338	P400	50	1000
006345	P500	50	1000
006352	P600	50	1000
006369	P800	50	1000
035093	P1000	50	1000
035109	P1200	50	1000
145686	P1500	50	1000
214948	P2000	50	1000




150mm 17H			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
484726	P40	50	500
484733	P60	50	500
484740	P80	50	500
484757	P100	50	500
484764	P120	50	500
484778	P150	50	1000
484785	P180	50	1000
484792	P220	50	1000
484808	P240	50	1000
484815	P280	50	1000
484822	P320	50	1000
484839	P360	50	1000
484846	P400	50	1000
484853	P500	50	1000
484860	P600	50	1000
484877	P800	50	1000



125mm 9H			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
400054	P40	50	500
400061	P60	50	500
400078	P80	50	500
400085	P100	50	500
400092	P120	50	500
400105	P150	50	1000
400112	P180	50	1000
400136	P240	50	1000
400143	P280	50	1000
400150	P320	50	1000
400174	P400	50	1000
400181	P500	50	1000
400198	P600	50	1000




RHYNOGRIP RED LINE



125mm 8HI

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
037021	P40	50	500
037038	P60	50	500
037045	P80	50	500
037052	P100	50	500
037069	P120	50	500
024400	P150	50	1000
024417	P180	50	1000
024424	P220	50	1000
024431	P240	50	1000
024448	P280	50	1000
024455	P320	50	1000
024462	P360	50	1000
024479	P400	50	1000
024486	P500	50	1000
024493	P600	50	1000



125mm 5H


CODE	GRIT	QTY P/ BOX	QTY P/ CASE
019171	P40	50	500
019188	P60	50	500
019928	P80	50	500
019935	P100	50	500
019942	P120	50	500
055312	P150	50	1000
020068	P180	50	1000
020075	P220	50	1000
055329	P240	50	1000
055336	P280	50	1000
020082	P320	50	1000
055343	P360	50	1000
055350	P400	50	1000
055367	P500	50	1000
055374	P600	50	1000



125mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
019133	P40	50	500
019140	P60	50	500
019867	P80	50	500
019874	P100	50	500
019881	P120	50	500
019956	P150	50	1000
019963	P180	50	1000
019970	P220	50	1000
019987	P240	50	1000
019994	P280	50	1000
020006	P320	50	1000
020013	P360	50	1000
020020	P400	50	1000
020037	P500	50	1000
020044	P600	50	1000

RHYNOGRIP RED LINE



75mm 3H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
442297	P40	50	1000
442303	P60	50	1000
435268	P80	50	1000
442310	P100	50	1000
442327	P120	50	1000
435275	P150	50	1000
435282	P180	50	1000
435299	P220	50	1000
435305	P240	50	1000
442334	P280	50	1000
435312	P320	50	1000
442341	P360	50	1000
435329	P400	50	1000
442358	P500	50	1000
426907	P600	50	1000




75mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
373966	P40	50	1000
373973	P60	50	1000
373980	P80	50	1000
373997	P100	50	1000
374000	P120	50	1000
374017	P150	50	1000
374024	P180	50	1000
374031	P220	50	1000
374048	P240	50	1000
374055	P280	50	1000
374062	P320	50	1000
374079	P360	50	1000
374086	P400	50	1000
374093	P500	50	1000
374109	P600	50	1000
373775	P800	50	1000
373782	P1000	50	1000
374116	P1200	50	1000
373799	P1500	50	1000
374123	P2000	50	1000

RHYNOGRIP RED LINE



115mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
328903	P40	50	-
322062	P60	50	-
234808	P80	50	-
271803	P100	50	-
271810	P120	50	-
309537	P150	50	-
309544	P180	50	-
329269	P220	50	-
329276	P240	50	-
329283	P280	50	-
290910	P320	50	-
329290	P360	50	-
290927	P400	50	-
329306	P500	50	-
145678	P600	50	-



200mm 8H			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
042182	P40	50	-
135853	P60	50	-
054499	P80	50	-
054505	P100	50	-
054512	P120	50	-
024294	P150	50	-
024300	P180	50	-
024317	P220	50	-
024324	P240	50	-
024331	P280	50	-
024348	P320	50	-
024355	P360	50	-
024362	P400	50	-
024379	P500	50	-
024386	P600	50	-



200mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
019153	P40	50	-
019160	P60	50	-
019894	P80	50	-
019900	P100	50	-
019917	P120	50	-
035146	P150	50	-
035153	P180	50	-
035160	P220	50	-
035177	P240	50	-
035184	P280	50	-
035191	P320	50	-
035207	P360	50	-
035214	P400	50	-
035221	P500	50	-
035238	P600	50	-

RHYNOGRIP WHITE LINE

SPECIFICATIONS
Lubricant coating → P150-P600
FEPA P Grit → 36, 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600
Backing → Paper with velour: D wt (P36-120); C wt (P150-600)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
High initial cutting action → Rapid stock removal
Clog resistant coating → Long lasting sanding
Durable paper backing → Tear resistant



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



150mm 15H


CODE	GRIT	QTY P/ BOX	QTY P/ CASE
392281	P40	50	500
392298	P60	50	500
392304	P80	50	500
392311	P100	50	500
392328	P120	50	500
392332	P150	50	1000
392349	P180	50	1000
392356	P220	50	1000
392363	P240	50	1000
392370	P280	50	1000
392387	P320	50	1000
392394	P360	50	1000
392400	P400	50	1000
392417	P500	50	1000
392424	P600	50	1000

150mm 7H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
347496	P40	50	500
347502	P60	50	500
347519	P80	50	500
347526	P100	50	500
347533	P120	50	500
347547	P150	50	1000
347554	P180	50	1000
347561	P220	50	1000
347578	P240	50	1000
347585	P280	50	1000
347592	P320	50	1000
347608	P360	50	1000
347615	P400	50	1000
347622	P500	50	1000
347639	P600	50	1000



RHYNOGRIP WHITE LINE



150mm 6H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
035287	P36	50	500
002463	P60	50	500
002470	P80	50	500
002487	P100	50	500
002494	P120	50	500
002500	P150	50	500
004556	P180	50	1000
004563	P220	50	1000
004570	P240	50	1000
004587	P280	50	1000
004594	P320	50	1000
004600	P360	50	1000
004617	P400	50	1000
004624	P500	50	1000
135762	P600	50	1000
135779	P600	50	1000



150mm 9H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
014343	P40	50	500
014350	P60	50	500
014367	P80	50	500
014374	P100	50	500
014381	P120	50	500
014395	P150	50	1000
014401	P180	50	1000
014425	P240	50	1000
014432	P280	50	1000
014449	P320	50	1000
014463	P400	50	1000
135823	P500	50	1000
135830	P600	50	1000



150mm


CODE	GRIT	QTY P/ BOX	QTY P/ CASE
002364	P40	50	500
002371	P60	50	500
002388	P80	50	500
002395	P100	50	500
002401	P120	50	500
004396	P150	50	1000
004402	P180	50	1000
004419	P220	50	1000
004426	P240	50	1000
004433	P280	50	1000
004440	P320	50	1000
004457	P360	50	1000
004464	P400	50	1000
156248	P500	50	1000
156286	P600	50	1000

RHYNOGRIP WHITE LINE



125mm 5H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
019065	P40	50	500
019072	P60	50	500
019089	P80	50	500
019096	P100	50	500
019102	P120	50	500
019628	P150	50	1000
019635	P180	50	1000
019642	P220	50	1000
019659	P240	50	1000
019666	P280	50	1000
019673	P320	50	1000
212869	P360	50	1000
019680	P400	50	1000
216492	P500	50	1000
216508	P600	50	1000



125mm 8H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
002685	P40	50	500
002692	P60	50	500
002708	P80	50	500
002715	P100	50	500
002722	P120	50	500
005034	P150	50	1000
005041	P180	50	1000
005058	P220	50	1000
005065	P240	50	1000
005072	P280	50	1000
005089	P320	50	1000
005096	P360	50	1000
005102	P400	50	1000
214900	P500	50	1000
193441	P600	50	1000



125mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
018969	P40	50	500
018976	P60	50	500
018983	P80	50	500
018990	P100	50	500
019003	P120	50	500
019543	P150	50	1000
019550	P180	50	1000
019567	P220	50	1000
019574	P240	50	1000
019581	P280	50	1000
019598	P320	50	1000
019604	P360	50	1000
019611	P400	50	1000
167527	P500	50	1000
167534	P600	50	1000

RHYNOGRIP WHITE LINE




200mm 8H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
027912	P40	50	-
027929	P60	50	-
027936	P80	50	-
027943	P100	50	-
027950	P120	50	-
010143	P150	50	-
010150	P180	50	-
010167	P220	50	-
010174	P240	50	-
010181	P280	50	-
010198	P320	50	-
010204	P360	50	-
010211	P400	50	-
228562	P500	50	-
228579	P600	50	-



225mm 19H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
498996	P40	50	-
499009	P60	50	-
499016	P80	50	-
499023	P100	50	-
499030	P120	50	-
499047	P150	50	-
499054	P180	50	-
499061	P220	50	-
499078	P240	50	-
499085	P280	50	-
499092	P320	50	-
499108	P360	50	-
499115	P400	50	-
499122	P500	50	-
499139	P600	50	-



225mm 15H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
405604	P40	50	-
406342	P60	50	-
393772	P80	50	-
391884	P100	50	-
391785	P120	50	-
391792	P150	50	-
391808	P180	50	-
393987	P220	50	-
459119	P240	50	-
469781	P280	50	-
415504	P320	50	-
469798	P360	50	-
469804	P400	50	-
469811	P500	50	-
469828	P600	50	-

RHYNOCUT

SPECIFICATIONS
FEPA P Grit → 40, 60, 80, 100, 120, 180, 320
Backing → E wt paper with velour
Abrasive → Zirconia alumina
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
Highly resistant backing → Crease and tear resistant
High initial cutting action → Rapid stock removal
High strength resin bond → Minimal grit shedding
Nylon grip backing system → Quick and easy to fit



AUTOMOTIVE




MARINE & COMPOSITES



WOOD




BUILDING & DECORATION




150mm 15H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
487983	P40	50	-
476574	P60	50	-
476581	P80	50	-
476598	P100	50	-
476604	P120	50	-
479407	P180	50	-
479438	P320	50	-




150mm 9H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
496169	P40	25	-
496091	P60	50	-
496107	P80	50	-
496114	P100	50	-
496121	P120	50	-
496138	P180	50	-
496145	P320	50	-



150mm


CODE	GRIT	QTY P/ BOX	QTY P/ CASE
487990	P40	50	-
477182	P60	50	-
477199	P80	50	-
477205	P100	50	-
477212	P120	50	-
479278	P180	50	-
479285	P320	50	-



180mm 10H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
579459	P40	50	-
579480	P60	50	-
579473	P80	50	-
579497	P100	50	-
579503	P120	50	-

RHYNOCUT



200mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
476468	P40	50	-
476475	P60	50	-
476482	P80	50	-
476499	P100	50	-
476505	P120	50	-
509081	P180	50	-
509098	P320	50	-



RHYNOGRIP HEAVY LINE

SPECIFICATIONS

FEPA P Grit → 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 320

Backing → E wt paper with velour

Abrasive → Aluminium oxide

Bonding → Modified synthetic resin

FEATURES AND BENEFITS

Highly resistant backing → Crease and tear resistant

High initial cutting action → Rapid stock removal

High strength resin bond → Minimal grit shedding

Nylon grip backing system → Quick and easy to fit



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



150mm 15H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
463335	P36	50	250
435639	P40	50	250
469757	P50	50	250
402747	P60	50	250
402754	P80	50	250
402426	P100	50	250
402433	P120	50	250
404833	P150	50	250
464615	P180	50	250
420017	P220	50	250
469764	P240	50	250
420000	P320	50	250



150mm 17H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
347980	P36	50	-
347997	P40	50	-
348017	P60	50	-
348024	P80	50	-
348031	P100	50	-
348048	P120	50	-
348055	P150	50	-
348062	P180	50	-
348086	P240	50	-
348093	P320	50	-



RHYNOGRIP HEAVY LINE



150mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
044060	P40	50	250
044084	P60	50	250
044091	P80	50	250
044107	P100	50	250
044114	P120	50	250
044121	P150	50	250
044138	P180	50	250
044152	P240	50	250



125mm 8Hl			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
035481	P36	50	-
035498	P40	50	-
035504	P50	50	-
035511	P60	50	-
035528	P80	50	-
035535	P100	50	-
035542	P120	50	-
035559	P150	50	-
035566	P180	50	-
035573	P220	50	-
035580	P240	50	-
238257	P320	50	-




125mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
035375	P36	50	-
035382	P40	50	-
035405	P60	50	-
035412	P80	50	-
035429	P100	50	-
035436	P120	50	-
035443	P150	50	-
035450	P180	50	-
035467	P220	50	-
035474	P240	50	-
280072	P320	50	-



115mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
232484	P40	50	-
232507	P60	50	-
232514	P80	50	-
232521	P100	50	-
232538	P120	50	-
232545	P150	50	-
232552	P180	50	-
232569	P220	50	-
232576	P240	50	-
247648	P320	50	-

RHYNOGRIP HEAVY LINE



180mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
044179	P40	50	-
044193	P60	50	-
044209	P80	50	-
044216	P100	50	-
044223	P120	50	-
044230	P150	50	-
044247	P180	50	-
044254	P220	50	-
044261	P240	50	-
145173	P320	50	-







200mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
035290	P36	50	-
035306	P40	50	-
035313	P60	50	-
025857	P80	50	-
025864	P100	50	-
025871	P120	50	-
035320	P150	50	-
035337	P180	50	-
035344	P220	50	-
035368	P240	50	-
243596	P320	50	-




RHYNOGRIP E YELLOW LINE

SPECIFICATIONS
FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400
Backing → Paper with velour: E wt (P40-150); D wt (P180-400)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
Highly resistant backing → Crease and tear resistant
High initial cutting action → Rapid stock removal
Multipurpose usage → Great value for the money
Nylon grip backing system → Quick and easy to fit

-  AUTOMOTIVE
-  MARINE & COMPOSITES
-  WOOD
-  BUILDING & DECORATION



225mm 48H			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
520161	P40	50	-
520178	P60	50	-
520185	P80	50	-
520192	P100	50	-
520208	P120	50	-
520215	P150	50	-
520222	P180	50	-
520239	P220	50	-
520246	P240	50	-
520253	P320	50	-
520260	P400	50	-



RHYNOGRIP SIC (HEAVY PAPER)

SPECIFICATIONS
FEPA P Grit → 40, 60, 80, 100, 120, 180, 220, 320, 400, 600, 800, 1000, 1200
Backing → Paper with velour: H wt (P16-36); F wt (P40-100); E wt (P120-1200)
Abrasive → Silicon carbide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
Highly resistant backing → Crease and tear resistant
High initial cutting action → Rapid stock removal
High strength resin bond → Minimal grit shedding
Anti static → Improved clog resistance



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



115mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
280768	P40	50	-
280775	P60	50	-
280782	P80	50	-
280799	P100	50	-
280805	P120	50	-
280812	P180	50	-
280829	P220	50	-
280836	P320	50	-
280843	P400	50	-
280850	P600	50	-
280867	P800	50	-
280874	P1000	50	-
280881	P1200	50	-



180mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
276129	P40	50	-
276136	P60	50	-
276143	P80	50	-
276150	P100	50	-
276167	P120	50	-
276174	P180	50	-
276181	P220	50	-
276198	P320	50	-





RHYNSTICK RED LINE

SPECIFICATIONS

Lubricant coating → P80-P800
FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800
Backing → Paper with velour: D wt (P40-120); C wt (P150-800)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High initial cutting action → Rapid stock removal
Uniformity of scratch pattern → Optimum substrate preparation
High strength resin bond → Minimal grit shedding
Clog resistant coating → Long lasting sanding
Protective release paper → Maximum adhesion to backing pad



AUTOMOTIVE



MARINE & COMPOSITES





WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



150mm 6H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
002906	P40	50	500
002913	P60	100	1000
005501	P80	100	1000
005518	P100	100	1000
005525	P120	100	1000
005532	P150	100	1000
005549	P180	100	1000
005556	P220	100	1000
005563	P240	100	1000
005570	P280	100	1000
005587	P320	100	1000
005594	P360	100	1000
005600	P400	100	1000
005617	P500	100	1000
005624	P600	100	1000
005631	P800	100	1000

150mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
002883	P40	50	500
182493	P60	50	500
005365	P80	100	1000
005372	P100	100	1000
005389	P120	100	1000
005396	P150	100	1000
005402	P180	100	1000
005419	P220	100	1000
005426	P240	100	1000
005433	P280	100	1000
005440	P320	100	1000
005457	P360	100	1000
005464	P400	100	1000
005471	P500	100	1000
005488	P600	100	1000
005495	P800	100	1000

RHYNOSTICK WHITE LINE

SPECIFICATIONS

Lubricant coating → P150-P600
FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600
Backing → Paper with self-adhesive: D wt (P36-P120); C wt (P150-P600)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High initial cutting action → Rapid stock removal
Clog resistant coating → Long lasting sanding
Durable paper backing → Tear resistant



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



150mm 6H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
001640	P40	50	500
588943	P60	50	500
001664	P80	100	1000
001671	P100	100	1000
001688	P120	100	1000
003828	P150	100	1000
003835	P180	100	1000
003842	P220	100	1000
003859	P240	100	1000
003866	P280	100	1000
003873	P320	100	1000
003880	P360	100	1000
003897	P400	100	1000
156227	P500	100	1000
161221	P600	100	1000

150mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
001503	P40	50	500
588936	P60	50	500
001527	P80	100	1000
001534	P100	100	1000
001541	P120	100	1000
003644	P150	100	1000
003651	P180	100	1000
003668	P220	100	1000
003675	P240	100	1000
003682	P280	100	1000
003699	P320	100	1000
003705	P360	100	1000
003712	P400	100	1000
156203	P500	100	1000
156210	P600	100	1000



RHYNOSTICK WHITE LINE



125mm 5H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
016064	P40	50	500
589001	P60	50	500
016088	P80	100	1000
016095	P100	100	1000
016101	P120	100	1000
016118	P150	100	1000
016125	P180	100	1000
016132	P220	100	1000
016149	P240	100	1000
016156	P280	100	1000
016163	P320	100	1000
016170	P360	100	1000
016187	P400	100	1000
135321	P500	100	1000
299931	P600	100	1000



125mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
588998	P60	50	500
018921	P80	100	1000
018938	P100	100	1000
018945	P120	100	1000
019461	P150	100	1000
019478	P180	100	1000
019485	P220	100	1000
019492	P240	100	1000
019508	P280	100	1000
019515	P320	100	1000
019522	P360	100	1000
019539	P400	100	1000
253643	P500	100	1000
253148	P600	100	1000



150mm LINK ROLL

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
319103	P150	100	1000
319110	P180	100	1000
319127	P220	100	1000
319134	P240	100	1000
319141	P280	100	1000
319158	P320	100	1000
319165	P360	100	1000
319172	P400	100	1000



RHYNOSTICK WHITE LINE



125mm 5H LINK ROLL

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
429642	P150	100	1000
515659	P180	100	1000
417571	P220	100	1000
515666	P240	100	1000
417588	P320	100	1000
417595	P400	100	1000



125mm LINK ROLL

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
319028	P150	100	1000
319035	P180	100	1000
319042	P220	100	1000
319059	P240	100	1000
319066	P280	100	1000
319073	P320	100	1000
319080	P360	100	1000
319097	P400	100	1000

RHYNOSTICK MFS

SPECIFICATIONS
FEPA P Grit → 1500, 2000, 2500
Backing → Waterproof C wt latex paper with self-adhesive
Abrasive → Silicon carbide
Bonding → Modified synthetic resin
Diameter → 36mm

FEATURES AND BENEFITS
Uniformity of scratch pattern → Optimum substrate preparation
Small disc size → Ideal for spot repair
Use with water → Smooth finish sanding



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



DAISY DISCS

CODE	GRIT	QTY P/ BOX
142738	P2000	100
237199	P2500	100

DAISY ROLLS

CODE	GRIT	QTY P/ ROLL
456545	P1500	1000
467381	P2000	1000
296684	P2500	1000





RHYNOFIBRE 'A' SILVER

SPECIFICATIONS
FEPA P Grit → 16, 24, 20, 36, 40, 50, 60, 80, 100, 120
Backing → Vulcanized fibre 0,8 mm
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
Highly resistant backing → Crease and tear resistant
High initial cutting action → Rapid stock removal
High strength resin bond → Minimal grit shedding



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION




OTHER INDUSTRIES



100 x 16mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
283486	P24	25	-
273609	P36	25	-
316696	P40	25	-
294147	P50	25	-
276914	P60	25	-
273616	P80	25	-
316702	P100	25	-
316719	P120	25	-



115 x 22mm (with slots)


CODE	GRIT	QTY P/ BOX	QTY P/ CASE
053096	P16	25	-
053102	P24	25	-
053119	P36	25	-
053126	P40	25	-
053133	P50	25	-
053140	P60	25	-
053157	P80	25	-
053164	P100	25	-
053171	P120	25	-



115 x 22mm


CODE	GRIT	QTY P/ BOX	QTY P/ CASE
272794	P16	25	-
272800	P24	25	-
267981	P36	25	-
273685	P40	25	-
273128	P50	25	-
273623	P60	25	-
274903	P80	25	-
281987	P100	25	-
277959	P120	25	-

RHYNOFIBRE 'A' SILVER




127 x 22mm (with slots)

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
053188	P16	25	-
053195	P24	25	-
053201	P36	25	-
053218	P40	25	-
053225	P50	25	-
053232	P60	25	-
053249	P80	25	-
053256	P100	25	-
053263	P120	25	-




127 x 22mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
272435	P16	25	-
272442	P24	25	-
272459	P36	25	-
272466	P40	25	-
272404	P50	25	-
272473	P60	25	-
272480	P80	25	-
272497	P100	25	-
272503	P120	25	-



180 x 22mm (with slots)

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
053270	P16	25	-
053287	P24	25	-
053294	P36	25	-
053300	P40	25	-
053317	P50	25	-
053324	P60	25	-
053331	P80	25	-
053348	P100	25	-
053355	P120	25	-



180 x 22mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
272527	P16	25	-
272534	P24	25	-
272541	P36	25	-
272558	P40	25	-
272565	P50	25	-
267943	P60	25	-
272572	P80	25	-
272589	P100	25	-
272596	P120	25	-



RHYNOFIBRE 'Z' SILVER

SPECIFICATIONS
FEPA P Grit → 24, 36, 40, 50, 60, 80, 100, 120
Backing → Vulcanized fibre 0,8 mm
Abrasive → Zirconium
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
Highly resistant backing → Crease and tear resistant
High initial cutting action → Rapid stock removal
High strength resin bond → Minimal grit shedding
Heat resistant abrasive grain → High resistance with hard materials



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



100 x 16mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
369258	P24	25	-
349434	P36	25	-
349441	P60	25	-
349458	P80	25	-
349465	P120	25	-



115 x 22mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
387184	P24	25	-
349472	P36	25	-
349489	P60	25	-
387207	P80	25	-
349496	P120	25	-



127 x 22mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
362464	P24	25	-
349564	P36	25	-
349571	P60	25	-
358672	P80	25	-
349588	P120	25	-





180 x 22mm


CODE	GRIT	QTY P/ BOX	QTY P/ CASE
362488	P24	25	-
349502	P36	25	-
364512	P60	25	-
369159	P80	25	-
387214	P120	25	-


RHYNOFIBRE 'C' SILVER	
SPECIFICATIONS	FEPA P Grit → 16, 20, 24, 30, 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 320 Backing → Vulcanized fibre 0,8 mm Abrasive → Silicon carbide Bonding → Modified synthetic resin
FEATURES AND BENEFITS	Highly resistant backing → Crease and tear resistant High initial cutting action → Rapid stock removal High strength resin bond → Minimal grit shedding





AUTOMOTIVE


MARINE & COMPOSITES


WOOD


OTHER INDUSTRIES



180 x 22mm (with slots)			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
165614	P16	25	-
165621	P24	25	-
165638	P36	25	-
165645	P50	25	-
165652	P60	25	-
165669	P80	25	-
165676	P100	25	-
165683	P120	25	-
165690	P150	25	-
165706	P180	25	-
165713	P220	25	-
165720	P320	25	-

LOCKING DISCS (CERAMIC)	
SPECIFICATIONS	FEPA P Grit → 24, 36, 50, 60, 80, 120 Backing → Plastic plate + X-cloth Abrasive → Ceramic Bonding → Synthetic resin
FEATURES AND BENEFITS	Highly resistant backing → Crease and tear resistant High initial cutting action → Rapid stock removal High strength resin bond → Minimal grit shedding Quickfix locking system → Easy disc replacement




AUTOMOTIVE


MARINE & COMPOSITES


WOOD


OTHER INDUSTRIES



50 mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
515211	P24	25	-
515235	P36	25	-
515259	P50	25	-
565889	P60	25	-
567821	P80	25	-
567838	P120	25	-


AUTOMOTIVE


MARINE & COMPOSITES


WOOD


OTHER INDUSTRIES



75 mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
515273	P24	25	-
515297	P36	25	-
515310	P50	25	-
567845	P60	25	-
567852	P80	25	-
567869	P120	25	-



LOCKING DISCS (ALUMINIUM OXIDE)	
SPECIFICATIONS	<p>FEPA P Grit → 24, 36, 50, 60, 80, 120</p> <p>Backing → Plastic plate + X-cloth</p> <p>Abrasive → Aluminium oxide</p> <p>Bonding → Synthetic resin</p>
FEATURES AND BENEFITS	<p>Highly resistant backing → Crease and tear resistant</p> <p>High initial cutting action → Rapid stock removal</p> <p>High strength resin bond → Minimal grit shedding</p> <p>Quickfix locking system → Easy disc replacement</p>



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



50 mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
514894	P24	25	-
514917	P36	25	-
514931	P50	25	-
514955	P60	25	-
514979	P80	25	-
567784	P120	25	-

75 mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
514993	P24	25	-
515013	P36	25	-
515037	P50	25	-
515495	P60	25	-
515051	P80	25	-
567791	P120	25	-



LOCKING DISCS (ZIRCONIUM)	
SPECIFICATIONS	<p>FEPA P Grit → 24, 36, 50, 60, 80, 120</p> <p>Backing → Plastic plate + X-cloth</p> <p>Abrasive → Zirconium</p> <p>Bonding → Synthetic resin</p>
FEATURES AND BENEFITS	<p>Highly resistant backing → Crease and tear resistant</p> <p>High initial cutting action → Rapid stock removal</p> <p>High strength resin bond → Minimal grit shedding</p> <p>Quickfix locking system → Easy disc replacement</p>



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



50 mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
515099	P24	25	-
515112	P36	25	-
515136	P50	25	-
563069	P60	25	-
563076	P80	25	-
567807	P120	25	-

75 mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
515150	P24	25	-
515174	P36	25	-
515204	P50	25	-
515075	P60	25	-
563083	P80	25	-
567814	P120	25	-





LOCKING DISCS (NON-WOVEN)	
SPECIFICATIONS	Backing → Y wt polyester + nylon Grit → Coarse, Medium, Very Fine
FEATURES AND BENEFITS	Abrasive impregnated web → Produces a clean paintable surface without damaging substrate. Consistent scratch pattern High strength resin bond → Minimal grit shedding Quickfix locking system → Easy disc replacement



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



50mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
515334	Coarse	25	-
515358	Medium	25	-
515372	Very Fine	25	-



WOOD



OTHER INDUSTRIES



75mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
515396	Coarse	25	-
515419	Medium	25	-
515433	Very Fine	25	-

FLAP DISCS (ALOX)

SPECIFICATIONS	FEPA P Grit → 36, 40, 50, 60, 80, 100, 120, 150 Backing → Fibre glass plate + X-cloth Abrasive → Aluminium oxide Bonding → Modified synthetic resin
FEATURES AND BENEFITS	Highly resistant backing → Crease and tear resistant High initial cutting action → Rapid stock removal High strength resin bond → Minimal grit shedding Overlapping sanding surface → Renewal of flaps extends sanding life Higher surface ventilation → Minimizes heat buildup



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



115 x 22mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
229262	P40	10	-
229279	P50	10	-
229286	P60	10	-
229293	P80	10	-
332184	P120	10	-
417676	P150	10	-



125 x 22mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
336458	P36	10	-
336465	P40	10	-
348987	P60	10	-
348994	P80	10	-
349014	P120	10	-

FLAP DISCS (ALOX)



178 x 22mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
229378	P36	10	-
229385	P40	10	-
229392	P50	10	-
229408	P60	10	-
229415	P80	10	-
229422	P100	10	-
353677	P120	10	-

FLAP DISCS (ZIRCONIUM)



SPECIFICATIONS

FEPA P Grit → 36, 40, 60, 80, 120
Backing → Fibre glass plate + X-cloth
Abrasive → Zirconium
Bonding → Modified synthetic resin

FEATURES AND BENEFITS

Highly resistant backing → Crease and tear resistant
High initial cutting action → Rapid stock removal
High strength resin bond → Minimal grit shedding
Overlapping sanding surface → Renewal of flaps extends sanding life
Higher surface ventilation → Minimizes heat buildup
Heat resistant abrasive grain → High resistance with hard materials



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



115 x 22mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
229507	P40	10	-
229514	P50	10	-
229521	P60	10	-
229538	P80	10	-
229545	P100	10	-
328149	P120	10	-
456330	P40	10	-
456347	P60	10	-
428467	P80	10	-



125 x 22mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
410684	P36	10	-
323342	P40	10	-
331019	P60	10	-
362945	P80	10	-
420478	P100	10	-
371763	P120	10	-
456378	P40	10	-
456415	P120	10	-



178 x 22mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
229613	P36	10	-
229620	P40	10	-
229637	P50	10	-
229644	P60	10	-
229651	P80	10	-
229668	P100	10	-
328767	P120	10	-

STRIP WHEELS

SPECIFICATIONS

Backing → Nylon fiber
Abrasive → Silicon carbide

FEATURES AND BENEFITS

Abrasive impregnated web → Produces a clean paintable surface without damaging substrate
High strength resin bond → Minimal grit shedding



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



100 / 115 / 150mm

CODE	SIZE	QTY P/ BOX	QTY P/ CASE
317396	100 x 16 x 8mm	10	-
473467	115 x 22mm *	10	-
193181	150 x 13 x 13mm	10	-

* With support.

ABRASIVES STRIPS



RHYNOGRIP HT LINE	
SPECIFICATIONS	<p>Lubricant coating → P80-P2000</p> <p>FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800, 1000, 1200, 1500, 2000</p> <p>Backing → Latex paper with velour: D wt (P40-120); B wt (P150-2000)</p> <p>Abrasive → Special aluminium oxide</p> <p>Bonding → Modified synthetic resin</p>
FEATURES AND BENEFITS	<p>High flexibility → Adaptable to curves and contoured surfaces</p> <p>High initial cutting action → Rapid stock removal</p> <p>Uniformity of scratch pattern → Optimum substrate preparation</p> <p>High strength resin bond → Minimal grit shedding</p> <p>Advanced technology clog resistant coating → Extended working performance</p> <p>Nylon grip backing system → Quick and easy to fit</p>



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



70 x 420mm 23H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
559387	P40	50	500
559394	P60	50	500
533059	P80	50	500
559400	P100	50	500
533066	P120	50	500
533073	P150	50	500
533080	P180	50	500
533097	P220	50	500
559417	P240	50	500
559424	P280	50	500
533103	P320	50	500
559431	P360	50	500
559448	P400	50	500
559455	P500	50	500
559462	P600	50	500
559479	P800	50	500

70 x 198mm 11H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
559240	P40	50	500
559257	P60	50	500
533110	P80	50	500
559264	P100	50	500
533127	P120	50	500
533134	P150	50	500
533141	P180	50	500
533158	P220	50	500
559271	P240	50	500
559288	P280	50	500
533165	P320	50	500
559295	P360	50	500
559301	P400	50	500
559318	P500	50	500
559325	P600	50	500
559332	P800	50	500



RHYNOGRIP HT LINE



115 x 230mm 22H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
585225	P40	50	500
585232	P60	50	500
556133	P80	50	500
585249	P100	50	500
556140	P120	50	500
556157	P150	50	500
590151	P180	50	500
556171	P320	50	500
556188	P400	50	500



70 x 127mm 11H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
556072	P80	50	500
556089	P120	50	500
556096	P150	50	500
556119	P320	50	500
556126	P400	50	500

RHYNOGRIP RED LINE

SPECIFICATIONS

Lubricant coating → P80-P2000
FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800
Backing → Latex paper with velour: D wt (P40-120); B wt (P150-2000)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High flexibility → Adaptable to curves and contoured surfaces
High initial cutting action → Rapid stock removal
Uniformity of scratch pattern → Optimum substrate preparation
High strength resin bond → Minimal grit shedding
Clog resistant coating → Long lasting sanding



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



70 x 420mm 23H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
459300	P40	50	-
459317	P60	50	-
459324	P80	50	-
459331	P100	50	-
459348	P120	50	-
459355	P150	50	-
459362	P180	50	-
459379	P220	50	-
459386	P240	50	-
459393	P280	50	-
459409	P320	50	-
459416	P360	50	-
459423	P400	50	-
459430	P500	50	-
459447	P600	50	-
459454	P800	50	-



RHYNOGRIP RED LINE



70 x 420mm 14H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
002988	P40	50	-
002995	P60	50	-
005941	P80	50	-
008676	P100	50	-
008683	P120	50	-
008812	P150	50	-
008829	P180	50	-
008843	P240	50	-
008850	P280	50	-
008867	P320	50	-
008881	P400	50	-
008898	P500	50	-
008904	P600	50	-
008911	P800	50	-



70 x 420mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
042124	P40	50	500
042131	P60	50	500
156876	P80	50	500
161863	P100	50	500
175860	P120	50	500
145375	P150	50	500
145382	P180	50	500
145399	P220	50	500
145405	P240	50	500
145412	P280	50	500
145429	P320	50	500
145436	P360	50	500
145443	P400	50	500
035270	P500	50	500
145450	P600	50	500
145467	P800	50	500



70 x 198mm 11H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
445112	P40	50	-
445129	P60	50	-
444344	P80	50	-
444351	P100	50	-
444368	P120	50	-
444375	P150	50	-
444382	P180	50	-
444399	P220	50	-
444405	P240	50	-
444412	P280	50	-
444429	P320	50	-
445280	P360	50	-
444436	P400	50	-
444443	P500	50	-
444450	P600	50	-
444467	P800	50	-

RHYNOGRIP RED LINE



70 x 198mm 8H



CODE	GRIT	QTY P/ BOX	QTY P/ CASE
357255	P80	50	-
357262	P100	50	-
349977	P120	50	-
357279	P150	50	-
357286	P180	50	-
357309	P240	50	-
357316	P280	50	-
357323	P320	50	-
357347	P400	50	-
357354	P500	50	-
357361	P600	50	-
357378	P800	50	-

115 x 230mm 22H



CODE	GRIT	QTY P/ BOX	QTY P/ CASE
459508	P40	50	-
459515	P60	50	-
459522	P80	50	-
459539	P100	50	-
459546	P120	50	-
459553	P150	50	-
458761	P180	50	-
459560	P220	50	-
459577	P240	50	-
459584	P280	50	-
459591	P320	50	-
459607	P360	50	-
459614	P400	50	-
459621	P500	50	-
459638	P600	50	-
459645	P800	50	-

115 x 230mm 10H



CODE	GRIT	QTY P/ BOX	QTY P/ CASE
135846	P40	50	-
042151	P60	50	-
135860	P80	50	-
135877	P100	50	-
135884	P120	50	-
054765	P150	50	-
054772	P180	50	-
054789	P240	50	-
054796	P280	50	-
054802	P320	50	-
054826	P400	50	-
053973	P500	50	-
053980	P600	50	-
053997	P800	50	-



70 x 127mm 11H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
487723	P40	50	-
459157	P60	50	-
459164	P80	50	-
459188	P100	50	-
459171	P120	50	-
459195	P150	50	-
459201	P180	50	-
459225	P240	50	-
459232	P280	50	-
459249	P320	50	-
459263	P400	50	-
459270	P500	50	-
459287	P600	50	-
459294	P800	50	-



92 x 178mm 8H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
175491	P40	50	-
175507	P60	50	-
175514	P80	50	-
175521	P100	50	-
175538	P120	50	-
175545	P150	50	-
175552	P180	50	-
175576	P240	50	-
175583	P280	50	-
175590	P320	50	-
175613	P400	50	-
175620	P500	50	-
175637	P600	50	-
175644	P800	50	-



81 x 133mm 8H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
190791	P40	50	-
190807	P60	50	-
190814	P80	50	-
190821	P100	50	-
190838	P120	50	-
190845	P150	50	-
190852	P180	50	-
190869	P220	50	-
190876	P240	50	-
190883	P280	50	-
190890	P320	50	-
190906	P360	50	-
190913	P400	50	-
190920	P500	50	-
190937	P600	50	-
190944	P800	50	-

RHYNOGRIP RED LINE



81 x 153mm 8H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
011034	P40	50	-
011041	P60	50	-
011058	P80	50	-
011065	P100	50	-
011072	P120	50	-
011089	P150	50	-
011096	P180	50	-
011102	P220	50	-
011119	P240	50	-
011126	P280	50	-
011133	P320	50	-
011140	P360	50	-
011157	P400	50	-
011164	P500	50	-
011171	P600	50	-
011188	P800	50	-



RHYNOGRIP PLUS LINE

SPECIFICATIONS

Lubricant coating → P150-P800
FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800
Backing → Paper with velour: D wt (P40-60); C wt (P80-120); B wt (P150-1000)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High flexibility → Adaptable to curves and contoured surfaces
Uniformity of scratch pattern → Optimum substrate preparation
Clog resistant coating → Long lasting sanding



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



70 x 420mm 23H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
456938	P40	50	500
456945	P60	50	500
453975	P80	50	500
456952	P100	50	500
453982	P120	50	500
456969	P150	50	500
456976	P180	50	500
453999	P220	50	500
456983	P240	50	500
456990	P280	50	500
457003	P320	50	500
457010	P360	50	500
457027	P400	50	500
457034	P500	50	500
537255	P600	50	500
582750	P800	50	500



RHYNOGRIP PLUS LINE



70 x 198mm 11H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
434257	P40	50	500
434264	P60	50	500
434271	P80	50	500
434288	P100	50	500
434295	P120	50	500
434301	P150	50	500
434318	P180	50	500
434325	P240	50	500
512634	P280	50	500
434332	P320	50	500
512641	P360	50	500
434349	P400	50	500
434356	P500	50	500
582736	P600	50	500
582743	P800	50	500



115 x 230mm 22H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
457041	P40	50	500
457058	P60	50	500
457065	P80	50	500
457072	P100	50	500
457089	P120	50	500
457096	P150	50	500
457102	P180	50	500
457119	P220	50	500
457126	P240	50	500
457133	P280	50	500
457140	P320	50	500
457157	P360	50	500
457164	P400	50	500
457171	P500	50	500



70x127mm 11H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
456655	P40	50	500
456662	P60	50	500
456679	P80	50	500
456686	P100	50	500
456693	P120	50	500
456709	P150	50	500
456716	P180	50	500
456730	P240	50	500
456747	P280	50	500
456754	P320	50	500
456761	P360	50	500
456778	P400	50	500
456785	P500	50	500

RHYNOGRIP PLUS LINE



81 x 133mm 8H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
506349	P60	50	-
503171	P80	50	-
503188	P100	50	-
503195	P120	50	-
503201	P150	50	-
503218	P180	50	-
503225	P220	50	-
592083	P240	50	-
503232	P280	50	-
503249	P320	50	-
593103	P400	50	-



RHYNOGRIP WHITE LINE

SPECIFICATIONS
Lubricant coating → P150-P600
FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600
Backing → Paper with velour: D wt (P36-120); C wt (P150-600)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
High initial cutting action → Rapid stock removal
Clog resistant coating → Long lasting sanding
Durable paper backing → Tear resistant



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



70 x 420mm 23H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
454798	P40	50	500
454804	P60	50	500
454811	P80	50	500
454828	P100	50	500
454675	P120	50	500
454835	P150	50	500
454842	P180	50	500
454859	P220	50	500
454866	P240	50	500
454873	P280	50	500
454880	P320	50	500
454897	P360	50	500
454903	P400	50	500
458437	P500	50	500
458444	P600	50	500

RHYNOGRIP WHITE LINE



70 x 420mm 14H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
002261	P40	50	-
009925	P60	50	-
002278	P80	50	-
009932	P100	50	-
009949	P120	50	-
009840	P150	50	-
009857	P180	50	-
009871	P240	50	-
009888	P280	50	-
009895	P320	50	-
009918	P400	50	-
173176	P500	50	-
309018	P600	50	-

70 x 420mm



CODE	GRIT	QTY P/ BOX	QTY P/ CASE
001961	P40	50	500
009493	P60	50	500
001978	P80	50	500
001985	P100	50	500
001992	P120	50	500
009509	P150	50	500
009516	P180	50	500
009523	P220	50	500
009530	P240	50	500
009547	P280	50	500
009554	P320	50	500
009561	P360	50	500
009578	P400	50	500
241459	P600	50	500

70 x 198mm 11H



CODE	GRIT	QTY P/ BOX	QTY P/ CASE
445130	P40	50	500
445147	P60	50	500
445154	P80	50	500
445161	P100	50	500
445178	P120	50	500
445185	P150	50	500
445192	P180	50	500
445208	P220	50	500
445215	P240	50	500
445222	P280	50	500
445239	P320	50	500
445246	P360	50	500
445253	P400	50	500
445260	P500	50	500
445277	P600	50	500

RHYNOGRIP WHITE LINE



115 x 230mm 22H



CODE	GRIT	QTY P/ BOX	QTY P/ CASE
454916	P40	50	-
454923	P60	50	-
454930	P80	50	-
454947	P100	50	-
454954	P120	50	-
454961	P150	50	-
454978	P180	50	-
454985	P220	50	-
454992	P240	50	-
455005	P280	50	-
455012	P320	50	-
455029	P360	50	-
455036	P400	50	-
458457	P500	50	-
458464	P600	50	-

115 x 230mm 10H



CODE	GRIT	QTY P/ BOX	QTY P/ CASE
010020	P40	50	-
010037	P60	50	-
010044	P80	50	-
010051	P100	50	-
010068	P120	50	-
004326	P150	50	-
009956	P180	50	-
009970	P240	50	-
009987	P280	50	-
009994	P320	50	-
010013	P400	50	-
173169	P500	50	-
225950	P600	50	-

70 x 127mm 11H



CODE	GRIT	QTY P/ BOX	QTY P/ CASE
453704	P40	50	-
453711	P60	50	-
453728	P80	50	-
453735	P100	50	-
453742	P120	50	-
453759	P150	50	-
453766	P180	50	-
453780	P240	50	-
453797	P280	50	-
453803	P320	50	-
453827	P400	50	-
453834	P500	50	-
453841	P600	50	-

RHYNOGRIP WHITE LINE



70 x 127mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
041493	P120	50	500
045705	P150	50	500
045712	P180	50	500
045736	P240	50	500
045743	P280	50	500
045750	P320	50	500
045774	P400	50	500
160323	P500	50	500
160330	P600	50	500



81 x 133mm 14H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
490013	P40	50	-
446973	P60	50	-
446980	P80	50	-
446997	P100	50	-
449479	P120	50	-
506264	P150	50	-
491324	P180	50	-
447000	P240	50	-
506271	P280	50	-
473580	P320	50	-
473597	P400	50	-
534267	P600	50	-



92 x 178mm 8H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
015944	P40	50	500
015524	P60	50	500
015951	P80	50	500
015968	P100	50	500
015975	P120	50	500
015989	P150	50	1000
015996	P180	50	1000
016016	P240	50	1000
016023	P280	50	1000
016030	P320	50	1000
016054	P400	50	1000
314372	P500	50	1000



92 x 178mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
028926	P150	50	-
028933	P180	50	-
028957	P240	50	-
028964	P280	50	-
028971	P320	50	-
028995	P400	50	-
345016	P500	50	-
345023	P600	50	-

RHYNOCUT

SPECIFICATIONS
FEPA P Grit → 40, 60, 80, 100, 120, 180, 320
Backing → E wt paper with velour
Abrasive → Zirconia alumina
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
Highly resistant backing → Crease and tear resistant
High initial cutting action → Rapid stock removal
High strength resin bond → Minimal grit shedding
Nylon grip backing system → Quick and easy to fit



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



70 x 420mm 23H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
478103	P40	50	-
478110	P60	50	-
478127	P80	50	-
478134	P100	50	-
478141	P120	50	-
484272	P180	50	-
484289	P320	50	-

70 x 198mm 11H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
476994	P40	50	-
478028	P60	50	-
477007	P80	50	-
478035	P100	50	-
478042	P120	50	-
481271	P180	50	-
481288	P320	50	-




115 x 230mm 22H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
478158	P40	50	-
478165	P60	50	-
478172	P80	50	-
478189	P100	50	-
478196	P120	50	-
484258	P180	50	-
484265	P320	50	-





RHYNOSTICK PLUS LINE	
SPECIFICATIONS	<p>Lubricant coating → P150-P220</p> <p>FEPA P Grit → 40, 60, 80, 100, 120, 180, 220</p> <p>Backing → Latex paper with self-adhesive: D wt (P40-60); C wt (P80-120); B wt (P180-P220)</p> <p>Abrasive → Aluminium oxide</p> <p>Bonding → Modified synthetic resin</p>
FEATURES AND BENEFITS	<p>High flexibility → Adaptable to curves and contoured surfaces</p> <p>Uniformity of scratch pattern → Optimum substrate preparation</p> <p>Clog resistant coating → Long lasting sanding</p> <p>Protective release paper → Maximum adhesion to backing pad</p>



AUTOMOTIVE



MARINE & COMPOSITES



WOOD




OTHER INDUSTRIES



70 x 450mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
493601	P40	50	-
515518	P60	100	-
493618	P80	100	-
493625	P100	100	-
515525	P120	100	-
493632	P180	200	-
493649	P220	200	-



RHYNOSTICK WHITE LINE	
SPECIFICATIONS	<p>Finishing → Lubricant coating (P150-P600)</p> <p>FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400</p> <p>Backing → Paper with velour: D wt (P36-120); C wt (P150-600)</p> <p>Abrasive → Aluminium oxide</p> <p>Bonding → Modified synthetic resin</p>
FEATURES AND BENEFITS	<p>High initial cutting action → Rapid stock removal</p> <p>Clog resistant coating → Long lasting sanding</p> <p>Durable paper backing → Tear resistant</p> <p>Protective release paper → Maximum adhesion to backing pad</p>



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



70 x 450mm 14H			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
035955	P40	50	-
035962	P60	100	-
035979	P80	100	-
035986	P100	100	-
035993	P120	100	-
036006	P150	200	-
036013	P180	200	-
036020	P220	200	-
036037	P240	200	-
036044	P280	200	-
036051	P320	200	-
036068	P360	200	-
036075	P400	200	-

RHYNOSTICK WHITE LINE



70 x 450mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
001244	P40	50	500
552180	P60	50	500
552197	P80	50	500
553118	P100	50	500
552203	P120	50	500



RHYNOGRIP HEAVY LINE

SPECIFICATIONS
FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240
Backing → E wt paper with velour
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
Highly resistant backing → Crease and tear resistant
High initial cutting action → Rapid stock removal
High strength resin bond → Minimal grit shedding
Nylon grip backing system → Quick and easy to fit
Protective release paper → Maximum adhesion to backing pad



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



70 x 450mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
019207	P40	50	-
019221	P60	100	-
019238	P80	100	-
019245	P100	100	-
019252	P120	100	-
160442	P150	100	-
160459	P180	100	-
160473	P240	100	-

ABRASIVES DELTAS



RHYNOGRIP RED LINE	
SPECIFICATIONS	<p>Lubricant coating → P80-P400</p> <p>FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400</p> <p>Backing → Paper with velour: D wt (P40-120); B wt latex (P150-400)</p> <p>Abrasive → Aluminium oxide</p> <p>Bonding → Modified synthetic resin</p>
FEATURES AND BENEFITS	<p>High flexibility → Adaptable to curves and contoured surfaces</p> <p>High initial cutting action → Rapid stock removal</p> <p>Uniformity of scratch pattern → Optimum substrate preparation</p> <p>High strength resin bond → Minimal grit shedding</p> <p>Clog resistant coating → Long lasting sanding</p>



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



150 x 150 x 100mm 7H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
405178	P40	50	-
405185	P60	50	-
404935	P80	50	-
405192	P100	50	-
404942	P120	50	-
404959	P150	50	-
405208	P180	50	-
404966	P220	50	-
405215	P240	50	-
405222	P280	50	-
405239	P320	50	-
405246	P360	50	-
405253	P400	50	-

RHYNOGRIP PLUS LINE	
SPECIFICATIONS	<p>Lubricant coating → P150 - P400</p> <p>FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400</p> <p>Backing → Paper with velour: D wt (P40-60); C wt (P80-120); B wt (P150-400)</p> <p>Abrasive → Aluminium oxide</p> <p>Bonding → Modified synthetic resin</p>
FEATURES AND BENEFITS	<p>High flexibility → Adaptable to curves and contoured surfaces</p> <p>Uniformity of scratch pattern → Optimum substrate preparation</p> <p>Clog resistant coating → Long lasting sanding</p>



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



150 x 150 x 100mm 7H

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
505960	P40	50	-
495933	P60	50	-
495292	P80	50	-
495940	P100	50	-
495308	P120	50	-
495957	P150	50	-
495315	P180	50	-
495964	P220	50	-
535745	P240	50	-
506127	P280	50	-
506134	P320	50	-
594445	P400	50	-



RHYNOGRIP HEAVY LINE

SPECIFICATIONS
FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240
Backing → E wt paper with velour
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
Highly resistant backing → Crease and tear resistant
High initial cutting action → Rapid stock removal
High strength resin bond → Minimal grit shedding
Nylon grip backing system → Quick and easy to fit
Protective release paper → Maximum adhesion to backing pad



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



80 x 80 x 80mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
313428	P40	50	-
313435	P60	50	-
313442	P80	50	-
313459	P100	50	-
313466	P120	50	-

ABRASIVES SHEETS

RHYNOWET PLUS LINE	
SPECIFICATIONS	<p>FEPA P Grit → 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800, 1000, 1200, 1500, 2000, 2500</p> <p>Backing → Latex paper: C wt (P60-120); A wt (P150-400); C wt (P500-2500)</p> <p>Abrasive → Aluminium oxide</p> <p>Bonding → Modified synthetic resin</p>
FEATURES AND BENEFITS	<p>High flexibility → Adaptable to curves and contoured surfaces</p> <p>Uniformity of scratch pattern → Optimum substrate preparation</p> <p>Anti-slip → Easy to Sand</p> <p>Use with water → Smooth finish sanding</p>



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



230 x 280mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
000523	P60	50	250
000537	P80	50	500
000544	P100	50	500
000551	P120	50	500
000568	P150	50	500
000575	P180	50	500
000582	P220	50	500
000599	P240	50	500
000605	P280	50	500
000612	P320	50	500
000629	P360	50	500
000636	P400	50	500
000643	P500	50	500
000650	P600	50	500
000667	P800	50	500
000674	P1000	50	500
000681	P1200	50	500
226326	P1500	50	500
226340	P2000	50	500
226388	P2500	50	500



Wet sanding



230 x 140mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
195926	P1000	50	1000
156651	P1200	50	1000
212258	P1500	50	1000
212265	P2000	50	1000
212272	P2500	50	1000



RHYNOWET RED LINE

SPECIFICATIONS

FEPA P Grit → 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800, 1000, 1200, 1500, 2000, 2500

Backing → Latex paper: C wt (P60-120); A wt (P150-2500)

Abrasive → Aluminium oxide (P60-1200); Silicon carbide (P1500-2500)

Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High flexibility → Adaptable to curves and contoured surfaces

High initial cutting action → Rapid stock removal

High strength resin bond → Minimal grit shedding

Anti-slip → Easy to Sand



AUTOMOTIVE



MARINE & COMPOSITES



230 x 280mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
013516	P60	50	250
013520	P80	50	500
013537	P100	50	500
013544	P120	50	500
013551	P150	50	500
013568	P180	50	500
013575	P220	50	500
013582	P240	50	500
013599	P280	50	500
013605	P320	50	500
013612	P360	50	500
013629	P400	50	500
013636	P500	50	500
013643	P600	50	500
013650	P800	50	500
013667	P1000	50	500
013674	P1200	50	500
054837	P1500	50	500
301245	P2000	50	500
301252	P2500	50	500




Wet sanding



230 x 140mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
462027	P1000	50	-
331576	P1200	50	-
331583	P1500	50	-
317358	P2000	50	-
317365	P2500	50	-









Wet sanding



ABRASIVES SHEETS





RHYNOWET WHITE LINE	
SPECIFICATIONS	FEPA P Grit → 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800, 1000, 1200 Backing → C wt latex paper Abrasive → Aluminium oxide Bonding → Modified synthetic resin
FEATURES AND BENEFITS	High initial cutting action → Rapid stock removal High strength resin bond → Minimal grit shedding

-  AUTOMOTIVE
-  MARINE & COMPOSITES
-  WOOD
-  BUILDING & DECORATION



230 x 280mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
388607	P60	50	250
388611	P80	50	500
388628	P100	50	500
388635	P120	50	500
388642	P150	50	500
388659	P180	50	500
388666	P220	50	500
388673	P240	50	500
388680	P280	50	500
388697	P320	50	500
388703	P360	50	500
388710	P400	50	500
388727	P500	50	500
388734	P600	50	500
388741	P800	50	500
388758	P1000	50	500
388765	P1200	50	500

RHYNALOX PLUS LINE	
SPECIFICATIONS	Lubricant coating → P150-P1000 FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800, 1000 Backing → D wt latex paper (P40-60); C wt (P80-120); C wt latex paper (P80-120); B wt latex paper (P150-1000) Abrasive → Aluminium oxide Bonding → Modified synthetic resin
FEATURES AND BENEFITS	High flexibility → Adaptable to curves and contoured surfaces Uniformity of scratch pattern → Optimum substrate preparation Clog resistant coating → Long lasting sanding

-  AUTOMOTIVE
-  MARINE & COMPOSITES
-  WOOD
-  BUILDING & DECORATION



230 x 280mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
221522	P40	50	250
221539	P60	50	250
221543	P80	50	500
221550	P100	50	500
221567	P120	50	500
225688	P150	50	500
225695	P180	50	500
225701	P220	50	500
225718	P240	50	500
225725	P280	50	500
225732	P320	50	500
225749	P360	50	500
225756	P400	50	500
225763	P500	50	500
493131	P600	50	500
493148	P800	50	500
493155	P1000	50	500

RHYNALOX / RHYNODRY RED LINE

SPECIFICATIONS

Lubricant coating → P80-P1000
FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800, 1000
Backing → D wt paper (P40-120); B wt latex paper (P150-2000)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High initial cutting action → Rapid stock removal
Uniformity of scratch pattern → Optimum substrate preparation
High strength resin bond → Minimal grit shedding
Clog resistant coating → Long lasting sanding



AUTOMOTIVE



MARINE & COMPOSITES



OTHER INDUSTRIES



230 x 280mm RHYNALOX RED LINE

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
013691	P40	50	250
013707	P60	50	250
015388	P80	50	500
015395	P100	50	500
015401	P120	50	500

RHYNODRY PLUS RED LINE

015418	P150	50	500
015425	P180	50	500
015432	P220	50	500
015449	P240	50	500
015456	P280	50	500
015463	P320	50	500
015470	P360	50	500
015487	P400	50	500
015494	P500	50	500
015500	P600	50	500
015517	P800	50	500
035911	P1000	50	500



RHYNALOX / RHYNODRY WHITE LINE

SPECIFICATIONS

Lubricant coating → P150-P400
FEPA P Grit → 36, 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400
Backing → Paper: D wt (P36-120); A wt (P150-400)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High initial cutting action → Rapid stock removal
Clog resistant coating → Long lasting sanding
Multipurpose usage → Great value for the money



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



230 x 280mm RHYNALOX WHITE LINE

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
013684	P36	50	250
000714	P40	50	250
000721	P60	50	250
000735	P80	50	500
000742	P100	50	500
000759	P120	50	500

RHYNODRY WHITE LINE


013714	P150	100	500
013721	P180	100	500
013738	P220	100	500
013745	P240	100	500
013752	P280	100	500
013769	P320	100	500
013776	P360	100	500
013783	P400	100	500








RHYNALOX YELLOW LINE	
SPECIFICATIONS	FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400 Backing → Paper: D wt (P40); B wt (P60-400) Abrasive → Aluminium oxide Bonding → Modified synthetic resin
FEATURES AND BENEFITS	High initial cutting action → Rapid stock removal Multipurpose usage → Great value for the money






 AUTOMOTIVE


 MARINE & COMPOSITES


 WOOD


 BUILDING & DECORATION



 OTHER INDUSTRIES





230 x 280mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
346539	P40	50	250
346546	P60	50	250
339705	P80	50	500
346550	P100	50	500
339712	P120	50	500
346567	P150	50	500
346574	P180	50	500
407015	P220	50	500
339729	P240	50	500
407022	P320	50	500
407039	P400	50	500

RHYNOWOOD	
SPECIFICATIONS	FEPA P Grit → 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320 Backing → B wt paper Abrasive → Aluminium oxide Bonding → Modified synthetic resin
FEATURES AND BENEFITS	Uniformity of scratch pattern → Optimum substrate preparation Multipurpose usage → Great value for the money




 WOOD


 BUILDING & DECORATION



230 x 280mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
006594	P40	50	250
006600	P50	50	250
006617	P60	50	250
006621	P80	50	500
006638	P100	50	500
006645	P120	50	500
006652	P150	50	500
006669	P180	50	500
006676	P220	50	500
006683	P240	50	500
006690	P280	50	500
006706	P320	50	500

RHYNOBLUE	
SPECIFICATIONS	FEPA P Grit → 40, 50, 60, 80, 100, 120, 150, 180, 220 Backing → Blue cotton cloth Abrasive → Aluminium oxide Bonding → Modified synthetic resin
FEATURES AND BENEFITS	High flexibility → Adaptable to curves and contoured surfaces Multipurpose usage → Great value for the money



BUILDING & DECORATION



OTHER INDUSTRIES



230 x 280mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
276676	P40	50	250
276713	P50	50	250
276683	P60	50	250
276690	P80	50	250
276447	P100	50	250
275396	P120	50	250
276706	P150	50	250
276768	P180	50	250
278489	P220	50	250



RHYNOMETAL	
SPECIFICATIONS	FEPA P Grit → 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400 Backing → Blue cotton cloth Abrasive → Aluminium oxide Bonding → Modified synthetic resin
FEATURES AND BENEFITS	High flexibility → Adaptable to curves and contoured surfaces Multipurpose usage → Great value for the money



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



230 x 280mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
013967	P36	50	250
013974	P40	50	250
013981	P50	50	250
013998	P60	50	250
014001	P80	50	250
014018	P100	50	250
014025	P120	50	250
014032	P150	50	250
014049	P180	50	250
055691	P220	50	250
055707	P240	50	250
055714	P280	50	250
055721	P320	50	250
055738	P360	50	250
055745	P400	50	250



ABRASIVES ROLLS

RHYNOSOFT	
SPECIFICATIONS	<p>FEPA P Grit → 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800, 1000, 1200, 1500, 2000</p> <p>Backing → Paper with foam: C wt (P80-120); B wt latex (P150-2000)</p> <p>Abrasive → Aluminium oxide</p> <p>Bonding → Modified synthetic resin</p>
FEATURES AND BENEFITS	<p>High flexibility → Adaptable to curves and contoured surfaces</p> <p>Foam backing → Prevents oversanding</p> <p>Tear resistant → Ideal for hand sanding hard to access areas</p> <p>Clog resistant coating → Long lasting sanding</p>



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



115mm x 25m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
490655	P80	1	-
490662	P100	1	-
321720	P120	1	-
403020	P150	1	-
293683	P180	1	-
403037	P220	1	-
293690	P240	1	-
403044	P280	1	-
293706	P320	1	-
403051	P360	1	-
293713	P400	1	-
299357	P500	1	-
293720	P600	1	-
293737	P800	1	-
472392	P1000	1	-
293744	P1200	1	-
374658	P1500	1	-
374665	P2000	1	-



RHYNOGRIP RED LINE

SPECIFICATIONS

Lubricant coating → P80-P800

FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800

Backing → Paper with velour: D wt (P40-120); B wt latex (P150-800)

Abrasive → Aluminium oxide

Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High flexibility → Adaptable to curves and contoured surfaces

High initial cutting action → Rapid stock removal

Uniformity of scratch pattern → Optimum substrate preparation

High strength resin bond → Minimal grit shedding

Clog resistant coating → Long lasting sanding



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



115mm x 25m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
204344	P40	1	-
204351	P60	1	-
204368	P80	1	-
204375	P100	1	-
204382	P120	1	-
204252	P150	1	-
202234	P180	1	-
204276	P240	1	-
204283	P280	1	-
204290	P320	1	-
204313	P400	1	-
204320	P500	1	-
202241	P600	1	-
204337	P800	1	-

70mm x 25m

211304	P40	1	-
211311	P60	1	-
211328	P80	1	-
211335	P100	1	-
211342	P120	1	-
211359	P150	1	-
211366	P180	1	-
211380	P240	1	-
211397	P280	1	-
211403	P320	1	-
211427	P400	1	-
211434	P500	1	-
211441	P600	1	-
211458	P800	1	-


RHYNOGRIP PLUS LINE

SPECIFICATIONS

Lubricant coating → P150-P500
FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500
Backing → Latex paper paper with velour: D wt (P40-60); C wt (P80-120); B wt (P150-500)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High flexibility → Adaptable to curves and contoured surfaces
Uniformity of scratch pattern → Optimum substrate preparation
Clog resistant coating → Long lasting sanding



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



150mm x 50m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
535059	P40	1	-
535066	P60	1	-
535073	P80	1	-
535080	P100	1	-
535097	P120	1	-
535103	P150	1	-
535110	P180	1	-
535127	P220	1	-
535134	P240	1	-
535141	P280	1	-
535158	P320	1	-
535165	P360	1	-
535172	P400	1	-
535189	P500	1	-

RHYNOGRIP WHITE LINE

SPECIFICATIONS

Lubricant coating → P150-P600
FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600
Backing → Paper with velour: D wt (P36-120); C wt (P150-600)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High initial cutting action → Rapid stock removal
Clog resistant coating → Long lasting sanding
Durable paper backing → Tear resistant



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



115mm x 25m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
202128	P40	1	-
202135	P60	1	-
202142	P80	1	-
202159	P100	1	-
041772	P120	1	-
202166	P150	1	-
046043	P180	1	-
202180	P240	1	-
202197	P280	1	-
202203	P320	1	-
202227	P400	1	-
410851	P500	1	-
309001	P600	1	-

RHYNOGRIP WHITE LINE



70mm x 25m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
421093	P40	1	-
421109	P60	1	-
421116	P80	1	-
434383	P100	1	-
421123	P120	1	-
421130	P150	1	-
421147	P180	1	-
462461	P240	1	-
421154	P280	1	-
420386	P320	1	-
584729	P400	1	-
584736	P500	1	-



RHYNOSTICK PLUS LINE

SPECIFICATIONS

Lubricant coating → P150-P600

FEPA P Grit → 40, 60, 80, 100, 120, 180, 220, 240, 320, 400, 600

Backing → Latex paper with self-adhesive: D wt (P40-60); C wt (P80-120); B wt (P180-P600)

Abrasive → Aluminium oxide

Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High flexibility → Adaptable to curves and contoured surfaces

Uniformity of scratch pattern → Optimum substrate preparation

Clog resistant coating → Long lasting sanding



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



70mm x 50m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
498293	P40	1	-
498309	P60	1	-
498316	P80	1	-
498323	P100	1	-
498330	P120	1	-
498347	P150	1	-
498354	P180	1	-
498361	P220	1	-
592441	P240	1	-
498378	P320	1	-
498385	P400	1	-
594346	P600	1	-

RHYNOSTICK WHITE LINE



SPECIFICATIONS

Lubricant coating → P150-P600
FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600
Backing → Paper with velour: D wt (P36-120); C wt (P150-600)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High initial cutting action → Rapid stock removal
Clog resistant coating → Long lasting sanding
Durable paper backing → Tear resistant



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



70mm x 25m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
267028	P40	1	-
267035	P60	1	-
267042	P80	1	-
267059	P100	1	-
267066	P120	1	-
266991	P150	1	-
267073	P180	1	-
267080	P220	1	-
267004	P240	1	-
267097	P280	1	-
267011	P320	1	-
267103	P360	1	-
267110	P400	1	-
525104	P500	1	-
525111	P600	1	-

RHYNALOX / RHYNODRY RED LINE



SPECIFICATIONS

Lubricant coating → P80-P800
FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800
Backing → Paper: D wt (P40-120); C wt (P150-2000)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High initial cutting action → Rapid stock removal
Uniformity of scratch pattern → Optimum substrate preparation
High strength resin bond → Minimal grit shedding
Clog resistant coating → Long lasting sanding



AUTOMOTIVE



MARINE & COMPOSITES



OTHER INDUSTRIES



115mm x 50m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
023594	P40	1	-
023600	P60	1	-
036082	P80	1	-
036099	P100	1	-
036105	P120	1	-
195147	P150	1	-
036112	P180	1	-
195154	P220	1	-
036129	P240	1	-
194546	P280	1	-
036136	P320	1	-
194553	P360	1	-
036143	P400	1	-
289372	P500	1	-
289389	P600	1	-
323311	P800	1	-

RHYNALOX / RHYNODRY RED LINE



70mm x 50m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
160930	P40	1	-
203415	P60	1	-
160947	P80	1	-
206324	P100	1	-
206331	P120	1	-
234884	P150	1	-
234815	P180	1	-
234822	P220	1	-
234839	P240	1	-
234846	P280	1	-
234853	P320	1	-
234860	P360	1	-
234877	P400	1	-
449714	P500	1	-
291849	P600	1	-
291856	P800	1	-



RHYNALOX PLUS LINE

SPECIFICATIONS

Lubricant coating → P150-P1000

FEPA P Grit → 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800, 1000

Backing → Latex paper: D wt (P40-60); C wt (P80-120); B wt (P150-1000)

Abrasive → Aluminium oxide

Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High flexibility → Adaptable to curves and contoured surfaces

Uniformity of scratch pattern → Optimum substrate preparation

Clog resistant coating → Long lasting sanding



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



115mm x 50m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
221522	P40	1	-
221539	P60	1	-
221543	P80	1	-
221550	P100	1	-
221567	P120	1	-
225688	P150	1	-
225695	P180	1	-
225701	P220	1	-
225718	P240	1	-
225725	P280	1	-
225732	P320	1	-
225749	P360	1	-
225756	P400	1	-
225763	P500	1	-
493131	P600	1	-
493148	P800	1	-
493155	P1000	1	-

150mm x 50m

325483	P40	1	-
325490	P60	1	-
325506	P80	1	-
325513	P100	1	-
325520	P120	1	-
325537	P150	1	-

RHYNALOX/RHYNODRY WHITE LINE

SPECIFICATIONS

Lubricant coating → P150-P600
FEPA P Grit → 36, 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400
Backing → Paper: D wt (P36-120); C wt (P150-600)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS

High initial cutting action → Rapid stock removal
Clog resistant coating → Long lasting sanding
Multipurpose usage → Great value for the money



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION




115mm x 50m RHYNALOX WHITE LINE

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
021903	P36	1	-
001127	P40	1	-
001134	P60	1	-
001141	P80	1	-
001158	P100	1	-
001165	P120	1	-

RHYNODRY WHITE LINE

003541	P150	1	-
003558	P180	1	-
023082	P220	1	-
003565	P240	1	-
023099	P280	1	-
003572	P320	1	-
023105	P360	1	-
003589	P400	1	-
171936	P500	1	-
192214	P600	1	-



70mm x 50m RHYNALOX WHITE LINE

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
021712	P36	1	-
052693	P40	1	-
052709	P60	1	-
000861	P80	1	-
021729	P100	1	-
021736	P120	1	-

RHYNODRY WHITE LINE

022696	P150	1	-
022702	P180	1	-
022719	P220	1	-
022726	P240	1	-
022733	P280	1	-
022740	P320	1	-
022757	P360	1	-
022764	P400	1	-



RHYNOLITE HEAVY LINE

SPECIFICATIONS
FEPA P Grit → 36, 50, 40, 60, 80, 100, 120, 150, 180, 220, 240, 320
Backing → E wt paper
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
Highly resistant backing → Crease and tear resistant
High initial cutting action → Rapid stock removal
High strength resin bond → Minimal grit shedding



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



70mm x 50m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
038963	P36	1	-
038970	P40	1	-
038987	P60	1	-
038994	P80	1	-
039007	P100	1	-
039014	P120	1	-
039021	P150	1	-
039038	P180	1	-

115mm x 50m

012826	P36	1	-
003084	P40	1	-
012833	P50	1	-
003091	P60	1	-
003107	P80	1	-
003114	P100	1	-
003121	P120	1	-
003138	P150	1	-
003145	P180	1	-
012840	P220	1	-
003152	P240	1	-
157268	P320	1	-

150mm x 50m

028193	P36	1	-
028209	P40	1	-
028216	P50	1	-
028223	P60	1	-
028230	P80	1	-
028247	P100	1	-
028254	P120	1	-
028261	P150	1	-
028278	P180	1	-

RHYNOLITE HEAVY LINE



200mm x 50m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
039311	P36	1	-
039328	P40	1	-
039335	P50	1	-
039342	P60	1	-
039359	P80	1	-
039366	P100	1	-
039373	P120	1	-
039380	P150	1	-
039397	P180	1	-

300mm x 50m

251423	P36	1	-
039465	P40	1	-
039489	P60	1	-
039496	P80	1	-
039502	P100	1	-
039519	P120	1	-
039526	P150	1	-
039533	P180	1	-

RHYNOLITE YELLOW LINE

SPECIFICATIONS

FEPA P Grit → 40, 50, 60, 80, 100, 120, 150, 180, 220, 240
Backing → Paper: E wt (P36-150); D wt (P180-240)
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS

Highly resistant backing → Crease and and tear resistant
High initial cutting action → Rapid stock removal
Multipurpose usage → Great value for the money



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



115mm x 50m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
411630	P40	1	-
534359	P50	1	-
342725	P60	1	-
342732	P80	1	-
342749	P100	1	-
342756	P120	1	-
342763	P150	1	-
411377	P180	1	-
411384	P240	1	-

150mm x 50m

324202	P40	1	-
549704	P50	1	-
324219	P60	1	-
324226	P80	1	-
324233	P100	1	-
324240	P120	1	-
324257	P150	1	-
324264	P180	1	-
496275	P220	1	-
324271	P240	1	-



RHYNOGUT

SPECIFICATIONS
FEPA P Grit → 40, 60, 80, 100, 120, 180, 320
Backing → E wt paper with velour
Abrasive → Zirconia alumina
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
Highly resistant backing → Crease and tear resistant
High initial cutting action → Rapid stock removal
High strength resin bond → Minimal grit shedding
Nylon grip backing system → Quick and easy to fit



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



115mm x 25m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
476772	P40	1	-
477038	P60	1	-
476789	P80	1	-
477045	P100	1	-
476796	P120	1	-
510674	P180	1	-
510681	P320	1	-

RHYNOBELT

SPECIFICATIONS
FEPA P Grit → 36, 40, 60, 80, 120, 100
Backing → X-cloth
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
High strength resin bond → Minimal grit shedding
Robust backing → Ideal for portable belts



WOOD



OTHER INDUSTRIES



115mm x 50m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
049686	P40	1	-
049709	P60	1	-
049716	P80	1	-
049723	P100	1	-
049730	P120	1	-

150mm x 50m

299036	P40	1	-
141687	P60	1	-
141694	P80	1	-
167809	P100	1	-
167816	P120	1	-



RHYNOMETAL	
SPECIFICATIONS	FEPA P Grit → 40, 60, 80, 100, 120, 150, 180 Backing → Flexible cotton cloth Abrasive → Aluminium oxide Bonding → Modified synthetic resin
FEATURES AND BENEFITS	High flexibility → Adaptable to curves and contoured surfaces Multipurpose usage → Great value for the money



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



38mm x 50m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
020197	P40	1	-
020210	P60	1	-
020227	P80	1	-
020234	P100	1	-
020241	P120	1	-
020258	P150	1	-
020265	P180	1	-



115mm x 50m

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
030219	P60	1	-
030226	P80	1	-
030240	P120	1	-

ABRASIVES BELTS



RHYNOBELT	
SPECIFICATIONS	FEPA P Grit → 36, 40, 50, 60, 80, 100, 120 Backing → X-cloth Abrasive → Aluminium oxide Bonding → Modified synthetic resin
FEATURES AND BENEFITS	High strength resin bond → Minimal grit shedding Robust backing → Ideal for portable belts



WOOD



OTHER INDUSTRIES



100 x 560mm				
CODE	GRIT	QTY P/ BOX	QTY P/ CASE	
205389	P40	10	-	
205402	P60	10	-	
205419	P80	10	-	
205426	P100	10	-	
205433	P120	10	-	
100 x 610mm				
199886	P40	10	-	
199893	P50	10	-	
199909	P60	10	-	
199916	P80	10	-	
199923	P100	10	-	
199930	P120	10	-	
75 x 533mm				
201435	P40	10	-	
201459	P60	10	-	
201466	P80	10	-	
201473	P100	10	-	
201480	P120	10	-	

ABRASIVES SPONGES



RHYNOSOFT	
SPECIFICATIONS	<p>FEPA P Grit → 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800, 1000, 1200, 1500, 2000</p> <p>Backing → Paper with foam: C wt (P80-120); B wt latex (P150-2000)</p> <p>Abrasive → Aluminium oxide</p> <p>Bonding → Modified synthetic resin</p>
FEATURES AND BENEFITS	<p>High flexibility → Adaptable to curves and contoured surfaces</p> <p>Foam backing → Prevents oversanding</p> <p>Tear resistant → Ideal for hand sanding hard to access areas</p> <p>Log resistant coating → Long lasting sanding</p>



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



115 x 140mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
493595	P80	20	-
495445	P100	20	-
321737	P120	20	-
429402	P150	20	-
295120	P180	20	-
429372	P220	20	-
295137	P240	20	-
429389	P280	20	-
295144	P320	20	-
429396	P360	20	-
295151	P400	20	-
299340	P500	20	-
295168	P600	20	-
295175	P800	20	-
509289	P1000	20	-
295182	P1200	20	-
382134	P1500	20	-
382141	P2000	20	-

RHYNSPONGE - DOUBLE SIDED SPONGE AUTO	
SPECIFICATIONS	<p>Grit → Medium, Fine, Super Fine, Ultra Fine, Micro Fine</p> <p>Backing → 13mm foam</p> <p>Abrasive → Aluminium oxide</p>
FEATURES AND BENEFITS	<p>High flexibility → Adaptable to curves and contoured surfaces</p> <p>Foam backing → Prevents oversanding</p> <p>Tear resistant → Ideal for hand sanding hard to access areas</p> <p>Coated on both sides → Long life-time</p>



AUTOMOTIVE



MARINE & COMPOSITES



98 x 120 x 13mm			
CODE	GRIT	QTY P/ BOX	QTY P/ CASE
595077	Medium	100	-
595107	Fine	100	-
595121	Super Fine	100	-
595145	Ultra Fine	100	-
595169	Micro Fine	100	-



SPONGE SANDING

SPECIFICATIONS
Grit → Medium, Fine, Super Fine, Micro Fine
Backing → 5mm foam
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
High flexibility → Adaptable to curves and contoured surfaces
Sponge backing → Prevents oversanding
Tear resistant → Ideal for hand sanding hard to access areas



AUTOMOTIVE



MARINE & COMPOSITES



115 x 140 x 5mm PADS

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
012783	Medium	20	200
012790	Fine	20	200
012806	Super Fine	20	200
012813	Micro Fine	20	200



150 x 5mm DISCS

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
513965	Medium	20	-
513972	Fine	20	-
513989	Super Fine	20	-
513996	Micro Fine	20	-



DOUBLE SIDED SPONGE SANDING PADS

SPECIFICATIONS
Grit → P60, P100, P120, P150, P180, P220, P240
Backing → 13mm foam
Abrasive → Silicon carbide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
High flexibility → Adaptable to curves and contoured surfaces
Sponge backing → Prevents oversanding
Tear resistant → Ideal for hand sanding hard to access areas
Coated on both sides → Long life-time



WOOD



BUILDING & DECORATION



98 x 122 x 13mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
014479	P60	10	-
232071		250	-
014486	P100	10	-
232088		250	-
014493	P120	10	-
232095		250	-
014509	P150	10	-
232101		250	-
014516	P180	10	-
232118		250	-
014523	P220	10	-
232125		250	-
476321	P240	10	-
537619		250	-



FOUR SIDED SANDING BLOCKS

SPECIFICATIONS
Grit → P36, P60, P80, P100, P120, P150, P180, P220
Backing → 26mm foam
Abrasive → Aluminium oxide
Bonding → Modified synthetic resin

FEATURES AND BENEFITS
High density foam block → Ideal for sanding edges and into corners
High strength resin bond → Minimal grit shedding



WOOD



BUILDING & DECORATION



98 x 69 x 26mm

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
466049	P36	250	-
466032		50	-
268049	P60	250	-
462997		50	-
511237	P80	250	-
534731		50	-
268056	P100	250	-
463000		50	-
482858	P120	250	-
534748		50	-
511244	P150	250	-
534755		50	-
268063	P180	250	-
463017		50	-
461648	P220	250	-
463024		50	-



INDASA NYLON WEB

SPECIFICATIONS
Grit → Medium, Very Fine, Ultra Fine
Backing → Abrasive impregnated nylon web

FEATURES AND BENEFITS
Abrasive impregnated web → Consistent scratch pattern
Web construction → Prevents oversanding
High flexibility → Adaptable to curves and contoured surfaces
Waterproof → Can be washed and reused



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



OTHER INDUSTRIES



150 x 230mm HAND SHEETS

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
015902	Medium	10	-
015919	Very Fine	10	-
015926	Ultra Fine	10	-



150mm DISCS

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
577691	Very Fine	20	-
574676	Ultra Fine	20	-



INDASA NYLON WEB



115mm x 10m ROLLS

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
440674	Medium	1	-
440643	Very Fine	1	-
440650	Ultra Fine	1	-

NYLON WEB



150 x 230mm HAND SHEETS

CODE	GRIT	QTY P/ BOX	QTY P/ CASE
459089	Medium	20	-
459096	Very Fine	20	-
459102	Ultra Fine	20	-



115mm x 10m ROLLS



CODE	GRIT	QTY P/ BOX	QTY P/ CASE
489024	Medium	1	-
489031	Very Fine	1	-
489048	Ultra Fine	1	-

TOOLS

POWER FOR SURFACE FINISHING



ORBITAL PALM SANDER	
SPECIFICATIONS	<p>Variable maximum free speed → 12000rpm Air consumption → 481L/min. Working pressure → 6.2bar Air inlet thread → 3/8" Hose connector → 29mm</p>
FEATURES AND BENEFITS	<p>Ergonomic design → One handed operation and ease of use Lightweight composite engineering → Maximises sanding performance Variable speed regulator → Optimum working speed Vacuum dust extraction → Cleaner working environment Fully compatible with Indasa's Abrasives System → Maximized performance Advanced composite materials → Optimum operator comfort Ergonomic design → Improved sanding efficiency</p>



75mm						
CODE	EXTRACTION SYSTEM	ORBIT	NOISE LEVEL	THREAD	WEIGHT	QTY P/ BOX
441640	Central-Vacuum	2,5mm	80dbA	1/4"	650g	1
441626	Non-Vacuum		80dbA	1/4"	600g	1
441664	Self Generated Vacuum		80dbA	1/4"	670g	1





125mm						
CODE	EXTRACTION SYSTEM	ORBIT	NOISE LEVEL	THREAD	WEIGHT	QTY P/ BOX
441701	Central-Vacuum	5,0mm	79dbA	5/16"	870g	1
582879		2,5mm	79dbA	5/16"	840g	1
582855	Non-Vacuum	5,0mm	80dbA	5/16"	810g	1
582473		2,5mm	79dbA	5/16"	780g	1
441725	Self Generated	5,0mm	85dbA	5/16"	890g	1
582886	Vacuum	2,5mm	74dbA	5/16"	860g	1





150mm						
CODE	EXTRACTION SYSTEM	ORBIT	NOISE LEVEL	THREAD	WEIGHT	QTY P/ BOX
463208	Central-Vacuum	5,0mm	77dbA	5/16"	910g	1
526934		2,5mm	83dbA	5/16"	910g	1
582862	Non-Vacuum	5,0mm	79dbA	5/16"	850g	1
582497		2,5mm	83dbA	5/16"	820g	1
464366	Self Generated Vacuum	5,0mm	85dbA	5/16"	950g	1
582893		2,5mm	83dbA	5/16"	910g	1



CODE	SIZE (mm)	EXTRACTION SYSTEM	ORBIT (mm)	RHYNOGRIP BACKING PAD 150mm 15H PART# 454657	RHYNOSTICK BACKING PAD 150mm PART# 436103	RHYNOGRIP BACKING PAD 125mm 5H PART# 436035	RHYNOSTICK BACKING PAD 125mm PART# 436080
441640	75	Central Vacuum	2,5				
441626		No Vacuum					
441664		Self Generated Vacuum					
441701	125	Central Vacuum	5,0			•	
582879			2,5			•	
582855		No Vacuum	5,0				•
582473			2,5				•
441725		Self Generated Vacuum	5,0				•
582886			2,5				•
463208	150	Central Vacuum	5,0	•			
526934			2,5		•		
582862		No Vacuum	5,0			•	
582497			2,5			•	
464366		Self Generated Vacuum	5,0		•		
582893			2,5		•		

ORBITAL PALM SANDER

ACCESSORIES

CODE	DESCRIPTION	EXTRACTION SYSTEM	DIMENSION	QTY P/ BOX
443873	Tool Kit		-	1
443866	Repair Kit	All systems	75mm	1
464236			125/150mm	1
442852	Cloth bag	SGV *	5kg	1
462515	Paper bag	SGV *		1
467428	Hose assembly	SGV *	29mm x 5m	1
523759		CV		1



* Accessory included



RHYNOGRIP BACKING PAD 75mm 3H PART# 432938	RHYNOGRIP BACKING PAD 75mm	WRENCH 24mm PART# 442876	WRENCH 17mm PART# 442869	HOSE ASSEMBLY 29mm x 5m PART# 467428	PAPER BAG 5kg PART# 462515	CLOTH BAG 5kg PART# 442852
•			•			
	•		•			
•			•	•	•	•
		•				
		•				
		•				
		•		•	•	•
		•		•	•	•
		•				
		•				
		•		•	•	•
		•		•	•	•

WHAT'S INCLUDED



ELECTRIC SANDER	
SPECIFICATIONS	Voltage → 220V Power → 350W Variable maximum free speed → 10000rpm Spindle thread → 5/16" Extraction system → Central Vacuum Mains frequency → 50/60Hz Class of protection → RoHS 2011/65/EU Hose Connector → 29mm
FEATURES AND BENEFITS	Fully compatible with Indasa's Abrasives System → Maximized performance Variable speed regulator → Optimum working speed Brushless motor → Low maintenance and down time E-series technology → Portable throughout the workplace Ergonomic design → One handed operation and ease of use Low noise and vibration → Improved operator comfort



AUTOMOTIVE



MARINE & COMPOSITES



WOOD

150mm				
CODE	ORBIT	VIBRATION	NOISE LEVEL	QTY P/ BOX
579114	5,0mm	1,77m/sec ²	71dbA	1
579121	2,5mm	2,52m/sec ²	69dbA	1

CONICAL ADAPTOR	
CODE	QTY P/ BOX
538197	1



WHAT'S INCLUDED

CODE	BACKING PAD 150mm 15H PART# 454657	WRENCH 24mm PART# 442876	CORD RETAINING CLAMPS (3 units)
579114	•	•	•
579121	•	•	•



DUST EXTRACTION HOSES						
CODE	EXTRACTION SYSTEM	HOSE ASSEMBLY PART# 523759	HOSE ASSEMBLY PART# 467428	HOSE ASSEMBLY PART# 558805)	ANTISTATIC HOSE PART# 581797	CONICAL ADAPTOR PART# 538197
441640	Central Vacuum	•		•		•
441664	Self Generated Vacuum		•			•
441701	Central Vacuum	•		•		•
582879		•		•		•
441725	Self Generated Vacuum		•			•
582886			•			•
463208	Central Vacuum	•		•		•
526934		•		•		•
464366	Self Generated Vacuum		•			•
582893			•			•
579114	Central Vacuum				•	•
579121					•	•



KIT CONTENTS

- Electric sander 150mm
- Antistatic hose
- Rotating connector
- Threaded hose adaptor

KIT PLUG & PLAY

FEATURES AND BENEFITS

All products in a Kit → Combines all essential components
Fully compatible with Indasa's Abrasives System → Maximized performance



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



150mm		
CODE	ORBIT	QTY P/ BOX
581759	5,0	1
581766	2,5	1



ELECTRIC ROTARY POLISHER

SPECIFICATIONS

Voltage → 220V
Power → 1100W
Variable maximum free speed → 1850rpm
Spindle thread → M14
Noise level → 88dBA
Weight → 2,2kg
Max foam pad size → 200mm

FEATURES AND BENEFITS

Advanced composite materials → Optimum operator comfort
Ergonomic design → Improved polishing efficiency
Variable speed regulator → Optimum working speed
Double gear reduction → Optimized power delivery



AUTOMOTIVE

ELECTRIC ROTARY POLISHER


CODE	QTY P/ BOX
558812	1



MOBILE DUST EXTRACTION UNIT

SPECIFICATIONS	Voltage → 220V Input/Output power → 1200/2400W Mains frequency → 50/60Hz Air flow rate → 165 m ³ /h EN60335-2-69 Air inlet thread → 3/8" G female Working pressure → 6bar Class of protection → IP X 4 Filter classification → L Filter surface area → 1m ² Dust bag capacity → 5kg Hose Connector → 29mm
----------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

FEATURES AND BENEFITS	Advanced composite materials → Optimum operator comfort Compact design → Portable throughout the bodyshops Self-cleaning dual filtration → Prevents filter clogging Manual/Automatic startup → Multifunction intelligent control, pneumatic and electric tool operation E-series technology → Portable throughout the workplace Automatic double filter cleaning → Less maintenance, improved performance and workplace environment Vacuum dust extraction → Cleaner working environment High performance motor → Powerfull suction capacity Low noise → Improved operator comfort Fully compatible with Indasa's Abrasives System → Maximized performance
-----------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



AUTOMOTIVE

LE30 / LPE45						
CODE	TYPE	NOISE LEVEL	WEIGHT	DIMENSIONS (Height x Width x Depth)	QTY P/ BOX	
581292	LE30	70dba	10,5kg	43 x 42,5 x 51cm	1	
558768	LPE45	67dba	13,5kg	63,5 x 45 x 45cm	1	



E-SERIES
PROFESSIONAL ELECTRIC TOOLS

LE30

LPE45

(1)

(2)

(3)

(4)

(5)

(6)

(7)

(8)

Paper filter

Polyester filter

WHAT'S INCLUDED	
LE30 PART# 581292	LPE45 PART# 558768
•	
	•
•	
•	
	•
•	
•	•
•	•
•	•

ACCESSORIES				
CODE	TYPE	DIMENSIONS	QTY P/ BOX	
581735	Rotating connector (1)	29mm	1	
558782	2 Way connector (2)		1	
581797	Antistatic hose (3)	29mm x 4m	1	
567654	Threaded hose adaptor (4)	29mm	1	
567661	Threaded hose adaptor with gauge (5)	29mm	1	
558805	Hose assembly (6)	29mm x 5m	1	
558799	Fleece dust bag (7)	5Kg	5	
570166	Paper filter (8)	-	1	
570173	Polyester filter (8)	-	1	

INDASA | TOOLS

indasa-abrasives.com



TOOLS



***DUST EXTRACTION
ON DEMAND***

E·SERIES
PROFESSIONAL ELECTRIC TOOLS

SPOT REPAIR KIT

FEATURES
AND BENEFITS

Combines all essential components → Smart process adapted to small repairs



AUTOMOTIVE



MARINE &
COMPOSITES



WOOD



OTHER INDUSTRIES



75mm

CODE	QTY P/ BOX
433706	1



KIT CONTENTS

- 1 Orbital palm sander 75mm
- 1 Rhynogrip backing pad 75mm 3H
- 1 Rhynogrip interface pad 75mm 3H
- 100 Rhynostick MFS P2000
- 100 Rhynostick MFS P2500
- 1 Rhynostick MFS handblock
- 250 Rhynogrip Plus Line
75mm 3H discs
- 200 Rhynogrip Film Line
75mm 3H discs
- 10 Rhynofinish MF 75mm discs

ANCILLARIES

INNOVATIVE PRODUCTS FOR SMARTER WORKING

ANCILLARIES



RHYNOGRIP ULTRAVENT BACKING PAD / INTERFACE PAD

FEATURES AND BENEFITS

Ultravent technology → Unique and highly advanced dust free sanding solution
Extraction chamber → Rapid collection of dust
Universal locking system → Fits most machines
Fully compatible with Indasa's Abrasives System → Maximized performance
Soft density foam → Improved finish in fine grits
10mm soft foam backing → Eliminates the risk of sanding edges



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



150mm ULTRAVENT BACKING PAD

CODE	THICKNESS	QTY P/ BOX
561836	-	1



150mm ULTRAVENT INTERFACE PAD

CODE	THICKNESS	QTY P/ BOX
561843	10mm	1
575833	5mm	1



RHYNOGRIP BACKING PAD

FEATURES AND BENEFITS

Durable composite body → Hard wearing
Heat bonded stud assembly → Excellent durability
Heat treated locking nut → Secure fixing
Well balanced → Optimized sanding performance
Fully compatible with Indasa's Abrasives System → Maximized performance



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



150mm

CODE	HOLES	PROFILE	QTY P/ BOX
442623	15H	High	1
454657	15H	Low	1
436042	-		1

RHYNOGRIP BACKING PAD



125mm


CODE	HOLES	PROFILE	QTY P/ BOX
436028	-		1
436035	5H	Low	1
406915	8H		1

75mm



CODE	HOLES	PROFILE	QTY P/ BOX
432938	3H	-	1

203mm



CODE	HOLES	PROFILE	QTY P/ BOX
290217	8H	Low	1

180mm



CODE	HOLES	THREAD	QTY P/ BOX
586488	8H	M14	1

RHYNOGRIP INTERFACE PAD

FEATURES AND BENEFITS

Soft density foam → Improved finish in fine grits
 10mm soft foam backing → Eliminates the risk of sanding edges



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION




OTHER INDUSTRIES



150mm			
CODE	HOLES	THICKNESS	QTY P/ BOX
442630		10mm	1
582268	15H	5mm	1
363485		10mm*	1
223994	-	10mm	1

* Black



125mm			
CODE	HOLES	THICKNESS	QTY P/ BOX
425954	5H	10mm	1
531099	8H	10mm	1



75mm			
CODE	HOLES	THICKNESS	QTY P/ BOX
506387	-	10mm	1
433669	3H	10mm	



180mm			
CODE	HOLES	THICKNESS	QTY P/ BOX
586495	-	10mm	1

RHYNOSTICK BACKING PAD

SPECIFICATIONS
 5/16" spindle thread
 Max 12000rpm
 12mm thickness

FEATURES AND BENEFITS
Durable composite body → Hard wearing
Heat bonded stud assembly → Excellent durability
Heat treated locking nut → Secure fixing
Well balanced → Optimized sanding performance
Fully compatible with Indasa's Abrasives System → Maximized performance



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



150mm (Low Profile)

CODE	HOLES	QTY P/ BOX
142547	-	1
142554	6H	1



125mm (Low Profile)

CODE	HOLES	QTY P/ BOX
436080	-	1
436097	5H	1



150mm (Low Profile)

CODE	HOLES	QTY P/ BOX
436103	-	1
436110	6H	1

POLISHING BACKING PAD

SPECIFICATIONS M14 spindle thread

FEATURES AND BENEFITS
Nylon grip backing system → Quick and easy to fit
125mm backing pad → Allows a soft edge on the foam pad
Rigid structure → High durability

		125mm			
		CODE	DIMENSION	TYPE	QTY P/ BOX
 AUTOMOTIVE		567678	125mm	Soft	1
 MARINE & COMPOSITES					
 WOOD					
 BUILDING & DECORATION		122mm			
		475126	122mm	Hard	1
 OTHER INDUSTRIES		80mm			
		481233	80mm	Hard	1

RHYNOGRIP HANDBLOCK

FEATURES AND BENEFITS
Ergonomic design → Operator comfort
Medium flexibility construction → Perfect for uneven surfaces
Durable composite body → Hard wearing

		70 x 400mm	
		CODE	QTY P/ BOX
 AUTOMOTIVE		518663	1
 MARINE & COMPOSITES			
 WOOD			
 BUILDING & DECORATION		70 x 127mm	
		142714	1
 OTHER INDUSTRIES			

RHYNOGRIP DUST EXTRACTION HANDBLOCKS

FEATURES AND BENEFITS

- Durable composite body** → Hard wearing
- Rigid baseplate** → Optimises sanding efficiency
- Vacuum dust extraction** → Cleaner working environment
- Ergonomic design** → Operator comfort
- Tailpiece regulator** → Variable extraction control



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



HANDBLOCKS RANGE

CODE	DIMENSION	HOLES	QTY P/ BOX
449271	70 x 400mm 23H		1
449288	115 x 230mm 22H		1
435175	70 x 198mm 11H		1
449257	70 x 125mm 11H		1
449264	81 x 153mm 13H		1



HANDBLOCK HOSE

CODE	DIMENSION	QTY P/ BOX
405857	29mm x 4m	1



RHYNOSTICK HANDBLOCKS

FEATURES AND BENEFITS

Lightweight composite engineering → Maximises sanding performance
Advanced composite materials → Optimum operator comfort
Durable composite body → Hard wearing
Rigid baseplate → Optimises sanding efficiency



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



70 x 400mm

CODE QTY P/ BOX

435182 1

70 x 198mm

435168 1



RHYNOSTICK DAISY HANDBLOCK

FEATURES AND BENEFITS

Can be used wet or dry → Multiple applications
Use with water → Smooth finish sanding
Lightweight composite engineering → Maximises sanding performance



AUTOMOTIVE



MARINE & COMPOSITES



36mm

CODE QTY P/ BOX

142745 1



BACKING PAD FLEXIBLE GRINDING

FEATURES AND BENEFITS

Semi-rigid composite → Suitable for flat/curved surfaces
Galvanized locking plate → Secure attachment
Ideal for Rhynofiber



AUTOMOTIVE



MARINE & COMPOSITES

115 / 125 / 178mm

CODE DIMENSION QTY P/ BOX

355879 115mm 1

355886 125mm 1

355893 178mm 1



TACK CLOTH

FEATURES AND BENEFITS

Low tack adhesive → No streaking or residue transfer
Non woven lint free cloth → Excellent dust absorption
Resealable foil bag → Prolongs cloth effectiveness



AUTOMOTIVE



MARINE & COMPOSITES



400 x 400mm

CODE	QTY P/ BOX	QTY P/ CASE
436784	15	300



ERASER WHEEL

SPECIFICATIONS

5/16" spindle thread
 90mm

FEATURES AND BENEFITS

Solid vinyl rubber → Rapid removal
Thread adapter → Tool versatility



AUTOMOTIVE



MARINE & COMPOSITES



90mm

CODE	QTY P/ BOX
234327	1



LOCKING DISCS HOLDER PAD

FEATURES AND BENEFITS

Quick fix locking system → Instant disc change over
Heat sealed → High durability
Well balanced → Optimal functionality



AUTOMOTIVE



MARINE & COMPOSITES



OTHER INDUSTRIES



50 / 75mm

CODE	SIZE	QTY P/ BOX
515451	50mm	10
515475	75mm	10



DRY GUIDE COAT

FEATURES AND BENEFITS

Maximises coverage on filler/primer → Effective detection of surface imperfections
Black powder coating → No masking, no overspray, no drying time
Supplied with hand applicator → Quick and easy to apply



AUTOMOTIVE



MARINE & COMPOSITES



100g

CODE	QTY P/ BOX
528983	6



MIXING BOARD

FEATURES AND BENEFITS

Clean mixing surface → Contamination free mixing
Rigid backing board → Easy to mix filler
Non porous paper sheet → Single sheet usage
Easy tear → No wastage



AUTOMOTIVE



MARINE & COMPOSITES



215 x 250 mm

CODE	QTY P/ BOX
411353	20



KIT BOX PLASTIC

FEATURES AND BENEFITS

Lightweight → Ideal for carrying your everyday essentials
Quick release locking → Stackable tool box



AUTOMOTIVE



MARINE & COMPOSITES



WOOD



BUILDING & DECORATION



OTHER INDUSTRIES



464 x 335 x 212mm

CODE	QTY P/ BOX
586938	2



INDASA WORKSTATION PRO

FEATURES AND BENEFITS

Mobile with lockable wheels → Ease of transport throughout the work place
High storage capacity → Designed for the bodyshop



AUTOMOTIVE



MARINE & COMPOSITES


INDASA WORKSTATION PRO

CODE	DIMENSION (LxWxH)	WEIGHT	QTY P/ BOX
593110	1043 x 643 x 1336mm	54kg	1



WHAT'S INCLUDED

- 1 Lockable drawer
- 4 Lockable wheels
- 4 Metal hooks
- 1 Removable shelf
- 1 Waste bin with retractable support
- 1 Hose reel holder
- 1 Hook for electric cable
- 4 Slots for sanding machines or blocks
- 1 Container for bottles
- 1 Robust handle bar








ACCESSORIES

CODE	DIMENSION	QTY P/ BOX
593905	Extra Metal Hook (A)	4
593202	Paper Roll Holder (B)	1
593219	Extra Shelf (C)	1



STAND

FEATURES AND BENEFITS **Rigid structure → High durability**

-  AUTOMOTIVE
-  MARINE & COMPOSITES
-  WOOD
-  BUILDING & DECORATION
-  OTHER INDUSTRIES



STAND		
CODE	TYPE	QTY P/ BOX
367001	Roll Stand	1
367018	Roll Stand Adaptor	1
399385	Sheet Rack	1
579510	Owen Exhibitor	1



SEALANTS, ADHESIVES & COATINGS

FOR THE BODY REPAIR PROCESS

SEALANTS, ADHESIVES & COATINGS



INDASA

TEX-POL

FEATURES AND BENEFITS

Excellent adhesion → Durable coverage
Multi substrate → Universal application
Deep filling properties → Ideal for large repairs
Quick drying → Reduced repair time
Pinhole free application → Optimum surface preparation
Synthetic rubber based coating → Excellent protection against stonechips
Textured or smooth finish from gun → Matches original stonechip finish
Can be painted when cured → Replicates OEM finish
Rust inhibitor → Corrosion resistant



AUTOMOTIVE



MARINE & COMPOSITES



BUILDING & DECORATION

FILLERS

CODE	PRODUCT	CAPACITY	COLOR	QTY P/ BOX
187883	Tex-Pol 1 - Polyester body filler	1,5kg	Yellow	6
187890	Tex-Pol 2 - Soft Body filler	1,5kg	Beige	6
187913	Tex-Pol 4 - Fibre glass filler	1,2kg	Kaki Green	6
172681	Body Filler Catalyst	50g	Transparent	1



PRIMERS

CODE	PRODUCT	CAPACITY	COLOR	QTY P/ BOX
226476	Tex-Pol 7	1L	Light Grey	6
226490	Insulating Coating	2,5L		4
188286	Tex-Pol 7B	200ml	White	6
194249	Primer Catalyst	500ml		4



PROTECTION

CODE	PRODUCT	CAPACITY	COLOR	QTY P/ BOX
210451	Tex-Pol 11 - Stonechip or Anti-Gravel	1kg	Grey	6
192832	Tex-Pol 12 - Stonechip or Anti-Gravel	1kg	Black	6
191507	Tex-Pol 13 - Stonechip or Anti-Gravel	1kg	White	6
225929	Tex-Pol 20 - Cavity Wax	1L	Transparent	6



SOUND DEADENING PADS

FEATURES AND BENEFITS

Can be painted → Replicates OEM finish
Extremely flexible → Easy to apply and cut to shape
Class 1 FMVSS 302 → Self extinguishing



AUTOMOTIVE



MARINE & COMPOSITES



500 x 500mm

CODE	QTY P/ BOX
142448	10

BRUSHABLE SEAM SEALANT

FEATURES AND BENEFITS

Quick drying → Reduced repair time
Can be painted when cured → Replicates OEM finish
Multi purpose application → Ideal for welded or bolted seams
Sag resistant → Brushes out to match OEM finish
Resistant to UV, water, oil → Durable protection



AUTOMOTIVE



MARINE & COMPOSITES



BUILDING & DECORATION



1kg

CODE	QTY P/ BOX
541647	12

PU SEALANT

FEATURES AND BENEFITS

Silicone free → Compliant use for bodyshop
Can be painted when cured → Replicates OEM finish
Resistant to UV, water, oil → Durable protection
High strength sealant adhesive → Excellent bonding properties
Excellent sag resistance → Retains a permanent flexible seal



AUTOMOTIVE



MARINE & COMPOSITES



BUILDING & DECORATION



310ml

CODE	COLOR	QTY P/ BOX
482773	Black	12
482780	Grey	12
482797	White	12

DG SEALANT

FEATURES AND BENEFITS

High UV resistance → Prevents degradation of adhesive
High strength sealant adhesive → Excellent bonding properties
2 hours drive away time → Increased efficiency
TUV certificate → Quality assured



AUTOMOTIVE



MARINE & COMPOSITES



BUILDING & DECORATION



310ml

CODE	QTY P/ BOX
482803	12

DG CLEANER / DG PRIMER

FEATURES AND BENEFITS

Quick dry surface cleaner → Removes surface contamination
Removes swirl marks → Restores high gloss finish
High UV resistance → Prevents degradation of adhesive
Excellent etch adhesion → High strength bond to metal and glass



AUTOMOTIVE



MARINE & COMPOSITES



BUILDING & DECORATION



30ml

CODE	PRODUCT	COLOR	QTY P/ BOX
484548	DG Cleaner	Transparent	12
587096			25
484531	DG Primer	Black	12
587089			25

CUTTING SQUARE WIRE

FEATURES AND BENEFITS

Easy and safe windscreen removal → Increased efficiency



AUTOMOTIVE



MARINE & COMPOSITES



BUILDING & DECORATION



2m

CODE	QTY P/ BOX
591123	1

POLISHING

YOU CAN SEE IT IN THE FINISH



POLISHING



AUTOGLOSS COMPOUND PLUS

FEATURES AND BENEFITS

Single stage process → Superior system efficiency to achieve gloss finish
Fast cutting abrasive power → Permanent removal of P1500 scratch marks
Dry use → Cleaner and quicker process. No dusting or splatter
Reduces heat build-up → Less swirls and holograms
VOC Free → Environmentally and user friendly and compliant
High Gloss Level → Great for all colours, especially dark ones
Multi-Substrate → For all paint surfaces, old, new and fresh
Silicone free formulation → Safe for the bodyshop



AUTOMOTIVE



MARINE & COMPOSITES

1kg / 250g

CODE	CAPACITY	QTY P/ BOX
579060	1kg	6
579046	250g	12



AUTOGLOSS HIGH-GLOSS PLUS

FEATURES AND BENEFITS

Fine cut action → Removal of fine sanding scratches and refreshing aged paintwork
Material does not dry out, easier to clean up → Longer working time
High Gloss Level → Great for all colours, especially dark ones
VOC Compliant → Environmentally friendly and compliant
No fillers → No shrink back
Dry use → Cleaner, with no dusting or splatter
Colour restoration → Professional showroom finish
Multi substrate → For all paint surfaces, old, new and fresh
Silicone free formulation → Safe for the bodyshop



AUTOMOTIVE



MARINE & COMPOSITES

1kg / 250g

CODE	CAPACITY	QTY P/ BOX
579091	1kg	6
579077	250g	12





INDASA AUTOGLOSS

THE PROFESSIONAL FLAWLESS FINISH



Single stage process

Superior system efficiency to achieve gloss finish



Fast cutting abrasive power

Permanent removal of P1500 scratch marks



Fine cut action

Removal of fine sanding scratches and refreshing aged paintwork



Material does not dry out, easier to clean up

Longer working time



AUTOGLOSS MOP

FEATURES AND BENEFITS

Nylon grip backing system → Quick and easy to fit
80mm diameter → Ideal for smart repair applications
Removes swirl marks → Restores high gloss finish
Open cell foam → Minimises heat build up
Hard density → Long lasting performance
Medium density → Increased flexibility
Soft density → Smear free polishing



AUTOMOTIVE



MARINE & COMPOSITES



80mm / 150mm

CODE	DIMENSION	COLOUR	QTY P/ BOX
580141		White	5
580165	80mm	Yellow	5
580189		Black	5
580158		White	2
580172	150mm	Yellow	2
580196		Black	2

AUTOGLOSS MICRO FIBRE CLOTH

FEATURES AND BENEFITS

Multipurpose usage → Great value for the money
Silicone free → Compliant use for bodyshop
Microfibre technology → Scratch and lint free polishing
Machine washable → Long lasting



AUTOMOTIVE



MARINE & COMPOSITES



400 x 400mm

CODE	QTY P/ BOX	QTY P/ CASE
484023	2	10



OPTICAL REPAIR KIT

FEATURES AND BENEFITS

All products in a Kit → The best optical polishing and restoration solution



AUTOMOTIVE



MARINE & COMPOSITES



75mm

CODE	QTY P/ BOX
519431	1

KIT CONTENTS

- 1 Autogloss Compound Plus 250g
- 1 Autogloss High-Gloss Plus 250g
- 2 Autogloss Mop White Pad 80mm
- 2 Autogloss Mop Black Pad 80mm
- 2 Autogloss Micro Fibre Cloth
- 50 Rhynogrip FilmLine P500 discs
- 50 Rhynogrip FilmLine P800 discs
- 50 Rhynogrip FilmLine P1500 discs
- 20 Rhynofinish Microfine discs
- 2 Interface backing pads



TECHNICAL TAPES

ADHESIVE FIXING & MASKING SOLUTIONS



MASKING TAPE MTE-YELLOW

SPECIFICATIONS
Backing → Semi-crepe paper
Adhesive → Natural rubber
Temperature resistance → 110°C / 60min.
Waterproof

FEATURES AND BENEFITS
Excellent adhesion → Good mechanical strength
Flexible → Easy to shape on contours
Solvent resistant → Paint will not bleed
Consistency of thickness → Uniform paint edge
Easy roll release → Easy to apply
Waterproof backing → Indoor and outdoor use
110°C temp rating → High bake refinishing
UV resistant → Easy clean removal without adhesive transfer



AUTOMOTIVE



MARINE & COMPOSITES



BUILDING & DECORATION



MTE-YELLOW

CODE	DIMENSION	QTY P/ BOX
556740	18mm x 50m	48
565957	24mm x 50m	36
556771	36mm x 50m	24
563199	48mm x 50m	20



MASKING TAPE MTE-RED

SPECIFICATIONS
Backing → Semi-crepe paper
Adhesive → Natural rubber
Temperature resistance → 100°C / 30min.

FEATURES AND BENEFITS
Excellent adhesion → Good mechanical strength
Flexible → Easy to shape on contours
Easy/clean removal → Leaves no residue
Solvent resistant → Paint will not bleed
Consistency of thickness → Uniform paint edge
Easy roll release → Easy to apply
110°C temp rating → Medium bake refinishing
High tack adhesive → Instant adhesion



AUTOMOTIVE



MARINE & COMPOSITES



BUILDING & DECORATION






MTE-RED

CODE	DIMENSION	QTY P/ BOX
580363	18mm x 50m	48
580370	24mm x 50m	36
595756	30mm x 50m	32
580387	36mm x 50m	24
580394	48mm x 50m	20
580400	72mm x 50m	12



MASKING TAPE MTE	
SPECIFICATIONS	Backing → Semi-crepe paper Adhesive → Natural rubber Temperature resistance → 80°C / 60min.
FEATURES AND BENEFITS	Excellent adhesion → Good mechanical strength Flexible → Easy to shape on contours Easy/clean removal → Leaves no residue Solvent resistant → Paint will not bleed Consistency of thickness → Uniform paint edge Easy roll release → Easy to apply 80°C temp rating → Low bake refinishing








- 
AUTOMOTIVE
- 
MARINE & COMPOSITES
- 
BUILDING & DECORATION



MTE		
CODE	DIMENSION	QTY P/ BOX
519851	12mm x 50m	72
482872	15mm x 50m	60
142493	18mm x 50m	48
142509	24mm x 50m	36
475096	30mm x 50m	32
142516	36mm x 50m	24
142523	48mm x 50m	20
545188	72mm x 50m	12
502402	100mm x 50m	12

MASKING TAPE MTG-DECO	
SPECIFICATIONS	Backing → Semi-crepe paper Adhesive → Natural rubber Temperature resistance → 60°C / 60min.
FEATURES AND BENEFITS	Excellent adhesion → Good mechanical strength Flexible → Easy to shape on contours Easy/clean removal → Leaves no residue Consistency of thickness → Uniform paint edge Easy roll release → Easy to apply Adhesion to different substrates → Application versatility



- 
AUTOMOTIVE
- 
MARINE & COMPOSITES
- 
WOOD
- 
BUILDING & DECORATION
- 
OTHER INDUSTRIES



MTG-DECO		
CODE	DIMENSION	QTY P/ BOX
515860	18mm x 45m	48
515884	24mm x 45m	36
530689	30mm x 45m	32
515907	36mm x 45m	24
515921	48mm x 45m	20

COVER ROLLS

SPECIFICATIONS

Backing → Polyethylene
Adhesive → Natural rubber
Temperature resistance → 90°C

FEATURES AND BENEFITS

Excellent adhesion → Good mechanical strength
Easy/clean removal → Leaves no residue
Solvent resistant → Paint will not bleed
Easy roll release → Easy to apply
Static cling → Easy to apply



AUTOMOTIVE



MARINE & COMPOSITES



BUILDING & DECORATION



COVER ROLLS

CODE	DIMENSION	QTY P/ BOX
449585	350mm x 25m	50
449592	600mm x 25m	50
462980	1200mm x 25m	25
449608	1800mm x 25m	25
464656	1800mm x 25m (white)	25

MASKING FOAM

SPECIFICATIONS

Temperature resistance → 80°C

FEATURES AND BENEFITS

Flexible → Easy to shape on contours
Easy/clean removal → Leaves no residue
Solvent resistant → Paint will not bleed
Easy roll release → Easy to apply
80°C temp rating → Low bake refinishing
Cylindrical profile → Eliminates hard edge and paint build up



AUTOMOTIVE



MARINE & COMPOSITES



MASKING FOAM

CODE	DIMENSION	QTY P/ BOX
320587	13mm x 5m	1
322789	19mm x 5m	1



DOUBLE SIDED MOULDING TAPE	
SPECIFICATIONS	Adhesive → Acrylic Solvent resistant
FEATURES AND BENEFITS	Excellent adhesion → Good mechanical strength High density foam → Reproduces OEM finish



AUTOMOTIVE



MARINE & COMPOSITES



DOUBLE SIDED MOULDING TAPE		
CODE	DIMENSION	QTY P/ BOX
518557	6mm x 10m	1
518564	9mm x 10m	1
518571	12mm x 10m	1
518588	19mm x 10m	1
518595	25mm x 10m	1
518601	50mm x 5m	1



FINE LINE BLUE TAPE	
SPECIFICATIONS	Adhesive → Rubber Elongation → 130% Temperature resistance → 150°C
FEATURES AND BENEFITS	Flexible → Easy to shape on contours Extremely flat PVC backing → Leaves a clean sharp edge Easy/clean removal → Leaves no residue Temperature resistant → High bake refinishing



AUTOMOTIVE



MARINE & COMPOSITES



FINE LINE BLUE TAPE		
CODE	DIMENSION	QTY P/ BOX
562727	3mm x 55m	20
562734	6mm x 55m	20
562741	9mm x 55m	20
562758	12mm x 55m	20
562765	19mm x 55m	20



FINE LINE GREEN TAPE	
SPECIFICATIONS	Adhesive → Urethane Elongation → 600% Temperature resistance → 138°C
FEATURES AND BENEFITS	Extremely flat PVC backing → Leaves a clean sharp edge Easy/clean removal → Leaves no residue Temperature resistant → High bake refinishing



AUTOMOTIVE



MARINE & COMPOSITES



FINE LINE GREEN TAPE		
CODE	DIMENSION	QTY P/ BOX
562772	3mm x 55m	20
562789	6mm x 55m	20
562796	9mm x 55m	20
562802	12mm x 55m	20



ACRYLIC FIXING TAPE	
SPECIFICATIONS	Adhesive → Acrylic UV Resistant Temperature resistance → 120°C
FEATURES AND BENEFITS	Moisture and UV resistant → Allows outdoor use Adhesion to different substrates → Application versatility Hi-tech tape → Long lasting bonding Excellent adhesion → Long lasting bonding Reproduce the factory finish → Superior quality finishing



AUTOMOTIVE



MARINE & COMPOSITES



ACRYLIC FIXING TAPE		
CODE	DIMENSION	QTY P/ BOX
562819	6mm x 10m	10
562826	9mm x 10m	10
562833	12mm x 10m	10
562840	19mm x 10m	10
562857	25mm x 10m	10



TRIM MASKING TAPE	
SPECIFICATIONS	Adhesive → Acrylic Temperature resistance → 100°C Solvent resistant
FEATURES AND BENEFITS	Easy/clean removal → Leaves no residue Extremely flexible → Easy to mold contours Masking tape with plastic strip → Easy to mask and protect windscreen rubber/trim Precut tape → Easy application



AUTOMOTIVE



MARINE & COMPOSITES



TRIM MASKING TAPE		
CODE	DIMENSION	QTY P/ BOX
562864	45mm x 10m	36

FAST FIX TAPE	
SPECIFICATIONS	Adhesive → Acrylic Temperature resistance → 100°C Solvent resistant
FEATURES AND BENEFITS	Adhesion to different substrates → Application versatility Excellent adhesion → Long lasting bonding Extremely versatile and easy to apply → Multiple applications Multifunctional double sided tape → Versatility in use Transparent tape → All Applications



AUTOMOTIVE



MARINE & COMPOSITES



FAST FIX TAPE		
CODE	DIMENSION	QTY P/ BOX
562871	12mm x 10m	20
562888	19mm x 10m	20

BADGE AND EMBLEM ADHESIVE	
SPECIFICATIONS	Adhesive > Acrylic UV Resistant
FEATURES AND BENEFITS	Adhesion to different substrates → Application versatility Excellent adhesion → Long lasting bonding Easy application → Reposition possibility Reproduce the factory finish → Superior quality finishing



AUTOMOTIVE



MARINE & COMPOSITES



BADGE AND EMBLEM ADHESIVE		
CODE	QTY P/ BOX	QTY P/ CASE
566406	5	250



PAINT PROTECTION TAPE	
SPECIFICATIONS	Adhesive > Acrylic Ideal for protection
FEATURES AND BENEFITS	Excellent adhesion → Long lasting bonding Easy application → Reposition possibility High strength adhesive film → Protects the paint from the gravel, scratches and corrosion Reproduce the factory finish → Superior quality finishing



AUTOMOTIVE



MARINE & COMPOSITES

PAINT PROTECTION TAPE			
CODE	DIMENSION	COLOUR	QTY P/ BOX
562901	150mm x 2m	Transparent	12
562918	150mm x 5m	Black	12



ANTI-SLIP TAPE

SPECIFICATIONS

Adhesive → Acrylic
Grain material → Aluminium oxide

FEATURES AND BENEFITS

Provides anti-slip tread on stairs and treads
Hard wearing mineral coating → Excellent adhesion to most surfaces
Low profile → Flush fitting
Suitable for indoor & outdoor application → Available in black and black/yellow



AUTOMOTIVE



MARINE & COMPOSITES

ANTI-SLIP TAPE

CODE	COLOUR	QTY P/ CASE
562925	Black	12
562932	Black/Yellow	12





INDASA
PERFECT FINISH,
WE KNOW HOW.

www.indasa-abrasives.com

INDASA - INDÚSTRIA DE ABRASIVOS, S.A.
Apartado 3005
3801-101 Aveiro, Portugal
Tel. +(351) 234 303 600
Fax +(351) 234 303 605
E-mail: indasa@indasa-abrasives.com