

JONES STEPHENS

# IRRIGATION | Product Catalog



**Table of Contents**

**Fittings** ..... 2-30

- PVC/DWV Fittings ..... 2-8
- Galvanized Malleable Fittings ..... 9-16
- Copper Stubouts ..... 16-18
- Brass Compression Fittings ..... 18-19
- Red Brass Insert Fittings ..... 19-20
- Red Brass Pipe Nipples ..... 20-21
- Yellow Brass Pipe Fittings ..... 22-23
- Brass Garden Hose Fittings ..... 23-25
- Brass Hose Barbs ..... 26
- PlumBite® Push On Fittings ..... 27-28
- Brass PEX Fittings ..... 29-30
- Plastic PEX Fittings ..... 30

**Ball Valves** ..... 31

**Gear Clamps** ..... 32

**Flange Connection Gaskets and Kits** ..... 32-34

**Meter Boxes** ..... 35-36

**Gauges** ..... 36-38

**Thermometers** ..... 38

**Safety** ..... 39

**Tools** ..... 40-45

## Coupling

H x H



- Used to join straight lengths of pipe

PART NO.	SIZE	CTN/MSTR
PFC114	1-1/4"	1/100
PFC115	1-1/2"	1/100
PFC120	2"	1/100
PFC130	3"	1/60
PFC140	4"	1/25
PFC160	6"	1/15

## Repair Coupling

H x H



- Furnished without center stop so that stationary lengths of pipe can be spliced together

PART NO.	SIZE	CTN/MSTR
PFC116	1-1/2"	1/25
PFC122	2"	1/25
PFC133	3"	1/10
PFC144	4"	1/5

## Reducer Coupling

H x H



- Used to reduce or increase pipe sizes

PART NO.	SIZE	CTN/MSTR
PFC121	2" x 1-1/2"	1/25
PFC131	3" x 1-1/2"	1/25
PFC132	3" x 2"	1/20
PFC142	4" x 2"	1/10
PFC143	4" x 3"	1/20

## Flush Bushing

Spg x H



- Inserts into fitting hub to reduce to smaller pipe sizes

PART NO.	SIZE	CTN/MSTR
PFB211	1-1/2" x 1-1/4"	1/50
PFB221	2" x 1-1/2"	1/100
PFB231	3" x 1-1/2"	1/20
PFB232	3" x 2"	1/30
PFB242	4" x 2"	1/30
PFB243	4" x 3"	1/30
PFB264	6" x 4"	1/10

## Male Adapter

H x MPT




- Adapts to standard female pipe threads
- Teflon thread tape is recommended for threaded joints

PART NO.	SIZE	CTN/MSTR
PMA414	1-1/4"	1/50
PMA415	1-1/2"	1/50
PMA420	2"	1/50
PMA430	3"	1/25
PMA440	4"	1/25

## Female Adapter

H x FPT



- Adapts to standard male pipe threads
- Teflon thread tape is recommended for threaded joints

PART NO.	SIZE	CTN/MSTR
PFA314	1-1/4"	1/100
PFA315	1-1/2"	1/100
PFA311	1-1/2" x 1-1/4"	1/100
PFA320	2"	1/100
PFA330	3"	1/30
PFA340	4"	1/10
PFA360	6"	1/10

## Fitting C.O. Adapter with Plug

Spg x FPT



- Solvent welds into fitting hub to provide access to piping
- Teflon thread tape is recommended for threaded joints

PART NO.	SIZE	CTN/MSTR
PFA615	1-1/2"	1/50
PFA620	2"	1/50
PFA630	3"	1/25
PFA640	4"	1/10

## 45° Street Elbow

Spg x H



- Used to change direction from a fitting hub to a pipe
- Sometimes called a "Street 1/8 bend"

PART NO.	SIZE	CTN/MSTR
PSL715S	1-1/2" short turn	1/100
PSL716S	1-1/2" long turn	1/100
PSL720	2"	1/50
PSL730	3"	1/20
PSL740	4"	1/10
PSL760	6"	1/3

## 60° Elbow

H x H



- Used to change direction in piping
- Sometimes called a "OK bend"

PART NO.	SIZE	CTN/MSTR
PFL915	1-1/2"	1/40
PFL930	3"	1/20

## 90° Vent Elbow

H x H



- Used to change direction in the "dry" portion of vent piping where water flow is not a consideration

PART NO.	SIZE	CTN/MSTR
PFL715	1-1/2"	1/20
PFL720	2"	1/30
PFL730	3"	1/10

## 90° Elbow

H x H



- Used to change direction in piping
- Sometimes called a "1/4 bend"

PART NO.	SIZE	CTN/MSTR
PFL814	1-1/4"	1/100
PFL815	1-1/2"	1/100
PFL820	2"	1/50
PFL830	3"	1/25
PFL840	4"	1/10
PFL860	6"	1/5
PFL821	2" x 1-1/2"	1/20
PFL834	4" x 3"	1/20

## 90° Elbow with Side Inlet

H x H x Spg/H



- Used to connect a branch line or vent at a change of direction in a larger vertical or horizontal pipe
- The inlet is constructed to accept a 2" fitting over its outside diameter or a 1-1/2" pipe into its inside diameter

PART NO.	SIZE	CTN/MSTR
PFL131	3" x 2" Spg or 1-1/2" Hub	1/20

## 90° Street Elbow

Spg x H



- Used to change direction in piping
- Sometimes called a "street 1/4 bend"

PART NO.	SIZE	CTN/MSTR
PSL916	1-1/2"	1/100
PSL926	2"	1/50
PSL936	3"	1/20
PSL946	4"	1/10

## 90° Long Sweep Elbow

H x H



- Used to change direction in piping
- Sometimes called a "long turn 1/4 bend"

PART NO.	SIZE	CTN/MSTR
PFL815L	1-1/2"	1/50
PFL820L	2"	1/25
PFL830L	3"	1/10
PFL840L	4"	1/5

## 90° Lowheel Inlet Elbow

H x H x Spg/H or H x H x H



- Used to connect a branch line or vent at a change of direction in a larger vertical or horizontal pipe
- The inlet is constructed to accept a 2" fitting over its outside diameter or a 1-1/2" pipe into its inside diameter

PART NO.	SIZE	CTN/MSTR
PFL031	3" x 2" Spg or 1-1/2" Hub	1/25
PFL032	3" x 2" Hub	1/25

## Fitting C.O. Adapter

Spg x FPT



- Solvent welds into fitting hub and adapts to male threaded plug
- This fitting is a component part of "Fitting Cleanout with Threaded Plug"

PART NO.	SIZE	CTN/MSTR
PFA614	1-1/2"	1/50
PFA619	2"	1/50
PFA629	3"	1/25
PFA639	4"	1/10
PFA659	6"	1/10

## Cap

Hub



- Used for permanently or temporarily capping pipe

PART NO.	SIZE	CTN/MSTR
PHC151	1-1/2"	1/10
PHC152	2"	1/5
PHC153	3"	1/10
PHC154	4"	1/5

## 22-1/2° Elbow

H x H



- Used to change direction in piping
- Sometimes called a "1/16 bend"

PART NO.	SIZE	CTN/MSTR
PFL515	1-1/2"	1/50
PFL520	2"	1/25
PFL530	3"	1/20
PFL540	4"	1/15
PFL560	6"	1/3

## 22-1/2° Street Elbow

H x Spg



- Used to change direction in piping
- Sometimes called a "Street 1/16 bend"

PART NO.	SIZE	CTN/MSTR
PSL815	1-1/2"	1/50
PSL820	2"	1/25
PSL830	3"	1/20
PSL840	4"	1/10

## 45° Elbow

H x H



- Used to change direction in piping
- Sometimes called a "1/8 bend"

PART NO.	SIZE	CTN/MSTR
PFL614	1-1/4"	1/100
PFL615	1-1/2"	1/100
PFL620	2"	1/50
PFL630	3"	1/20
PFL640	4"	1/10
PFL660	6"	1/3
PFL615S	1-1/2" short turn	1/100
PFL620S	2" short turn	1/100

## Double 90° Elbow

H x H x H



- Ideal for "back to back" sink or lavatory installations

PART NO.	SIZE	CTN/MSTR
PDL716	1-1/2"	1/20
PDL736	3"	1/10
PDL722	2" x 1-1/2" x 1-1/2"	1/25

## Wye

H x H x H



- Used when connecting a branch line into a horizontal drain pipe
- Also used in conjunction with a "twist-lok" plug to provide a cleanout in a drain pipe

PART NO.	SIZE	CTN/MSTR
PFY015	1-1/2"	1/50
PFY020	2"	1/25
PFY030	3"	1/25
PFY040	4"	1/5
PFY060	6"	1/4
PFY021	2" x 1-1/2"	1/25
PFY023	2" x 1-1/2" x 1-1/2"	1/25
PFY031	3" x 1-1/2"	1/15
PFY032	3" x 2"	1/25
PFY041	4" x 4" x 1-1/2"	1/10
PFY042	4" x 2"	1/10
PFY043	4" x 3"	1/10
PFY064	6" x 4"	1/5

## Double Wye

H x H x H x H



- Used to bring two branch lines into a horizontal drain pipe

PART NO.	SIZE	CTN/MSTR
PDY415	1-1/2"	1/40
PDY420	2"	1/20
PDY430	3"	1/15
PDY440	4"	1/5
PDY442	4" x 4" x 2" x 2"	1/5
PDY443	4" x 4" x 3" x 3"	1/5

## Double Fixture Tee

H x H x H x H



PART NO.	SIZE	CTN/MSTR
PDT621	2" x 1-1/2" x 1-1/2" x 1-1/2"	1/20

## Vent Tee

H x H x H



- Used primarily in seepage bed piping grids in conjunction with perforated pipe
- Used where flow characteristics are not a primary consideration

PART NO.	SIZE	CTN/MSTR
PVT415	1-1/2"	1/10
PVT420	2"	1/10
PVT430	3"	1/10
PVT440	4"	1/10

## Long Turn Tee Wye

H x H x H



- Used in some plumbing code areas to connect a branch line into a vertical drain pipe instead of a conventional tee fitting
- Also used to connect horizontal branch pipe approaching a horizontal drain pipe on the perpendicular

PART NO.	SIZE	CTN/MSTR
PFY515L	1-1/2"	1/20
PFY520L	2"	1/10
PFY530L	3"	1/10
PFY540L	4"	1/5
PFY521	2" x 1-1/2"	1/20
PFY531	3" x 1-1/2"	1/10
PFY532	3" x 2"	1/10
PFY542	4" x 2"	1/10
PFY543	4" x 3"	1/5

## Cleanout Test Tee

H x H x FPT



- Used in conjunction with a threaded plug to provide a cleanout opening
- Teflon thread tape is recommended for threaded joints

PART NO.	SIZE	CTN/MSTR
PCT416	1-1/2"	1/20
PCT421	2"	1/20
PCT431	3"	1/10
PCT441	4"	1/10

## Cleanout Test Tee with Cleanout Plug

H x H x FPT



- Used at the base of a vertical drain pipe to provide a cleanout opening flush with the finished wall

PART NO.	SIZE	CTN/MSTR
PCT315	1-1/2"	1/10
PCT320	2"	1/10
PCT330	3"	1/10
PCT340	4"	1/5

## Sanitary Tee

H x H x H



- Used when connecting a branch line into a vertical drain pipe

PART NO.	SIZE	CTN/MSTR
PST114	1-1/4"	1/25
PST115	1-1/2"	1/100
PST120	2"	1/35
PST130	3"	1/30
PST140	4"	1/5
PST160	6"	1/6
PST121	2" x 1-1/2"	1/50
PST122	2" x 1-1/2" x 2"	1/25
PST123	2" x 1-1/2" x 1-1/2"	1/25
PST131	3" x 1-1/2"	1/20
PST132	3" x 2"	1/10
PST141	4" x 1-1/2"	1/10
PST142	4" x 2"	1/10
PST143	4" x 3"	1/10
PST164	6" x 4"	1/6

## Sanitary Tee Street

Spg x H x H



PART NO.	SIZE	CTN/MSTR
PSS140	4"	1/10

## Sanitary Tee with Right Side Inlet

H x H x H x H



• Provides for the connection of 2" vent or branch waste piping to a vertical pipe

PART NO.	SIZE	CTN/MSTR
PST232	3" x 3" x 3" x 2"	1/10

## Sanitary Tee with Left Side Inlet

H x H x H x H



• Provides for the connection of 2" vent or branch waste piping to a vertical pipe

PART NO.	SIZE	CTN/MSTR
PSL132	3" x 3" x 3" x 2"	1/10

## Sanitary Tee with Right and Left Side Inlet

H x H x Spg/H x Spg/H



### Sanitary Tee with Right and Left Side Inlet

- Provides for the connection of 1-1/2" or 2" vent or branch waste piping to a vertical pipe as well as receiving the discharge of a water closet
- The inlets are constructed to accept a 2" fitting hub over their outside diameter or a 1-1/2" pipe into their inside diameter

PART NO.	SIZE	CTN/MSTR
PSL031	3" x 3" x 3" x 1-1/2" / 2" x 1-1/2" / 2"	1/10

### Sanitary Tee with Right and Left Side Inlet

- Provides for the connection of 2" vent or branch waste piping to a vertical pipe as well as receive the discharge of a water closet

PART NO.	SIZE	CTN/MSTR
PSL042	4" x 4" x 4" x 2" x 2"	1/5

## Double Sanitary Tee

H x H x H x H



• Used to bring two branch lines into a vertical drain pipe

PART NO.	SIZE	CTN/MSTR
PDT515	1-1/2"	1/25
PDT520	2"	1/20
PDT530	3"	1/20
PDT540	4"	1/4
PDT521	2" x 2" x 1-1/2" x 1-1/2"	1/15
PDT531	3" x 3" x 1-1/2" x 1-1/2"	1/20
PDT532	3" x 3" x 2" x 2"	1/10
PDT542	4" x 4" x 2" x 2"	1/5
PDT543	4" x 4" x 3" x 3"	1/5

## Two-Way Cleanout Tee

H x H x H



• Used with a vertical pipe stack, this fitting provides for above ground level access to piping

PART NO.	SIZE	CTN/MSTR
PTC633	3"	1/10
PTC644	4"	1/5

## P-Trap LA Pattern with Union

SJ x H



• Used to prevent the passage of sewer gas from the plumbing system into house through the plumbing fixture drain, when local code doesn't permit the use of slip coupled traps

PART NO.	SIZE	CTN/MSTR
PPT715	1-1/2"	1/20

## P-Trap with Union

H x H



• Used to prevent the passage of sewer gas from the plumbing system into house through the plumbing fixture drain

PART NO.	SIZE	CTN/MSTR
PPT315	1-1/2"	1/20
PPT320	2"	1/25

## P-Trap with Solvent Weld Joint

H x H



- Used to prevent the passage of sewer gas from the plumbing system into house through the plumbing fixture drain

PART NO.	SIZE	CTN/MSTR
PPT515	1-1/2"	1/25
PPT520	2"	1/20
PPT530	3"	1/10
PPT540	4"	1/4

## P-Trap with Cleanout and Solvent Weld Joint

H x H



- Used to prevent the passage of sewer gas from the plumbing system into house through the plumbing fixture drain

PART NO.	SIZE	CTN/MSTR
PPT415	1-1/2"	1/10
PPT420	2"	1/10

## P-Trap U-Bend

H x H



- Bottom part of trap furnished without cleanout

PART NO.	SIZE	CTN/MSTR
PPT015	1-1/2"	1/20
PPT020	2"	1/20
PPT030	3"	1/15
PPT040	4"	1/10

## P-Trap Elbow

Spg x H Short Sweep



- Used to change direction in the "dry" portion of vent piping where water flow is not a consideration

PART NO.	SIZE	CTN/MSTR
PPT915S	1-1/2"	1/100
PPT920S	2"	1/20

## Swivel Drum Trap

H x H



- PVC version of the old style bathtub "drum trap"
- Largely replaced today by the conventional 1-1/2" P-trap

PART NO.	SIZE	CTN/MSTR
PDT715	3" x 6" x 1-1/2"	1/15

## Female Trap Adapter with Self Sealing Nut

H x SJT



- Utilized to adapt PVC pipe to tubular traps at wall or floor
- Utilizes special washer which seals to either 1-1/2" or 1-1/4" tubular products, reducing the number of SKU's needed in inventory
- Solvent welds over a 1-1/2" DWV pipe
- Sometimes referred to as a "marvel"

PART NO.	SIZE	CTN/MSTR
PTA215	1-1/2"	1/100
PTA221	1-1/2" x 1-1/2" or 1-1/4"	1/100

## Male Trap Adapter less Washer and Nuts

Spg x MPT



- Adapts fitting hub to standard female pipe threads
- Teflon thread tape is recommended for threaded joints

PART NO.	SIZE	CTN/MSTR
PTA415	1-1/2" (less washer)	1/100
PTA420	2" (less washer)	1/100

## Male Trap Adapter with Washer and Nuts

Spg x SJT



- Adapts PVC fitting hub to tubular traps in a wall or floor
- Utilizes special washer which seals to either 1-1/2" or 1-1/4" tubular products, reducing the number of SKU's needed in inventory
- Solvent welds into a 1-1/2" DWV fitting hub
- Sometimes called a "marvel"

PART NO.	SIZE	CTN/MSTR
PTA315	1-1/2" (with washer)	1/50
PTA311	1-1/2" x 1-1/2" or 1-1/4" (with washer)	1/75

## Reducing Closet Bend

Spg x H



- Used to change direction in piping and size of pipe directly into fitting hub
- Usually a closet flange directly under a toilet
- Works well in tight space applications on second floors

PART NO.	SIZE	CTN/MSTR
PCB934	4" x 3"	1/20

## Expansion Joint

H x H



- To provide for expansion in straight vertical pipe runs exceeding 35 feet in length

PART NO.	SIZE	CTN/MSTR
PEJ530	3"	1/10
PEJ540	4"	1/10



## Cast Iron No Hub Adapter

Spg x H



- Adapts no hub elastomer coupling to DWV spigot
- Provides a proper method of adapting from no-hub cast iron pipe utilizing the standard no-hub clamp ring

PART NO.	SIZE	CTN/MSTR
PNH120	2"	1/100
PNH130	3"	1/20
PNH140	4"	1/10

## Adapter Bushing

Sewer Spg x DWV H



- Adapts sewer and drain hub to DWV spigot

PART NO.	SIZE	CTN/MSTR
PAB243	4" x 3"	1/20

## Cast Iron Hub Adapter

Spg x H



- Adapts cast iron hub to DWV Spigot
- Can be joined to cast iron with Genova plastic lead or hot molten lead

PART NO.	SIZE	CTN/MSTR
PHA520	2"	1/25
PHA521	2" x 1-1/2"	1/20
PHA530	3"	1/20
PHA540	4"	1/10
PHA543	4" x 3"	1/20

## Cast Iron Spigot Adapter

H x H



- Adapts cast iron spigot to DWV spigot
- Adapts Sch. 40 pipe to 4" cast iron spigot

PART NO.	SIZE	CTN/MSTR
PSA740	4"	1/10

## Adapter Coupling

Sewer H x DWV H



- Adapts sewer and drain spigot to DWV spigot

PART NO.	SIZE	CTN/MSTR
PAC543	4" x 3"	1/20

## Adapter Bushing

DWV Spg x Sewer H



- Adapts DWV hub to sewer and drain spigot

PART NO.	SIZE	CTN/MSTR
PAB75340	4"	1/25

## HEX Bushing

M x F, Concentric



GALV. PART NO.	SIZE	CTN/MSTR
G144-0007	1/4" x 1/8"	120/1,440
G144-0032	3/8" x 1/4"	75/900
G144-0033	3/8" x 1/8"	75/900
G144-0058	1/2" x 3/8"	100/1,200
G144-0059	1/2" x 1/4"	100/1,200
G144-0060	1/2" x 1/8"	100/1,200
G144-0107	3/4" x 1/2"	50/600
G144-0108	3/4" x 3/8"	50/600
G144-0109	3/4" x 1/4"	50/600
G144-0110	3/4" x 1/8"	50/600
G144-0159	1" x 3/4"	50/400
G144-0160	1" x 1/2"	50/400
G144-0161	1" x 3/8"	50/400
G144-0162	1" x 1/4"	50/400
G144-0222	1-1/4" x 1"	30/240
G144-0223	1-1/4" x 3/4"	30/240
G144-0224	1-1/4" x 1/2"	30/240
G144-0225	1-1/4" x 3/8"	30/240
G144-0226	1-1/4" x 1/4"	30/240
G144-0303	1-1/2" x 1-1/4"	25/150
G144-0304	1-1/2" x 1"	25/150
G144-0305	1-1/2" x 3/4"	25/150
G144-0306	1-1/2" x 1/2"	25/150
G144-0307	1-1/2" x 3/8"	25/150
G144-0308	1-1/2" x 1/4"	25/150
G144-0398	2" x 1-1/2"	20/120
G144-0399	2" x 1-1/4"	20/120
G144-0400	2" x 1"	20/120
G144-0401	2" x 3/4"	20/120
G144-0402	2" x 1/2"	20/120
G144-0532	2-1/2" x 1-1/2"	15/60
G144-0533	2-1/2" x 1-1/4"	15/60
G144-0534	2-1/2" x 1"	15/60
G144-0535	2-1/2" x 3/4"	15/60
G144-0662	3" x 2-1/2"	12/48
G144-0663	3" x 2"	12/48
G144-0664	3" x 1-1/2"	12/48
G144-0665	3" x 1-1/4"	12/48
G144-0666	3" x 1"	12/48
G144-0790	3-1/2" x 3"	8/32
G144-0870	4" x 3"	5/20
G144-0871	4" x 2-1/2"	5/20
G144-0872	4" x 2"	5/20
G144-0873	4" x 1-1/2"	5/20
G144-1109	6" x 4"	4/8

## Extension Piece

M x F



- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153

GALV. PART NO.	SIZE	CTN/MSTR
G335-0050	1/2"	75/600
G335-0100	3/4"	40/320
G335-0150	1"	30/180
G335-0215	1-1/4"	30/120

## Cap



- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153

GALV. PART NO.	SIZE	CTN/MSTR
G155-0001	1/8"	120/1,440
G155-0002	1/4"	80/960
G155-0025	3/8"	60/720
G155-0050	1/2"	75/600
G155-0100	3/4"	40/320
G155-0150	1"	35/200
G155-0215	1-1/4"	25/160
G155-0295	1-1/2"	25/108
G155-0390	2"	18/72
G155-0520	2-1/2"	14/56
G155-0650	3"	12/36
G155-0860	4"	7/21
G155-0975	5"	8/16
G155-1100	6"	4/8

## Coupling, Banded

F x F



- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153

GALV. PART NO.	SIZE	CTN/MSTR
G165-0001	1/8"	70/840
G165-0002	1/4"	40/480
G165-0025	3/8"	50/600
G165-0050	1/2"	60/480
G165-0100	3/4"	50/300
G165-0150	1"	25/150
G165-0215	1-1/4"	32/128
G165-0295	1-1/2"	18/72
G165-0390	2"	12/48
G165-0520	2-1/2"	4/32
G165-0650	3"	12/24
G165-0860	4"	3/12
G165-1100	6"	3/6

## Reducing Coupling, Banded

F x F, Concentric



- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153



GALV. PART NO.	SIZE	CTN/MSTR
G165-0007	1/4" x 1/8"	50/600
G165-0032	3/8" x 1/4"	30/360
G165-0033	3/8" x 1/8"	35/420
G165-0058	1/2" x 3/8"	40/480
G165-0059	1/2" x 1/4"	50/600
G165-0060	1/2" x 1/8"	50/600
G165-0107	3/4" x 1/2"	60/360
G165-0108	3/4" x 3/8"	30/360
G165-0109	3/4" x 1/4"	30/360
G165-0159	1" x 3/4"	25/200
G165-0160	1" x 1/2"	40/240
G165-0161	1" x 3/8"	40/240
G165-0162	1" x 1/4"	45/270
G165-0222	1-1/4" x 1"	20/120
G165-0223	1-1/4" x 3/4"	25/150
G165-0224	1-1/4" x 1/2"	25/150
G165-0303	1-1/2" x 1-1/4"	24/96
G165-0304	1-1/2" x 1"	25/100
G165-0305	1-1/2" x 3/4"	30/120
G165-0306	1-1/2" x 1/2"	20/120
G165-0307	1-1/2" x 3/8"	30/120
G165-0398	2" x 1-1/2"	12/72
G165-0399	2" x 1-1/4"	14/72
G165-0400	2" x 1"	14/84
G165-0401	2" x 3/4"	14/84
G165-0402	2" x 1/2"	14/84
G165-0531	2-1/2" x 2"	10/40
G165-0532	2-1/2" x 1-1/2"	10/40
G165-0533	2-1/2" x 1-1/4"	10/40
G165-0534	2-1/2" x 1"	10/40
G165-0662	3" x 2-1/2"	12/24
G165-0663	3" x 2"	8/32
G165-0664	3" x 1-1/2"	8/32
G165-0665	3" x 1-1/4"	8/32
G165-0666	3" x 1"	8/32
G165-0870	4" x 3"	6/12
G165-0871	4" x 2-1/2"	6/18
G165-0872	4" x 2"	6/12
G165-1109	6" x 4"	4/8

## 90° Reducing Elbow, Banded

F x F



- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153



GALV. PART NO.	SIZE	CTN/MSTR
G235-0058	1/2" x 3/8"	50/400
G235-0059	1/2" x 1/4"	40/480
G235-0107	3/4" x 1/2"	40/240
G235-0108	3/4" x 3/8"	50/300
G235-0159	1" x 3/4"	25/150
G235-0160	1" x 1/2"	30/180
G235-0222	1-1/4" x 1"	20/80
G235-0223	1-1/4" x 3/4"	30/120
G235-0224	1-1/4" x 1/2"	35/140
G235-0303	1-1/2" x 1-1/4"	15/60
G235-0304	1-1/2" x 1"	20/80
G235-0305	1-1/2" x 3/4"	15/90
G235-0306	1-1/2" x 1/2"	25/100
G235-0398	2" x 1-1/2"	10/40
G235-0399	2" x 1-1/4"	10/40
G235-0400	2" x 1"	14/56
G235-0401	2" x 3/4"	15/60
G235-0532	2-1/2" x 1-1/2"	6/24
G235-0533	2-1/2" x 1-1/4"	6/40
G235-0662	3" x 2-1/2"	4/16
G235-0663	3" x 2"	6/18

## 90° Elbow, Banded

F x F



- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153



GALV. PART NO.	SIZE	CTN/MSTR
G235-0001	1/8"	50/600
G235-0002	1/4"	35/420
G235-0025	3/8"	45/540
G235-0050	1/2"	50/400
G235-0100	3/4"	35/210
G235-0150	1"	20/120
G235-0215	1-1/4"	20/80
G235-0295	1-1/2"	20/60
G235-0390	2"	8/32
G235-0520	2-1/2"	8/18
G235-0650	3"	7/14
G235-0860	4"	2/6
G235-1100	6"	1/2

## 90° Street Elbow, Banded

M x F



- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153



GALV. PART NO.	SIZE	CTN/MSTR
G254-0001	1/8"	60/720
G254-0002	1/4"	35/420
G254-0025	3/8"	40/480
G254-0050	1/2"	60/360
G254-0100	3/4"	35/210
G254-0150	1"	30/120
G254-0215	1-1/4"	25/75
G254-0295	1-1/2"	18/54
G254-0390	2"	10/30
G254-0520	2-1/2"	9/18
G254-0650	3"	1/14
G254-0860	4"	1/6

## 45° Elbow, Banded

F x F



- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153



GALV. PART NO.	SIZE	CTN/MSTR
G290-0001	1/8"	50/600
G290-0002	1/4"	30/360
G290-0025	3/8"	50/600
G290-0050	1/2"	50/400
G290-0100	3/4"	40/240
G290-0150	1"	20/120
G290-0215	1-1/4"	20/80
G290-0295	1-1/2"	15/60
G290-0390	2"	12/36
G290-0520	2-1/2"	1/27
G290-0650	3"	1/20
G290-0860	4"	1/6

## 45° Street Elbow, Banded

M x F



- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153



GALV. PART NO.	SIZE	CTN/MSTR
G295-0002	1/4"	40/480
G295-0050	1/2"	75/450
G295-0100	3/4"	40/240
G295-0150	1"	25/150
G295-0215	1-1/4"	20/80
G295-0295	1-1/2"	20/60
G295-0390	2"	12/36
G295-0650	3"	1/18

## Cross, Banded

F x F x F x F



- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153



GALV. PART NO.	SIZE	CTN/MSTR
G195-0002	1/4"	80/480
G195-0025	3/8"	50/300
G195-0050	1/2"	45/180
G195-0100	3/4"	30/120
G195-0150	1"	20/60
G195-0215	1-1/4"	20/40
G195-0295	1-1/2"	18/36
G195-0390	2"	10/20

## Floor Flange



- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153



GALV. PART NO.	SIZE	CTN/MSTR
G355-0025	3/8"	25/150
G355-0050	1/2"	25/100
G355-0100	3/4"	20/80
G355-0150	1"	20/60
G355-0215	1-1/4"	15/60
G355-0295	1-1/2"	12/48
G355-0390	2"	8/32

## Locknut/Backnut



- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153



GALV. PART NO.	SIZE	CTN/MSTR
G375-0002	1/4"	125/1500
G375-0050	1/2"	100/1200
G375-0150	1"	60/480
G375-0215	1-1/4"	60/360
G375-0295	1-1/2"	45/270
G375-0390	2"	25/150

## Street Tee, Banded

F x M x F



- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153



GALV. PART NO.	SIZE	CTN/MSTR
G486-0100	3/4"	25/150
G486-0150	1"	20/80

## Tee, Banded

F x F x F



- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153



GALV. PART NO.	SIZE	CTN/MSTR
G460-0001	1/8"	80/960
G460-0002	1/4"	50/600
G460-0025	3/8"	45/360
G460-0050	1/2"	40/240
G460-0100	3/4"	35/140
G460-0150	1"	20/80
G460-0215	1-1/4"	14/56
G460-0295	1-1/2"	15/45
G460-0390	2"	10/30
G460-0520	2-1/2"	8/16
G460-0650	3"	6/12
G460-0860	4"	2/6

## Reducing Tee, Banded

F x F x F



- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153



GALV. PART NO.	SIZE	CTN/MSTR
G460-0057	1/2" x 3/4"	30/180
G460-0058	1/2" x 3/8"	45/270
G460-0059	1/2" x 1/4"	50/300
G460-0106	3/4" x 1"	20/120
G460-0107	3/4" x 1/2"	45/180
G460-0108	3/4" x 3/8"	45/180
G460-0109	3/4" x 1/4"	50/200
G460-0116	3/4" x 1/2" x 1"	35/140
G460-0117	3/4" x 1/2" x 3/4"	40/160
G460-0118	3/4" x 1/2" x 1/2"	30/180
G460-0157	1" x 1-1/2"	15/60
G460-0159	1" x 3/4"	25/100
G460-0160	1" x 1/2"	30/120
G460-0162	1" x 1/4"	25/150
G460-0169	1" x 3/4" x 1"	15/90
G460-0170	1" x 3/4" x 3/4"	25/100
G460-0171	1" x 3/4" x 1/2"	25/120
G460-0180	1" x 1/2" x 1"	15/90
G460-0181	1" x 1/2" x 3/4"	30/120
G460-0182	1" x 1/2" x 1/2"	20/120
G460-0215	1-1/4" x 2"	14/56
G460-0221	1-1/4" x 1-1/2"	14/56
G460-0222	1-1/4" x 1"	16/64
G460-0223	1-1/4" x 3/4"	18/72
G460-0224	1-1/4" x 1/2"	20/80
G460-0234	1-1/4" x 1" x 1-1/4"	15/60
G460-0235	1-1/4" x 1" x 1"	18/72
G460-0236	1-1/4" x 1" x 3/4"	18/72
G460-0237	1-1/4" x 1" x 1/2"	18/72

## Reducing Tee, Banded (cont.)

GALV. PART NO.	SIZE	CTN/MSTR
G460-0245	1-1/4" x 3/4" x 1-1/4"	15/60
G460-0246	1-1/4" x 3/4" x 1"	20/80
G460-0247	1-1/4" x 3/4" x 3/4"	20/80
G460-0258	1-1/4" x 1/2" x 3/4"	25/50
G460-0303	1-1/2" x 1-1/4"	15/45
G460-0304	1-1/2" x 1"	13/52
G460-0305	1-1/2" x 3/4"	10/60
G460-0306	1-1/2" x 1/2"	18/72
G460-0315	1-1/2" x 1-1/4" x 1-1/2"	10/40
G460-0316	1-1/2" x 1-1/4" x 1-1/4"	12/48
G460-0317	1-1/2" x 1-1/4" x 1"	14/56
G460-0318	1-1/2" x 1-1/4" x 3/4"	16/64
G460-0319	1-1/2" x 1-1/4" x 1/2"	16/64
G460-0328	1-1/2" x 1" x 1-1/2"	14/56
G460-0330	1-1/2" x 1" x 1"	15/60
G460-0340	1-1/2" x 3/4" x 1-1/4"	15/60
G460-0350	1-1/2" x 1/2" x 1-1/2"	12/48
G460-0398	2" x 1-1/2"	16/32
G460-0399	2" x 1-1/4"	8/32
G460-0400	2" x 1"	12/36
G460-0401	2" x 3/4"	10/40
G460-0402	2" x 1/2"	10/40
G460-0414	2" x 1-1/2" x 1-1/2"	8/32
G460-0415	2" x 1-1/2" x 1-1/4"	8/32
G460-0416	2" x 1-1/2" x 1"	10/40
G460-0429	2" x 1-1/4" x 2"	13/26
G460-0430	2" x 1-1/4" x 1-1/2"	8/32
G460-0431	2" x 1-1/4" x 1-1/4"	12/36
G460-0444	2" x 1" x 2"	8/32
G460-0447	2" x 1" x 1"	12/48
G460-0470	2" x 1/2" x 2"	8/32
G460-0531	2-1/2" x 2"	4/16
G460-0532	2-1/2" x 1-1/2"	5/15
G460-0534	2-1/2" x 1"	12/24
G460-0536	2-1/2" x 1/2"	12/24
G460-0662	3" x 2-1/2"	6/12
G460-0663	3" x 2"	4/12
G460-0665	3" x 1-1/4"	4/12
G460-0666	3" x 1"	5/15
G460-0870	4" x 3"	2/6
G460-0872	4" x 2"	2/8



## Square Head Plug

M



- Cored
- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153



GALV. PART NO.	SIZE	CTN/MSTR
G396-0001	1/8"	300/3600
G396-0002	1/4"	150/1800
G396-0025	3/8"	100/1200
G396-0050	1/2"	50/600
G396-0100	3/4"	30/360
G396-0150	1"	20/240
G396-0215	1-1/4"	40/240
G396-0295	1-1/2"	30/180
G396-0390	2"	20/120
G396-0520	2-1/2"	8/64
G396-0650	3"	8/48
G396-0860	4"	8/16

## Union



- Brass to iron seat
- CSA approved
- UL listed
- FM approved
- NSF 61-4 and AB1953
- Meets ASTM A197, ASME B16.3, and ASTM A153



GALV. PART NO.	SIZE	CTN/MSTR
G657-0001	1/8"	30/360
G657-0002	1/4"	20/240
G657-0025	3/8"	20/240
G657-0050	1/2"	50/200
G657-0100	3/4"	35/140
G657-0150	1"	20/80
G657-0215	1-1/4"	15/60
G657-0295	1-1/2"	10/40
G657-0390	2"	6/24
G657-0520	2-1/2"	4/16
G657-0650	3"	7/14
G657-0860	4"	7/7

## Pipe Nipples



GALV. PART NO.	SIZE	CTN/MSTR
50100	1/8" x Close	25/400
50110	1/8" x 10"	25/200
50111	1/8" x 11"	25/200
50112	1/8" x 12"	25/200
50115	1/8" x 1-1/2"	25/400
50120	1/8" x 2"	25/400
50125	1/8" x 2-1/2"	25/400
50130	1/8" x 3"	25/400
50135	1/8" x 3-1/2"	25/400
50140	1/8" x 4"	25/400
50145	1/8" x 4-1/2"	25/400
50150	1/8" x 5"	25/400
50155	1/8" x 5-1/2"	25/400
50160	1/8" x 6"	25/400
50170	1/8" x 7"	25/200
50180	1/8" x 8"	25/200
50190	1/8" x 9"	25/200
50200	1/4" x Close	25/400
50210	1/4" x 10"	25/200
50211	1/4" x 11"	25/200
50212	1/4" x 12"	25/200
50215	1/4" x 1-1/2"	25/400
50220	1/4" x 2"	25/400
50225	1/4" x 2-1/2"	25/400
50230	1/4" x 3"	25/400
50235	1/4" x 3-1/2"	25/400
50240	1/4" x 4"	25/400
50245	1/4" x 4-1/2"	25/400
50250	1/4" x 5"	25/400
50255	1/4" x 5-1/2"	25/400
50260	1/4" x 6"	25/400
50270	1/4" x 7"	25/200
50280	1/4" x 8"	25/200
50290	1/4" x 9"	25/200
50300	3/8" x Close	25/400
50310	3/8" x 10"	25/100
50312	3/8" x 12"	25/100
50315	3/8" x 1-1/2"	25/400
50320	3/8" x 2"	25/400
50325	3/8" x 2-1/2"	25/400
50330	3/8" x 3"	25/400
50335	3/8" x 3-1/2"	25/400
50340	3/8" x 4"	25/400
50345	3/8" x 4-1/2"	25/400
50350	3/8" x 5"	25/300
50355	3/8" x 5-1/2"	25/300
50360	3/8" x 6"	25/300
50370	3/8" x 7"	25/150
50380	3/8" x 8"	25/150
50500	1/2" x Close	25/400
50510	1/2" x 10"	25/100
50511	1/2" x 11"	25/100
50512	1/2" x 12"	25/100
50515	1/2" x 1-1/2"	25/400
50520	1/2" x 2"	25/400
50525	1/2" x 2-1/2"	25/300
50530	1/2" x 3"	25/300
50535	1/2" x 3-1/2"	25/300
50540	1/2" x 4"	25/200
50545	1/2" x 4-1/2"	25/200
50550	1/2" x 5"	25/200
50555	1/2" x 5-1/2"	25/200
50560	1/2" x 6"	25/200
50570	1/2" x 7"	25/100

## Pipe Nipples (cont.)

GALV. PART NO.	SIZE	CTN/MSTR
50580	1/2" x 8"	25/100
50590	1/2" x 9"	25/100
50700	3/4" x Close	25/400
50710	3/4" x 10"	25/50
50711	3/4" x 11"	25/50
50712	3/4" x 12"	25/50
50715	3/4" x 1-1/2"	25/400
50720	3/4" x 2"	25/300
50725	3/4" x 2-1/2"	25/300
50730	3/4" x 3"	25/200
50735	3/4" x 3-1/2"	25/200
50740	3/4" x 4"	25/150
50745	3/4" x 4-1/2"	25/150
50750	3/4" x 5"	25/100
50755	3/4" x 5-1/2"	25/100
50760	3/4" x 6"	25/100
50770	3/4" x 7"	25/75
50775	3/4" x 7-1/2"	25/75
50780	3/4" x 8"	25/75
50790	3/4" x 9"	25/50
51000	1" x Close	25/200
51010	1" x 10"	25/50
51011	1" x 11"	25/50
51012	1" x 12"	25/50
51014	1" x 14"	5/25
51020	1" x 2"	25/200
51025	1" x 2-1/2"	25/150
51030	1" x 3"	25/150
51035	1" x 3-1/2"	25/100
51040	1" x 4"	25/100
51045	1" x 4-1/2"	25/100
51050	1" x 5"	25/75
51055	1" x 5-1/2"	25/75
51060	1" x 6"	25/50
51070	1" x 7"	25/50
51080	1" x 8"	25/50
51090	1" x 9"	25/50
51200	1-1/4" x Close	25/100
51210	1-1/4" x 10"	20/40
51211	1-1/4" x 11"	20/40
51212	1-1/4" x 12"	10/30
51220	1-1/4" x 2"	25/100
51225	1-1/4" x 2-1/2"	25/100
51230	1-1/4" x 3"	25/100
51235	1-1/4" x 3-1/2"	25/50
51240	1-1/4" x 4"	25/50
51245	1-1/4" x 4-1/2"	25/50
51250	1-1/4" x 5"	25/50
51255	1-1/4" x 5-1/2"	25/50
51260	1-1/4" x 6"	25/50
51270	1-1/4" x 7"	25/50
51280	1-1/4" x 8"	25/50
51290	1-1/4" x 9"	25/50
51500	1-1/2" x Close	25/100
51510	1-1/2" x 10"	15/30
51511	1-1/2" x 11"	15/30
51512	1-1/2" x 12"	15/30
51520	1-1/2" x 2"	25/100
51525	1-1/2" x 2-1/2"	25/50
51530	1-1/2" x 3"	25/50
51535	1-1/2" x 3-1/2"	25/50
51540	1-1/2" x 4"	25/50
51545	1-1/2" x 4-1/2"	25/50
51550	1-1/2" x 5"	25/50
51555	1-1/2" x 5-1/2"	25/50
51560	1-1/2" x 6"	25/50
51570	1-1/2" x 7"	20/40
51580	1-1/2" x 8"	20/40
51590	1-1/2" x 9"	10/20
52000	2" x Close	25/50
52010	2" x 10"	15/30
52011	2" x 11"	15/30

## Pipe Nipples (cont.)

GALV. PART NO.	SIZE	CTN/MSTR
52012	2" x 12"	15/30
52025	2" x 2-1/2"	25/50
52030	2" x 3"	25/50
52035	2" x 3-1/2"	25/50
52040	2" x 4"	25/50
52045	2" x 4-1/2"	25/50
52050	2" x 5"	25/50
52055	2" x 5-1/2"	25/50
52060	2" x 6"	25/50
52070	2" x 7"	20/20
52080	2" x 8"	20/20
52090	2" x 9"	20/20
52500	2-1/2" x Close	20/40
52510	2-1/2" x 10"	10/10
52511	2-1/2" x 11"	10/10
52512	2-1/2" x 12"	10/10
52530	2-1/2" x 3"	20/40
52535	2-1/2" x 3-1/2"	30/30
52540	2-1/2" x 4"	30/30
52545	2-1/2" x 4-1/2"	30/30
52550	2-1/2" x 5"	20/20
52555	2-1/2" x 5-1/2"	20/20
52560	2-1/2" x 6"	20/20
52570	2-1/2" x 7"	20/20
52580	2-1/2" x 8"	10/10
52590	2-1/2" x 9"	10/10
53000	3" x Close	30/30
53010	3" x 10"	5/5
53011	3" x 11"	5/5
53012	3" x 12"	5/5
53030	3" x 3"	20/20
53035	3" x 3-1/2"	15/15
53040	3" x 4"	15/15
53045	3" x 4-1/2"	15/15
53050	3" x 5"	15/15
53055	3" x 5-1/2"	15/15
53060	3" x 6"	10/10
53070	3" x 7"	7/7
53080	3" x 8"	7/7
53550	3-1/2" x 5"	8/8
54000	4" x Close	20/20
54010	4" x 10"	4/4
54011	4" x 11"	4/4
54012	4" x 12"	4/4
54035	4" x 3-1/2"	10/10
54040	4" x 4"	10/10
54045	4" x 4-1/2"	8/8
54050	4" x 5"	8/8
54055	4" x 5-1/2"	8/8
54060	4" x 6"	8/8
54070	4" x 7"	4/4
54080	4" x 8"	4/4
54090	4" x 9"	4/4
56000	6" x Close	1/4
56010	6" x 10"	1/3
56011	6" x 11"	1/3
56012	6" x 12"	3/3
56045	6" x 4-1/2"	1/2
56050	6" x 5"	1/5
56055	6" x 5-1/2"	1/2
56060	6" x 6"	1/2
56070	6" x 7"	1/4
56080	6" x 8"	1/4
56090	6" x 9"	1/4

**Installation Kit**

Kit includes:

Size	Close	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"
1/2"	1	1	1	1	1	1	1	1	1	1	1
3/4"	1	1	1	1	1	1	1	1	1	1	1
1"	1		1	1	1	1	1	1	1	1	1
1-1/4"	1		1	1	1	1	1	1	1	1	1
1-1/2"	1		1	1	1	1	1	1	1	1	1
2"	1			1	1	1	1	1	1	1	1

GALV. PART NO.	SIZE	CTN/MSTR
GI05	1/2"	1/1
GI07	3/4"	1/1
GI10	1"	1/1
GI12	1-1/4"	1/1
GI15	1-1/2"	1/1

**C-Assortment**

Assortment includes:

Size	Close	1-1/4"	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"
1/2"	4		3	3	3	2	2	2	1	2	1	2
3/4"	6			4	3	2	2	2	1	2	1	2
1"	5			5	3	2	2	2	1	2	1	2
1-1/4"	6			4	3	2	2	2	1	2	1	2
1-1/2"	5	1		5	3	2	2	2	1	2	1	2

GALV. PART NO.	SIZE	CTN/MSTR
CG05	1/2"	1/1
CG07	3/4"	1/1
CG10	1"	1/1

**A-Assortment**

Assortment includes:

Size	Close	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"
1/2"	20	10	15	10	10	5	10	5	5	5	5
3/4"	25		20	10	10	5	10	5	5	5	5
1"	15		12	5	12	3	12	3	5	3	5

GALV. PART NO.	SIZE	CTN/MSTR
AG05	1/2"	1/1
AG07	3/4"	1/1
AG10	1"	1/1

**6-Pack Assortment**

Assortment includes:

Size	Close	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"
1/2"	6	6	6	6	6	6	6	6	6	6	6
3/4"	6	6	6	6	6	6	6	6	6	6	6
1"	6		6	6	6	6	6	6	6	6	6

GALV. PART NO.	SIZE	CTN/MSTR
605G	1/2"	1/1
607G	3/4"	1/1
610G	1"	1/1

**Readycut Pipe**



GALV. PART NO.	SIZE	CTN/MSTR
301G0218	1/4"x18"	5/10
301G0224	1/4"x24"	5/10
301G0230	1/4"x30"	5/10
301G0236	1/4"x36"	5/10
301G0248	1/4"x48"	5/10
301G0260	1/4"x60"	5/10
301G0318	3/8"x18"	5/10
301G0324	3/8"x24"	5/10
301G0336	3/8"x36"	5/10
301G0348	3/8"x48"	5/10
301G0360	3/8"x60"	5/10
301G0518	1/2"x18"	5/10
301G0524	1/2"x24"	5/10
301G0530	1/2"x30"	5/10
301G0536	1/2"x36"	5/10
301G0542	1/2"x42"	5/10
301G0548	1/2"x48"	5/10
301G0560	1/2"x60"	5/10
301G0572	1/2"x72"	5/10
301G0718	3/4"x18"	5/10
301G0724	3/4"x24"	5/10
301G0730	3/4"x30"	5/10
301G0736	3/4"x36"	5/10
301G0742	3/4"x42"	5/10
301G0748	3/4"x48"	5/10
301G0754	3/4"x54"	5/10
301G0760	3/4"x60"	5/10
301G0772	3/4"x72"	5/10
301G1018	1"x18"	5/10
301G1024	1"x24"	5/10
301G1030	1"x30"	5/10
301G1036	1"x36"	5/10
301G1042	1"x42"	5/10
301G1048	1"x48"	5/10
301G1060	1"x60"	3/6
301G1072	1"x72"	3/6
301G1218	1-1/4"x18"	3/6
301G1220	1-1/4"x20"	3/6
301G1224	1-1/4"x24"	3/6
301G1230	1-1/4"x30"	3/6
301G1236	1-1/4"x36"	3/6
301G1242	1-1/4"x42"	3/6
301G1248	1-1/4"x48"	3/6
301G1260	1-1/4"x60"	3/6
301G1518	1-1/2"x18"	3/6
301G1524	1-1/2"x24"	3/6
301G1530	1-1/2"x30"	3/6
301G1536	1-1/2"x36"	3/6



## Readycut Pipe (cont.)

GALV. PART NO.	SIZE	CTN/MSTR
301G1548	1-1/2"x48"	3/6
301G1560	1-1/2"x60"	3/6
301G2018	2"x18"	3/6
301G2024	2"x24"	3/6
301G2030	2"x30"	3/6
301G2036	2"x36"	3/6
301G2048	2"x48"	3/6
301G2060	2"x60"	3/6
52524	2-1/2"x24"	3/6
301G3018	3"x18"	2/4
301G3024	3"x24"	2/4
301G4018	4"x18"	2/2
54024	4"x24"	2/2
301G4048	4"x48"	2/2

## Standard Merchant Coupling



GALV. PART NO.	SIZE	CTN/MSTR
M101	1/8"	100/600
M102	1/4"	100/500
M103	3/8"	100/300
M105	1/2"	100/250
M107	3/4"	50/150
M110	1"	30/100
M112	1-1/4"	25/70
M115	1-1/2"	25/60
M120	2"	20/40
M125	2-1/2"	10/20
M130	3"	10/10
M140	4"	10/5

## Copper Stub Out Elbow



- Connects to ASTM F1960 (Cold Expansion Style) PEX
- Closed end for pressure testing
- cUPC approved for use in USA and Canada
- ANSI/NSF 61 & ANSI/NSF 372 approved for drinking water



PART NO.	DESCRIPTION	CTN/MSTR
S71000	1/2" Cold Expansion PEX (F1960), 13" x 8"	1/50
S71001	1/2" Cold Expansion PEX (F1960), 4" x 8"	1/50
S71002	3/4" Cold Expansion PEX (F1960), 6" x 8"	1/25
S71003	1" Cold Expansion PEX (F1960), 6" x 12"	1/25



- Connects to ASTM 1870 (Crimp Style) PEX
- Closed end for pressure testing
- cUPC approved for use in USA and Canada
- ANSI/NSF 61 & ANSI/NSF 372 approved for drinking water



PART NO.	DESCRIPTION	CTN/MSTR
S72000	1/2" Crimp PEX (F1807), 3-1/2" x 6"	1/50
S72001	1/2" Crimp PEX (F1807), 3-1/4" x 8"	1/50
S72002	1/2" Crimp PEX (F1807), 3-1/2" x 12"	1/50
S72003	1/2" Crimp PEX (F1807), 13" x 8"	1/25
S72004	3/4" Crimp PEX (F1807), 4-1/2" x 8"	1/50
S72005	3/4" Crimp PEX (F1807), 4-1/2" x 12"	1/50
S72006	3/4" Crimp PEX (F1807), 13" x 6"	1/25
S72007	1" Crimp PEX (F1807), 6" x 8"	1/25
S72008	1" Crimp PEX (F1807), 6" x 12"	1/25



- Connects to CPVC tubing (Solvent Weld)
- Closed end for pressure testing
- cUPC approved for use in USA and Canada
- ANSI/NSF 61 & ANSI/NSF 372 approved for drinking water



PART NO.	DESCRIPTION	CTN/MSTR
S73000	1/2" CPVC, 3-1/2" x 12"	1/50
S73001	1/2" CPVC, 8" x 7"	1/50
S73002	3/4" CPVC, 6" x 8"	1/50
S73003	3/4" CPVC, 6" x 12"	1/25
S73004	1" CPVC, 11" x 10"	1/25

## Copper Stub Out Elbow with Mounting Flange



- Connects to ASTM F1960 (Cold Expansion Style) PEX
- Closed end for pressure testing
- Flange for nailing to a stud
- cUPC approved for use in USA and Canada
- ANSI/NSF 61 & ANSI/NSF 372 approved for drinking water



PART NO.	DESCRIPTION	CTN/MSTR
S71004	1/2" Cold Expansion PEX (F1960) Double, 7" x 8"	1/25
S71005	1/2" Cold Expansion PEX (F1960), 4" x 8"	1/25
S71006	3/4" Cold Expansion PEX (F1960), 6" x 8"	1/25
S71007	1" Cold Expansion PEX (F1960), 6" x 12"	1/25



- Connects to ASTM 1870 (Crimp Style) PEX
- Closed end for pressure testing
- Flange for nailing to a stud
- cUPC approved for use in USA and Canada
- ANSI/NSF 61 & ANSI/NSF 372 approved for drinking water



PART NO.	DESCRIPTION	CTN/MSTR
S72009	1/2" Crimp PEX (F1807), 4" x 12"	1/50
S72010	1/2" Crimp PEX (F1807), 3-1/2" x 6"	1/50
S72011	1/2" Crimp PEX (F1807), 3-1/2" x 8"	1/50
S72012	3/4" Crimp PEX (F1807), 4-1/2" x 8"	1/50
S72013	1" Crimp PEX (F1807), 6" x 8"	1/25



- Connects to CPVC tubing (Solvent Weld)
- Closed end for pressure testing
- Flange for nailing to a stud
- cUPC approved for use in USA and Canada
- ANSI/NSF 61 & ANSI/NSF 372 approved for drinking water



PART NO.	DESCRIPTION	CTN/MSTR
S73005	1/2" CPVC Socket, 3-1/2" x 8"	1/25
S73006	1" CPVC Socket, 11" x 10"	1/25

## Copper Stub Out Tub/Shower Valve Connector



- Connects to ASTM F1960 (Cold Expansion Style) PEX
- cUPC approved for use in USA and Canada
- ANSI/NSF 61 & ANSI/NSF 372 approved for drinking water



PART NO.	DESCRIPTION	CTN/MSTR
S71011	1/2" Cold Expansion PEX (F1960) x 1/2" Male Sweat Connection, 6"	1/50
S71012	1/2" Cold Expansion PEX (F1960) x 1/2" Male Swivel Pipe Thread Connection, 7"	1/50
S71013	1/2" Cold Expansion PEX (F1960) x 1/2" Female Swivel Pipe Thread Connection, 6"	1/50



- Connects to ASTM 1870 (Crimp Style) PEX
- cUPC approved for use in USA and Canada
- ANSI/NSF 61 & ANSI/NSF 372 approved for drinking water



PART NO.	DESCRIPTION	CTN/MSTR
S72020	1/2" Crimp PEX (F1807) x 1/2" Male Sweat Connection, 4"	1/50
S72021	1/2" Crimp PEX (F1807) x 1/2" Male Sweat Connection, 6"	1/50
S72022	1/2" Crimp PEX (F1807) x 1/2" Male Sweat Connection, 8"	1/50



- Connects to CPVC tubing (Solvent Weld)
- Closed end for pressure testing
- cUPC approved for use in USA and Canada
- ANSI/NSF 61 & ANSI/NSF 372 approved for drinking water



PART NO.	DESCRIPTION	CTN/MSTR
S73007	1/2" CPVC Socket x 1/2" Male Sweat Elbow, 6" x 2-1/4"	1/50
S73008	1/2" CPVC Socket x 1/2" Male Sweat Elbow, 8" x 2-1/4"	1/50

## Copper Stub Out Straight



- Connects to ASTM F1960 (Cold Expansion Style) PEX
- Closed end for pressure testing
- cUPC approved for use in USA and Canada
- ANSI/NSF 61 & ANSI/NSF 372 approved for drinking water



PART NO.	DESCRIPTION	CTN/MSTR
S71008	1/2" Cold Expansion PEX (F1960) Closed End, 8" long	1/50
S71009	1/2" Cold Expansion PEX (F1960) Closed End, 15" long	1/50



- Connects to ASTM 1870 (Crimp Style) PEX
- cUPC approved for use in USA and Canada
- ANSI/NSF 61 & ANSI/NSF 372 approved for drinking water



PART NO.	DESCRIPTION	CTN/MSTR
S72014	1/2" Crimp PEX (F1807), Closed End, 8" Long	1/50
S72015	1/2" Crimp PEX (F1807), Closed End, 12" Long	1/50
S72016	3/4" Crimp PEX (F1807), Closed End, 12" Long	1/50
S72018	1/2" Crimp PEX (F1807), Open End, 8" Long	1/50
S72019	1/2" Crimp PEX (F1807), Open End, 12" Long	1/50

## Copper Stub Out Straight with Mounting Flange



- Connects to ASTM F1960 (Cold Expansion Style) PEX
- Closed end for pressure testing
- Flange for nailing to a stud
- cUPC approved for use in USA and Canada
- ANSI/NSF 61 & ANSI/NSF 372 approved for drinking water



PART NO.	DESCRIPTION	CTN/MSTR
S71010	1/2" Crimp PEX (F1807), Closed End, 12" Long	1/50



- Connects to ASTM 1870 (Crimp Style) PEX
- Closed end for pressure testing
- Flange for nailing to a stud
- cUPC approved for use in USA and Canada
- ANSI/NSF 61 & ANSI/NSF 372 approved for drinking water



PART NO.	DESCRIPTION	CTN/MSTR
S72017	1/2" Crimp PEX (F1807), Closed End, 12" Long	1/50

## Compression Cap

Style 61C



PART NO.	TUBE SIZE	CTN/MSTR
C74001LF	1/4"	500/1000
C74002LF	3/8"	500/1000
C74147LF	1/2"	1/1
C74155LF	5/8"	1/1

## Compression Sleeve

Style 60



• CARTON QUANTITIES ONLY

PART NO.	TUBE SIZE	CTN/MSTR
C74003	1/8"	10/2000
C74004	3/16"	10/2000
C74005	1/4"	10/2000
C74006	5/16"	10/2000
C74007	3/8"	5/2000
C74008	1/2"	5/2000
C74009	5/8"	5/2000
C74010	3/4"	5/1000
C74011	7/8"	3/1005

## Compression Nut



PART NO.	TUBE SIZE	CTN/MSTR
C74012	1/8"	10/1000
C74013	3/16"	10/1000
C74014	1/4"	10/2000
C74015	5/16"	10/1000
C74016	3/8"	5/2000
C74152	7/16"	1/25
C74017	1/2"	5/1000
C74018	5/8"	5/1000
C74019	3/4"	5/400
C74020	7/8"	3/300

## Delrin Compression Sleeve

Style 60P



• CARTON QUANTITIES ONLY

PART NO.	TUBE SIZE	CTN/MSTR
C74096	1/4"	100/100
C74097	3/8"	100/100
C74098	1/2"	100/100
C74099	5/8"	50/50

## Compression Insert

Style 63P



- Lead Free
- CARTON QUANTITIES ONLY

PART NO.	TUBE SIZE	CTN/MSTR
C74100LF	1/4"	100/2000
C74101LF	3/8"	100/2000
C74102LF	1/2"	10/2000
C74103LF	5/8"	10/2000

## Compression Union

Style 62



• Lead Free

PART NO.	TUBE SIZE	CTN/MSTR
C74021LF	1/8"	10/300
C74022LF	3/16"	10/300
C74023LF	1/4"	10/500
C74025LF	3/8"	5/500
C74026LF	1/2"	100/400
C74027LF	5/8"	5/250
C74029LF	7/8"	3/102
C74030LF	3/8" x 1/4"	10/300
C74031LF	1/2" x 3/8"	5/300
C74032LF	5/8" x 3/8"	5/300
C74033LF	5/8" x 1/2"	5/300

## Compression Tee

Style 64



• Lead Free

PART NO.	TUBE SIZE	CTN/MSTR
C74034LF	1/4"	10/300
C74036LF	3/8"	5/300
C74037LF	3/8" x 3/8" x 1/4"	10/300
C74038LF	1/2"	50/200
C74039LF	5/8"	5/200

## Compression x FIP Branch Tee

Style 78



• Lead Free

PART NO.	TUBE x FIP	CTN/MSTR
C74091LF	3/8" x 1/8"	1/1

## Compression x Sweat Adapter

Style 666



• Lead Free

PART NO.	TUBE x OD	CTN/MSTR
C74093LF	3/8" x 5/8" (1/2" swt)	5/200

## Compression x FIP Connector

Style 66

• Lead Free



PART NO.	TUBE x FIP	CTN/MSTR
C74045LF	1/4" x 1/8"	10/200
C74046LF	1/4" x 1/4"	10/200
C74113LF	1/4" x 3/8"	10/200
C74114LF	1/4" x 1/2"	10/200
C74048LF	3/8" x 1/8"	200/800
C74049LF	3/8" x 1/4"	10/200
C74050LF	3/8" x 3/8"	5/200
C74051LF	3/8" x 1/2"	5/200
C74052LF	1/2" x 3/8"	100/400
C74053LF	1/2" x 1/2"	100/400
C74054LF	5/8" x 1/2"	5/200
C74118LF	5/8" x 3/4"	3/201
C74055LF	7/8" x 3/4"	3/201

## Compression x MIP Connector

Style 68

• Lead Free



PART NO.	TUBE x MIP	CTN/MSTR
C74121LF	1/8" x 1/8"	10/200
C74058LF	1/4" x 1/8"	10/200
C74059LF	1/4" x 1/4"	250/1000
C74060LF	1/4" x 3/8"	10/200
C74123LF	1/4" x 1/2"	10/200
C74063LF	3/8" x 1/8"	10/200
C74064LF	3/8" x 1/4"	10/200
C74065LF	3/8" x 3/8"	5/200
C74066LF	3/8" x 1/2"	5/200
C74067LF	3/8" x 3/4"	3/201
C74068LF	1/2" x 1/4"	5/200
C74069LF	1/2" x 3/8"	5/200
C74070LF	1/2" x 1/2"	5/200
C74146LF	5/8" x 3/8"	5/200
C74071LF	5/8" x 1/2"	5/200
C74072LF	5/8" x 3/4"	3/201
C74149LF	7/8" x 1/2"	3/120
C74073LF	7/8" x 3/4"	3/201

## Compression Elbow

Style 65

• Lead Free



PART NO.	TUBE SIZE	CTN/MSTR
C74040LF	1/4"	10/300
C74041LF	3/8"	5/300
C74042LF	1/2"	5/200
C74043LF	5/8"	5/200
C74044LF	5/8" x 3/8"	100/200
C74112LF	7/8"	50/100

## Compression x FIP Elbow

Style 70

• Lead Free



PART NO.	TUBE x FIP	CTN/MSTR
C74078LF	3/8" x 1/2"	5/200
C74131LF	1/2" x 3/8"	5/200

## Compression x MIP Elbow

Style 69

• Lead Free



PART NO.	TUBE x MIP	CTN/MSTR
C74081LF	1/4" x 1/8"	10/200
C74082LF	1/4" x 1/4"	10/200
C74135LF	1/4" x 3/8"	10/200
C74136LF	1/4" x 1/2"	10/200
C74085LF	3/8" x 1/4"	10/200
C74086LF	3/8" x 3/8"	5/200
C74087LF	3/8" x 1/2"	5/200
C74088LF	1/2" x 3/8"	5/200
C74089LF	1/2" x 1/2"	125/250
C74090LF	5/8" x 1/2"	100/200

## Pilot Line Breakaway Nut



• Lead Free

PART NO.	DESCRIPTION	CTN/MSTR
C74158LF	1/4" OD	10/200

## Red Brass Male Insert Adapter

• For flexible polyethylene plastic pipe  
• Lead free



PART NO.	SIZE	CTN/MSTR
I13001LF	1/2"	10/200
I13002LF	3/4"	10/200
I13003LF	1"	10/100
I13004LF	1 1/4"	10/100
I13005LF	1 1/2"	10/60
I13006LF	2"	5/40

## Red Brass Male Insert Reducer

• For flexible polyethylene plastic pipe  
• Lead free



PART NO.	INSERT x MPT	CTN/MSTR
I13007LF	1" x 3/4"	1/100

## Red Brass Female Insert Adapter

• For flexible polyethylene plastic pipe  
• Lead free



PART NO.	SIZE	CTN/MSTR
I13010LF	3/4"	10/100
I13011LF	1"	1/200
I13012LF	1-1/4"	1/100
I13013LF	1-1/2"	1/100

### Red Brass Insert x MIP 90° Elbow



- For flexible polyethylene plastic pipe
- Lead free

PART NO.	INSERT	MIP	CTN/MSTR
I13031LF	3/4"	3/4"	1/100
I13032LF	1"	3/4"	1/100
I13033LF	1"	1"	10/100

### Red Brass Insert x Sweat Adapter



- For flexible polyethylene plastic pipe
- Lead free

PART NO.	INSERT	SWEAT	CTN/MSTR
I13036LF	3/4"	3/4"	10/100
I13037LF	1"	1"	10/200

### Red Brass Insert Coupling



- For flexible polyethylene plastic pipe
- Lead free

PART NO.	SIZE	CTN/MSTR
I13016LF	3/4"	1/100
I13017LF	1"	1/100
I13018LF	1 1/4"	1/100
I13019LF	1 1/2"	1/100
I13020LF	2"	10/100

### Red Brass Insert Tee



- For flexible polyethylene plastic pipe
- Lead free

PART NO.	SIZE	CTN/MSTR
I13021LF	3/4"	1/100
I13022LF	1"	1/100
I13023LF	1 1/4"	10/50

### Red Brass Insert Elbow



- For flexible polyethylene plastic pipe
- Lead free

PART NO.	SIZE	CTN/MSTR
I13024LF	3/4"	1/100
I13025LF	1"	1/100
I13026LF	1 1/4"	1/50

### Red Brass Insert Male Rope Adapter



- For flexible polyethylene plastic pipe
- Lead free

PART NO.	SIZE	CTN/MSTR
I13027LF	1"	1/100
I13029LF	1"x 1 1/4"	1/100

### Brass PEX to PB (Polybutylene) Adapter



- Lead free

PART NO.	SIZE	CTN/MSTR
C76100LF	1/2"	25/500
C76101LF	3/4"	25/300

### Red Brass Pipe Nipples



- Meets ASTM B687
- Lead free

PART NO.	IPT	CTN/MSTR
N20000	1/8" x close	200/800
N20001	1/8" x 1-1/2"	200/800
N20002	1/8" x 2"	200/800
N20003	1/8" x 2-1/2"	200/800
N20004	1/8" x 3"	200/800
N20005	1/8" x 3-1/2"	100/400
N20006	1/8" x 4"	100/400
N20007	1/8" x 4-1/2"	100/400
N20008	1/8" x 5"	100/400
N20009	1/8" x 5-1/2"	100/400
N20010	1/8" x 6"	100/400
N20012	1/8" x 7"	1/400
N20014	1/8" x 8"	1/400
N21000	1/4" x close	150/600
N21001	1/4" x 1-1/2"	100/800
N21002	1/4" x 2"	100/800
N21003	1/4" x 2-1/2"	100/800
N21004	1/4" x 3"	50/400
N21005	1/4" x 3-1/2"	50/400
N21006	1/4" x 4"	50/200
N21007	1/4" x 4-1/2"	50/200
N21008	1/4" x 5"	40/320
N21009	1/4" x 5-1/2"	40/320
N21010	1/4" x 6"	40/320
N21014	1/4" x 8"	1/150
N21022	1/4" x 12"	1/100
N22000	3/8" x close	100/400
N22001	3/8" x 1-1/2"	100/400
N22002	3/8" x 2"	80/320
N22003	3/8" x 2-1/2"	80/320
N22004	3/8" x 3"	50/200
N22005	3/8" x 3-1/2"	40/320
N22006	3/8" x 4"	40/320
N22007	3/8" x 4-1/2"	35/280
N22008	3/8" x 5"	30/120
N22009	3/8" x 5-1/2"	30/120
N22010	3/8" x 6"	30/120
N22014	3/8" x 8"	1/160
N22018	3/8" x 10"	1/120
N22022	3/8" x 12"	1/110
N23000	1/2" x close	75/600
N23001	1/2" x 1-1/2"	60/480
N23002	1/2" x 2"	50/200
N23003	1/2" x 2-1/2"	35/280
N23004	1/2" x 3"	35/280
N23005	1/2" x 3-1/2"	25/100
N23006	1/2" x 4"	25/100
N23007	1/2" x 4-1/2"	25/100
N23008	1/2" x 5"	25/100



## Red Brass Pipe Nipples cont...

PART NO.	IPT	CTN/MSTR
N23009	1/2" x 5-1/2"	25/100
N23010	1/2" x 6"	25/100
N23012	1/2" x 7"	1/100
N23014	1/2" x 8"	1/100
N23016	1/2" x 9"	1/100
N23018	1/2" x 10"	1/100
N23020	1/2" x 11"	1/100
N23022	1/2" x 12"	1/100
N24000	3/4" x close	40/320
N24001	3/4" x 1-1/2"	30/240
N24002	3/4" x 2"	30/240
N24003	3/4" x 2-1/2"	25/200
N24004	3/4" x 3"	25/100
N24005	3/4" x 3-1/2"	35/140
N24006	3/4" x 4"	35/140
N24007	3/4" x 4-1/2"	30/120
N24008	3/4" x 5"	30/120
N24009	3/4" x 5-1/2"	25/100
N24010	3/4" x 6"	25/100
N24012	3/4" x 7"	1/65
N24014	3/4" x 8"	1/65
N24016	3/4" x 9"	1/45
N24018	3/4" x 10"	1/45
N24022	3/4" x 12"	1/45
N25000	1" x close	25/200
N25002	1" x 2"	25/200
N25003	1" x 2-1/2"	40/160
N25004	1" x 3"	40/160
N25005	1" x 3-1/2"	25/100
N25006	1" x 4"	25/100
N25007	1" x 4-1/2"	25/100
N25008	1" x 5"	20/80
N25009	1" x 5-1/2"	10/40
N25010	1" x 6"	10/40
N25012	1" x 7"	1/40
N25014	1" x 8"	1/40
N25016	1" x 9"	1/30
N25018	1" x 10"	1/30
N25022	1" x 12"	1/30
N27000	1-1/4" x close	25/100
N27002	1-1/4" x 2"	25/100
N27003	1-1/4" x 2-1/2"	10/80
N27004	1-1/4" x 3"	10/80
N27005	1-1/4" x 3-1/2"	1/40
N27006	1-1/4" x 4"	10/40
N27007	1-1/4" x 4-1/2"	10/40
N27008	1-1/4" x 5"	10/40
N27009	1-1/4" x 5-1/2"	10/40
N27010	1-1/4" x 6"	10/40
N27014	1-1/4" x 8"	1/25
N27016	1-1/4" x 9"	1/20

## Red Brass Pipe Nipples cont...

PART NO.	IPT	CTN/MSTR
N27018	1-1/4" x 10"	1/20
N27022	1-1/4" x 12"	1/20
N28000	1-1/2" x close	25/100
N28002	1-1/2" x 2"	20/80
N28003	1-1/2" x 2-1/2"	15/60
N28004	1-1/2" x 3"	15/60
N28005	1-1/2" x 3-1/2"	15/60
N28006	1-1/2" x 4"	15/60
N28007	1-1/2" x 4-1/2"	15/60
N28008	1-1/2" x 5"	10/40
N28009	1-1/2" x 5-1/2"	10/40
N28010	1-1/2" x 6"	10/40
N28014	1-1/2" x 8"	1/20
N28016	1-1/2" x 9"	1/15
N28018	1-1/2" x 10"	1/15
N28022	1-1/2" x 12"	1/15
N29000	2" x close	15/60
N29003	2" x 2-1/2"	10/40
N29004	2" x 3"	10/40
N29005	2" x 3-1/2"	10/40
N29006	2" x 4"	10/40
N29007	2" x 4-1/2"	10/40
N29008	2" x 5"	1/25
N29009	2" x 5-1/2"	1/25
N29010	2" x 6"	1/25
N29012	2" x 7"	1/10
N29014	2" x 8"	1/10
N29016	2" x 9"	1/10
N29018	2" x 10"	1/10
N29020	2" x 11"	1/10
N29022	2" x 12"	1/10
N30000	2-1/2" x close	1/40
N30004	2-1/2" x 3"	1/40
N30005	2-1/2" x 3-1/2"	1/20
N30006	2-1/2" x 4"	1/20
N30007	2-1/2" x 4-1/2"	1/20
N30008	2-1/2" x 5"	1/20
N30010	2-1/2" x 6"	1/20
N31000	3" x close	1/20
N31004	3" x 3"	1/20
N31005	3" x 3-1/2"	1/10
N31006	3" x 4"	1/10
N31008	3" x 5"	1/10
N31010	3" x 6"	1/10

### Yellow Brass 90° Elbow



PART NO.	IPT	CTN/MSTR
P20002	1/8"	1/1
P20004	1/4"	1/1
P20006	3/8"	1/1
P20008	1/2"	1/1

### Yellow Brass 90° Male Elbow



PART NO.	IPT	CTN/MSTR
P13986	1/2"	1/1

### Yellow Brass 90° Street Elbow



PART NO.	IPT	CTN/MSTR
P16002	1/8"	1/1
P16004	1/4"	1/1
P16006	3/8"	1/1
P16008	1/2"	1/1

### Yellow Brass 45° Elbow



PART NO.	IPT	CTN/MSTR
P10452	1/8"	1/1
P10454	1/4"	1/1

### Yellow Brass 45° Street Elbow



PART NO.	IPT	CTN/MSTR
P12402	1/8"	1/1
P12404	1/4"	1/1
P12408	1/2"	1/1

### Yellow Brass Tee



PART NO.	IPT	CTN/MSTR
P10012	1/8"	1/1
P10014	1/4"	1/1
P10016	3/8"	1/1
P10018	1/2"	1/1

### Yellow Brass Bell Reducer



PART NO.	IPT	CTN/MSTR
P19062	3/8" x 1/8"	1/1
P19082	1/2" x 1/8"	1/1
P19084	1/2" x 1/4"	1/1
P19086	1/2" x 3/8"	1/1
P19128	3/4" x 1/2"	1/1

### Yellow Brass Coupling



PART NO.	IPT	CTN/MSTR
P10032	1/8"	1/1
P10034	1/4"	1/1
P10036	3/8"	1/1
P10038	1/2"	1/1
P10312	3/4"	1/1

### Yellow Brass Cap



PART NO.	IPT	CTN/MSTR
P10082	1/8"	1/1
P10084	1/4"	1/1
P10086	3/8"	1/1
P10088	1/2"	1/1
P10812	3/4"	1/1

### Yellow Brass Square Head Plug



PART NO.	IPT	CTN/MSTR
P10092	1/8"	1/1
P10094	1/4"	1/1
P10096	3/8"	1/1
P10098	1/2"	1/1
P10912	3/4"	1/1

### Yellow Brass HEX Head Plug



PART NO.	IPT	CTN/MSTR
P12102	1/8"	1/1
P12104	1/4"	1/1
P12106	3/8"	1/1
P12108	1/2"	1/1
P12112	3/4"	1/1

## Yellow Brass Countersunk Plug



PART NO.	IPT	CTN/MSTR
P20092	1/8"	1/1
P20094	1/4"	1/1
P20096	3/8"	1/1
P20098	1/2"	1/1

## Yellow Brass Lock Nut



PART NO.	IPT	CTN/MSTR
P11102	1/8"	1/1
P11104	1/4"	1/1
P11106	3/8"	1/1
P11108	1/2"	1/1

## Yellow Brass HEX Bushing



PART NO.	IPT	CTN/MSTR
P11042	1/4" x 1/8"	1/1
P11062	3/8" x 1/8"	1/1
P11064	3/8" x 1/4"	1/1
P11082	1/2" x 1/8"	1/1
P11084	1/2" x 1/4"	1/1
P11086	1/2" x 3/8"	1/1
P11122	3/4" x 1/8"	1/1
P11124	3/4" x 1/4"	1/1
P11126	3/4" x 3/8"	1/1
P11128	3/4" x 1/2"	1/1

## Yellow Brass Face Bushing



PART NO.	IPT	CTN/MSTR
P11986	1/2" x 3/8"	1/1
P11928	3/4" x 1/2"	1/1

## Yellow Brass Close Nipple



PART NO.	IPT	CTN/MSTR
P11202	1/8"	1/1
P11204	1/4"	1/1
P11206	3/8"	1/1
P11208	1/2"	1/1

## Yellow Brass Long Nipple



PART NO.	IPT	CTN/MSTR
P13224	1/8" x 1-1/2"	1/1
P13232	1/8" x 2"	1/1
P13424	1/4" x 1-1/2"	1/1
P13432	1/4" x 2"	1/1
P13624	3/8" x 1-1/2"	1/1
P13632	3/8" x 2"	1/1

## Yellow Brass HEX Nipple



PART NO.	IPT	CTN/MSTR
P12202	1/8"	1/1
P12204	1/4"	1/1
P12206	3/8"	1/1
P12208	1/2"	1/1
P12212	3/4"	1/1
P12342	1/4" x 1/8"	1/1
P12362	3/8" x 1/8"	1/1
P12364	3/8" x 1/4"	1/1
P12386	1/2" x 3/8"	1/1
P12328	3/4" x 1/2"	1/1

## Male Hose To Male Pipe



PART NO.	MHT x MPT	CTN/MSTR
G20002	3/4" x 1/2"	20/200
G20003	3/4" x 3/4" (1/2" FIP tap)	20/200
G20004	3/4" x 1/2" (1/2" SWT)	50/200

## Male Hose To Male Pipe - Lead Free



PART NO.	MHT x MPT	CTN/MSTR
G20102	3/4" x 1/2"	1/40
G20103	3/4" x 3/4" (1/2" FIP tap)	50/200

## Male Hose To Male Hose



PART NO.	MHT x MHT	CTN/MSTR
G20008	3/4" x 3/4" (1/2" FIP tap)	20/200

## Male Hose To Male Hose - Lead Free



• Lead Free

PART NO.	MHT x MHT	CTN/MSTR
G20108	3/4" x 3/4" (1/2" FIP tap)	1/40



### Male Hose To Female Pipe



PART NO.	MHT x FPT	CTN/MSTR
G20010	3/4" x 1/2"	100/500
G20011	3/4" x 3/4"	20/200

### Female Hose To Female Hose Swivel - Lead Free



• Lead Free

PART NO.	FHT x FHT	CTN/MSTR
G20130	3/4" x 3/4"	1/40

### Male Hose To Female Pipe - Lead Free



• Lead Free

PART NO.	MHT x FPT	CTN/MSTR
G20110	3/4" x 1/2"	1/40
G20111	3/4" x 3/4"	1/40

### Female Hose To Female Pipe Swivel



PART NO.	FHT x FPT	CTN/MSTR
G20031	3/4" x 1/2"	20/200
G20032	3/4" x 3/4"	125/250

### Female Hose To Male Pipe



PART NO.	FHT x MPT	CTN/MSTR
G20005	3/4" x 1/2" (1/2" SWT)	10/300
G20015	3/4" x 1/2"	50/250
G20016	3/4" x 3/4"	50/250
G20017	3/4" x 3/4" (1/2" FIP tap)	10/300

### Female Hose To Female Pipe Swivel - Lead Free



• Lead Free

PART NO.	FHT x FPT	CTN/MSTR
G20131	3/4" x 1/2"	1/40
G20132	3/4" x 3/4"	1/40

### Female Hose To Male Pipe - Lead Free



• Lead Free

PART NO.	FHT x MPT	CTN/MSTR
G20115	3/4" x 1/2"	50/200
G20116	3/4" x 3/4"	1/40

### Hose Barb To Female Hose Swivel



• Lead Free

PART NO.	HB x FHT	CTN/MSTR
G20035	3/8" x 3/4"	10/400
G20036	1/2" x 3/4"	20/245
G20037	5/8" x 3/4"	10/400
G20038	3/4" x 3/4"	10/400

### Female Hose To Female Pipe



PART NO.	FHT x FPT	CTN/MSTR
G20020	3/4" x 1/2"	50/200
G20021	3/4" x 3/4"	50/200

### Hose Barb To Female Hose Swivel - Lead Free



• Lead Free

PART NO.	HB x FHT	CTN/MSTR
G20136	1/2" x 3/4"	50/200
G20137	5/8" x 3/4"	50/200
G20138	3/4" x 3/4"	50/200

### Female Hose To Female Pipe - Lead Free



• Lead Free

PART NO.	FHT x FPT	CTN/MSTR
G20120	3/4" x 1/2"	1/40
G20121	3/4" x 3/4"	1/40

### Hose Barb To Male Hose



PART NO.	HB x MHT	CTN/MSTR
G20040	3/8" x 3/4"	10/300
G20041	1/2" x 3/4"	50/200
G20042	5/8" x 3/4"	1/200
G20043	3/4" x 3/4"	50/200

### Female Hose To Female Hose Swivel



PART NO.	FHT x FHT	CTN/MSTR
G20030	3/4" x 3/4"	20/200

### Hose Barb To Male Hose - Lead Free



• Lead Free

PART NO.	HB x MHT	CTN/MSTR
G20141	1/2" x 3/4"	50/200
G20142	5/8" x 3/4"	50/200
G20143	3/4" x 3/4"	50/200

## Male Pipe To Female Hose Swivel



PART NO.	MPT x FHT	CTN/MSTR
G20045	1/4" x 3/4"	10/300
G20047	1/2" x 3/4"	50/200

## Hose WYE



PART NO.	DESCRIPTION	CTN/MSTR
G20050	3/4" x 3/4"	20/200

## Hose WYE - Lead Free



• Lead Free

PART NO.	DESCRIPTION	CTN/MSTR
G20150	3/4" x 3/4"	1/100

## Garden Hose Shut Off



• Buna-N seals

PART NO.	DESCRIPTION	CTN/MSTR
G20051	Dual shut off/ green ABS	16/192
G20053	Brass hose with shut off "wye"	15/60
G20054	CP die cast with shut off "wye"	20/100

## Garden Hose Cap



PART NO.	FHT	CTN/MSTR
G20055	3/4"	100/600
G20056	3/4" with chain	10/600

## Garden Hose Cap - Lead Free



• Lead Free

PART NO.	FHT	CTN/MSTR
G20155	3/4" with washer	1/500

## Garden Hose Washer



PART NO.	SIZE	CTN/MSTR
G20057	3/4" vinyl	1/5000
G20057R	3/4" red rubber	1/2500

## Garden Hose Filter Washer



PART NO.	SIZE	CTN/MSTR
G20060	3/4"	10/1000

## Evaporation Cooler Drain



PART NO.	MHT x FPT	CTN/MSTR
G20006	3/4" x 1/2"	25/200

## Oetiker PEX Stainless Steel Clamp



- The original patented PEX assembly clamp designated by ASTM F 2098
- Ingenious stepless design provides uniform compression for a 360° watertight seal
- Available for 3/8", 1/2", 3/4" and 1" ASTM F 876/877 pex tubing sizes
- Specified for use with ASTM F 1807 and F 2159 insert fittings

### TECHNICAL DATA

APPLICATION:  
PLUMBING & HYDRONIC  
HEATING  
HOT AND COLD WATER

MAXIMUM OPERATING  
TEMPERATURE: 180°F

MAXIMUM OPERATING  
PRESSURE (PSI): 100

MATERIAL: STAINLESS  
STEEL UNS S304000

PART NO.	SIZE	CTN/MSTR
C76074	3/8"	100/2000
C76075	1/2"	100/2000
C76076	3/4"	50/2000
C76077	1"	50/1000

## Economy Hose Bibb Vacuum Breaker



- Brass
- 3/4" hose thread
- Vandal-proof breakoff screw
- ASSE 1011

PART NO.	DESCRIPTION	CTN/MSTR
G04004	Economy	20/200
G04003LF	Economy - Lead Free	20/200

## Hose Barb To Male Pipe

• Barb refers to hose I.D.



PART NO.	BARB x MPT	CTN/MSTR
G25022	1/8" x 1/8"	10/100
G25032	3/16" x 1/8"	10/100
G25034	3/16" x 1/4"	10/100
G25042	1/4" x 1/8"	10/100
G25044	1/4" x 1/4"	10/100
G25046	1/4" x 3/8"	10/100
G25048	1/4" x 1/2"	10/100
G25052	5/16" x 1/8"	10/100
G25054	5/16" x 1/4"	10/100
G25056	5/16" x 3/8"	10/100
G25062	3/8" x 1/8"	10/100
G25064	3/8" x 1/4"	10/100
G25066	3/8" x 3/8"	10/100
G25068	3/8" x 1/2"	10/100
G25612	3/8" x 3/4"	10/100
G25084	1/2" x 1/4"	10/100
G25086	1/2" x 3/8"	10/100
G25088	1/2" x 1/2"	10/100
G25812	1/2" x 3/4"	10/100
G25106	5/8" x 3/8"	10/100
G25108	5/8" x 1/2"	10/100
G25101	5/8" x 3/4"	10/100
G25128	3/4" x 1/2"	10/100
G25121	3/4" x 3/4"	10/100
G25161	1" x 3/4"	10/100
G25169	1" x 1"	10/100

## Hose Barb To Female Pipe

• Barb refers to hose I.D.



PART NO.	BARB x FPT	CTN/MSTR
G26022	1/8" x 1/8"	10/100
G26032	3/16" x 1/8"	10/100
G26034	3/16" x 1/4"	10/100
G26042	1/4" x 1/8"	10/100
G26044	1/4" x 1/4"	10/100
G26046	1/4" x 3/8"	10/100
G26052	5/16" x 1/8"	10/100
G26054	5/16" x 1/4"	10/100
G26056	5/16" x 3/8"	10/100
G26062	3/8" x 1/8"	10/100
G26064	3/8" x 1/4"	10/100
G26066	3/8" x 3/8"	10/100
G26068	3/8" x 1/2"	10/100
G26084	1/2" x 1/4"	10/100
G26086	1/2" x 3/8"	10/100
G26088	1/2" x 1/2"	10/100
G26121	3/4" x 3/4"	10/100
G26161	1" x 3/4"	10/100

## Hose Barb To Male Pipe Elbow

• Barb refers to hose I.D.



PART NO.	BARB x MPT	CTN/MSTR
G27042	1/4" x 1/8"	10/100
G27044	1/4" x 1/4"	10/100
G27054	5/16" x 1/4"	10/100
G27062	3/8" x 1/8"	10/100
G27064	3/8" x 1/4"	10/100
G27066	3/8" x 3/8"	10/100
G27068	3/8" x 1/2"	10/100
G27084	1/2" x 1/4"	10/100
G27086	1/2" x 3/8"	10/100
G27088	1/2" x 1/2"	10/100
G27106	5/8" x 3/8"	10/100
G27108	5/8" x 1/2"	10/100

## Barb To Barb Hose Splicer

• Barb refers to hose I.D.



PART NO.	BARB	CTN/MSTR
G29003	3/16"	10/100
G29004	1/4"	10/100
G29005	5/16"	10/100
G29006	3/8"	10/100
G29008	1/2"	10/100
G29010	5/8"	10/100

## Hose Barb Tee

• Barb refers to hose I.D.



PART NO.	BARB x BARB X BARB	CTN/MSTR
G24004	1/4"	10/100
G24006	3/8"	10/100

## Hose Barb To Female Ball End Swivel

• Barb refers to hose I.D.



PART NO.	BARB x NPSM	CTN/MSTR
G28044	1/4" x 1/4"	10/100
G28066	3/8" x 3/8"	10/100
G28088	1/2" x 1/2"	10/100

**PlumBite® Push On Fittings**

- Joins copper, CPVC, PE-RT or PEX tubing
- No soldering, glue, heat or external tools required
- Max. Temp 180°F
- Max. Pressure 200 PSI
- Generous warranty
- NSF/ANSI 61, NSF 372, NSF 14, ASSE 1061, UPC and cUPC, and IAPMO Certified
- Lead free



Coupling (Bulk)		
PART NO.	SIZE	CTN/MSTR
C76500LF	1/2"	5/100
C76501LF	3/4"	5/100

Coupling (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77400LF	1/2"	6/60
C77401LF	3/4"	6/24
C77402LF	1"	4/24
C77403LF	1-1/4"	10/40
C77404LF	1-1/2"	3/18
C77405LF	2"	2/12



Reducer Coupling (Bulk)		
PART NO.	SIZE	CTN/MSTR
C76502LF	3/4" x 1/2"	15/60

Reducer Coupling (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77406LF	3/4" x 1/2"	6/24
C77407LF	1" x 3/4"	4/24
C77408LF	1/2" x 3/8"	4/24
C77409LF	1-1/4" x 1"	10/50
C77410LF	1/2" x 1/4"	4/24



Transition Coupling (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77411LF	3/4" Polybutylene	4/24
C77412LF	3/4" PVC	4/24



Repair Coupling (Bulk)		
PART NO.	SIZE	CTN/MSTR
C76530LF	1/2"	5/70
C76531LF	3/4"	5/70
C76532LF	1"	5/40

Repair Coupling with Removal Tool (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77470LF	1/2"	3/24
C77471LF	3/4"	3/24
C77472LF	1"	4/24



Adapter C x F (Bulk)		
PART NO.	SIZE	CTN/MSTR
C76503LF	1/2" x 1/2" FPT	10/100
C76504LF	3/4" x 3/4" FPT	20/60
C76553LF	1"x1" FPT	5/100

Adapter C x F (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77413LF	1/2" x 1/2" FPT	6/60
C77514LF	3/4" x 3/4" FPT	4/24
C77416LF	1"x1" FPT	4/24



Adapter (Bulk)		
PART NO.	SIZE	CTN/MSTR
C76505LF	1/2" x 1/2" MPT	10/200
C76506LF	3/4" x 3/4" MPT	5/100



Adapter (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77417LF	1/2" x 1/2" MPT	6/60
C77418LF	3/4" x 3/4" MPT	6/24
C77419LF	1" x 1" MPT	4/24

Male Adapter (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77420LF	1/2" x 3/4" MPT	4/24
C77421LF	3/8" x 1/2" MPT	4/24



Female Adapter (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77422LF	1/2" x 3/4" FPT	4/24
C77423LF	3/8" x 1/2" FPT	4/24



90° Elbow (Bulk)		
PART NO.	SIZE	CTN/MSTR
C76507LF	1/2"	10/150
C76508LF	3/4"	5/80



90° Elbow (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77425LF	1/2"	6/60
C77426LF	3/4"	4/24
C77427LF	1"	4/24
C77428LF	1-1/4"	5/25
C77429LF	1-1/2"	5/20
C77430LF	2"	3/12



Elbow C x F (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77431LF	1/2" x 1/2" FPT	4/24



Elbow C x M (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77432LF	1/2" x 1/2" MPT	4/24



Drop Ear 90° Elbow F x F (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77434LF	1/2"	6/24



Drop Ear 90° Elbow C x F (Bulk)		
PART NO.	SIZE	CTN/MSTR
C76509LF	1/2"	10/100



Tee (Bulk)		
PART NO.	SIZE	CTN/MSTR
C76510LF	1/2"	10/100
C76512LF	3/4" x 3/4" x 1/2"	5/50
C76513LF	3/4" x 1/2" x 3/4"	5/50
C76514LF	3/4" x 1/2" x 1/2"	5/50
C76511LF	3/4"	10/100

Tee (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77440LF	1/2"	6/24
C77444LF	3/4" x 3/4" x 1/2"	4/24
C77447LF	3/4" x 1/2" x 3/4"	4/24
C77443LF	3/4" x 1/2" x 1/2"	4/24
C77441LF	3/4"	4/24
C77442LF	1"	3/24
C77445LF	3/4" x 3/4" x 1/4"	10/60
C77446LF	3/4" x 3/4" x 1"	3/24



Cap (Bulk)		
PART NO.	SIZE	CTN/MSTR
C76515LF	1/2"	10/200
C76516LF	3/4"	5/150

Cap (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77450LF	1/2"	6/60
C77451LF	3/4"	4/24
C77452LF	1"	4/24
C77453LF	1-1/4"	10/60
C77454LF	1-1/2"	10/40
C77455LF	2"	5/25



Ball Valve (Bulk)		
PART NO.	SIZE	CTN/MSTR
C76561LF	1/2"	10/60
C76562LF	3/4"	10/40

Ball Valve (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77460LF	1/2"	10/100
C77461LF	3/4"	10/100
C77462LF	1"	5/50
C77463LF	1-1/4"	10/100
C77464LF	1-1/2"	10/100
C77465LF	2"	5/50



Check Valve (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77466LF	1/2"	20/120
C77467LF	3/4"	10/60



Thermostatic Mixing Valve (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77468LF	1/2"	1/24
C77469LF	3/4"	1/24



Supply Stop (Bulk)		
PART NO.	SIZE	CTN/MSTR
C76570LF	Straight 1/2" x 3/8"OD	1/120
C76571LF	Angle 1/2" x 3/8"OD	1/120

Supply Stop (Bagged)		
PART NO.	SIZE	CTN/MSTR
C77475LF	Straight 1/2" x 3/8"OD Comp	6/48
C77476LF	Straight 1/2" x 1/4"OD Comp	4/48
C77473LF	Angle 1/2" x 3/8"OD Comp	6/48
C77474LF	Angle 1/2" x 1/4"OD Comp	4/48



Water Heater Connector		
PART NO.	PF x FIP x LENGTH	CTN/MSTR
C76605LF	1/2" x 3/4" FIP x 12"	10/80
C76606LF	1/2" x 3/4" FIP x 15"	10/80
C76607LF	1/2" x 3/4" FIP x 18"	10/80
C76608LF	1/2" x 3/4" FIP x 24"	10/80
C76612LF	3/4" x 3/4" FIP x 12"	10/80
C76613LF	3/4" x 3/4" FIP x 15"	10/80
C77478LF	3/4" x 3/4" FIP x 18"	6/36
C76614LF	3/4" x 3/4" FIP x 18"	10/80
C77479LF	3/4" x 3/4" FIP x 24"	8/48
C76615LF	3/4" x 3/4" FIP x 24"	10/80
C76616LF	1/2" valve x 3/4" FIP x 18"	1/10
C76617LF	3/4" valve x 3/4" FIP x 18"	1/10



Water Heater Connector with Ball Valve		
• Lead Free		
PART NO.	SIZE	CTN/MSTR
C77477LF	3/4" x 3/4" FIP x 18"	5/30



Removal Tool Kit (Bagged)		
• Lead Free		
PART NO.	SIZE	CTN/MSTR
C77488LF	1/4" Through 1"	6/24



Removal Tool (Bulk)		
PART NO.	SIZE	CTN QTY
C76520	1/2"	1/500
C76521	3/4"	5/250
C76522	1"	5/200

Removal Tool (Bagged)		
PART NO.	SIZE	CTN QTY
C77482LF	1/2"	100/600
C77483LF	3/4"	60/360
C77480LF	1/4"	100/600
C77481LF	3/8"	100/600
C77484LF	1"	40/240



Large Removal Tool		
PART NO.	SIZE	CTN/MSTR
C77485LF	1-1/4"	10/100
C77486LF	1-1/2"	20/60
C77487LF	2"	5/100





• Lead Free

PART NO.	SIZE	CTN/MSTR
C76001LF	1/2"	100/1000
C76002LF	3/4"	50/500
C76003LF	1"	50/300
C76004LF	3/4" x 1/2"	50/500
C76005LF	1" x 3/4"	25/250

**Brass PEX 90° Elbow**



• Lead Free

PART NO.	SIZE	CTN/MSTR
C76008LF	1/2"	100/500
C76009LF	3/4"	50/250
C76010LF	1"	25/100

**Brass PEX x MIP 90° Elbow**



• Lead Free

PART NO.	SIZE	CTN/MSTR
C76013LF	1/2" x 1/2"	25/100

**Brass PEX Equal Tee**



• Lead Free

PART NO.	SIZE	CTN/MSTR
C76014LF	1/2"	50/500
C76015LF	3/4"	50/250
C76016LF	1"	25/100

**Brass PEX Tee**



• Lead Free

PART NO.	SIZE	CTN/MSTR
C76017LF	1/2" x 1/2" x 3/4"	50/250
C76018LF	3/4" x 1/2" x 1/2"	50/250
C76019LF	3/4" x 1/2" x 3/4"	25/250
C76020LF	3/4" x 3/4" x 1/2"	25/250
C76021LF	1" x 3/4" x 3/4"	25/100
C76022LF	1" x 1" x 1/2"	25/100
C76023LF	1" x 1" x 3/4"	25/100

**Brass PEX x Female Sweat Adapter**



• Lead Free

PART NO.	PEX x FSW	CTN/MSTR
C76027LF	1/2" x 1/2"	100/500
C76028LF	3/4" x 3/4"	50/250
C76029LF	1/2" x 3/4"	25/250
C76030LF	1" x 1"	25/200

**Brass PEX x Male Adapter**



• Lead Free

PART NO.	PEX x MIP	CTN/MSTR
C76034LF	1/2" x 1/2"	25/400
C76035LF	1/2" x 3/4"	25/200
C76036LF	3/4" x 3/4"	50/250
C76037LF	1" x 1"	50/250
C76038LF	1" x 3/4"	25/100

**Brass PEX x FIP Female Adapter**



• Lead Free

PART NO.	PEX x FIP	CTN/MSTR
C76041LF	1/2" x 1/2"	50/250
C76042LF	1/2" x 3/4"	50/200
C76043LF	3/4" x 3/4"	25/200
C76044LF	1" x 1"	25/250

**Brass PEX x Male Sweat Adapter**



• Lead Free

PART NO.	PEX x MALE	CTN/MSTR
C76047LF	3/8" x 1/2"	50/500
C76048LF	1/2" x 1/2"	50/500
C76049LF	1/2" x 3/4"	25/100
C76050LF	3/4" x 3/4"	50/250
C76051LF	1" x 1"	25/100

**Brass PEX x FIP 90° Elbow with Swivel Plastic Nut**



• Lead Free

PART NO.	PEX x FIP	CTN/MSTR
C76060LF	1/2" x 1/2"	50/200

**Brass PEX Ball Valve**



• Lead Free

PART NO.	PEX x PEX	CTN/MSTR
B63050LF	1/2"	10/100
B63075LF	3/4"	10/100
B63100LF	1"	6/48

**Brass PEX Plug**



• Lead Free

PART NO.	PEX x FIP	CTN/MSTR
C76065LF	1/2"	100/1000
C76066LF	3/4"	100/500
C76067LF	1"	25/250

### Brass PEX Crimp Ring



PART NO.	PEX x FIP	CTN/MSTR
C76070	3/8"	100/2000
C76071	1/2"	100/2000
C76072	3/4"	100/1000
C76073	1"	100/1000

### Brass PEX x FIP Drop Ear 90° Elbow



• Lead Free

PART NO.	PEX x FIP	EARS	CTN/MSTR
C76080LF	1/2" x 1/2"	2	25/200
C76081LF	3/4" x 1/2"	2	25/200
C76079LF	1/2" x 1/2"	3	25/200

### Oetiker PEX Stainless Steel Clamp



- The original patented PEX assembly clamp designed by ASTM F 2098
- Ingenious stepless design provides uniform compression for a 360° watertight seal
- Available for 3/8", 1/2", 3/4" and 1" ASTM F 876/877 pex tubing sizes
- Specified for use with ASTM F 1807 and F 2159 insert fittings

**TECHNICAL DATA**

APPLICATION:  
PLUMBING & HYDRONIC  
HEATING  
HOT AND COLD WATER

MAXIMUM OPERATING  
TEMPERATURE: 180°F

MAXIMUM OPERATING  
PRESSURE (PSI): 100

MATERIAL: STAINLESS  
STEEL UNS S304000

PART NO.	SIZE	CTN/MSTR
C76074	3/8"	100/2000
C76075	1/2"	100/2000
C76076	3/4"	50/2000
C76077	1"	50/1000

### Black Plastic PEX Elbow



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead free

WHITE PEX	BLACK PEX	SIZE	CTN/MSTR
C76702	C76751	1/2"	50/500
C76703	C76752	3/4"	50/350
C76720	C76753	1"	50/150

### Plastic PEX Equal Tee



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead free

WHITE PEX	BLACK PEX	SIZE	CTN/MSTR
C76700	C76762	1/2"	50/400
C76701	C76763	3/4"	50/200
—	C76773	1"	50/200

### Black Plastic PEX Reducing Tee



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead free

WHITE PEX	BLACK PEX	SIZE	CTN/MSTR
C76709	C76764	1/2" x 1/2" x 3/4"	25/300
C76710	C76765	3/4" x 1/2" x 1/2"	25/300
C76711	C76766	3/4" x 1/2" x 3/4"	25/300
C76712	C76767	3/4" x 3/4" x 1/2"	25/300
—	C76774	3/4" x 3/4" x 1"	25/300
—	C76772	1" x 3/4" x 3/4"	25/300
—	C76776	1" x 3/4" x 1"	25/300
—	C76770	1" x 1" x 1/2"	25/300
—	C76775	1" x 1" x 3/4"	25/300

### Black Plastic PEX Coupling



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead free

WHITE PEX	BLACK PEX	SIZE	CTN/MSTR
C76704	C76754	1/2"	50/1000
C76705	C76755	3/4"	50/600
C76706	C76756	3/4" x 1/2"	50/600
C76722	C76757	1"	50/200
C76723	C76758	1" x 3/4"	50/300

### Black Plastic PEX Adapter



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead free

WHITE PEX	BLACK PEX	PEX x MPT	CTN/MSTR
C76707	C76759	1/2" x 1/2"	25/500
C76708	C76760	3/4" x 3/4"	25/300
C76727	C76761	1" x 1"	25/150

### Black Plastic PEX Plug



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead free

WHITE PEX	BLACK PEX	SIZE	CTN/MSTR
C76740	C76768	1/2"	100/2000
C76741	C76769	3/4"	100/1000
—	C76771	1"	100/1000

## Brass Ball Valve

- Full-port design
- Forged brass body up to 4"
- Chrome plated brass ball
- Adjustable packing nut
- Non-sticking teflon seats
- 1/4 turn zinc plated steel handle
- 600 PSI, WOG (water, oil, gas)
- Working steam pressure: 150 PSI
- Blowout-proof stem
- Teflon packing for safety against leakage
- UPC listed
- Lead free



### Threaded

PART NO.	SIZE	CTN/MSTR
B67200	3/8"	20/100
B67201	1/2"	50/100
B67202	3/4"	30/60
B67203	1"	20/40
B67204	1-1/4"	12/24
B67205	1-1/2"	9/18
B67206	2"	6/12



### Sweat

PART NO.	SIZE	CTN/MSTR
B67208	1/2"	50/100
B67209	3/4"	30/60
B67210	1"	20/40
B67211	1-1/4"	12/24
B67212	1-1/2"	9/18
B67213	2"	6/12

## PVC Ball Valve Solvent Ends

- One piece body construction
- Standard port
- EPDM seats and o-rings
- Working pressure 150 PSI at 73°F
- Quarter turn operation
- Not for compressed air
- Ideal for swimming pools, irrigation and water supply uses
- Solvent ends comply with ASTM D 2466
- Threaded ends comply with ANSI B2.1
- For cold water lines
- Large flow opening



PART NO.	SIZE	CTN/MSTR
B90050	1/2"	1/162
B90075	3/4"	1/80
B90100	1"	1/84
B90125	1-1/4"	1/50
B90150	1-1/2"	1/50
B90200	2"	1/24
B90250	2-1/2"	1/15
B90300	3"	1/2
B90400	4"	1/1

## PVC Ball Valve with Threaded Ends

- One-piece body construction
- Standard port
- EPDM seats and o-rings
- Working pressure 150 PSI at 73°F
- Quarter turn operation
- Not for compressed air
- Ideal for swimming pools, irrigation and water supply uses
- Solvent ends comply with ASTM D 2466
- Threaded ends comply with ANSI B2.1
- For cold water lines
- Large flow opening



PART NO.	SIZE	CTN/MSTR
B91050	1/2"	1/162
B91075	3/4"	25/100
B91100	1"	1/84
B91125	1-1/4"	1/60
B91150	1-1/2"	1/40
B91200	2"	6/24
B91250	2-1/2"	1/16
B91300	3"	1/10
B91400	4"	1/1

## Inline PVC Check Valve



- Stainless steel spring
- EPDM seats
- Maintenance-free operation
- .5 PSI required to open unit
- 200 PSI static pressure rating at 77°F
- Use anywhere to stop backflow and siphoning
- Suitable for swimming pools, hot tubs, spas and solar installations

PART NO.	SIZE	CTN/MSTR
C30050	1/2"	30/120
C30075	3/4"	30/120
C30100	1"	16/64
C30125	1-1/4"	12/48
C30150	1-1/2"	8/32
C30200	2"	4/16

### Threaded Ends

PART NO.	SIZE	CTN/MSTR
C31050	1/2"	30/120
C31075	3/4"	30/120
C31100	1"	16/64
C31125	1-1/4"	12/48
C31150	1-1/2"	8/32
C31200	2"	4/16



**“68” Series Stainless Steel Gear Clamp**



- 9/16" band
- All stainless, 300 grade construction
- Ideal for well drilling and applications requiring marine grade stainless clamps
- Made in USA
- CARTON QUANTITIES ONLY

MADE IN THE  
**USA**

PART NO.	TRADE SIZE	SIZE	CTN/MSTR
G14006	6	3/8" - 7/8"	10/200
G14008	8	7/16" - 1"	10/200
G14010	10	1/2" - 1-1/16"	10/500
G14012	12	1/2" - 1-1/4"	10/500
G14016	16	11/16" - 1-1/2"	10/500
G14020	20	3/4" - 1-3/4"	10/500
G14024	24	1" - 2"	10/500
G14028	28	1-1/4" - 2-1/4"	10/500
G14032	32	1-1/2" - 2-1/2"	10/500
G14036	36	1-3/4" - 2-3/4"	10/200
G14040	40	1-1/8" - 3"	10/200
G14044	44	2-1/4" - 3-1/4"	10/200
G14048	48	1-5/8" - 3-1/2"	10/200
G14052	52	1-7/8" - 3-3/4"	10/100
G14056	56	2-1/8" - 4"	10/100
G14064	64	2-1/2" - 4-1/2"	10/100
G14072	72	3" - 5"	10/100
G14080	80	3-1/2" - 5-1/2"	10/100
G14088	88	4" - 6"	10/100
G14096	96	4-1/2" - 6-1/2"	10/100
G14104	104	5" - 7"	10/100

**Stainless Steel Gear Clamp**



- 1/2" band
- All stainless
- Hanging bag
- CARTON QUANTITIES ONLY

PART NO.	TRADE SIZE	SIZE	CTN/MSTR
G16006	6	3/8" - 7/8"	200/2000
G16008	8	7/16" - 1"	100/1000
G16010	10	1/2" - 1-1/16"	100/1000
G16012	12	1/2" - 1-1/4"	100/1000
G16016	16	5/8" - 1-1/2"	100/1000
G16020	20	3/4" - 1-3/4"	100/1000
G16024	24	1" - 2"	100/1000
G16028	28	1-3/8" - 2-1/4"	100/1000
G16032	32	1-5/8" - 2-1/2"	100/1000
G16036	36	1-7/8" - 2-3/4"	100/1000
G16040	40	2" - 3"	100/500
G16044	44	2-1/4" - 3-1/4"	100/500
G16048	48	2-5/8" - 3-1/2"	100/500
G16052	52	2-7/8" - 3-3/4"	100/500
G16056	56	3" - 4"	100/500
G16064	64	2-1/2" - 4-1/2"	100/500
G16072	72	3" - 5"	100/500
G16080	80	3-1/2" - 5-1/2"	50/250
G16088	88	4" - 6"	50/250
G16096	96	4-1/2" - 6-1/2"	50/250
G16104	104	5" - 7"	50/250

**Asbestos-Free Full Face Gasket**



- Meets ASTM F152, F36A and F146
- 1/16" thick
- Temperature rating of 750°F
- Manufactured of Garlock 4401

PART NO.	SIZE	LBS.	CTN/MSTR
G54075	3/4"	150	1/1
G54001	1"	150	1/1
G54013	1-1/4"	150	1/1
G54015	1-1/2"	150	1/1
G54002	2"	150	1/1
G54025	2-1/2"	150	1/1
G54003	3"	150	1/1
G54035	3-1/2"	150	1/1
G54004	4"	150	1/1
G54005	5"	150	1/1
G54006	6"	150	1/1
G54008	8"	150	1/1
G54010	10"	150	1/1
G54012	12"	150	1/1

**Asbestos-Free Ring Gasket**



- Meets ASTM F152, F36A and F146
- 1/16" thick
- Temperature rating of 750°F
- Manufactured of Garlock 4401

PART NO.	SIZE	LBS.	CTN/MSTR
G53050	1/2"	150	1/1
G53075	3/4"	150	1/1
G53001	1"	150	1/1
G53013	1-1/4"	150	1/1
G53015	1-1/2"	150	1/1
G53002	2"	150	1/1
G53025	2-1/2"	150	1/1
G53003	3"	150	1/1
G53035	3-1/2"	150	1/1
G53004	4"	150	1/1
G53005	5"	150	1/1
G53006	6"	150	1/1
G53008	8"	150	1/1
G53010	10"	150	1/1
G53012	12"	150	1/1

**Red Rubber Full Face Gasket**



- Meets ASTM D1330
- 1/16" thick
- Temperature rating of 350° F

PART NO.	SIZE	LBS.	CTN/MSTR
G51050	1/2"	150	1/1
G51075	3/4"	150	1/1
G51001	1"	150	1/1
G51013	1-1/4"	150	1/1
G51015	1-1/2"	150	1/1
G51002	2"	150	1/1
G51025	2-1/2"	150	1/1
G51003	3"	150	1/1
G51035	3-1/2"	150	1/1
G51004	4"	150	1/1
G51005	5"	150	1/1
G51006	6"	150	1/1
G51008	8"	150	1/1
G51010	10"	150	1/1
G51012	12"	150	1/1

## Red Rubber Ring Gasket



- Meets ASTM D1330
- 1/16" thick
- Temperature rating of 350° F

PART NO.	SIZE	LBS.	CTN/MSTR
G52075	3/4"	150	1/1
G52001	1"	150	1/1
G52013	1-1/4"	150	1/1
G52015	1-1/2"	150	1/1
G52002	2"	150	1/1
G52025	2-1/2"	150	1/1
G52003	3"	150	1/1
G52035	3-1/2"	150	1/1
G52004	4"	150	1/1
G52005	5"	150	1/1
G52006	6"	150	1/1
G52008	8"	150	1/1
G52010	10"	150	1/1
G52012	12"	150	1/1

## Asbestos-Free Full Face Gasket Kit



- Meets ASTM F152, F36A and F146
- Gaskets are 1/16" thick
- ASTM A307 hex bolts and heavy hex nuts
- Constructed of Garlock 4401

PART NO.	SIZE	BOLT SIZE	BOLTS/KIT	CTN/MSTR
G54115	1-1/2"	1/2" x 2-1/4"	4	1/1
G54102	2"	5/8" x 2-3/4"	4	1/1
G54125	2-1/2"	5/8" x 3"	4	1/1
G54103	3"	5/8" x 3"	4	1/1
G54104	4"	5/8" x 3"	8	1/1
G54105	5"	3/4" x 3-1/4"	8	1/1
G54106	6"	3/4" x 3-1/4"	8	1/1
G54108	8"	3/4" x 3-1/2"	8	1/1
G54110	10"	7/8" x 3-3/4"	12	1/1
G54112	12"	7/8" x 4"	12	1/1

## Asbestos-Free Ring Gasket Kit



- Meets ASTM F152, F36A and F146
- Gaskets are 1/16" thick
- ASTM A307 hex bolts and heavy hex nuts
- Constructed of Garlock 4401

PART NO.	SIZE	BOLT SIZE	BOLTS/KIT	CTN/MSTR
G53101	1"	1/2" x 2"	4	1/1
G53113	1-1/4"	1/2" x 2-1/4"	4	1/1
G53115	1-1/2"	1/2" x 2-1/4"	4	1/1
G53102	2"	5/8" x 2-3/4"	4	1/1
G53125	2-1/2"	5/8" x 3"	4	1/1
G53103	3"	5/8" x 3"	4	1/1
G53104	4"	5/8" x 3"	8	1/1
G53105	5"	3/4" x 3-1/4"	8	1/1
G53106	6"	3/4" x 3-1/4"	8	1/1
G53108	8"	3/4" x 3-1/2"	8	1/1
G53110	10"	7/8" x 3-3/4"	12	1/1

## Red Rubber Full Face Gasket Kit



- Meets ASTM D1330
- Gaskets are 1/16" thick
- ASTM A307 hex bolts and heavy hex nuts

PART NO.	SIZE	BOLT SIZE	BOLTS/KIT	CTN/MSTR
G51101	1"	1/8" x 2-3/8"	4	1/1
G51102	2"	5/8" x 2-3/4"	4	1/1
G51125	2-1/2"	5/8" x 3"	4	1/1
G51103	3"	5/8" x 3"	4	1/1
G51135	3-1/2"	5/8" x 3"	8	1/1
G51104	4"	5/8" x 3"	8	1/1
G51105	5"	3/4" x 3-1/4"	8	1/1
G51106	6"	3/4" x 3-1/4"	8	1/1
G51108	8"	3/4" x 3-1/2"	8	1/1
G51110	10"	7/8" x 3-3/4"	12	1/1
G51112	12"	7/8" x 4"	12	1/1

## Red Rubber Ring Gasket Kit



- Meets ASTM D1330
- Gaskets are 1/16" thick
- ASTM A307 hex bolts and heavy hex nuts

PART NO.	SIZE	BOLT SIZE	BOLTS/KIT	CTN/MSTR
G52115	1-1/2"	1/2" x 2-1/4"	4	1/1
G52102	2"	5/8" x 2-3/4"	4	1/1
G52125	2-1/2"	5/8" x 3"	4	1/1
G52103	3"	5/8" x 3"	4	1/1
G52104	4"	5/8" x 3"	8	1/1
G52105	5"	3/4" x 3-1/4"	8	1/1
G52106	6"	3/4" x 3-1/4"	8	1/1
G52108	8"	3/4" x 3-1/2"	8	1/1
G52110	10"	7/8" x 3-3/4"	12	1/1

## Insulation Kit with Poly Sleeves



- Use with flange connection kits
- To form dielectric connection use fiber washers

PART NO.	SIZE	#SLEEVES	#WASHERS	CTN/MSTR
G55150	1-1/2"	4	8	1/1
G55200	2"	4	8	1/1
G55250	2-1/2"	4	8	1/1
G55300	3"	4	8	1/1
G55350	4"	8	16	1/1
G55400	5"	8	16	1/1
G55450	6"	8	16	1/1
G55500	8"	8	16	1/1
G55550	10"	12	24	1/1
G55600	12"	12	24	1/1

## Asbestos-Free Ring Gasket Kit with Insulation Kit



- Meets ASTM F152, F36A and F146
- Gaskets are 1/16" thick
- Temperature rating of 750°F
- Manufactured of Garlock 4401
- To form dielectric connection use fiber washers

PART NO.	SIZE	BOLT SIZE	BOLTS/KIT	CTN/MSTR
G53203	3"	5/8" x 3"	4	1/1
G53204	4"	5/8" x 3"	8	1/1
G53206	6"	3/4" x 3-1/4"	8	1/1
G53215	1-1/2"	1/2" x 2-1/4"	4	1/1
G53225	2-1/2"	5/8" x 3"	4	1/1

### Asbestos-Free Full Face Gasket Kit wth Insulation Kit



- Meets ASTM F152, F36A and F146
- Gaskets are 1/16" thick
- Temperature rating of 750°F
- Manufactured of Garlock 4401
- To form dielectric connection use fiber washers

PART NO.	SIZE	BOLT SIZE	BOLTS/KIT	CTN/MSTR
G54215	1-1/2"	1/2" x 2-1/4"	4	1/1
G54202	2"	5/8" x 2-3/4"	4	1/1
G54225	2-1/2"	5/8" x 3"	4	1/1
G54203	3"	5/8" x 3"	4	1/1
G54204	4"	5/8" x 3"	8	1/1
G54205	5"	3/4" x 3-1/4"	8	1/1
G54206	6"	3/4" x 3-1/4"	8	1/1
G54208	8"	3/4" x 3-1/2"	8	1/1
G54210	10"	7/8" x 3-3/4"	12	1/1
G54212	12"	7/8" x 4"	12	1/1

### Red Rubber Sheet Packing/Gasket Material



- Priced per roll (approximately 100 pounds)
- FULL ROLLS ONLY

PART NO.	SIZE	CTN/MSTR
G55016	1/16"x 36"x 60'	1/1
G55018	1/8"x 36"x 30'	1/1
G55014	1/4"x 36"x 15'	1/1

### Red Rubber Sheet Packing/Gasket Material



- Single 3'x 5' sheet

PART NO.	MATERIAL	THICKNESS	CTN/MSTR
G55116	Red Rubber (1 sheet)	1/16"	1/1
G55118	Red Rubber (1 sheet)	1/8"	1/1

### Gasket and Washer Materials



- Make your own gaskets and washers
- 6"x 6" square in hanging display bag

PART NO.	MATERIAL	THICKNESS	CTN/MSTR
G55001	Red Rubber (1 sheet)	1/16"	1/1
G55002	Black Fiber (1 sheet)	1/32"	1/1
G55003	Cork/Rubber (1 sheet)	1/16"	1/1
G55004	Combo (1 sheet of each)	—	1/1

### Circulator Flange Gasket Pair



- SOLD IN PAIRS ONLY

PART NO.	DESCRIPTION	CTN/MSTR
G55005	Circulator flange gasket	1/1

### Dual Check Backflow Preventer



- Female by female
- Forged brass body
- 150 psi
- Acetyl-resin check modules
- Stainless steel spring
- 180° F maximum temperature
- Lead free

PART NO.	SIZE	CTN/MSTR
B59001LF	3/4"	1/100
B59002LF	1"	1/25

### Sewer Popper™ Cleanout and Relief Valve



MADE IN THE  
**USA**

- Automatic pop-up releases sewage overflow outside the house
- Prevents thousands of dollars in property damages
- Eliminates health hazards associated with sewage overflow
- Vandal- and tamper-resistant center
- Threaded for 3" or 4" pipe
- Constructed of white PVC
- Threaded unit can be used with PVC or ABS
- For cast iron pipe, use standard no hub clamp
- Meets Southern Building Code Section 301.10, Principle No.10
- Patent No. 5,209,257

PART NO.	DESCRIPTION	CTN/MSTR
S62304	3"x 4" Sewer Popper™	1/6

## 10" Economy Plastic Water Meter Box

MADE IN THE  
**USA**



- Snap-in green lid
- 96 per pallet
- Drop in reader cover

PART NO.	DESCRIPTION	CTN/MSTR
M06001	10" rectangular box and green lid	1/96
M06002	10" green snap-in lid only	1/360

**Note:** All items shown are for non-vehicular applications. Concrete and asphalt installations are not recommended for plastic parts.

## 12" Plastic Water Meter Box

MADE IN THE  
**USA**




PART NO.	DESCRIPTION	CTN/MSTR
M12001	12" box and solid green lid	1/72
M12002	12" box and black reader lid	1/72
M12022	12" box and black lid marked "sewer"	1/72
M12003	6" extension	1/42
M12005	12" solid green lid only	1/216
M12006	12" black reader lid only	1/216
M12009	12" box and solid black lid	1/72

**Note:** All items shown are for non-vehicular applications. Concrete and asphalt installations are not recommended for plastic parts.

## 12" Plastic Water Meter Box with Solid Cast Iron Lid

MADE IN THE  
**USA**




- Drop in solid lid

PART NO.	DESCRIPTION	CTN/MSTR
M12100	12" box with black solid cast iron lid	1/72
M12085	Black cast iron lid only	1/230

**Note:** All items shown are for non-vehicular applications. Concrete and asphalt installations are not recommended for plastic parts.

## 12" Plastic Standard Water Meter Box with Plastic Lid and Cast Iron Reader




- 72 per pallet
- Drop in reader lid

PART NO.	DESCRIPTION	CTN/MSTR
M12004	12" box with plastic lid & black cast iron reader	1/72

**Note:** All items shown are for non-vehicular applications. Concrete and asphalt installations are not recommended for plastic parts.

## 12" Plastic Irrigation Box




- 6" deep
- Drop in solid lid or overlapping reader lid available

PART NO.	DESCRIPTION	CTN/MSTR
M12007	12" box with green lid	1/1
M12005	12" solid green lid only	1/1
M12006	12" black reader lid only	1/1

**Note:** All items shown are for non-vehicular applications. Concrete and asphalt installations are not recommended for plastic parts.




## 15" Jumbo Water Meter Box



PART NO.	DESCRIPTION	CTN/MSTR
M15001	15" box and green solid lid	1/48
M15009	6" extension for M15001	1/36
M15002	15" box and black reader lid	1/48
M15005	15" black reader lid only	1/96

**Note:** All items shown are for non-vehicular applications. Concrete and asphalt installations are not recommended for plastic parts.

## 6" Residential Valve Box




- 9" deep
- Snap-in green lid
- Overlapping cover keeps dirt or grass from between body and lid
- Valve box can be extended with any 6" plastic or iron pipe

PART NO.	DESCRIPTION	CTN/MSTR
M06006	6" valve box with green lid	1/36
M06007	6" green snap-in lid only	1/10

**Note:** All items shown are for non-vehicular applications. Concrete and asphalt installations are not recommended for plastic parts.

## 10" Round Valve Box



- Snap-in green lid
- Overlapping cover keeps dirt or grass from between body and lid
- 96 per pallet

PART NO.	DESCRIPTION	CTN/MSTR
M06010	10" round body and snap-in green lid	1/96

**Note:** All items shown are for non-vehicular applications. Concrete and asphalt installations are not recommended for plastic parts.

## Gas Testing Equipment



- Large 4" face
- Class 1A gauge
- 5 lb. gas test gauge/15 lb. gas test gauge
- 1/10 # increments
- Inches of mercury scale
- External set hand
- Bellows design
- 1/4 NPT connection
- Gauge meets all requirements of the City of Houston code Word 94-108, Section 1204.3.2, revised January 18, 2001
- Individually boxed
- ALL SALES FINAL; NO WARRANTY; NO RETURN

PART NO.	DESCRIPTION	CTN/MSTR
G60055	15 lb. gas test gauge only	1/20
G60005	5 lb. gas test gauge only	1/20

## Liquid Filled Pressure Gauge



- Polished 304 stainless steel case with vent plug
- 2-1/2" face (glass)
- +/- 1.5% accuracy
- Glycerin filled for use where vibration or pressure pulsation occur
- -50 to 150°F operating temperature
- 1/4" NPT bottom connection
- Individually boxed

PART NO.	DESCRIPTION	CTN/MSTR
J40553	0-30 PSI	1/50
J40554	0-60 PSI	1/50
J40555	0-100 PSI	1/50
J40556	0-200 PSI	1/50
J40557	0-300 PSI	1/50

## Pressure Gauge



- Steel case
- Shatterproof face
- 1/4" MIP brass lower connection
- Applicable with air, water, oil and gas - anything which does not attack brass
- Not for use on oxygen service
- Class 2.5-2% accuracy
- Individually boxed

PART NO.	FACE SIZE	PRESSURE RATING	CTN/MSTR
G60015	2"	15 PSI	1/100
G60030	2"	30 PSI	1/100
G60060	2"	60 PSI	1/100
G60100	2"	100 PSI	1/100
G60160	2"	160 PSI	1/100
G60200	2"	200 PSI	1/100
G60300	2"	300 PSI	1/100
G61015	2-1/2"	15 PSI	1/100
G61030	2-1/2"	30 PSI	1/60
G61060	2-1/2"	60 PSI	1/100
G61100	2-1/2"	100 PSI	1/100
G61160	2-1/2"	160 PSI	1/100
G61200	2-1/2"	200 PSI	1/100
G61300	2-1/2"	300 PSI	1/100
G62030	3-1/2"	30 PSI	1/50
G62060	3-1/2"	60 PSI	1/50
G62100	3-1/2"	100 PSI	1/50
G62200	3-1/2"	200 PSI	1/50
G62300	3-1/2"	300 PSI	1/50

## Pigtail Syphon



- Steel construction
- For use with gauges on steam line
- 1/4" MPT x 1/4" MPT

PART NO.	DESCRIPTION	CTN/MSTR
G60000	Straight	20/200
G60001	90° Angle	10/200

## Water Test Gauge



- Steel case with 2-1/2" shatterproof face
- 3/4" female brass hose connection
- Individually boxed

PART NO.	DESCRIPTION	CTN/MSTR
J66300	300 PSI	1/50
J66301	300 PSI with indicator arm	1/50
J66302	160 PSI with indicator arm	1/50

## Sillcock/Water or Gas Test Gauge Assembly



- Steel case with 2" shatterproof face
- Brass air valve
- Adapts to 3/4" male garden hose or 3/4" MIP
- Comes with garden hose adapter
- Individually boxed

PART NO.	DESCRIPTION	CTN/MSTR
G64101	200 PSI	1/50

## 5 Pound Gas Test Gauge



- 1/4" NPT
- 2-1/2" diaphragm
- 1/10 # increments
- For building code inspection
- Individually boxed

PART NO.	DESCRIPTION	CTN/MSTR
G61005	5 lb. gas test gauge	1/100

## Gas Test Gauge



- 2" steel case gauge on 15 lb.
- 5 lb. is marked in 1/10 lb. increments
- 15 lbs. is marked in 1/10 lb. increments
- Plated body with 3/4" FIP inlet
- 2 1/2" diaphragm on 5 lb.
- Adapts to 3/4" MPT
- Brass air valve
- Individually boxed

PART NO.	DESCRIPTION	CTN/MSTR
G64015	15 lb. gas test gauge assembly	1/50
G64005	5 lb. gas test gauge assembly	1/50

## Test Gauge Assembly



- Bell type
- Individually boxed

PART NO.	DESCRIPTION	CTN/MSTR
G66015	15# x 3/4" FIP	1/50
G66030	30# x 3/4" FIP	1/50
G66060	60# x 3/4" FIP	1/50
G66100	100# x 3/4" FIP	1/24
G67015	15# x 1" FIP	1/50
G67030	30# x 1" FIP	1/50
G67060	60# x 1" FIP	1/50
G67100	100# x 1" FIP	1/100
G66000	3/4" Bell body (less air valve)	1/100
G66002	3/4" Bell body (with air valve)	1/100
G67000	1" Bell body (less air valve)	1/59
G67002	1" Bell body (with air valve)	1/80

## Gas Test Gauge Assembly



- 4" face and pressure snubber
- Regulates air to an even flow
- Over pressurization will void the warranty
- Protects the diaphragm from compressed air damage
- Class 1A gauge
- Individually boxed

PART NO.	DESCRIPTION	CTN/MSTR
G64155	5 lb. test gauge assembly	1/20
G65155	15 lb. test gauge assembly	1/20

## Gas Test Gauge Assembly



- Steel case with 2" shatterproof face
- Adapts to 3/4" MPT
- Plated body with 3/4" FIP inlet
- Brass air valve
- Individually boxed

PART NO.	DESCRIPTION	CTN/MSTR
G64030	30 PSI	1/50
G64060	60 PSI	1/50
G64100	100 PSI	1/50
G64160	160 PSI	1/50
G64200	200 PSI	1/50
G64333	300 PSI	1/50
G64000	1/4" air valve and cap	50/500
G64001	Gas test body only	1/100
G64002	1/8" air valve and cap	500/1000
G64020	Gas test body and air valve assembly	1/100

## Tridicator



- 0-55 PSI
- 70°F to 250°F temperature range
- Back mount

PART NO.	DESCRIPTION	CTN/MSTR
J40550	2 1/2" face angle 2 1/4" stem (1/4" NPT)	1/50
J40551	2 1/2" face angle 2 1/2" stem (1/4" NPT)	1/50
J40558	2 1/2" face angle 1" stem (1/4" NPT)	1/50
J40560	3 1/2" face angle 2 3/4" stem (1/2" NPT)	1/50



### Dual Scale Boiler Gauge



- 0-75 PSI
- 1/4" MIP connection
- -60-320° F, 20-160° C
- Center back mount
- 3-1/2" face

PART NO.	DESCRIPTION	CTN/MSTR
J40575	Dual scale boiler gauge	1/100

### Vacuum Gauge



- 1/4" brass lower connection
- -30 to 0 inch Hg
- Black steel case with bronze internals
- 2" face

PART NO.	DESCRIPTION	CTN/MSTR
G63001	Vacuum gauge	1/100

### Pressure Snubber



- Bronze body and core
- Use on lines with noticeable pressure changes/oscillations
- 1000 PSI maximum

PART NO.	DESCRIPTION	CTN/MSTR
G64300	1/4" NPT for air or gas	1/500
G64301	1/4" NPT for oil, steam or water	1/200


### Needle Valve for Pressure Gauge



- Brass body, seat, stem and handle
- 1/4" NPT
- 300°F maximum temperature
- Female x female
- Teflon packing
- 2000 PSI

PART NO.	DESCRIPTION	CTN/MSTR
G64004	1/4" needle valve	1/125

### Hot Water/Refrigerant Line Thermometer



- Straight or angle pattern
- Steel or brass well included
- 40°-280°F x 5°F (5-120°C x 2°C)
- 1/2" NPT; 1" stem

PART NO.	DESCRIPTION	DIM (A)	DIM (B)	CTN/MSTR
J40500	Straight pattern with steel well	1"	1/2" NPT	1/50
J40501	Straight pattern with brass well	1"	1/2" NPT	1/50
J40502	Angle pattern with steel well	1"	1/2" NPT	1/50
J40503	Angle pattern with brass well	1"	1/2" NPT	1/50

### Dial Thermometer



- 2-1/2" face
- 5° increments
- Dual scale: 40°-240°/0°-120°C
- Brass wells/removable thermometers
- Thermometers are not supplied with wells

PART NO.	DESCRIPTION	CTN/MSTR
J40702	3/4" SWT connection	1/50
J40703	1/2" MIP connection	1/100
J40704	3/4" SWT well	1/100
J40705	1/2" MIP well	1/100

### Pocket Test Thermometer



- 2% accuracy for hot and cold
- Pocket clip on sheath; 5" stem

PART NO.	DESCRIPTION	CTN/MSTR
J40700	Cold thermometer (-40° to 160°F)	1/80
J40701	Hot thermometer (0° to 220°F)	1/80

### Weksler Industrial Multi-Angle Thermometer



- Must have well - no well provided; order wells separately
- 9" scale, red-reading mercury tubes
- Molded cyclocac case with glass window
- Adjustable to any angle
- Accurate to +/- one scale division

PART NO.	DESCRIPTION	DIM (A)	DIM (B)	CTN/MSTR
J40505	Hot water 30°-240°F	3-1/2" stem	1" NPSM	1/50
J40506	Cold water 0°-120°F	3-1/2" stem	1" NPSM	1/25
J40510	Standard brass well	2-1/2" stem	3/4" NPT	1/50
J40511	Extended well	1-3/4" stem	3/4" NPT	1/50

### Bi-Metal Dial Thermometer



- For commercial or home heating systems
- 1/2" NPT
- 20°-240°F temperature range
- 3" dial in steel case
- Angle has back connection; straight has bottom connection

PART NO.	DESCRIPTION	DIM (A)	DIM (B)	CTN/MSTR
J40561	Angle outlet with brass well	2-3/8" stem	1/2" NPT	1/50
J40562	Straight outlet with brass well	2-3/8" stem	1/2" NPT	1/50

## Knee Pads



K01120

K012000

- Lightweight and water-resistant
- Comfortable while kneeling, standing or walking
- Won't pinch or bind behind knee
- Soft, breathable inner lining for coolness and comfort
- Velcro closures on straps

PART NO.	DESCRIPTION	CTN/MSTR
K01120	Heavy duty foam economy	1/1
K012000	Heavy duty knee pad	1/1

## Nemesis® Safety Glasses



Display

- Soft-touch temples
- Light weight construction
- Single-lens wrap-around protection
- 99.9% UV resistant
- Meets ANSI Z87.1 + standards

PART NO.	DESCRIPTION	CTN/MSTR
G30011	Nemesis® clear glasses	12/12
G30012	Nemesis® smoke mirror glasses	12/12
G30013	Nemesis® blue mirror glasses	12/12
G30014	Nemesis® camo/bronze glasses	12/12
G30000	Display includes: 12 pair smoke mirror, 6 pair blue mirror, 6 pair clear, free display	1/1

## Hellraiser Safety Glasses



Clear

Smoke

Blue Mirror

PART NO.	DESCRIPTION	CTN/MSTR
G30015	Hellraiser clear safety glasses	12/12
G30016	Hellraiser smoke safety glasses	12/12
G30017	Hellraiser blue mirror safety glasses	12/12

## Visio Safety Glasses



- One-piece frame
- Adjustable temples
- Sleek, lightweight and comfortable
- Meets ANSI z87.1

PART NO.	DESCRIPTION	CTN/MSTR
G30003	Visio clear safety glasses	12/12
G30004	Visio blue mirror safety glasses	12/12
G30005	Visio silver indoor/outdoor glasses	12/12

## Clear Safety Goggles



- Direct ventilation
- Economical protection

PART NO.	DESCRIPTION	CTN/MSTR
G30001	Clear safety glasses	1/200

## Brown Jersey Gloves



- 100% brown cotton
- One size fits all
- Knit wrist
- 8 ounce
- Priced per pair
- Header card
- CARTON QUANTITIES ONLY

PART NO.	DESCRIPTION	CTN/MSTR
G50200	Brown cotton jersey glove	12/300
G50210	Brown cotton jersey glove (display- 216 pairs)	1/1

## Leather Palm Work Gloves



- Split leather palm, thumb, fingers and knuckles
- Cotton back and liner
- Safety cuff
- Priced per pair
- Header card
- CARTON QUANTITIES ONLY

PART NO.	DESCRIPTION	CTN/MSTR
G50204	Leather palm low safety cuff	12/120
G50214	Leather palm low safety cuff	96 pair

## Nitrile Gloves



- 3/4 coating offers more protection
- Micro foam nitril offers great grip
- Coating draws oil and water aside to allow for enhanced grip
- Good abrasion resistance
- Silicone free and antibacterial
- Header card
- CARTON QUANTITIES ONLY

PART NO.	DESCRIPTION	CTN/MSTR
G50215	Pair nitrile gloves	12/12

## Pipe Lubricant



- L95202 - ORM-D. Ships UPS Ground and Motor Freight ONLY
- CARTON QUANTITIES ONLY

MADE IN THE  
**USA**

PART NO.	DESCRIPTION	CTN/MSTR
L95200	Quart lubricant	12/12
L95201	Gallon lubricant	4/4
L95202	Quart adhesive lube	12/12

## Heavy Duty Big Wipes



- 80 count tub, 8 tubs per case; priced each
- Wipe size is 8" x 12"
- Lint free
- Removes paint, glue, oil, sealants, grease and grime
- Dermatologically tested, plus vitamin E and aloe vera added
- Dual sided, scrubs and cleans
- CARTON QUANTITIES ONLY

PART NO.	DESCRIPTION	CTN/MSTR
B05050	80 count tub	8/8
B05051	Single pack - priced each (bag of 100)	1/100

## Insulated Hose Nozzle



- Heavy duty with threaded end
- Soft comfort grip
- Carded

PART NO.	DESCRIPTION	CTN/MSTR
G04030	Insulated hose nozzle	12/72

## Contractor Grade Rubber Hose



- Contractor grade
- Reinforced rubber
- Heavy duty brass coupling

PART NO.	DESCRIPTION	CTN/MSTR
G04026	3/4" x 50' contractor grade rubber	1/2

## Commercial Premium Rubber Hose



PART NO.	DESCRIPTION	CTN/MSTR
G04005	5/8" x 25' commercial premium rubber	1/1
G04006	5/8" x 50' commercial premium rubber	1/1

## Garden Hose



- G04001:
- 500 PSI burst strength
  - Kink-free construction
  - Heavy-duty solid brass nickel plated coupling
  - Built-in spring at faucet end to prevent hose damage
  - Nylon reinforced
- G04002 and G04000:
- 300 PSI burst strength
  - Solid brass couplings
  - Reinforced green nylon construction

PART NO.	DESCRIPTION	CTN/MSTR
G04001	5/8" x 60' (500 PSI) garden	1/6
G04002	5/8" x 50' (300 PSI) garden	1/6
G04000	5/8" x 75' (300 PSI) garden	1/6

## Electrical Tape



- Black vinyl
- Individually wrapped
- UL listed
- CARTON QUANTITIES ONLY



PART NO.	DESCRIPTION	CTN/MSTR
T20030	3/4" x 60' electrical tape	10/250


## PTFE Thread Seal Tape



- Thickness 3 mil. plus
- Temperature range is 500°F to +650°F
- Withstands pressure up to 5000 PSI

PART NO.	DESCRIPTION	CTN/MSTR
T19122	1/2" x 260" thread seal tape	100/500
T19125	1/2" x 520" thread seal tape	100/500
T19342	3/4" x 260" thread seal tape	100/500
T19345	3/4" x 520" thread seal tape	100/500

## Domestic Pipe Wrap Tape



- Both sides have adhesive
- CARTON QUANTITIES ONLY

PART NO.	COLOR	SIZE	THICKNESS	CTN/MSTR
T16002	Yellow	2" x 100'	12 mil.	24/24
T16004	Yellow	4" x 100'	12 mil.	12/12
T17002	Black	2" x 100'	12 mil.	24/24
T17004	Black	4" x 100'	12 mil.	12/12

## Imported Pipe Wrap Tape



- Black tape with PVC backing
- UPC listed
- CARTON QUANTITIES ONLY



PART NO.	SIZE	THICKNESS	CTN/MSTR
T17101	1" x 100'	10 mil.	48/48
T17102	2" x 100'	10 mil.	24/24
T17104	4" x 100'	10 mil.	12/12
T18201	1" x 100'	20 mil.	48/48
T18202	2" x 100'	20 mil.	24/24

## Duct Tape



- Premium grade, waterproof non-elastic reinforced cloth
- Pressure sensitive; vapor and flame resistant
- CARTON QUANTITIES ONLY

PART NO.	DESCRIPTION	THICKNESS	CTN/MSTR
T20020	2" x 60 yds (gray)	8.5 mil.	24/24
T20023	2" x 60 yds (black)	10 mil.	24/24

## Primer for Pipe Wrap Tape



- Maximizes tape performance
- Final step in preparing steel surfaces for taping
- Can more than double adhesion of corrosion tapes to cleaned steel
- CARTON QUANTITIES ONLY
- MOTOR FREIGHT ONLY / FLAMMABLE

PART NO.	DESCRIPTION	CTN/MSTR
T16100	Quart	12/12

## Plastic Drop Cloth



- Medium duty 1 mil plastic
- Convenient pleat fold pack design
- Protects furniture, appliances and carpets

PART NO.	DESCRIPTION	CTN/MSTR
D50000	9' x 12' plastic drop cloth	1/48

## Cotton Canvas Drop Cloth



- 8 oz.
- Absorbs and traps spills
- Washable and reusable

PART NO.	DESCRIPTION	CTN/MSTR
G02010	6' x 9' cotton canvas drop cloth	1/6
G02011	9' x 12' cotton canvas drop cloth	1/4

## Trash Bags



- 2'8" x 4'2"
- 20 bags per box
- 42 gallon
- 3 mil

PART NO.	DESCRIPTION	CTN/MSTR
G02042	42 gallon trash bags	1/6

## Self Igniting Hand Torch for MAPP or Propane



- Heavy duty
- For MAPP or propane
- Use with either Propane or MAPP Gas
- Cyclone flame pattern for concentrated high heat
- Piezo Igniter for instant flame
- Adjustable knob for variable flame patterns
- Safety lock feature to prevent accidental ignition
- Ignition lock for continuous use
- Cast body for durability, strength and long life
- Ergonomic handle design
- Stainless steel nozzle with brass tip

PART NO.	DESCRIPTION	CTN/MSTR
J40432	Self igniting hand torch for MAPP or propane	4/24
J40529	Hand torch with swivel tip and self-igniter	1/20
J40329	Replacement tip for J40529	1/1
J40629	Hand torch with swivel tip	1/20
J40429	Replacement tip for J40629	1/1
J40229	Pencil flame torch	1/1

## Socket Savers



- Removes Schedule 40 plastic pipe from a hub
- Cuts ABS or PVC DWV pipe below slab
- Fits 1/2" variable speed power drill
- Carded

PART NO.	DESCRIPTION	CTN/MSTR
J44050	1/2" Socket Saver	36/144
J44075	3/4" Socket Saver	30/120
J44100	1" Socket Saver	24/96
J44150	1-1/2" Socket Saver	24/96
J44200	2" Socket Saver	12/72
J44300	3" Socket Saver	12/48
J44400	4" Socket Saver	20/40

## Inside Pipe Cutter



- Cuts 2" and larger plastic pipe
- Fits electric drill

PART NO.	DESCRIPTION	CTN/MSTR
P70023	3" shaft with 2 blades	1/50
P70029	(3) Replacement blades	1/10

## EZY Grind Pipe Cutter



- Fast and easy way to cut plastic pipe at or below floor level
- Cuts plastic DWV and HDPE pipe from the interior of the pipe
- Made from tool steel
- Suitable for portable power drills
- 1/4" hex shank, fits all drill chucks
- Guided cutting motion
- Pre-set depth of cut
- Replaceable diamond blade
- Carded

PART NO.	DESCRIPTION	CTN/MSTR
J40650	EZY Grind plastic pipe cutter for 4" - 6" pipe	1/1
J40652	Replacement blade for EZY Grind 4" - 6" plastic pipe cutter J40650 (2 pk)	1/1
J40651	EZY Grind plastic pipe cutter for 1-1/2" - 3" pipe	1/1
J40653	Replacement blade for EZY Grind 1-1/2" - 3" plastic pipe cutter J40651 (2 pk)	1/1

## E-Z Shear Inside Pipe Cutter



- Cuts PVC and ABS pipe
- High speed steel blade with zinc-plated shaft

PART NO.	DESCRIPTION	CTN/MSTR
J40830	E-Z shear inside pipe cutter	24/192
J40831	(2) E-Z shear replacement blades	1/100



## PVC Pipe Cutter



- High carbon steel blades
- Repair kits includes all screws and springs needed to repair cutter
- Aluminum alloy handles
- Ratchet action
- P70001 is carded

PART NO.	DESCRIPTION	CTN/MSTR
P70001	1" pipe cutter	10/50
P70005	Replacement blade	50/300
P70015	1" repair kit	1/100

## Heavy Duty PVC Pipe Cutter



- High carbon steel blades
- Repair kit includes all screws and springs needed to repair cutter
- Aluminum alloy handles
- P70010 and P70002 are boxed

PART NO.	DESCRIPTION	CTN/MSTR
P70010	1" heavy duty pipe cutter	1/60
P70011	1" heavy duty replacement blade	1/100
P70012	1" repair kit	1/100
P70002	2" pipe cutter	1/20
P70006	2" replacement blade	1/100
P70016	2" repair kit	1/100

## PVC One-Handed Pipe Cutter



- Easy one-handed ratchet cutting action
- Spring loaded blade
- Heat treated hardened steel blade for straighter cuts - longer life
- Cuts up to 2" pipe (2-1/2" OD)
- P70035 is carded

PART NO.	DESCRIPTION	CTN/MSTR
P70035	2" PVC one-handed pipe cutter	6/24
P70036	Replacement blade	25/50

## Professional PVC Pipe Cutter



- Rustproof
- Capacity to 1-1/4" diameter PVC
- The blade is non-electro nickel plated which ensures a sharper blade
- Locking hook can be used to deburr pipe
- P70018 and P70019 are carded

PART NO.	DESCRIPTION	CTN/MSTR
P70018	1-1/4" PVC pipe cutter	5/30
P70019	Replacement blade	10/100
P70020	Repair kit (spring and screws)	10/100

## E-Z Stroke Pipe Saw



S49005

- Cuts plastic pipe and wood
- For smooth, fast, accurate cutting
- Tri-edge teeth are borazon wheel ground
- Pull-stroke cutting action
- Flexible blade allows flush cutting without marring adjacent surface
- Replaceable blade
- Orange handle accepts all Jones Stephens E-Z Stroke blades

PART NO.	DESCRIPTION	CTN/MSTR
S49005	8" E-Z Stroke pipe saw	10/100
S49006	8" Replacement blade	50/250
S49008	12" E-Z Stroke pipe saw	10/100
S49007	12" Replacement blade	50/250

## Cable Saw



- For cutting PVC pipe
- For tight spots offering little clearance
- Fits easily into tool box and pocket
- Faster and easier than hacksaws in close quarters
- Individually bagged with header card

PART NO.	DESCRIPTION	CTN/MSTR
S49136	36" cable saw display - 36 pieces	1/1
S49148	48" cable saw display - 24 pieces	1/1
S49036	36" cable saw	1/36
S49048	48" cable saw	1/24

## Close Quarters Hacksaw



- Nickel plated steel frame
- Cuts wood, plastic, brass, aluminum and steel

PART NO.	DESCRIPTION	CTN/MSTR
S50060	6" close quarters hacksaw	1/50
S50061	(5) Replacement blades for S50060	5/800
S50062	6" adjustable hacksaw	12/144
S50063	(5) Replacement blades for S50062	5/1000

## 4 in 1 Screwdriver



S41001 - 12 pk Display

- Alloy tool steel bits
- Ground and polished
- Heat treated for maximum strength
- High impact handle
- Floating ball bearing for tight fit

PART NO.	DESCRIPTION	CTN/MSTR
S41001	Phillips and slotted display	1/12
S41002	Slotted bit for 4 in 1 or 6 in 1	1/1
S41003	Phillips bit for 4 in 1	1/1

## 6 in 1 Screwdriver



S41006 - 12 pk Display

- Shaft ends are 1/4" and 15/16" hex size for use as nut drivers
- Each bit has two sizes

PART NO.	DESCRIPTION	CTN/MSTR
S41006	6 in 1 screwdriver display	1/12
S41002	Slotted bit for 4 in 1 or 6 in 1	1/1
S41007	Phillips bit for 6 in 1	1/1

## Water Pump



- Excellent for draining water meter boxes
- High impact PVC; non-sparking; lightweight
- No priming necessary- removes 35 ounce/stroke
- Remove foot valve to clean

PART NO.	DESCRIPTION	CTN/MSTR
P13600	36" pump with 72" discharge hose	1/1



## Slip Jaw Pliers



- Plated finish
- Plastic grips
- Yellow handle

PART NO.	DESCRIPTION	CTN/MSTR
P60001	2-1/8" capacity / 10" long	1/5

## "No Pinch" Pipe Wrench Pliers



- 10" comfort cushion grips
- Unique handle design prevents pinched fingers
- 1-3/4" jaw capacity
- Drop forged; plated finish

PART NO.	DESCRIPTION	CTN/MSTR
P60002	10" Pipe wrench pliers	4/40

## Smooth Jaw Pliers



- 2-1/8" jaw opening
- Smooth jaws for non-marring surfaces (chrome, polished brass)
- Cushioned vinyl grips

PART NO.	DESCRIPTION	CTN/MSTR
P60003	10" Smooth jaw pliers	10/50

## Griplock Tongue and Groove Water Pump Pliers



- Comfort grips

**CHAN NEL LOCK**

PART NO.	LENGTH	NO. ADJ.	CAPACITY	CHANNEL LOCK NO.	CTN/MSTR
J40410	10"	5	1-1/4"	GL10	1/5
J40411	12"	6	2-1/4"	GL12	1/5

## Tongue and Groove Pliers



- Right angle teeth
- Undercut tongue and groove-won't slip
- Comfort grips

**CHAN NEL LOCK**

PART NO.	LENGTH	NO. ADJ.	CAPACITY	CHANNEL LOCK NO.	CTN/MSTR
J40401	6-1/2"	5	7/8"	426	1/5
J40402	9-1/2"	5	1-1/2"	420	1/5
J40403	10"	7	2"	430	1/5
J40404	12"	7	2-1/4"	440	1/5
J40405	16"	8	4-1/4"	460	1/2

## Curved Jaw Tongue and Groove Pliers



- Curved jaw for use on round stock and tubing
- Right angle teeth

**CHAN NEL LOCK**

PART NO.	LENGTH	NO. ADJ.	CAPACITY	CHANNEL LOCK NO.	CTN/MSTR
J40407	9-1/2"	5	1-1/2"	422	1/5
J40408	12"	7	2-1/4"	442	1/5

## Smooth Jaw Tongue and Groove Pliers



- Smooth jaws for non-marring surfaces (PVC, chromes, etc.)
- Undercut tongue and groove-won't slip
- Comfort grips

**CHAN NEL LOCK**

PART NO.	LENGTH	NO. ADJ.	CAPACITY	CHANNEL LOCK NO.	CTN/MSTR
J40406	10"	7	2"	415	1/5

## Bucket Caddies



T60101



T60103



T60104



T60108

- 5 gallon high-impact red plastic bucket holds 4 combinations of trays- 3 large; 6 small; 1 large with 4 small; and 2 large with 2 small
- All trays have 4 sections; use tray subdividers to increase small tray capacity up to 8 sections
- Tool apron fits 5 and 3 1/2" gallon buckets; apron straps on or can be permanently secured (hardware included)
- Made in the USA

**MADE IN THE USA**

PART NO.	DESCRIPTION	CTN/MSTR
T60101	5 gallon bucket with 6 small trays	1/8
T60102	5 gallon bucket with 1 large tray & 4 small trays	1/8
T60103	Large trays (4-1/2" deep)	1/3
T60104	Small trays (2-1/2" deep)	1/6
T60105	Lid for 5 gallon bucket	1/1
T60106	5 gallon bucket only	1/1
T60107	Subdividers for small trays (4 pack)	1/1
T60108	20-pocket tool apron	1/1
T60110	5 gallon bucket with 2 large and 2 small trays	1/1
T60111	5 gallon bucket with 3 large trays	1/1

## Ratchet Tie Down Strap



- 1" wide/400 lb. working load limit
- Comfort grip handles
- Weather and corrosion resistant
- PVC coated hooks that will not scratch
- Cut and abrasion resistant webbing

PART NO.	DESCRIPTION	CTN/MSTR
S20300	1" x 16' ratchet tie down strap	1/4

## Ratchet Strap with Step Release J-Hooks



- 2" wide/ 3,333 lb. working load limit
- Step by step release action
- Gradually releases tension with double J-hook
- Flex grip handle

PART NO.	DESCRIPTION	CTN/MSTR
S20302	2" x 27' ratchet strap	1/8

## Fiberglass Handle Shovel



- STINGER SERIES - Fiberglass handle is 40% stronger than Federal Strength Test for long handle wood tools.
- Large steel collar adds maximum strength to handle/socket connection.
- Forward - turned step for secure foot placement

PART NO.	DESCRIPTION	AMES #	CTN/MSTR
S49412	Long handle square point	SFGLS	1/6
S49416	D-Handle 16" drain spade	SFGD16	1/6
S49413	Long handle 16" drain spade	SFGDSL	1/6

## Long Handle Round Point Fiberglass Shovel



- Long fiberglass handle
- Round point

PART NO.	DESCRIPTION	CTN/MSTR
S49400	Long handle round point	1/12

## Premium Grade Wood Handle Shovel



- Lacquered ash handle
- Premium blade

PART NO.	DESCRIPTION	AMES #	CTN/MSTR
S49421	Long handle round point	BMTLR	1/6
S49422	Long handle square point	BMTLS	1/6
S49417	D-Handle round point	BMTDR	1/6
S49423	D-Handle 16" drain spade	15-738	1/6
S49425	LH trenching shovel 4" blade	15-566	1/6
S49427	LH trenching shovel 5" blade	15-567	1/6

## Economy Grade Wood Handle Shovel



- Wood handle
- Standard steel blade

PART NO.	DESCRIPTION	AMES #	CTN/MSTR
S49431	Long handle round point	15-047	1/6
S49432	Long handle square point	15-049	1/6

## Economy Grade Wood Handle Shovel



- Wood handle
- Standard steel blade

PART NO.	DESCRIPTION	CTN/MSTR
S49401	Long handle round point	1/6
S49402	Long handle square point	1/6

## Specialty Shovel



- KODIAK CUB - smaller design for easier use in tight spaces
- 16 gauge tempered steel blade
- Forward turned step
- 27" overall length



PART NO.	DESCRIPTION	AMES #	CTN/MSTR
S49429	Compact utility shovel	15-663	1/6

## Rayovac® Industrial Batteries



- Priced per battery
- PACK QUANTITIES ONLY

PART NO.	DESCRIPTION	CTN/MSTR
F20006	Heavy duty C batteries	6/72
F20007	Heavy duty D batteries	6/72
F20012	AAA alkaline batteries	8/96
F20008	AA alkaline batteries	8/96
F20009	9 volt alkaline batteries	6/72
F20010	C alkaline batteries	6/72
F20011	D alkaline batteries	6/72

## Energizer® Alkaline Batteries



- Priced per pack
- Carded
- PACK QUANTITIES ONLY

PART NO.	DESCRIPTION	CTN/MSTR
F20020	AAA alkaline batteries - 2 pack	1/48
F20021	AAA alkaline batteries - 4 pack	1/48
F20022	AA alkaline batteries - 2 pack	1/48
F20023	AA alkaline batteries - 4 pack	1/48
F20024	C alkaline batteries - 2 pack	1/48
F20025	D alkaline batteries - 2 pack	1/12
F20026	9 volt alkaline battery	1/48

## Caution Tape



- Black print on safety yellow
- 3 mil thickness
- Non-stick

PART NO.	DESCRIPTION	CTN/MSTR
J43300	3" x 300' caution tape	1/16
J43310	3" x 1000' caution tape	1/8

## Gas Line Marking Labels



- Yellow self adhesive stickers
- Clearly identifies gas lines from other utility and water lines
- 100 labels per roll

PART NO.	DESCRIPTION	CTN/MSTR
J40481	2 PSI gas line stickers	1/100
J40482	Gas line stickers	1/100

## WD-40® Lubricant



- Cleans
- Protects against rust and corrosion
- Lubricates
- Penetrates stuck metal parts
- Displaces moisture
- Low VOC
- ORM-D
- GROUND TRANSPORTATION ONLY
- CARTON QUANTITIES ONLY

PART NO.	DESCRIPTION	CTN/MSTR
S95800	8 oz. can lubricant low VOC	12/12

## Slic-tite® Heavy Duty Thread Sealing Compound



- Working pressures: to 10,000 PSI (liquids), 3,000 (gases)
- Temp: -50°F to +500°F
- Use for threaded connections on steel, aluminum, brass, PVC, CPVC & ABS



PART NO.	DESCRIPTION	CTN/MSTR
S95011	8 fl. oz. Slic-tite® HD thread sealing compound	1/24
S95010	Pint Slic-tite® HD thread sealing compound	1/24

## Rustoleum® Industrial Choice® Construction Marking Paint



- Product Application: construction, excavation, surveying, landscaping, and other commercial operations
- Best resistance to early fading and chalking; dries fast
- Excellent visibility on concrete, pavement, dirt, gravel, grass & more
- Easy to apply – no messy tip adjustments, non-clogging, locking spray tip won't pop off
- 17 oz.
- 40-90°F application temperature range
- Less than 5 minutes dry time at 70-80°F
- MIR compliant
- GROUND TRANSPORTATION ONLY
- CARTON QUANTITIES ONLY



PART NO.	DESCRIPTION	CTN/MSTR
J40380	White marking paint	12/12
J40381	Hi visibility yellow marking paint	12/12
J40382	Safety red marking paint	12/12
J40383	Caution blue marking paint	12/12
J40384	Fluorescent green marking paint	12/12
J40385	Fluorescent orange marking paint	12/12
J40387	Fluorescent pink marking paint	12/12

## Paint Spotter Hand-Help Wand



- For quick, easy one-hand application of marking point
- Non-adjustable

PART NO.	DESCRIPTION	CTN/MSTR
J40386	Paint spotter	1/1

## ALSO AVAILABLE FROM JONES STEPHENS:



DECORATIVE

FAUCET AND BATH ACCESSORIES





SPECIALITIES AND REPAIR

MISCELLANEOUS PLUMBING SPECIALTIES



FITTINGS AND VALVES

COMMERCIAL/RESIDENTIAL PLASTICS



CAST IRON

TOOLS



GASKETS & COUPLINGS

TUBULAR



PVC DWV FITTINGS

BLACK AND GALVANIZED  
MALLEABLES/PIPE NIPPLES



COPPER

TOILET SEATS



*Contact your Jones Stephens sales representative for full catalog!*