



# Cimarron® Comfort Height®

Elongated chair height toilet bowl  
K-4309

## Features

- Elongated bowl offers added room and comfort.
- Comfort Height® feature offers chair-height seating that makes sitting down and standing up easier for most adults.
- Combines with the K-4418 or K-4421 tank to create a complete K-3589 or K-3609 Cimarron toilet.
- Coordinates with other products in the Cimarron collection.

## Installation

- Seat sold separately.

## Recommended Replacements

- This product is replaced by 31588.

## Recommended Products/Accessories

- K-4418 Toilet tank, 1.6 gpf
- K-4421 Toilet tank, 1.28 gpf
- K-23726 Drain treatment



ADA CSA B651 OBC

## Codes/Standards








ASME A112.19.2/CSA B45.1  
DOE - Energy Policy Act 1992  
ADA  
ICC/ANSI A117.1  
CSA B651  
OBC

## KOHLER® Toilets and Seats Limited Warranty

See website for detailed warranty information.

## Available Colors/Finishes

*Color tiles intended for reference only.*

Color	Code	Description
	0	White
	96	Biscuit
	47	Almond
	NY	Dune
	95	Ice™ Grey
	G9	Sandbar
	7	Black Black™

1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current Specification Sheet, go to [www.kohler.com](http://www.kohler.com).

5-15-2022 02:47 - US/CA/MX

THE BOLD LOOK  
OF **KOHLER**®



**Cimarron® Comfort Height®**  
Elongated chair height toilet bowl  
**K-4309**

No image available.  
This product is a component and not intended to be a standalone installation.

**Technical Information**

All product dimensions are nominal.

Toilet type:	Two-piece, Floor-mount
Waste Outlet:	Floor
Bowl shape:	Elongated
Trap passageway:	2-1/8" (54 mm)
Rough-in:	12" (305 mm)
Seat-mounting holes:	5-1/2" (140 mm)

**Notes**

Install this product according to the installation instructions.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.

Accessibility standards may require controls to be located on the open side of the toilet.