

## MIGHTYFLEX™ STAINLESS STEEL CONNECTORS

### SPECIFICATION

Reinforced PVC liner with a stainless steel braided cover. Manufactured to withstand dramatic changes in water pressure to prevent bursting.

### DESIGN FEATURES

- Chloramine resistant soft cone
- Exclusive double POWR-TIGHT 12-point crimp many times the industry standard for strength
- Chloramine resistant tubing
- Easy installation, no special tools required

### MATERIAL SPECIFICATION

- Tubing - Reinforced PVC
- End fittings – Brass
- Connection Nuts– Nickel plated brass or engineered polymer for ballcock nuts
- Washers - NSF/ANSI 61 Compliant

### OPERATING SPECS

- Working Temperature 40°F-160°F with intermittent temps up to 180°F
- Working Pressure 20-125 PSI with intermittent impulse up to 180 PSI

### COMPLIANCES/LISTINGS

LISTING		STANDARD/COMPLIANCE
IAPMO	2111	ASME A112.18.6-2017/CSA B125.6-17
IAPMO	6545	NSF / ANSI 372 - 2016
IAPMO	N-6614	NSF / ANSI / CAN 61 - 2018





Legacy of **INNOVATION**



**TOILET CONNECTORS**

PART NUMBER	LENGTH	MSTR CTN QTY
<b>7/8" BALLCOCK X 3/8" COMPRESSION S.C.</b>		
SWC-109-PP	9"	25
SWC-112-PP	12"	25
SWC-116-PP	16"	25
SWC-120-PP	20"	25
<b>7/8" BALLCOCK X 1/2" F.I.P. S.C.</b>		
SWC-412-PP	12"	25
SWC-416-PP	16"	25
<b>7/8" METAL BALLCOCK X 3/8" COMPRESSION S.C.</b>		
SWC-512-PP	12"	25
SWC-516-PP	16"	25
SWC-520-PP	20"	25
<b>7/8" METAL BALLCOCK X 1/2" F.I.P. S.C.</b>		
• SWC-816-PP	16"	25

**DISHWASHER CONNECTORS**

PART NUMBER	LENGTH	MSTR CTN QTY
<b>1/2" F.I.P. S.C. X 3/8" COMPRESSION H.C. w/ 90° 3/8" M.I.P. ELBOW ADAPTER</b>		
• KDW-172-PP	72"	10
<b>3/8" COMPRESSION S.C. X 3/4" F.G.H.T. w/ 90° ELBOW</b>		
• KDW-548-PP	48"	10
KDW-560-PP	60"	10
KDW-572-PP	72"	10
<b>3/8" COMPRESSION S.C. X 3/8" COMPRESSION H.C. w/ 90° 3/8" M.I.P. ELBOW ADAPTER</b>		
KDW-648-PP	48"	10
KDW-660-PP	60"	10
KDW-672-PP	72"	10
KDW-684-PP	84"	10
• KDW-6120-PP	120"	10

**FAUCET CONNECTORS**

PART NUMBER	LENGTH	MSTR CTN QTY
<b>3/8" COMPRESSION H.C. X 3/8" O.D. COMPRESSION</b>		
• TFC-109-PP	9"	25
TFC-112-PP	12"	25
TFC-116-PP	16"	25
TFC-120-PP	20"	25
<b>1/2" F.I.P. S.C. X 3/8" COMPRESSION S.C.</b>		
SFC-109-PP	9"	25
SFC-112-PP	12"	25
SFC-116-PP	16"	25
SFC-120-PP	20"	25
• SFC-124-PP	24"	25
SFC-130-PP	30"	25
SFC-136-PP	36"	25
• SFC-160-PP	60"	10
<b>1/2" F.I.P. S.C. X 1/2" COMPRESSION S.C.</b>		
• SFC-320-PP	20"	25
<b>1/2" F.I.P. S.C. X 1/2" F.I.P. S.C.</b>		
• SFC-409-PP	9"	25
• SFC-412-PP	12"	25
SFC-416-PP	16"	25
SFC-420-PP	20"	25
• SFC-424-PP	24"	25
SFC-430-PP	30"	25
SFC-436-PP	36"	10
<b>3/8" COMPRESSION S.C. X 3/8" COMPRESSION S.C.</b>		
SFC-506-PP	6"	25
SFC-509-PP	9"	25
SFC-512-PP	12"	25
SFC-516-PP	16"	25
SFC-520-PP	20"	25
SFC-530-PP	30"	25
SFC-536-PP	36"	10
• SFC-548-PP	48"	10
SFC-560-PP	60"	10
SFC-572-PP	72"	10
<b>1/2" F.I.P. S.C. X 3/8" FLARE</b>		
SFF-120-PP	20"	25

"•" = Limited Quantity Available

Content matter is subject to change at any time. It is the user's responsibility to ensure the most updated revisions are obtained. 8/2023

2727 CHEMSEARCH BLVD., IRVING, TX 75062 | PHONE: (800) 854-3215 | FAX: (800) 243-1777 | LSPproducts.com



Legacy of **INNOVATION**



**ICE MAKER CONNECTORS**

<b>PART NUMBER</b>	<b>LENGTH</b>	<b>MSTR CTN QTY</b>
<b>1/4" COMPRESSION H.C. X 1/4" COMPRESSION H.C.</b>		
KDW-912-PP	12"	25
KDW-924-PP	24"	10
KDW-960-PP	60"	10
KDW-972-PP	72"	10
KDW-984-PP	84"	10
KDW-996-PP	96"	10
KDW-9120-PP	120"	10
KDW-9180-PP	180"	10

<b>Product Submittal</b>	
Job Name:	Date:
Part Number:	Quantity:
Architect:	
Contractor:	

Content matter is subject to change at any time. It is the user's responsibility to ensure the most updated revisions are obtained. 8/2023

**2727 CHEMSEARCH BLVD., IRVING, TX 75062 | PHONE: (800) 854-3215 | FAX: (800) 243-1777 | LSPproducts.com**