

PEX Fittings
F1807, F2159 & F1960




Catalog LT-PXF1018
Effective Date: October 2018

F1807 & F2159 Crimp PEX Fittings

Legend quality is foremost with our selection of 3/8" through 2" PEX fittings for residential and commercial PE-RT and PEX plumbing systems. Legend no lead PEX (ASTM F1807) fittings are constructed of forged brass that meet the no lead and DZR (dezincification resistance) standards.

Legend Plastic PEX fittings (ASTM F2159) are constructed of tough and resilient PPSU (polyphenylsulfone) resin which is naturally no lead. Sizes range from 3/8" to 1" and configurations include multi-port tees commonly used for remote manifold plumbing systems.

The fittings are third party certified ANSI/NSF 61 and ANSI/NSF 14. Copper crimp rings and stainless steel clamps are available from 3/8" to 2" and 3/8" to 1" sizes, respectively.



NO LEAD/DZR BRASS PEX FITTINGS

PEX Elbow

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX Elbow

Part No.	Size	Case	Carton
460-002NL	3/8"	500	50
460-003NL	1/2"	250	50
460-085NL	1/2" x 3/4"	500	50
460-004NL	3/4"	250	25
460-005NL	1"	100	20
460-006NL	1-1/4"	100	10
460-007NL	1-1/2"	100	10
460-008NL	2"	40	40

PEX x MNPT Elbow

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x MNPT Elbow

460-105NL	1/2" x 3/8"	500	50
460-106NL	1/2" x 1/2"	250	25
460-107NL	1/2" x 3/4"	250	25
460-110NL	3/4" x 3/4"	100	10
460-113NL	1" x 3/4"	50	10
460-114NL	1" x 1"	50	10

NO LEAD/DZR BRASS PEX FITTINGS

PEX x FTG Elbow

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x Fitting Elbow

Part No.	Size	Case	Carton
460-126NL	1/2" x 1/2"	-	25

PEX x Sweat Elbow

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x Sweat Elbow

460-136NL	1/2" x 1/2"	250	50
460-137NL	3/4" x 3/4"	250	25

PEX Tee

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX Tee

460-152NL	3/8"	-	50
460-153NL	1/2"	250	25
460-154NL	3/4"	250	25
460-155NL	1"	150	25
460-156NL	1-1/4"	100	10
460-157NL	1-1/2"	100	10
460-158NL	2"	40	10

PEX Reducing Tee

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX Reducing Tee

460-208NL	1/2" x 1/2" x 3/4"	250	25
460-210NL	3/4" x 1/2" x 1/2"	250	25
460-211NL	3/4" x 1/2" x 3/4"	250	25
460-212NL	3/4" x 3/4" x 1/2"	250	25
460-213NL	3/4" x 3/4" x 1"	-	25
460-216NL	1" x 1/2" x 1"	150	15
460-214NL	1" x 3/4" x 3/4"	250	25
460-215NL	1" x 3/4" x 1"	250	25
460-217NL	1" x 1" x 1/2"	250	25
460-218NL	1" x 1" x 3/4"	250	25
460-219NL	1-1/4" x 1" x 1/2"	100	10
460-220NL	1-1/4" x 1" x 3/4"	100	10
460-221NL	1-1/4" x 1" x 1"	100	10
460-222NL	1-1/4" x 1-1/4" x 1/2"	100	10
460-223NL	1-1/4" x 1-1/4" x 3/4"	100	10
460-224NL	1-1/4" x 1-1/4" x 1"	100	10
460-227NL	1-1/2" x 1-1/4" x 1"	100	10
460-229NL	1-1/2" x 1-1/2" x 3/4"	100	10
460-230NL	1-1/2" x 1-1/2" x 1"	100	10
460-231NL	1-1/2" x 1-1/2" x 1-1/4"	100	10
460-232NL	2" x 2" x 1/2"	60	5
460-233NL	2" x 2" x 3/4"	60	5
460-234NL	2" x 2" x 1"	60	5
460-236NL	2" x 2" x 1-1/2"	60	10

NO LEAD/DZR BRASS PEX FITTINGS

PEX Plug

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX Plug

Part No.	Size	Case	Carton
460-403NL	1/2"	1500	50
460-404NL	3/4"	-	50
460-405NL	1"	500	50
460-406NL	1-1/4"	100	10
460-407NL	1-1/2"	100	10
460-408NL	2"	100	10

PEX Coupling

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX Coupling

460-502NL	3/8"	250	50
460-503NL	1/2"	1000	50
460-504NL	3/4"	500	25
460-505NL	1"	250	25
460-506NL	1-1/4"	100	10
460-507NL	1-1/2"	100	10
460-508NL	2"	80	5

PEX Reducing Coupling

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX Reducing Coupling

460-525NL	1/2" x 3/8"	500	50
460-528NL	3/4" x 3/8"	250	50
460-529NL	3/4" x 1/2"	500	25
460-532NL	1" x 1/2"	125	25
460-533NL	1" x 3/4"	-	25
460-535NL	1-1/4" x 3/4"	100	10
460-536NL	1-1/4" x 1"	100	10
460-537NL	1-1/2" x 3/4"	100	10
460-538NL	1-1/2" x 1"	100	10
460-539NL	1-1/2" x 1-1/4"	100	10
460-543NL	2" x 1-1/2"	80	5

PEX x FTG Adapter

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x FTG Adapter

460-613NL	1/2" x 1/2"	250	50
460-614NL	3/4" x 3/4"	250	25
460-615NL	1" x 1"	150	15

PEX x Sweat Adapter

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x Sweat Adapter

460-623NL	1/2" x 1/2"	1000	50
460-624NL	3/4" x 3/4"	250	25
460-625NL	1" x 1"	120	15
460-629NL	1-1/4" x 1"	100	10
460-626NL	1-1/4" x 1-1/4"	100	10
460-627NL	1-1/2" x 1-1/2"	100	10
460-628NL	2" x 2"	80	5

NO LEAD/DZR BRASS PEX FITTINGS

PEX x FNPT Adapter

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x FNPT Adapter

Part No.	Size	Case	Carton
460-705NL	1/2" x 1/2"	250	25
460-706NL	1/2" x 3/4"	250	25
460-709NL	3/4" x 1/2"	250	25
460-710NL	3/4" x 3/4"	150	10
460-715NL	1" x 1"	150	15
460-716NL	1-1/4" x 1-1/4"	100	10
460-717NL	1-1/2" x 1-1/2"	100	10
460-718NL	2" x 2"	40	5

PEX x MNPT Adapter

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x MNPT Adapter

460-751NL	3/8" x 1/2"	250	25
460-754NL	1/2" x 1/2"	250	25
460-755NL	1/2" x 3/4"	250	25
460-757NL	3/4" x 1/2"	250	25
460-758NL	3/4" x 3/4"	150	15
460-759NL	3/4" x 1"	100	10
460-762NL	1" x 3/4"	-	15
460-763NL	1" x 1"	100	10
460-764NL	1-1/4" x 1-1/4"	120	12
460-769NL	1-1/2" x 1-1/2"	100	10
460-773NL	2" x 2"	40	5

PEX x FNPT Drop Ear Elbow

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



Drop Ear Elbow

302-218NL	3/8" x 1/2"	-	10
302-219*	1/2" x 1/2"	200	10
302-219NL	1/2" x 1/2"	200	10
302-220NL	3/4" x 1/2"	100	10
302-221*	3/4" x 3/4"	-	10
302-221NL	3/4" x 3/4"	40	10

*Traditional forged brass drop ear elbow.

No Lead PEX x FNPT Drop Ear Tee

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



Drop Ear Tee

302-333NL	1/2" x 1/2" x 1/2"	300	50
302-334NL	3/4" x 3/4" x 3/4"	200	50

PEX x CPVC Adapter

ASTM F1807
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x CPVC
Adapter

302-423NL	1/2"	400	50
302-424NL	3/4"	300	50
302-425NL	1"	200	25

F2159 PLASTIC PEX FITTINGS

PEX Elbow

ASTM F2159
PPSU, ANSI/NSF 61 & 14



PEX Elbow

Part No.	Size	Carton	Bag
461-002	3/8"	600	100
461-003	1/2"	250	50
461-109	3/4" x 1/2"	400	25
461-004	3/4"	250	50
461-005	1"	100	25

PEX x MNPT Elbow

ASTM F2159
PPSU, ANSI/NSF 61 & 14



PEX x MNPT Elbow

461-023	1/2" x 1/2"	300	25
461-024	3/4" x 1/2"	150	25
461-025	3/4" x 3/4"	200	25

PEX x FNPT Swivel Elbow

ASTM F2159
PPSU, ANSI/NSF 61 & 14



PEX x FNPT
Swivel Elbow

461-043	1/2" x 1/2"	200	50
461-045	3/4" x 3/4"	150	25

PEX Tee

ASTM F2159
PPSU, ANSI/NSF 61 & 14



PEX Tee

461-152	3/8"	600	50
461-153	1/2"	250	50
461-154	3/4"	200	50
461-155	1"	100	25

PEX Reducing Tee

ASTM F2159
PPSU, ANSI/NSF 61 & 14



PEX Reducing Tee

461-208	1/2" x 1/2" x 3/4"	250	25
461-210	3/4" x 1/2" x 1/2"	250	50
461-211	3/4" x 1/2" x 3/4"	250	25
461-212	3/4" x 3/4" x 1/2"	250	25
461-213	3/4" x 3/4" x 1"	100	25
461-214	1" x 3/4" x 3/4"	100	25
461-215	1" x 3/4" x 1"	100	25
461-217	1" x 1" x 1/2"	100	25
461-218	1" x 1" x 3/4"	100	25

F2159 PLASTIC PEX FITTINGS

PEX Plug

ASTM F2159
PPSU, ANSI/NSF 61 & 14



PEX Plug

Part No.	Size	Carton	Bag
461-402	3/8"	800	100
461-403	1/2"	1000	100
461-404	3/4"	500	100
461-405	1"	250	50

PEX Coupling

ASTM F2159
PPSU, ANSI/NSF 61 & 14



PEX Coupling

461-501	3/8"	500	100
461-503	1/2"	500	50
461-504	3/4"	250	50
461-505	1"	250	50

PEX Reducing Coupling

ASTM F2159
PPSU, ANSI/NSF 61 & 14



PEX Reducing Coupling

461-502	3/8" x 1/2"	500	100
461-529	3/4" x 1/2"	500	50
461-532	1" x 1/2"	250	50
461-533	1" x 3/4"	250	50

PEX x MNPT Adapter

ASTM F2159
PPSU, ANSI/NSF 61 & 14



PEX x MNPT Adapter

461-754	1/2" x 1/2"	250	50
461-755	1/2" x 3/4"	100	25
461-757	3/4" x 1/2"	250	50
461-758	3/4" x 3/4"	250	50
461-763	1" x 1"	100	25

F2159 PLASTIC PEX FITTINGS

PEX x FNPT Swivel Adapter

ASTM F2159
PPSU, ANSI/NSF 61 & 14



PEX x FNPT
Swivel Adapter

Part No.	Size	Case	Carton
461-822	3/8" x 1/2"	400	50
461-823	1/2" x 1/2"	400	25
461-825	3/4" x 3/4"	200	25

PEX Multi-Port Closed Tee

ASTM F2159
PPSU, ANSI/NSF 61 & 14



PEX x Closed

461-254	3/4" x Closed - 3 Outlets - 1/2"	60	1
461-255	3/4" x Closed - 4 Outlets - 1/2"	40	1
461-260	1" x Closed - 6 Outlets - 1/2"	20	1

PEX Multi-Port Tee

ASTM F2159
PPSU, ANSI/NSF 61 & 14



PEX x PEX

461-263	3/4" x 3/4" - 2 Outlets - 1/2"	80	1
461-264	3/4" x 3/4" - 3 Outlets - 1/2"	60	1
461-265	3/4" x 3/4" - 4 Outlets - 1/2"	40	1
461-266	3/4" x 3/4" - 6 Outlets - 1/2"	20	1

Did you know? Legend offers a comprehensive line of F1807 PEX Ball Valves, Chrome Stop Valves, and Low Pressure Valves. To learn more visit www.legendvalve.com or call our Legendary Customer Service at 800-752-2082.

F1807 Copper Manifolds

Legend Copper Manifolds are designed for PE-RT and PEX potable water systems. Ideal for use in home run and remote manifold plumbing system designs, both are for residential and commercial construction. The manifolds are third party certified ANSI/NSF 61.



COPPER MANIFOLDS AND STUB OUTS

Copper Manifold


ASTM F1807
ANSI/NSF 61 & 14



PEX x Closed



PEX x PEX



Copper Fitting

Part No.	Size	Case	Carton
F1807 PEX x Closed			
NEW 510-603-3	3/4" x Closed - 3 Outlets - 1/2" PEX	80	10
NEW 510-603-4	3/4" x Closed - 4 Outlets - 1/2" PEX	60	10
NEW 510-603-6	3/4" x Closed - 6 Outlets - 1/2" PEX	60	10
NEW 510-603-8	3/4" x Closed - 8 Outlets - 1/2" PEX	40	10
NEW 510-603-10	3/4" x Closed - 10 Outlets - 1/2" PEX	30	10
F1807 PEX x F1807 PEX			
NEW 510-613-3	3/4" x 3/4" - 3 Outlets - 1/2" PEX	80	10
NEW 510-613-4	3/4" x 3/4" - 4 Outlets - 1/2" PEX	60	10
NEW 510-613-6	3/4" x 3/4" - 6 Outlets - 1/2" PEX	60	10
NEW 510-613-8	3/4" x 3/4" - 8 Outlets - 1/2" PEX	40	10
NEW 510-613-10	3/4" x 3/4" - 10 Outlets - 1/2" PEX	30	10
Copper Fitting x Copper Fitting			
NEW 510-623-12	1" x 1" - 12 Outlets - 1/2" Fitting	10	10

COPPER MANIFOLDS AND STUB OUTS

Copper Stub Out

ASTM F1807
ANSI/NSF 61 & 14



Copper Stub Out

Part No.	Size	Case	Carton
----------	------	------	--------

Copper Stub Out

NEW 507-502	1/2" F1807 PEX x 6"	100	25
NEW 507-503	1/2" F1807 PEX x 8"	80	20

Copper Stub Out with Flange



Copper Stub Out with Flange

NEW 507-512	1/2" F1807 PEX x 6"	60	10
NEW 507-513	1/2" F1807 PEX x 8"	60	10

RINGS AND CLAMPS

Crimp Ring



Crimp Ring

460-902	3/8"	-	100
460-903	1/2"	-	100
460-904	3/4"	-	50
460-905	1"	-	50
460-906	1-1/4"	-	25
460-907	1-1/2"	-	25
460-908	2"	-	25

Stainless Steel Clamp

ASTM F2098



Stainless Steel Clamp

460-912	3/8"	-	100
460-913	1/2"	-	100
460-914	3/4"	-	100
460-915	1"	-	100

Did you know? Legend is now manufacturing HyperPure[®], the first PE-RT for potable water systems that is 100% recyclable and backed by our 100 year warranty. To learn more visit www.legendvalve.com or call our Legendary Customer Service at 800-752-2082

F1960 Forged Brass and Plastic PEX Fittings

For PEX fittings systems utilizing cold expansion, Legend offers several configurations in sizes from 3/8" to 2" in no lead brass and 1/2" to 1" in plastic. The assortment includes PPSU multi-port tees commonly used in remote manifold plumbing systems.

Both the no lead/ DZR forged brass and PPSU (polyphenylsulfone) PEX fittings are manufactured to meet ASTM F1960. They are third party certified ANSI/NSF 61 and ANSI/NSF 14.



NO LEAD, DZR FORGED BRASS F1960 COLD EXPANSION PEX FITTINGS

CE PEX Elbow

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX Elbow

Part No.	Size	Case	Carton
F1960 PEX x F1960 PEX			
462-002NL	3/8"	250	50
462-003NL	1/2"	250	50
462-004NL	3/4"	250	25
462-005NL	1"	100	20
462-006NL	1-1/4"	60	10
462-007NL	1-1/2"	50	10
462-008NL	2"	25	5

CE PEX Reducing Elbow

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX Reducing Elbow

F1960 PEX x F1960 PEX			
462-085NL	3/4" x 1/2"	300	50

CE PEX 3 Hole Drop Ear Elbow

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



F1960 PEX x FNPT

F1960 PEX x FNPT 3 Hole Drop Ear Elbow			
302-235NL	1/2"	200	100
302-236NL	3/4"	200	100

NO LEAD, DZR FORGED BRASS F1960 COLD EXPANSION PEX FITTINGS

CE PEX x MNPT Elbow

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x MNPT Elbow

Part No.	Size	Case	Carton
F1960 PEX x MNPT			
462-106NL	1/2"	400	25
462-110NL	3/4"	100	10
462-114NL	1"	100	10

CE PEX x MNPT Reducing Elbow

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x MNPT
Reducing Elbow

F1960 PEX x MNPT			
462-105NL	1/2" x 3/8"	100	10
462-107NL	1/2" x 3/4"	100	10
462-113NL	1" x 3/4"	100	10

CE PEX x Fitting Elbow

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x Fitting Elbow

F1960 PEX x Fitting			
462-126NL	1/2" x 3/4"	100	10

CE PEX x Sweat Elbow

ASTM F 1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x Sweat Elbow

F1960 PEX x Sweat			
462-136NL	1/2" x 1/2"	250	25
462-137NL	3/4" x 3/4"	250	25

CE PEX Drop Ear Tee

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x FNPT Tee

F1960 PEX x F1960 PEX x FNPT			
302-240NL	1/2" x 1/2" x 1/2"	100	10
302-241NL	3/4" x 3/4" x 3/4"	100	10

NO LEAD, DZR FORGED BRASS F1960 COLD EXPANSION PEX FITTINGS

CE PEX Tee

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX Tee

Part No.	Size	Case	Carton
F1960 PEX x F1960 PEX x F1960 PEX			
462-152NL	3/8"	250	50
462-153NL	1/2"	250	25
462-154NL	3/4"	200	25
462-155NL	1"	100	10
462-156NL	1-1/4"	50	10
462-157NL	1-1/2"	40	10
462-158NL	2"	45	5

CE PEX Reducing Tee

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX Reducing Tee

Part No.	Size	Case	Carton
F1960 PEX x F1960 PEX x F1960 PEX			
462-208NL	1/2" x 1/2" x 3/4"	250	25
462-210NL	3/4" x 1/2" x 1/2"	250	25
462-211NL	3/4" x 1/2" x 3/4"	250	25
462-212NL	3/4" x 3/4" x 1/2"	250	25
462-213NL	3/4" x 3/4" x 1"	150	25
462-216NL	1" x 1/2" x 1"	150	15
462-214NL	1" x 3/4" x 3/4"	150	25
462-215NL	1" x 3/4" x 1"	100	25
462-217NL	1" x 1" x 1/2"	150	25
462-218NL	1" x 1" x 3/4"	100	25
462-219NL	1-1/4" x 1" x 1/2"	100	10
462-220NL	1-1/4" x 1" x 3/4"	80	10
462-221NL	1-1/4" x 1" x 1"	60	10
462-222NL	1-1/4" x 1-1/4" x 1/2"	60	10
462-223NL	1-1/4" x 1-1/4" x 3/4"	60	10
462-224NL	1-1/4" x 1-1/4" x 1"	60	10
462-227NL	1-1/2" x 1-1/4" x 1"	60	10
462-229NL	1-1/2" x 1-1/2" x 3/4"	60	10
462-230NL	1-1/2" x 1-1/2" x 1"	50	10
462-231NL	1-1/2" x 1-1/2" x 1-1/4"	40	10
462-232NL	2" x 2" x 1/2"	30	5
462-233NL	2" x 2" x 3/4"	25	5
462-234NL	2" x 2" x 1"	25	5
462-236NL	2" x 2" x 1-1/2"	20	5

CE PEX Plug

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX Plug

Part No.	Size	Case	Carton
F1960 PEX			
462-403NL	1/2"	500	50
462-404NL	3/4"	500	50
462-405NL	1"	250	25
462-406NL	1-1/4"	100	10
462-407NL	1-1/2"	100	10
462-408NL	2"	50	10

NO LEAD, DZR FORGED BRASS F1960 COLD EXPANSION PEX FITTINGS

CE PEX Coupling

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX Coupling

Part No.	Size	Case	Carton
F1960 PEX x F1960 PEX			
462-502NL	3/8"	250	50
462-503NL	1/2"	500	50
462-504NL	3/4"	400	25
462-505NL	1"	200	25
462-506NL	1-1/4"	100	10
462-507NL	1-1/2"	100	10
462-508NL	2"	80	5

CE PEX Reducing Coupling

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX Reducing Coupling

F1960 PEX x F1960 PEX			
462-525NL	1/2" x 3/8"	500	50
462-528NL	3/4" x 3/8"	250	50
462-529NL	3/4" x 1/2"	400	25
462-532NL	1" x 1/2"	250	25
462-533NL	1" x 3/4"	250	25
462-535NL	1-1/4" x 3/4"	100	10
462-536NL	1-1/4" x 1"	100	10
462-537NL	1-1/2" x 3/4"	100	10
462-538NL	1-1/2" x 1"	100	10
462-539NL	1-1/2" x 1-1/4"	80	10
462-543NL	2" x 1-1/2"	40	5

CE PEX x Fitting Adapter

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x Fitting Adapter

F1960 PEX x Fitting			
462-613NL	1/2"	250	50
462-614NL	3/4"	250	25
462-615NL	1"	120	15

CE PEX x Sweat Adapter

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x Sweat Adapter

F1960 PEX x Sweat			
462-623NL	1/2"	250	50
462-624NL	3/4"	250	25
462-625NL	1"	250	25
462-626NL	1-1/4"	100	10
462-627NL	1-1/2"	80	10
462-628NL	2"	40	5

NO LEAD, DZR FORGED BRASS F1960 COLD EXPANSION PEX FITTINGS

CE PEX x Sweat Reducing Adapter

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x Sweat
Reducing Adapter

Part No.	Size	Case	Carton
F1960 PEX x Sweat			
462-629NL	1-1/4" x 1"	100	10

CE PEX x FNPT Adapter

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x FNPT Adapter

F1960 PEX x FNPT			
462-705NL	1/2"	400	25
462-710NL	3/4"	150	10
462-715NL	1"	120	15
462-716NL	1-1/4"	100	10
462-717NL	1-1/2"	80	10
462-718NL	2"	40	5

CE PEX x FNPT Reducing Adapter

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x FNPT
Reducing Adapter

F1960 PEX x FNPT			
462-706NL	1/2" x 3/4"	250	25
462-709NL	3/4" x 1/2"	250	25

CE PEX x MNPT Adapter

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x MNPT Adapter

F1960 PEX x MNPT			
462-754NL	1/2"	400	25
462-758NL	3/4"	150	15
462-763NL	1"	120	10
462-764NL	1-1/4"	120	10
462-769NL	1-1/2"	80	10
462-773NL	2"	40	5

CE PEX x MNPT Reducing Adapter

ASTM F1960
No lead, DZR forged brass
ANSI/NSF 61 & 14



PEX x MNPT
Reducing Adapter

F1960 PEX x MNPT			
462-751NL	3/8" x 1/2"	250	25
462-755NL	1/2" x 3/4"	250	25
462-757NL	3/4" x 1/2"	250	25
462-759NL	3/4" x 1"	120	10
462-761NL	1" x 1/2"	120	10
462-762NL	1" x 3/4"	120	15

PLASTIC (PPSU) F1960 COLD EXPANSION PEX FITTINGS

CE PEX Elbow

ASTM F1960
PPSU, ANSI/NSF 61 & 14



PEX Elbow

Part No.	Size	Carton	Bag
F1960 PEX x F1960 PEX			
461-903	1/2"	500	50
461-904	3/4"	200	25
461-905	1"	100	25

CE PEX Reducing Elbow

ASTM F1960
PPSU, ANSI/NSF 61 & 14



PEX Reducing Elbow

Part No.	Size	Carton	Bag
F1960 PEX x F1960 PEX			
461-908	1/2" x 3/4"	120	10

CE PEX Tee

ASTM F1960
PPSU, ANSI/NSF 61 & 14



PEX Tee

Part No.	Size	Carton	Bag
F1960 PEX x F1960 PEX x F1960 PEX			
461-923	1/2"	300	50
461-924	3/4"	125	25
461-925	1"	60	15

CE PEX Reducing Tee

ASTM F1960
PPSU, ANSI/NSF 61 & 14



PEX Reducing Tee

Part No.	Size	Carton	Bag
F1960 PEX x F1960 PEX x F1960 PEX			
461-929	1/2" x 1/2" x 3/4"	225	25
461-930	3/4" x 1/2" x 1/2"	225	25
461-931	3/4" x 1/2" x 3/4"	150	25
461-932	3/4" x 3/4" x 1/2"	175	25
461-934	1" x 3/4" x 3/4"	80	20
461-935	1" x 3/4" x 1"	60	15
461-933	1" x 1" x 1/2"	100	10
461-936	1" x 1" x 3/4"	80	20

CE PEX Plug

ASTM F1960
PPSU, ANSI/NSF 61 & 14



PEX Plug

Part No.	Size	Carton	Bag
F1960 PEX Plug			
461-943	1/2"	500	50
461-944	3/4"	500	50
461-945	1"	250	50

PLASTIC (PPSU) F1960 COLD EXPANSION PEX FITTINGS

CE PEX Coupling

ASTM F1960
PPSU, ANSI/NSF 61 & 14



PEX Coupling

Part No.	Size	Carton	Bag
F1960 PEX x F1960 PEX			
461-913	1/2"	600	50
461-914	3/4"	300	50
461-915	1"	150	25

CE PEX Reducing Coupling

ASTM F1960
PPSU, ANSI/NSF 61 & 14



PEX Reducing Coupling

F1960 PEX x F1960 PEX			
461-918	1/2" x 3/8"	500	50
461-919	1/2" x 3/4"	400	50
461-920	1" x 3/4"	175	25

CE PEX x MNPT Adapter

ASTM F1960
PPSU, ANSI/NSF 61 & 14



PEX x Adapter

F1960 PEX x MNPT			
461-948	1/2"	350	50
461-949	3/4"	250	50

CE PEX Multi-Port Closed Tee

ASTM F1960
PPSU, ANSI/NSF 61 & 14



Multi-Port Closed Tee

F1960 PEX x Closed			
461-274	3/4" x Closed - 3 Outlets - 1/2"	60	1
461-275	3/4" x Closed - 4 Outlets - 1/2"	40	1
461-280	3/4" x Closed - 6 Outlets - 1/2"	20	1

CE PEX Multi-Port Tee


ASTM F1960
PPSU, ANSI/NSF 61 & 14



Multi-Port Tee

F1960 PEX x F1960 PEX x F1960 PEX			
461-283	3/4" x 3/4" - 2 Outlets - 1/2"	80	1
461-284	3/4" x 3/4" - 3 Outlets - 1/2"	60	1
461-285	3/4" x 3/4" - 4 Outlets - 1/2"	40	1

Did you know? Legend manufactures HyperPure PE-RT in Michigan.



Everything you need for your potable water systems.

**Downstream
Thinking**
It's all about Performance



300 N. Opdyke Rd.

Auburn Hills, MI 48326

Phone: 800-752-2082

Fax: 800-835-4457

web: www.legendvalve.com

email: service@legendvalve.com