

**PEX Fittings**  
**F1807, F2159 & F1960**



Catalog LT-PXF1018  
Effective Date: October 2018

## F1807 & F2159 Crimp PEX Fittings

Legend quality is foremost with our selection of 3/8" through 2" PEX fittings for residential and commercial PE-RT and PEX plumbing systems. Legend no lead PEX (ASTM F1807) fittings are constructed of forged brass that meet the no lead and DZR (dezincification resistance) standards.

Legend Plastic PEX fittings (ASTM F2159) are constructed of tough and resilient PPSU (polyphenylsulfone) resin which is naturally no lead. Sizes range from 3/8" to 1" and configurations include multi-port tees commonly used for remote manifold plumbing systems.

The fittings are third party certified ANSI/NSF 61 and ANSI/NSF 14. Copper crimp rings and stainless steel clamps are available from 3/8" to 2" and 3/8" to 1" sizes, respectively.



### NO LEAD/DZR BRASS PEX FITTINGS

#### PEX Elbow

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX Elbow

Part No.	Size	Case	Carton
460-002NL	3/8"	500	50
460-003NL	1/2"	250	50
460-085NL	1/2" x 3/4"	500	50
460-004NL	3/4"	250	25
460-005NL	1"	100	20
460-006NL	1-1/4"	100	10
460-007NL	1-1/2"	100	10
460-008NL	2"	40	40

#### PEX x MNPT Elbow

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x MNPT Elbow

460-105NL	1/2" x 3/8"	500	50
460-106NL	1/2" x 1/2"	250	25
460-107NL	1/2" x 3/4"	250	25
460-110NL	3/4" x 3/4"	100	10
460-113NL	1" x 3/4"	50	10
460-114NL	1" x 1"	50	10

### NO LEAD/DZR BRASS PEX FITTINGS

#### PEX x FTG Elbow

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x Fitting Elbow

Part No.	Size	Case	Carton
460-126NL	1/2" x 1/2"	-	25

#### PEX x Sweat Elbow

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x Sweat Elbow

460-136NL	1/2" x 1/2"	250	50
460-137NL	3/4" x 3/4"	250	25

#### PEX Tee

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX Tee

460-152NL	3/8"	-	50
460-153NL	1/2"	250	25
460-154NL	3/4"	250	25
460-155NL	1"	150	25
460-156NL	1-1/4"	100	10
460-157NL	1-1/2"	100	10
460-158NL	2"	40	10

#### PEX Reducing Tee

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX Reducing Tee

460-208NL	1/2" x 1/2" x 3/4"	250	25
460-210NL	3/4" x 1/2" x 1/2"	250	25
460-211NL	3/4" x 1/2" x 3/4"	250	25
460-212NL	3/4" x 3/4" x 1/2"	250	25
460-213NL	3/4" x 3/4" x 1"	-	25
460-216NL	1" x 1/2" x 1"	150	15
460-214NL	1" x 3/4" x 3/4"	250	25
460-215NL	1" x 3/4" x 1"	250	25
460-217NL	1" x 1" x 1/2"	250	25
460-218NL	1" x 1" x 3/4"	250	25
460-219NL	1-1/4" x 1" x 1/2"	100	10
460-220NL	1-1/4" x 1" x 3/4"	100	10
460-221NL	1-1/4" x 1" x 1"	100	10
460-222NL	1-1/4" x 1-1/4" x 1/2"	100	10
460-223NL	1-1/4" x 1-1/4" x 3/4"	100	10
460-224NL	1-1/4" x 1-1/4" x 1"	100	10
460-227NL	1-1/2" x 1-1/4" x 1"	100	10
460-229NL	1-1/2" x 1-1/2" x 3/4"	100	10
460-230NL	1-1/2" x 1-1/2" x 1"	100	10
460-231NL	1-1/2" x 1-1/2" x 1-1/4"	100	10
460-232NL	2" x 2" x 1/2"	60	5
460-233NL	2" x 2" x 3/4"	60	5
460-234NL	2" x 2" x 1"	60	5
460-236NL	2" x 2" x 1-1/2"	60	10

## NO LEAD/DZR BRASS PEX FITTINGS

### PEX Plug

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX Plug

Part No.	Size	Case	Carton
460-403NL	1/2"	1500	50
460-404NL	3/4"	-	50
460-405NL	1"	500	50
460-406NL	1-1/4"	100	10
460-407NL	1-1/2"	100	10
460-408NL	2"	100	10

### PEX Coupling

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX Coupling

460-502NL	3/8"	250	50
460-503NL	1/2"	1000	50
460-504NL	3/4"	500	25
460-505NL	1"	250	25
460-506NL	1-1/4"	100	10
460-507NL	1-1/2"	100	10
460-508NL	2"	80	5

### PEX Reducing Coupling

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX Reducing Coupling

460-525NL	1/2" x 3/8"	500	50
460-528NL	3/4" x 3/8"	250	50
460-529NL	3/4" x 1/2"	500	25
460-532NL	1" x 1/2"	125	25
460-533NL	1" x 3/4"	-	25
460-535NL	1-1/4" x 3/4"	100	10
460-536NL	1-1/4" x 1"	100	10
460-537NL	1-1/2" x 3/4"	100	10
460-538NL	1-1/2" x 1"	100	10
460-539NL	1-1/2" x 1-1/4"	100	10
460-543NL	2" x 1-1/2"	80	5

### PEX x FTG Adapter

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x FTG Adapter

460-613NL	1/2" x 1/2"	250	50
460-614NL	3/4" x 3/4"	250	25
460-615NL	1" x 1"	150	15

### PEX x Sweat Adapter

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x Sweat Adapter

460-623NL	1/2" x 1/2"	1000	50
460-624NL	3/4" x 3/4"	250	25
460-625NL	1" x 1"	120	15
460-629NL	1-1/4" x 1"	100	10
460-626NL	1-1/4" x 1-1/4"	100	10
460-627NL	1-1/2" x 1-1/2"	100	10
460-628NL	2" x 2"	80	5

## NO LEAD/DZR BRASS PEX FITTINGS

### PEX x FNPT Adapter

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x FNPT Adapter

Part No.	Size	Case	Carton
460-705NL	1/2" x 1/2"	250	25
460-706NL	1/2" x 3/4"	250	25
460-709NL	3/4" x 1/2"	250	25
460-710NL	3/4" x 3/4"	150	10
460-715NL	1" x 1"	150	15
460-716NL	1-1/4" x 1-1/4"	100	10
460-717NL	1-1/2" x 1-1/2"	100	10
460-718NL	2" x 2"	40	5

### PEX x MNPT Adapter

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x MNPT Adapter

460-751NL	3/8" x 1/2"	250	25
460-754NL	1/2" x 1/2"	250	25
460-755NL	1/2" x 3/4"	250	25
460-757NL	3/4" x 1/2"	250	25
460-758NL	3/4" x 3/4"	150	15
460-759NL	3/4" x 1"	100	10
460-762NL	1" x 3/4"	-	15
460-763NL	1" x 1"	100	10
460-764NL	1-1/4" x 1-1/4"	120	12
460-769NL	1-1/2" x 1-1/2"	100	10
460-773NL	2" x 2"	40	5

### PEX x FNPT Drop Ear Elbow

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



Drop Ear Elbow

302-218NL	3/8" x 1/2"	-	10
302-219*	1/2" x 1/2"	200	10
302-219NL	1/2" x 1/2"	200	10
302-220NL	3/4" x 1/2"	100	10
302-221*	3/4" x 3/4"	-	10
302-221NL	3/4" x 3/4"	40	10

\*Traditional forged brass drop ear elbow.

### No Lead PEX x FNPT Drop Ear Tee

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



Drop Ear Tee

302-333NL	1/2" x 1/2" x 1/2"	300	50
302-334NL	3/4" x 3/4" x 3/4"	200	50

### PEX x CPVC Adapter

ASTM F1807  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x CPVC  
Adapter

302-423NL	1/2"	400	50
302-424NL	3/4"	300	50
302-425NL	1"	200	25

## F2159 PLASTIC PEX FITTINGS

### PEX Elbow

ASTM F2159  
PPSU, ANSI/NSF 61 & 14



PEX Elbow

Part No.	Size	Carton	Bag
461-002	3/8"	600	100
461-003	1/2"	250	50
461-109	3/4" x 1/2"	400	25
461-004	3/4"	250	50
461-005	1"	100	25

### PEX x MNPT Elbow

ASTM F2159  
PPSU, ANSI/NSF 61 & 14



PEX x MNPT Elbow

461-023	1/2" x 1/2"	300	25
461-024	3/4" x 1/2"	150	25
461-025	3/4" x 3/4"	200	25

### PEX x FNPT Swivel Elbow

ASTM F2159  
PPSU, ANSI/NSF 61 & 14



PEX x FNPT  
Swivel Elbow

461-043	1/2" x 1/2"	200	50
461-045	3/4" x 3/4"	150	25

### PEX Tee

ASTM F2159  
PPSU, ANSI/NSF 61 & 14



PEX Tee

461-152	3/8"	600	50
461-153	1/2"	250	50
461-154	3/4"	200	50
461-155	1"	100	25

### PEX Reducing Tee

ASTM F2159  
PPSU, ANSI/NSF 61 & 14



PEX Reducing Tee

461-208	1/2" x 1/2" x 3/4"	250	25
461-210	3/4" x 1/2" x 1/2"	250	50
461-211	3/4" x 1/2" x 3/4"	250	25
461-212	3/4" x 3/4" x 1/2"	250	25
461-213	3/4" x 3/4" x 1"	100	25
461-214	1" x 3/4" x 3/4"	100	25
461-215	1" x 3/4" x 1"	100	25
461-217	1" x 1" x 1/2"	100	25
461-218	1" x 1" x 3/4"	100	25

## F2159 PLASTIC PEX FITTINGS

### PEX Plug

ASTM F2159  
PPSU, ANSI/NSF 61 & 14



PEX Plug

Part No.	Size	Carton	Bag
461-402	3/8"	800	100
461-403	1/2"	1000	100
461-404	3/4"	500	100
461-405	1"	250	50

### PEX Coupling

ASTM F2159  
PPSU, ANSI/NSF 61 & 14



PEX Coupling

461-501	3/8"	500	100
461-503	1/2"	500	50
461-504	3/4"	250	50
461-505	1"	250	50

### PEX Reducing Coupling

ASTM F2159  
PPSU, ANSI/NSF 61 & 14



PEX Reducing Coupling

461-502	3/8" x 1/2"	500	100
461-529	3/4" x 1/2"	500	50
461-532	1" x 1/2"	250	50
461-533	1" x 3/4"	250	50

### PEX x MNPT Adapter

ASTM F2159  
PPSU, ANSI/NSF 61 & 14



PEX x MNPT Adapter

461-754	1/2" x 1/2"	250	50
461-755	1/2" x 3/4"	100	25
461-757	3/4" x 1/2"	250	50
461-758	3/4" x 3/4"	250	50
461-763	1" x 1"	100	25

**F2159 PLASTIC PEX FITTINGS**

**PEX x FNPT Swivel Adapter**

ASTM F2159  
PPSU, ANSI/NSF 61 & 14



PEX x FNPT  
Swivel Adapter

Part No.	Size	Case	Carton
461-822	3/8" x 1/2"	400	50
461-823	1/2" x 1/2"	400	25
461-825	3/4" x 3/4"	200	25

**PEX Multi-Port Closed Tee**

ASTM F2159  
PPSU, ANSI/NSF 61 & 14



PEX x Closed

461-254	3/4" x Closed - 3 Outlets - 1/2"	60	1
461-255	3/4" x Closed - 4 Outlets - 1/2"	40	1
461-260	1" x Closed - 6 Outlets - 1/2"	20	1

**PEX Multi-Port Tee**

ASTM F2159  
PPSU, ANSI/NSF 61 & 14



PEX x PEX

461-263	3/4" x 3/4" - 2 Outlets - 1/2"	80	1
461-264	3/4" x 3/4" - 3 Outlets - 1/2"	60	1
461-265	3/4" x 3/4" - 4 Outlets - 1/2"	40	1
461-266	3/4" x 3/4" - 6 Outlets - 1/2"	20	1

**Did you know?** Legend offers a comprehensive line of F1807 PEX Ball Valves, Chrome Stop Valves, and Low Pressure Valves. To learn more visit [www.legendvalve.com](http://www.legendvalve.com) or call our Legendary Customer Service at 800-752-2082.



# F1807 Copper Manifolds

Legend Copper Manifolds are designed for PE-RT and PEX potable water systems. Ideal for use in home run and remote manifold plumbing system designs, both are for residential and commercial construction. The manifolds are third party certified ANSI/NSF 61.



## COPPER MANIFOLDS AND STUB OUTS

### Copper Manifold


ASTM F1807  
ANSI/NSF 61 & 14



PEX x Closed



PEX x PEX



Copper Fitting

Part No.	Size	Case	Carton
<b>F1807 PEX x Closed</b>			
<b>NEW</b> 510-603-3	3/4" x Closed - 3 Outlets - 1/2" PEX	80	10
<b>NEW</b> 510-603-4	3/4" x Closed - 4 Outlets - 1/2" PEX	60	10
<b>NEW</b> 510-603-6	3/4" x Closed - 6 Outlets - 1/2" PEX	60	10
<b>NEW</b> 510-603-8	3/4" x Closed - 8 Outlets - 1/2" PEX	40	10
<b>NEW</b> 510-603-10	3/4" x Closed - 10 Outlets - 1/2" PEX	30	10
<b>F1807 PEX x F1807 PEX</b>			
<b>NEW</b> 510-613-3	3/4" x 3/4" - 3 Outlets - 1/2" PEX	80	10
<b>NEW</b> 510-613-4	3/4" x 3/4" - 4 Outlets - 1/2" PEX	60	10
<b>NEW</b> 510-613-6	3/4" x 3/4" - 6 Outlets - 1/2" PEX	60	10
<b>NEW</b> 510-613-8	3/4" x 3/4" - 8 Outlets - 1/2" PEX	40	10
<b>NEW</b> 510-613-10	3/4" x 3/4" - 10 Outlets - 1/2" PEX	30	10
<b>Copper Fitting x Copper Fitting</b>			
<b>NEW</b> 510-623-12	1" x 1" - 12 Outlets - 1/2" Fitting	10	10

**COPPER MANIFOLDS AND STUB OUTS**

**Copper Stub Out**

ASTM F1807  
ANSI/NSF 61 & 14



Copper Stub Out

Part No.	Size	Case	Carton
----------	------	------	--------

**Copper Stub Out**

<b>NEW</b> 507-502	1/2" F1807 PEX x 6"	100	25
<b>NEW</b> 507-503	1/2" F1807 PEX x 8"	80	20

**Copper Stub Out with Flange**



Copper Stub Out with Flange

<b>NEW</b> 507-512	1/2" F1807 PEX x 6"	60	10
<b>NEW</b> 507-513	1/2" F1807 PEX x 8"	60	10

**RINGS AND CLAMPS**

**Crimp Ring**



Crimp Ring

460-902	3/8"	-	100
460-903	1/2"	-	100
460-904	3/4"	-	50
460-905	1"	-	50
460-906	1-1/4"	-	25
460-907	1-1/2"	-	25
460-908	2"	-	25

**Stainless Steel Clamp**

ASTM F2098



Stainless Steel Clamp

460-912	3/8"	-	100
460-913	1/2"	-	100
460-914	3/4"	-	100
460-915	1"	-	100

**Did you know?** Legend is now manufacturing HyperPure<sup>®</sup>, the first PE-RT for potable water systems that is 100% recyclable and backed by our 100 year warranty. To learn more visit [www.legendvalve.com](http://www.legendvalve.com) or call our Legendary Customer Service at 800-752-2082

## F1960 Forged Brass and Plastic PEX Fittings

For PEX fittings systems utilizing cold expansion, Legend offers several configurations in sizes from 3/8" to 2" in no lead brass and 1/2" to 1" in plastic. The assortment includes PPSU multi-port tees commonly used in remote manifold plumbing systems.

Both the no lead/ DZR forged brass and PPSU (polyphenylsulfone) PEX fittings are manufactured to meet ASTM F1960. They are third party certified ANSI/NSF 61 and ANSI/NSF 14.



### NO LEAD, DZR FORGED BRASS F1960 COLD EXPANSION PEX FITTINGS

#### CE PEX Elbow

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX Elbow

Part No.	Size	Case	Carton
<b>F1960 PEX x F1960 PEX</b>			
462-002NL	3/8"	250	50
462-003NL	1/2"	250	50
462-004NL	3/4"	250	25
462-005NL	1"	100	20
462-006NL	1-1/4"	60	10
462-007NL	1-1/2"	50	10
462-008NL	2"	25	5

#### CE PEX Reducing Elbow

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX Reducing Elbow

<b>F1960 PEX x F1960 PEX</b>			
462-085NL	3/4" x 1/2"	300	50

#### CE PEX 3 Hole Drop Ear Elbow

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



F1960 PEX x FNPT

<b>F1960 PEX x FNPT 3 Hole Drop Ear Elbow</b>			
302-235NL	1/2"	200	100
302-236NL	3/4"	200	100

**NO LEAD, DZR FORGED BRASS F1960 COLD EXPANSION PEX FITTINGS**

**CE PEX x MNPT Elbow**

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x MNPT Elbow

Part No.	Size	Case	Carton
<b>F1960 PEX x MNPT</b>			
462-106NL	1/2"	400	25
462-110NL	3/4"	100	10
462-114NL	1"	100	10

**CE PEX x MNPT Reducing Elbow**

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x MNPT  
Reducing Elbow

<b>F1960 PEX x MNPT</b>			
462-105NL	1/2" x 3/8"	100	10
462-107NL	1/2" x 3/4"	100	10
462-113NL	1" x 3/4"	100	10

**CE PEX x Fitting Elbow**

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x Fitting Elbow

<b>F1960 PEX x Fitting</b>			
462-126NL	1/2" x 3/4"	100	10

**CE PEX x Sweat Elbow**

ASTM F 1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x Sweat Elbow

<b>F1960 PEX x Sweat</b>			
462-136NL	1/2" x 1/2"	250	25
462-137NL	3/4" x 3/4"	250	25

**CE PEX Drop Ear Tee**

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x FNPT Tee

<b>F1960 PEX x F1960 PEX x FNPT</b>			
302-240NL	1/2" x 1/2" x 1/2"	100	10
302-241NL	3/4" x 3/4" x 3/4"	100	10

**NO LEAD, DZR FORGED BRASS F1960 COLD EXPANSION PEX FITTINGS**

**CE PEX Tee**

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX Tee

Part No.	Size	Case	Carton
F1960 PEX x F1960 PEX x F1960 PEX			
462-152NL	3/8"	250	50
462-153NL	1/2"	250	25
462-154NL	3/4"	200	25
462-155NL	1"	100	10
462-156NL	1-1/4"	50	10
462-157NL	1-1/2"	40	10
462-158NL	2"	45	5

**CE PEX Reducing Tee**

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX Reducing Tee

Part No.	Size	Case	Carton
F1960 PEX x F1960 PEX x F1960 PEX			
462-208NL	1/2" x 1/2" x 3/4"	250	25
462-210NL	3/4" x 1/2" x 1/2"	250	25
462-211NL	3/4" x 1/2" x 3/4"	250	25
462-212NL	3/4" x 3/4" x 1/2"	250	25
462-213NL	3/4" x 3/4" x 1"	150	25
462-216NL	1" x 1/2" x 1"	150	15
462-214NL	1" x 3/4" x 3/4"	150	25
462-215NL	1" x 3/4" x 1"	100	25
462-217NL	1" x 1" x 1/2"	150	25
462-218NL	1" x 1" x 3/4"	100	25
462-219NL	1-1/4" x 1" x 1/2"	100	10
462-220NL	1-1/4" x 1" x 3/4"	80	10
462-221NL	1-1/4" x 1" x 1"	60	10
462-222NL	1-1/4" x 1-1/4" x 1/2"	60	10
462-223NL	1-1/4" x 1-1/4" x 3/4"	60	10
462-224NL	1-1/4" x 1-1/4" x 1"	60	10
462-227NL	1-1/2" x 1-1/4" x 1"	60	10
462-229NL	1-1/2" x 1-1/2" x 3/4"	60	10
462-230NL	1-1/2" x 1-1/2" x 1"	50	10
462-231NL	1-1/2" x 1-1/2" x 1-1/4"	40	10
462-232NL	2" x 2" x 1/2"	30	5
462-233NL	2" x 2" x 3/4"	25	5
462-234NL	2" x 2" x 1"	25	5
462-236NL	2" x 2" x 1-1/2"	20	5

**CE PEX Plug**

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX Plug

Part No.	Size	Case	Carton
F1960 PEX			
462-403NL	1/2"	500	50
462-404NL	3/4"	500	50
462-405NL	1"	250	25
462-406NL	1-1/4"	100	10
462-407NL	1-1/2"	100	10
462-408NL	2"	50	10

## NO LEAD, DZR FORGED BRASS F1960 COLD EXPANSION PEX FITTINGS

### CE PEX Coupling

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX Coupling

Part No.	Size	Case	Carton
F1960 PEX x F1960 PEX			
462-502NL	3/8"	250	50
462-503NL	1/2"	500	50
462-504NL	3/4"	400	25
462-505NL	1"	200	25
462-506NL	1-1/4"	100	10
462-507NL	1-1/2"	100	10
462-508NL	2"	80	5

### CE PEX Reducing Coupling

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX Reducing Coupling

F1960 PEX x F1960 PEX			
462-525NL	1/2" x 3/8"	500	50
462-528NL	3/4" x 3/8"	250	50
462-529NL	3/4" x 1/2"	400	25
462-532NL	1" x 1/2"	250	25
462-533NL	1" x 3/4"	250	25
462-535NL	1-1/4" x 3/4"	100	10
462-536NL	1-1/4" x 1"	100	10
462-537NL	1-1/2" x 3/4"	100	10
462-538NL	1-1/2" x 1"	100	10
462-539NL	1-1/2" x 1-1/4"	80	10
462-543NL	2" x 1-1/2"	40	5

### CE PEX x Fitting Adapter

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x Fitting Adapter

F1960 PEX x Fitting			
462-613NL	1/2"	250	50
462-614NL	3/4"	250	25
462-615NL	1"	120	15

### CE PEX x Sweat Adapter

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x Sweat Adapter

F1960 PEX x Sweat			
462-623NL	1/2"	250	50
462-624NL	3/4"	250	25
462-625NL	1"	250	25
462-626NL	1-1/4"	100	10
462-627NL	1-1/2"	80	10
462-628NL	2"	40	5

## NO LEAD, DZR FORGED BRASS F1960 COLD EXPANSION PEX FITTINGS

### CE PEX x Sweat Reducing Adapter

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x Sweat  
Reducing Adapter

Part No.	Size	Case	Carton
<b>F1960 PEX x Sweat</b>			
462-629NL	1-1/4" x 1"	100	10

### CE PEX x FNPT Adapter

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x FNPT Adapter

<b>F1960 PEX x FNPT</b>			
462-705NL	1/2"	400	25
462-710NL	3/4"	150	10
462-715NL	1"	120	15
462-716NL	1-1/4"	100	10
462-717NL	1-1/2"	80	10
462-718NL	2"	40	5

### CE PEX x FNPT Reducing Adapter

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x FNPT  
Reducing Adapter

<b>F1960 PEX x FNPT</b>			
462-706NL	1/2" x 3/4"	250	25
462-709NL	3/4" x 1/2"	250	25

### CE PEX x MNPT Adapter

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x MNPT Adapter

<b>F1960 PEX x MNPT</b>			
462-754NL	1/2"	400	25
462-758NL	3/4"	150	15
462-763NL	1"	120	10
462-764NL	1-1/4"	120	10
462-769NL	1-1/2"	80	10
462-773NL	2"	40	5

### CE PEX x MNPT Reducing Adapter

ASTM F1960  
No lead, DZR forged brass  
ANSI/NSF 61 & 14



PEX x MNPT  
Reducing Adapter

<b>F1960 PEX x MNPT</b>			
462-751NL	3/8" x 1/2"	250	25
462-755NL	1/2" x 3/4"	250	25
462-757NL	3/4" x 1/2"	250	25
462-759NL	3/4" x 1"	120	10
462-761NL	1" x 1/2"	120	10
462-762NL	1" x 3/4"	120	15

**PLASTIC (PPSU) F1960 COLD EXPANSION PEX FITTINGS**

**CE PEX Elbow**

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



PEX Elbow

Part No.	Size	Carton	Bag
F1960 PEX x F1960 PEX			
461-903	1/2"	500	50
461-904	3/4"	200	25
461-905	1"	100	25

**CE PEX Reducing Elbow**

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



PEX Reducing Elbow

F1960 PEX x F1960 PEX			
461-908	1/2" x 3/4"	120	10

**CE PEX Tee**

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



PEX Tee

F1960 PEX x F1960 PEX x F1960 PEX			
461-923	1/2"	300	50
461-924	3/4"	125	25
461-925	1"	60	15

**CE PEX Reducing Tee**

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



PEX Reducing Tee

F1960 PEX x F1960 PEX x F1960 PEX			
461-929	1/2" x 1/2" x 3/4"	225	25
461-930	3/4" x 1/2" x 1/2"	225	25
461-931	3/4" x 1/2" x 3/4"	150	25
461-932	3/4" x 3/4" x 1/2"	175	25
461-934	1" x 3/4" x 3/4"	80	20
461-935	1" x 3/4" x 1"	60	15
461-933	1" x 1" x 1/2"	100	10
461-936	1" x 1" x 3/4"	80	20

**CE PEX Plug**

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



PEX Plug

F1960 PEX Plug			
461-943	1/2"	500	50
461-944	3/4"	500	50
461-945	1"	250	50



**PLASTIC (PPSU) F1960 COLD EXPANSION PEX FITTINGS**

**CE PEX Coupling**

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



PEX Coupling

Part No.	Size	Carton	Bag
F1960 PEX x F1960 PEX			
461-913	1/2"	600	50
461-914	3/4"	300	50
461-915	1"	150	25

**CE PEX Reducing Coupling**

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



PEX Reducing Coupling

F1960 PEX x F1960 PEX			
461-918	1/2" x 3/8"	500	50
461-919	1/2" x 3/4"	400	50
461-920	1" x 3/4"	175	25

**CE PEX x MNPT Adapter**

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



PEX x Adapter

F1960 PEX x MNPT			
461-948	1/2"	350	50
461-949	3/4"	250	50

**CE PEX Multi-Port Closed Tee**

ASTM F1960  
PPSU, ANSI/NSF 61 & 14



Multi-Port Closed Tee

F1960 PEX x Closed			
461-274	3/4" x Closed - 3 Outlets - 1/2"	60	1
461-275	3/4" x Closed - 4 Outlets - 1/2"	40	1
461-280	3/4" x Closed - 6 Outlets - 1/2"	20	1

**CE PEX Multi-Port Tee**


ASTM F1960  
PPSU, ANSI/NSF 61 & 14



Multi-Port Tee

F1960 PEX x F1960 PEX x F1960 PEX			
461-283	3/4" x 3/4" - 2 Outlets - 1/2"	80	1
461-284	3/4" x 3/4" - 3 Outlets - 1/2"	60	1
461-285	3/4" x 3/4" - 4 Outlets - 1/2"	40	1

**Did you know?** Legend manufactures HyperPure PE-RT in Michigan.



Everything you need for your potable water systems.

**Downstream  
Thinking**  
It's all about Performance



300 N. Opdyke Rd.

Auburn Hills, MI 48326

Phone: 800-752-2082

Fax: 800-835-4457

web: [www.legendvalve.com](http://www.legendvalve.com)

email: [service@legendvalve.com](mailto:service@legendvalve.com)