



B6 Butterfly Valve • Spec Sheet

LUG STYLE – GEAR OPERATED – PART # B6-LGG


- ❖ Cast Iron Body
- ❖ 200 PSI
- ❖ One-Piece Valve Stem

- ❖ PTFE Stem Bushings
- ❖ Nickel Plated Ductile Iron Disc
- ❖ BUNA-N Seat



MATERIAL SPECIFICATIONS

No.	Part	Material
1	Body	Cast Iron ASTM A 126B
2	Disc	Ductile Iron A536 65-45-12
3	Pin	SS420
4	Seat	Buna N
5	Stem	SS420
6	Bushing	PTFE
7	O-Ring	Buna N
8	Gear	Cast Iron ASTM A126B



DIMENSIONS

Part#	Size	Wt.	A	B	C	D	Lø	dø	J	K	E1	4-ød	N-M	D1	M	N	G	E	F	A1	B1	ø
B6-LGG2	2"	19.4	6.34	3.15	1.65	2.08	10.47	0.49	1.26	4.00	3.25	4-.44	4-5/8"	4.75	9/16	3/8	2.95	2.05	6.02	2.05	1.77	5.91
B6-LGG2.5	2.5"	20.2	6.89	3.50	1.80	2.54	10.47	0.49	1.26	4.00	3.25	4-.44	4-5/8"	5.50	9/16	3/8	2.95	2.05	6.02	2.05	1.77	5.91
B6-LGG3	3"	21.6	7.13	3.74	1.80	3.10	10.47	0.49	1.26	4.00	3.25	4-.44	4-5/8"	6.00	9/16	3/8	2.95	2.05	6.02	2.05	1.77	5.91
B6-LGG4	4"	30.8	7.87	4.49	2.05	4.09	10.47	0.62	1.26	4.00	3.25	4-.44	8-5/8"	7.50	5/8	7/16	2.95	2.05	6.02	2.05	1.77	5.91
B6-LGG5	5"	35.4	8.39	5.00	2.16	4.85	10.47	0.74	1.26	4.00	3.25	4-.44	8-3/4"	8.50	3/4	1/2	2.95	2.05	6.02	2.05	1.77	5.91
B6-LGG6	6"	42.2	8.90	5.47	2.20	6.11	10.47	0.74	1.26	4.00	3.25	4-.44	8-3/4"	9.50	3/4	1/2	2.95	2.05	6.02	2.05	1.77	5.91
B6-LGG8	8"	66.2	10.24	6.89	2.43	7.97	13.98	0.87	1.77	6.05	5.00	4-.56	8-3/4"	11.75	7/8	5/8	3.39	2.95	9.84	2.95	2.48	11.81
B6-LGG10	10"	85.1	11.50	7.99	2.65	9.86	19.88	1.12	1.77	6.05	5.00	4-.56	12-7/8"	14.25	1-1/8	-	3.39	2.95	9.84	2.95	2.48	11.81
B6-LGG12	12"	117.9	13.27	9.53	3.03	11.87	19.88	1.24	1.77	6.05	5.00	4-.56	12-7/8"	17.00	1-1/8	-	3.27	3.19	8.94	3.19	3.15	11.81



CALIFORNIA 5595 Fresca Dr., La Palma CA 90623
TEXAS 1150 Silber Rd., Houston TX 77055
ILLINOIS 278 Windy Point Dr., Glendale Heights, IL 60139
NEW YORK PO Box 27, Rt.22, Brewster NY 10509
 WEB: www.matco-norca.com





• Phone: 866-532-8306 • Fax: 866-532-8307
 • Phone: 800-935-5456 • Fax: 713-680-2999
 • Phone: 844-412-5068 • Fax: 800-640-2252
 • Phone: 800-431-2082 • Fax: 845-278-9056
 EMAIL: mail@matco-norca.com

B6 Butterfly Valve • Spec Sheet

LUG STYLE – LEVER OPERATED – PART # B6-LGL

- ❖ Cast Iron Body
- ❖ 200 PSI
- ❖ One-Piece Valve Stem

- ❖ PTFE Stem Bushings
- ❖ Nickel Plated Ductile Iron Disc
- ❖ BUNA-N Seat



MATERIAL SPECIFICATIONS

No.	Part	Material
1	Body	Cast Iron ASTM A 126B
2	Disc	Ductile Iron A536 65-45-12
3	Pin	SS420
4	Seat	Buna N
5	Stem	SS420
6	Bushing	PTFE
7	O-Ring	Buna N
8	Indicator	Chrome Plated Carbon Steel
9	Lever	Cast

DIMENSIONS

Part#	Size	Wt.	A	B	C	D	Lø	dø	J	K	E1	4-ød	N-M	D1	M	N
B6-LGL2	2"	9.9	6.34	3.15	1.65	2.08	10.47	0.49	1.26	4.00	3.25	4-.44	4-5/8"	4.75	9/16	3/8
B6-LGL2.5	2.5"	10.8	6.89	3.50	1.80	2.54	10.47	0.49	1.26	4.00	3.25	4-.44	4-5/8"	5.50	9/16	3/8
B6-LGL3	3"	12.1	7.13	3.74	1.80	3.10	10.47	0.49	1.26	4.00	3.25	4-.44	4-5/8"	6.00	9/16	3/8
B6-LGL4	4"	21.3	7.87	4.49	2.05	4.09	10.47	0.62	1.26	4.00	3.25	4-.44	8-5/8"	7.50	5/8	7/16
B6-LGL5	5"	26.0	8.39	5.00	2.16	4.85	10.47	0.74	1.26	4.00	3.25	4-.44	8-3/4"	8.50	3/4	1/2
B6-LGL6	6"	32.8	8.90	5.47	2.20	6.11	10.47	0.74	1.26	4.00	3.25	4-.44	8-3/4"	9.50	3/4	1/2
B6-LGL8	8"	41.1	10.24	6.89	2.43	7.97	13.98	0.87	1.77	6.05	5.00	4-.56	8-3/4"	11.75	7/8	5/8
B6-LGL10	10"	62.0	11.50	7.99	2.65	9.86	19.88	1.12	1.77	6.05	5.00	4-.56	12-7/8"	14.25	1-1/8	-
B6-LGL12	12"	92.0	13.27	9.53	3.03	11.87	19.88	1.24	1.77	6.05	5.00	4-.56	12-7/8"	17.00	1-1/8	-



CALIFORNIA 5595 Fresca Dr., La Palma CA 90623
TEXAS 1150 Silber Rd., Houston TX 77055
ILLINOIS 278 Windy Point Dr., Glendale Heights, IL 60139
NEW YORK PO Box 27, Rt.22, Brewster NY 10509
 WEB: www.matco-norca.com


• Phone: 866-532-8306 • Fax: 866-532-8307
 • Phone: 800-935-5456 • Fax: 713-680-2999
 • Phone: 844-412-5068 • Fax: 800-640-2252
 • Phone: 800-431-2082 • Fax: 845-278-9056
 EMAIL: mail@matco-norca.com

B6 Butterfly Valve • Spec Sheet

WAFFER STYLE – GEAR OPERATED – PART # B6-RWG

- ❖ Cast Iron Body
- ❖ 200 PSI
- ❖ One-Piece Valve Stem

- ❖ PTFE Stem Bushings
- ❖ Nickel Plated Ductile Iron Disc
- ❖ BUNA-N Seat



DIMENSIONS

Part#	Size	Wt.	A	B	C	D	Lø	dø	J	K	E1	4-ød	N-M	D1	M	N	G	E	F	A1	B1	ø
B6-RWG2	2"	16.5	6.34	3.15	1.65	2.08	10.47	0.49	1.26	4.00	3.25	4-.44	4-5/8"	4.75	9/16	3/8	2.95	2.05	6.02	2.05	1.77	5.91
B6-RWG2.5	2.5"	18.0	6.89	3.50	1.80	2.54	10.47	0.49	1.26	4.00	3.25	4-.44	4-5/8"	5.50	9/16	3/8	2.95	2.05	6.02	2.05	1.77	5.91
B6-RWG3	3"	18.9	7.13	3.74	1.80	3.10	10.47	0.49	1.26	4.00	3.25	4-.44	4-5/8"	6.00	9/16	3/8	2.95	2.05	6.02	2.05	1.77	5.91
B6-RW4	4"	21.8	7.87	4.49	2.05	4.09	10.47	0.62	1.26	4.00	3.25	4-.44	8-5/8"	7.50	5/8	7/16	2.95	2.05	6.02	2.05	1.77	5.91
B6-RWG5	5"	26.4	8.39	5.00	2.16	4.85	10.47	0.74	1.26	4.00	3.25	4-.44	8-3/4"	8.50	3/4	1/2	2.95	2.05	6.02	2.05	1.77	5.91
B6-RWG6	6"	28.1	8.90	5.47	2.20	6.11	10.47	0.74	1.26	4.00	3.25	4-.44	8-3/4"	9.50	3/4	1/2	2.95	2.05	6.02	2.05	1.77	5.91
B6-RWG8	8"	54.1	10.24	6.89	2.43	7.97	13.98	0.87	1.77	6.05	5.00	4-.56	8-3/4"	11.75	7/8	5/8	3.39	2.95	9.84	2.95	2.48	11.81
B6-RWG10	10"	67.3	11.50	7.99	2.65	9.86	19.88	1.12	1.77	6.05	5.00	4-.56	12-7/8"	14.25	1-1/8	-	3.39	2.95	9.84	2.95	2.48	11.81
B6-RWG12	12"	100.1	13.27	9.53	3.03	11.87	19.88	1.24	1.77	6.05	5.00	4-.56	12-7/8"	17.00	1-1/8	-	3.27	3.19	8.94	3.19	3.15	11.81



CALIFORNIA 5595 Fresca Dr., La Palma CA 90623
TEXAS 1150 Silber Rd., Houston TX 77055
ILLINOIS 278 Windy Point Dr., Glendale Heights, IL 60139
NEW YORK PO Box 27, Rt.22, Brewster NY 10509
 WEB: www.matco-norca.com




• Phone: 866-532-8306 • Fax: 866-532-8307
 • Phone: 800-935-5456 • Fax: 713-680-2999
 • Phone: 844-412-5068 • Fax: 800-640-2252
 • Phone: 800-431-2082 • Fax: 845-278-9056
 EMAIL: mail@matco-norca.com

B6 Butterfly Valve • Spec Sheet

WAFER STYLE – LEVER OPERATED – PART # B6-RLO


- ❖ Cast Iron Body
- ❖ 200 PSI
- ❖ One-Piece Valve Stem

- ❖ PTFE Stem Bushings
- ❖ Nickel Plated Ductile Iron Disc
- ❖ BUNA-N Seat



MATERIAL SPECIFICATIONS

No.	Part	Material
1	Body	Cast Iron ASTM A 126B
2	Disc	Ductile Iron A536 65-45-12
3	Pin	SS420
4	Seat	Buna N
5	Stem	SS420
6	Bushing	PTFE
7	O-Ring	Buna N
8	Gear	Cast Iron ASTM A126B



DIMENSIONS

Part#	Size	Wt.	A	B	C	D	Lø	dø	J	K	E1	4-ød	N-M	D1	M	N
B6-RLO2	2"	7.0	6.34	3.15	1.65	2.08	10.47	0.49	1.26	4.00	3.25	4-.44	4-5/8"	4.75	9/16	3/8
B6-RLO2.5	2.5"	8.6	6.89	3.50	1.80	2.54	10.47	0.49	1.26	4.00	3.25	4-.44	4-5/8"	5.50	9/16	3/8
B6-RLO3	3"	9.5	7.13	3.74	1.80	3.10	10.47	0.49	1.26	4.00	3.25	4-.44	4-5/8"	6.00	9/16	3/8
B6-RLO4	4"	12.3	7.87	4.49	2.05	4.09	10.47	0.62	1.26	4.00	3.25	4-.44	8-5/8"	7.50	5/8	7/16
B6-RLO5	5"	16.9	8.39	5.00	2.16	4.85	10.47	0.74	1.26	4.00	3.25	4-.44	8-3/4"	8.50	3/4	1/2
B6-RLO6	6"	18.7	8.90	5.47	2.20	6.11	10.47	0.74	1.26	4.00	3.25	4-.44	8-3/4"	9.50	3/4	1/2
B6-RLO8	8"	31.0	10.24	6.89	2.43	7.97	13.98	0.87	1.77	6.05	5.00	4-.56	8-3/4"	11.75	7/8	5/8
B6-RLO10	10"	44.2	11.50	7.99	2.65	9.86	19.88	1.12	1.77	6.05	5.00	4-.56	12-7/8"	14.25	1-1/8	-
B6-RLO12	12"	73.5	13.27	9.53	3.03	11.87	19.88	1.24	1.77	6.05	5.00	4-.56	12-7/8"	17.00	1-1/8	-



CALIFORNIA 5595 Fresca Dr., La Palma CA 90623
TEXAS 1150 Silber Rd., Houston TX 77055
ILLINOIS 278 Windy Point Dr., Glendale Heights, IL 60139
NEW YORK PO Box 27, Rt.22, Brewster NY 10509
 WEB: www.matco-norca.com

• Phone: 866-532-8306 • Fax: 866-532-8307
 • Phone: 800-935-5456 • Fax: 713-680-2999
 • Phone: 844-412-5068 • Fax: 800-640-2252
 • Phone: 800-431-2082 • Fax: 845-278-9056
 EMAIL: mail@matco-norca.com