



**Makita**<sup>®</sup>

**2022  
WINTER  
NEW  
RELEASES**

**XGT**<sup>®</sup>

BEYOND LIMITS

**40V | 80V max**

**A NEW SYSTEM OF EQUIPMENT & TOOLS**



# OVER 100 YEARS OF INNOVATION


Makita Corporation was founded in 1915 as an electric motor sales and repair company. Today, as a global brand in over 40 countries, Makita is an innovation leader, manufacturing best-in-class products at 10 plants operating in 8 countries.



**1978** Introduced the first cordless tool



**2005** Created 18V LXT® Lithium-Ion System



**2009** Introduced the industry's first 18V brushless motor impact driver



**2012** Released the first cordless tool powered by two 18V lithium-ion batteries



40V | 80V max

BEYOND LIMITS

Learn More at [makitatools.com/XGT](http://makitatools.com/XGT)

40V max



80V max



100+  
PRODUCTS\*  
ONE SYSTEM

LXT 18V | 36V

18V



36V



300+ PRODUCTS\*  
ONE SYSTEM. ENDLESS POSSIBILITIES

\*In 2022

# XGT<sup>®</sup>

BEYOND LIMITS



**OUTPOWER**






**OUTSMART**



**OUTLAST**



**XGT® is a new 40V | 80V max system of cordless equipment and tools. XGT® outpowers, outsmarts, and outlasts the rest. Through Makita's innovative engineering, the technology within the XGT® system will create the equipment and tools of the future.**



## OUTPOWER

### ***PURE COPPER WIRE***

Makita® XGT® Products feature purpose-built brushless motors with more copper windings for increased power output.

### ***RARE EARTH MAGNETS***

Rare earth magnets of the highest quality are engineered within the brushless motors to maximize power and performance.

## OUTSMART

### ***BUILT-IN MICROCHIPS***


Built-in microchips in both tool and battery allow for real-time digital communication, actively monitoring heat, overload, and over-discharge.

### ***DIGITAL COMMUNICATION***

Digital communication between XGT® Tools and Batteries through enhanced digital communication technology optimize performance to deliver up to 2X longer sustained power during demanding applications.

# BEYOND LIMITS

Learn More at [makitatools.com/XGT](https://www.makitatools.com/XGT)



## OUTLAST

### **IMPACT ABSORBENT STRUCTURE**

Durable outer casing and cell holder create space within the battery to absorb impact.

### **WATER & DUST RESISTANCE**

Water and dust-resistant triple layer structure and an enhanced terminal structure are engineered to protect against water and dust for any job site condition.

### **MULTI-LAYER SURFACE CONTACTS**

Multi-layer surface contacts within tool and battery are designed to take on high current demands.

### **RAPID OPTIMUM CHARGING SYSTEM**

XGT® Charger and Dual Cooling Fans digitally communicates before and during the charging process, evaluating battery condition to deliver a consistent fast charge. Charges LXT® batteries with adapter.

Learn More at  
[makitatools.com/XGT](https://makitatools.com/XGT)

POWER OF A  
**75.6cc**  
GAS SAW

\*Compared to EK7651H



**RUN TIME**

Cuts up to 15 ft. in concrete and makes 115 cuts in #5 rebar on a single charge



**RELIABILITY**

No Gas, No Fumes, No Pull-Starts, Zero Limitations



**CONTROL**

Integrated Anti-Vibration mechanism provides up to 50% less vibration when cutting

**GECO1PL / GECO1PL4 / GECO1Z**

80V max (40V max X2) XGT®  
Brushless 14" Power Cutter Kit

14" wheel allows for single pass cuts up to 5" deep in various masonry and metal materials

**100+**  
**PRODUCTS**  
ONE SYSTEM  
BEYOND LIMITS



Also Available:  
Dust Extraction Attachment Kit, SDS-MAX,  
Drilling and Demolition (196537-4)



**GRH05M1 / GRH05Z**

**40V max XGT® Brushless 1-9/16" AVT® Rotary Hammer Kit, AFT®, AWS® Capable**

- Makita-built brushless motor along with 40V max XGT® battery combine to deliver the power performance required for heavy-load application
- Constant speed control automatically applies additional power under load for optimum performance
- Automatic-start Wireless System (AWS®) for wireless power-on/off communication between tool and dust extractor (AWS® Transmitter sold separately)



Also Available:  
Dust Extraction Attachment Kit, SDS-MAX,  
Drilling and Demolition (196658-4)



**GRH06PM / GRH06Z**

**80V max (40V max X2) XGT® Brushless 2" AVT® Rotary Hammer Kit, AWS® Capable**

- Makita-built brushless motor along with two 40V max XGT® batteries combine to deliver up to 27% faster drilling than corded equivalent model\*
- Constant speed control automatically applies additional power under load for optimum performance
- Automatic-start Wireless System (AWS®) for wireless power-on/off communication between tool and dust extractor (AWS® Transmitter sold separately)



Also Available:  
Dust Extraction Attachment,  
SDS-MAX, Demolition (196571-4)



**GMH01M1 / GMH01Z**

**40V max XGT® Brushless 15 lb. AVT® Demolition Hammer Kit, AWS® Capable**

- Makita brushless motor along with 40V max XGT® battery combine to deliver up to 20% faster breaking efficiency than corded equivalent model\*
- Constant speed control automatically applies additional power under load for optimum performance
- Anti-Vibration Technology (AVT®) is an internal counterbalance system along with vibration-absorbing handles that work together to reduce vibration



Also Available:  
Dust Extraction Attachment,  
SDS-MAX, Demolition (196571-4)



**GMH02PM / GMH02Z**

**80V max (40V max X2) XGT® Brushless 28 lb. AVT® Demolition Hammer Kit, AWS® Capable**

- Makita-built brushless motor along with two 40V max XGT® batteries combine to deliver up to 15% faster breaking efficiency than corded
- Constant speed control automatically applies additional power under load for optimum performance
- Anti-Vibration Technology (AVT®) is an internal counterbalance system along with vibration-absorbing handles that work together to reduce vibration



GRH07M1W Shown



GRH01M1W Shown



Also Available:  
Dust Extractor Attachment with HEPA  
Filter Cleaning Mechanism (DX14)



**GRH07M1 / GRH07Z / GRH07M1W / GRH07ZW**  
**40V max XGT® Brushless 1-1/8" AVT® Rotary Hammer (D-Handle) Kit, AFT®, AWS® Capable**

- Makita-built brushless motor along with 40V max XGT® battery combine to deliver the power performance required for heavy-load application
- Constant speed control automatically applies additional power under load for optimum performance
- Overload protection is designed to protect the motor from burnout in abnormally high torque situations

GRH07M1W / GRH07ZW include Dust Extractor Attachment with HEPA Filter Cleaning Mechanism (DX15)



**GRH01M1 / GRH01Z / GRH01M1W / GRH01ZW**  
**40V max XGT® Brushless 1-1/8" AVT® Rotary Hammer Kit, AFT®, AWS® Capable**

- Makita-built brushless motor along with 40V max XGT® battery combine to deliver the power performance required for heavy-load application
- Constant speed control automatically applies additional power under load for optimum performance
- Overload protection is designed to protect the motor from burnout in abnormally high torque situations

GRH01M1W / GRH01ZW include Dust Extractor Attachment with HEPA Filter Cleaning Mechanism (DX12)



**GRH02M1 / GRH02Z**

**40V max XGT® Brushless 1-1/8" AVT® Rotary Hammer Kit, with Interchangeable Chuck, AWS® Capable**

- Makita-built brushless motor along with 40V max XGT® battery combine to deliver the power performance required for heavy-load application
- Constant speed control automatically applies additional power under load for optimum performance
- Torque limiting clutch engineered to prevent gear damage by automatically disengaging gears during a bind-up situation

INNOVATION  
EFFICIENCY  
DURABILITY



**ROTARY CARBIDE**



**DEMOLITION STEEL**

Full range of rotary hammer drill bits & demolition steel available at:

[makitatools.com/CARBIDE](http://makitatools.com/CARBIDE)

**NEW WINTER RELEASE**



GRH08M1W Shown

**GRH08M1 / GRH08Z / GRH08M1W / GRH08ZW**  
**40V max XGT® Brushless 1-3/16" AVT® Rotary Hammer Kit, AFT®, AWS® Capable**

- Makita-built brushless motor along with 40V max XGT® battery combine to deliver the power and performance required for heavy-load applications
- Constant speed control automatically applies additional power under load for optimum performance
- Overload protection is designed to protect the motor from burnout in abnormally high torque situations

GRH08M1W / GRH08ZW include Dust Extractor Attachment with HEPA Filter Cleaning Mechanism (DX12)

**NEW WINTER RELEASE**



Also Available:  
Dust Extractor Attachment with HEPA  
Filter Cleaning Mechanism (DX10)

**GRH09M1 / GRH09Z**  
**40V max XGT® Brushless 1-3/16" AVT® Rotary Hammer Kit, with Interchangeable Chuck, AWS® Capable**

- Makita-built brushless motor along with 40V max XGT® battery combine to deliver the power performance required for heavy-load applications
- Constant speed control automatically applies additional power under load for optimum performance
- Torque limiting clutch engineered to prevent gear damage by automatically disengaging gears during a bind-up situation

**COMING SOON**



**GRV01M1 / GRV01Z**  
**40V max XGT® Brushless 5-1/2' Concrete Vibrator Kit**



**GRV02L1 / GRV02Z**  
**40V max XGT® Brushless 8' Concrete Vibrator 1-1/2" Kit**

Learn More at  
[makitatools.com/XGT](https://makitatools.com/XGT)

# POWER OF A 13 AMP CORDED GRINDER



### CONVENIENCE

AWS® Capable for wireless power-on/off communication between tool and extractor



### CONTROL

AFT® turns the motor off if rotation of the wheel is suddenly forced to stop



### PRODUCTIVITY

Electric brake stops the grinding or cut-off wheel in 2 seconds or less for maximum productivity

### GAG06M1 / GAG06Z

40V max XGT® Brushless  
4-1/2" / 5" Paddle Switch Angle Grinder  
Kit, w/ Electric Brake, AWS® Capable

Anti-restart protection engineered to prevent motor start up when battery is inserted with switch locked on

**100+**  
**PRODUCTS**  
ONE SYSTEM  
BEYOND LIMITS



Also Available:  
45° Clip-On Cut-Off Wheel  
Guard Cover (199710-5)



**GAG01M1 / GAG01Z**  
40V max XGT® Brushless 4-1/2" / 5"  
Angle Grinder Kit, with Electric Brake

- Makita-built brushless motor along with 40V max XGT® battery combine to deliver powerful grinding and up to 60% faster cutting speed\*
- Electric brake stops the grinding or cut-off wheel in 2 seconds or less for maximum productivity
- Electronic current limiter helps protect the motor from overload in high torque application
- Active Feedback-sensing Technology (AFT™) turns the motor off if rotation of the wheel is suddenly forced to stop



Also Available:  
4-1/2" / 5" Tool-Less Dust Extraction Surface Grinding Shroud (191F81-2)  
5" Tool-Less Dust Extraction Cutting/Tuck Point Guard (191G08-2)



**GAG04M1 / GAG04Z**  
40V max XGT® Brushless 4-1/2" / 5" Angle  
Grinder Kit, with Electric Brake, AWS® Capable

- Makita-built brushless motor along with 40V max XGT® battery combine to deliver powerful grinding and up to 60% faster cutting speed\*
- Automatic-start Wireless System (AWS®) for wireless power-on/off communication between tool and dust extractor (AWS® Transmitter sold separately)
- Electronic current limiter helps protect the motor from overload in high torque application
- Variable speed control dial allows for RPM adjustment (3,000-8,500) to match the speed to the application



Also Available:  
45° Clip-On Cut-Off Wheel  
Guard Cover (199710-5)



**GAG03M1 / GAG03Z**  
40V max XGT® Brushless 4-1/2" / 5" Paddle  
Switch Angle Grinder Kit, with Electric Brake

- Makita-built brushless motor along with 40V max XGT® battery combine to deliver powerful grinding and up to 60% faster cutting speed\*
- Electric brake stops the grinding or cut-off wheel in 2 seconds or less for maximum productivity
- Electronic current limiter helps protect the motor from overload in high torque application
- Active Feedback-sensing Technology (AFT™) turns the motor off if rotation of the wheel is suddenly forced to stop



**GAG07Z**  
40V max XGT® Brushless  
6" Angle Grinder, with Electric Brake

- OUTPOWER: Makita-built brushless motor along with 40V max XGT® battery combine to deliver the power performance required for heavy-load application
- Electric brake stops the grinding or cut-off wheel in 2 seconds or less for maximum productivity
- Electronic current limiter helps protect the motor from overload in high torque application
- Active Feedback-sensing Technology (AFT™) turns the motor off if rotation of the wheel is suddenly forced to stop



**GAG08Z**  
40V max XGT® Brushless 6" Paddle Switch  
Angle Grinder, with Electric Brake

- OUTPOWER: Makita-built brushless motor along with 40V max XGT® battery combine to deliver the power performance required for heavy-load application
- Electric brake stops the grinding or cut-off wheel in 2 seconds or less for maximum productivity
- Electronic current limiter helps protect the motor from overload in high torque application
- Active Feedback-sensing Technology (AFT™) turns the motor off if rotation of the wheel is suddenly forced to stop



Also Available:  
7" Dust Extraction Surface Grinding Shroud (195386-8)



**GAG10M1 / GAG10Z**  
40V max XGT® Brushless  
7" / 9" Paddle Switch Angle Grinder Kit,  
with Electric Brake, AWS® Capable

- Makita brushless motor along with a single 40V max XGT® battery combine to deliver the power performance required for heavy application
- Automatic-start Wireless System (AWS®) for wireless power-on/off communication between tool and dust extractor (AWS® Transmitter sold separately)
- Electronic current limiter helps protect the motor from overload in high torque application
- Active Feedback-sensing Technology (AFT™) turns the motor off if rotation of the wheel is suddenly forced to stop

NEW WINTER RELEASE



Also Available:  
45° Clip-On Cut-Off Wheel  
Guard Cover (199710-5)



**GAG11M1 / GAG11Z**  
40V max XGT® Brushless 5" X-LOCK Angle  
Grinder Kit, with Electric Brake, AWS® Capable

- Makita-built brushless motor along with 40V max XGT® battery combine to deliver powerful grinding and up to 60% faster cutting speed\*
- X-LOCK quick change system allows for tool-free wheel changes with simple snap-on mounting and pull release lever for change-out
- Electronic current limiter helps protect the motor from overload in high torque application
- Variable speed control dial allows for RPM adjustment (3,000-8,500) to match the speed to the application

NEW WINTER RELEASE



Also Available:  
45° Clip-On Cut-Off Wheel  
Guard Cover (199710-5)



**GAG13M1 / GAG13Z**  
40V max XGT® Brushless 5" X-LOCK Paddle  
Switch Angle Grinder Kit, with Electric Brake

- Makita-built brushless motor along with 40V max XGT® battery combine to deliver powerful grinding and up to 60% faster cutting speed\*
- X-LOCK quick change system allows for tool-free wheel changes with an easy snap-on mounting and fast change-outs by simply pulling a release lever
- Electronic current limiter helps protect the motor from overload in high torque application
- Electric brake stops the grinding or cut-off wheel in 2 seconds or less for maximum productivity



**GSC01M1 / GSC01Z**  
40V max XGT® Brushless 7-1/4" Metal  
Cutting Saw Kit, with Chip Collector

- Makita-built brushless motor delivers up to 2X faster cutting performance compared to Makita model 4131
- Active Feedback-Sensing Technology (AFT™) electronically turns off the motor if rotation of bit is suddenly forced to stop
- XPT™ is engineered to provide increased dust and water resistance in harsh job site conditions
- Large 2-5/8" cutting capacity in various metal materials including pipe, stud, channel, strut, conduit, angle, square tubing, sheet metal, and more



**GBPO1M1 / GBPO1Z**  
40V max XGT® Brushless  
Deep Cut Portable Band Saw Kit

- 5" x 5" cutting capacity; ideal for cutting multiple types of materials
- Up to 2X faster cutting compared to XBP02
- Makita-built brushless motor delivers faster cutting with variable speed 0-630 ft./min.
- Built-in L.E.D. light illuminates the work area

DIAMOND BLADES

UP TO **40% FASTER** | LAST UP TO **4X LONGER**

**TURBO**  
FOR AGGRESSIVE CUTS

**SEGMENTED**  
FOR SMOOTH CUTS

**CONTINUOUS**  
FOR PRECISE CUTS

Full range available at [makitatools.com](http://makitatools.com)

\*Than competitor Diamond Blades

Learn More at  
[makitatools.com/XGT](https://makitatools.com/XGT)

POWER OF A  
**15 AMP**  
CORDED SAW



**PERFORMANCE**

On/Off Orbital feature provides more aggressive cuts in wood



**SPEED**

Makita-built brushless motor delivers up to 40% faster cutting speed



**COMFORT**

AVT® is an internal counterbalance system delivers up to 50% less vibration

**GRJ02M1 / GRJ02Z**

40V max XGT® Brushless  
AVT® Orbital Recipro Saw Kit

Large two-finger variable speed  
trigger for operator convenience

**100+**  
**PRODUCTS**  
ONE SYSTEM  
BEYOND LIMITS

**GSR02M1 / GSR02Z**

**40V max XGT® Brushless Rear Handle  
10-1/4" Circular Saw Kit, AWS® Capable**

- Makita-built brushless motor delivers 4,000 RPM for faster cutting than corded
- The digital communication within XGT® optimizes performance to provide up to 2X longer sustained power under heavy-load applications
- XPT™ is engineered to provide increased dust and water resistance in harsh jobsite conditions
- Extra Large 3-3/4" cutting capacity at 90°; cuts 4X material in a single pass
- Up to 150 cuts per charge in 4x4 SPF lumber on a single charge of a 4.0Ah battery

**GSR01M1 / GSR01Z**

**40V max XGT® Brushless Rear Handle  
7-1/4" Circular Saw Kit**

- Makita-built brushless motor delivers up to 6,400 RPM for faster cutting performance
- Automatic Torque drive adjusts cutting speed under load for optimum cutting performance
- XPT™ is engineered to provide increased dust and water resistance in harsh jobsite conditions
- 2-9/16" cutting depth allows cutting of 3X lumber in a single pass
- Electric brake for maximum productivity

**GSH01M1 / GSH01Z**

**40V max XGT® Brushless  
7-1/4" Circular Saw Kit, AWS®**

- Makita-built brushless motor delivers 6,000 RPM for faster cutting performance
- Automatic Torque drive adjusts cutting speed under load for optimum cutting performance
- XPT™ is engineered to provide increased dust and water resistance in harsh jobsite conditions
- 0-56° bevel capacity with positive stops at 22.5°, 45°, and 56°
- Large 2-5/8" cutting capacity at 90°; cuts 3X material in a single pass

**GSH02M1 / GSH02Z**

**40V max XGT® Brushless 7-1/4" Circular Saw  
Kit with Guide Rail Compatible Base, AWS®**

- OUTPOWER: Makita-built brushless motor delivers 6,000 RPM for faster cutting performance
- OUTSMART: Automatic torque drive adjusts cutting speed under load for optimum cutting performance
- OUTLAST: XPT™ is engineered to provide increased dust and water resistance in harsh jobsite conditions
- 0-56° bevel capacity with positive stops at 22.5°, 45° and 56°
- Large 2-3/8" cutting capacity at 90°

**GSH03Z**

**40V max XGT® Brushless  
9-1/4" Circular Saw with Guide Rail  
Compatible Base, AWS® Capable**

- Makita-built brushless motor delivers 4,000 RPM for faster cutting performance
- Constant speed control automatically applies additional power under load for optimum performance
- XPT™ is engineered to provide increased dust and water resistance in harsh job site conditions
- Bevel cut capacity up to 1° left and 60° right with positive stops at 22.5°, 45°
- Large 3-3/8" cutting capacity at 90°

**GSH04Z**

**40V max XGT® Brushless  
10-1/4" Circular Saw with Guide Rail  
Compatible Base, AWS® Capable**

- Makita-built brushless motor delivers 3,500 RPM for faster cutting performance
- Constant speed control automatically applies additional power under load for optimum performance
- XPT™ is engineered to provide increased dust and water resistance in harsh jobsite conditions
- Bevel cut capacity up to 1° left and 60° right with positive stops at 22.5°, 45°
- Large 3-13/16" cutting capacity at 90°

**GRJ01M1 / GRJ01Z**

**40V max XGT® Brushless  
Recipro Saw Kit**

- Makita-built brushless motor delivers up to 3% faster cutting speed
- The digital communication within XGT® optimizes performance to provide up to 2X longer sustained power under heavy-load applications
- Metal reinforced gear shaft and self-lubricating slider for increased durability
- Makita-built variable 2-speed brushless motor delivers 0-2,300 (Low) and 0-3,000 (High) strokes per minute
- Long 1-1/4" stroke length provides increased cutting efficiency

**GPS01M1J / GPS01Z**

**40V max XGT® Brushless  
6-1/2" Plunge Circular Saw Kit, AWS® Capable**

- Makita-built brushless motor with variable speed control dial (2,500 - 4,900 RPM) for faster cutting performance
- Large cutting capacity 2-3/16" at 90°; and 1-9/16" at 45°
- Bevel capability (-1° to 48°) with positive stops at 22.5° and 45°
- Soft start feature for smooth start-ups
- Electric brake for maximum productivity

**GSL02M1 / GSL02Z**

**40V max XGT® Brushless  
8-1/2" Dual-Bevel Sliding Compound  
Miter Saw Kit, AWS® Capable**

- Makita-built brushless motor delivers 4,800 RPM for faster cutting performance
- The digital communication within XGT® optimizes performance to provide up to 2X longer sustained power under heavy-load applications
- The digital communication within XGT® actively monitors and protects against overload, over-discharge and overheating
- Large 2-3/4" x 12-1/4" cutting capacity at 90°
- Miters 0-60° left and right; bevels 0-48° left and right

**GSL03M1 / GSL03Z**

**40V max XGT® Brushless  
10" Dual-Bevel Sliding Compound  
Miter Saw Kit, AWS® Capable**

- Makita-built brushless motor delivers 3,600 RPM for faster cutting performance
- The digital communication within XGT® optimizes performance to provide up to 2X longer sustained power under heavy-load applications
- The digital communication within XGT® actively monitors and protects against overload, over-discharge and overheating
- Large 2-13/16" x 12" cutting capacity at 90°; cuts up to 6-5/8" crown molding (vertically nested) and 5-1/4" baseboard (vertical)
- Bevels 0-48° left and right; Miters 0-60° left and right, with positive stops at 0°, 15°, 22.5°, 30°, 31.6°, 45°, and 60° left and right


**GSL04M1 / GSL04Z**

**40V max XGT® Brushless  
12" Dual-Bevel Sliding Compound  
Miter Saw Kit, AWS® Capable**

- Makita-built brushless motor delivers 3,600 RPM for faster cutting performance
- The digital communication within XGT® optimizes performance to provide up to 2X longer sustained power under heavy-load applications
- The digital communication within XGT® actively monitors and protects against overload, over-discharge and overheating
- Extra large 3-5/8" x 15" cutting capacity at 90°; cuts up to 8" crown molding (vertically nested) and 6-3/4" baseboard (vertical)
- Bevels 0-48° left and right; Miters 0-60° left and right, with positive stops at 0°, 15°, 22.5°, 30°, 31.6°, 45°, and 60° left and right

## GUIDE RAILS & CLAMPS

COMPATIBLE WITH  
XGT® PLUNGE SAW



[makitatools.com/GUIDERAILS](http://makitatools.com/GUIDERAILS)

Learn More at  
[makitatools.com/XGT](http://makitatools.com/XGT)

**1,510 FT.LBS.**  
OF NUT-BUSTING TORQUE



**INNOVATION**

3 forward and 3 reverse Auto-Stop modes for increased efficiency



**VERSATILITY**

4-speeds (0-950 / 0-1,150 / 0-1,400 / 0-1,800 RPM & 0-1,900 / 0-2,200 / 0-2,400 / 0-2,500 IPM)



**DURABILITY**

XPT™ is engineered to provide increased dust and water resistance in harsh job site conditions

**GWTO1D / GWTO1Z**

40V max XGT® Brushless 4-Speed High-Torque 3/4" Sq. Drive Impact Wrench Kit w/ Friction Ring Anvil

Compact length at only 8-1/2"; ideal for working in tight spaces

**100+**  
**PRODUCTS**  
ONE SYSTEM  
BEYOND LIMITS



**GWT08D / GWT08Z**

**40V max XGT® Brushless 4-Speed Mid-Torque 1/2" Sq. Drive Impact Wrench Kit w/ Detent Anvil**

- Makita-built motor delivers 810 ft.lbs. of Nut-Busting Torque and 560 ft.lbs. of Fastening Torque
- 3 forward and 3 reverse Auto-Stop modes for increased efficiency
- XPT™ is engineered to provide increased dust and water resistance in harsh job site conditions
- 4-speed power selection switch (0-600 / 0-1,200 / 0-1,900 / 0-2,300 RPM & 0-1,200 / 0-1,900 / 0-2,700 / 0-2,900 IPM) for a wide range of applications



**GWT07D / GWT07Z**

**40V max XGT® Brushless 4-Speed Mid-Torque 1/2" Sq. Drive Impact Wrench Kit w/ Friction Ring Anvil**

- Makita-built motor delivers 810 ft.lbs. of Nut-Busting Torque and 560 ft.lbs. of Fastening Torque
- 3 forward and 3 reverse Auto-Stop modes for increased efficiency
- XPT™ is engineered to provide increased dust and water resistance in harsh job site conditions
- 4-speed power selection switch (0-600 / 0-1,200 / 0-1,900 / 0-2,300 RPM & 0-1,200 / 0-1,900 / 0-2,700 / 0-2,900 IPM) for a wide range of applications



**GWT04D / GWT04Z**

**40V max XGT® Brushless 4-Speed 1/2" Sq. Drive Impact Wrench Kit w/ Friction Ring Anvil**

- Makita-built motor delivers 465 ft.lbs. of Nut-Busting Torque and 260 ft.lbs. of Fastening Torque
- 3 forward and 3 reverse Auto-Stop modes for increased efficiency
- XPT™ is engineered to provide increased dust and water resistance in harsh job site conditions
- 4-speed power selection 0-1,000 / 0-1,800 / 0-2,600 / 0-3,200 RPM & 0-1,800 / 0-2,600 / 0-3,400 / 0-4,000 IPM) for a wide range of applications



**GWT05D / GWT05Z**

**40V max XGT® Brushless 4-Speed 1/2" Sq. Drive Impact Wrench Kit w/ Detent Anvil**

- Makita-built motor delivers 465 ft.lbs. of Nut-Busting Torque and 260 ft.lbs. of Fastening Torque
- 3 forward and 3 reverse Auto-Stop modes for increased efficiency
- XPT™ is engineered to provide increased dust and water resistance in harsh job site conditions
- 4-speed power selection 0-1,000 / 0-1,800 / 0-2,600 / 0-3,200 RPM & 0-1,800 / 0-2,600 / 0-3,400 / 0-4,000 IPM) for a wide range of applications



**GDT01D / GDT01Z**

**40V max XGT® Brushless 4-Speed Impact Driver Kit**

- Makita-built motor delivers 1,950 in.lbs. of Max Torque; out powers similar models in heavy load applications
- Digitally controlled modes for a wide variety of applications; two tightening modes, one assist mode and three forward/reverse auto stop modes
- XPT™ is engineered to provide increased dust and water resistance in harsh job site conditions
- Up to 50% faster speed with 4 speed settings (0-1,100/ 0-2,100/ 0-3,200/ 0-3,700 RPM & 0-1,100/ 0-2,600/ 0-3,600/ 0-4,400 IPM)

**IMPACT SOCKETS**



**A-96372**  
14 Pc. 1/2" Drive Deep Well SAE Impact Socket Set

**SAE**



**E-01672**  
Impact XPS® 10 Pc. 3/8" Drive 6-Point SAE Impact Socket Set w/ Standard Socket Adapter



**E-01703**  
Impact XPS® 8 Pc. 1/4" Drive 6-Point SAE Impact Socket Set w/ Standard Socket Adapter

**METRIC**



**E-01688**  
Impact XPS® 10 Pc. 3/8" Drive 6-Point Metric Impact Socket Set w/ Standard Socket Adapter



**E-01694**  
Impact XPS® 8 Pc. 1/4" Drive 6-Point Metric Impact Socket Set w/ Standard Socket Adapter

[makitatools.com](http://makitatools.com)





40V | 80V max

Learn More at [makitatools.com/XGT](http://makitatools.com/XGT)

**1,250** IN.LBS.  
OF MAX TORQUE



**INNOVATION**

Electronic digital clutch (41 settings in low speed, 21 settings in high speed)



**VERSATILITY**

2 speed settings (0-650 & 0-2,600 RPM)  
(0-9,750 & 0-39,000 BPM)



**DURABILITY**

XPT™ is engineered to provide increased dust and water resistance in harsh job site conditions

**GPH01D / GPH01Z**

40V max XGT® Brushless  
1/2" Hammer Driver-Drill Kit

Ultra-smooth variable speed  
trigger provides optimum control

**100+**  
**PRODUCTS**  
ONE SYSTEM  
BEYOND LIMITS



**AFT™**

**GF001D / GF001Z**  
40V max XGT® Brushless 1/2" Driver-Drill Kit

- Makita-built brushless motor delivers 1,250 in.lbs. of Max Torque; out powers similar models in heavy load applications
- Electronic digital clutch accurately targets desired torque range (41 settings in low speed, 21 settings in high speed)
- XPT™ is engineered to provide increased dust and water resistance in harsh job site conditions
- Active Feedback-sensing Technology (AFT®) turns the motor off if rotation of the accessory is suddenly forced to stop



**GF002D / GF002Z**  
40V max XGT® Compact Brushless 1/2" Driver-Drill Kit

- Makita-built brushless motor delivers 585 in.lbs. of Max Torque
- The digital communication within XGT® optimizes performance to provide up to 2X longer sustained power under heavy-load applications
- XPT™ is engineered to provide increased dust and water resistance in harsh job site conditions
- 2 speed settings (0-550 & 0-2,200 RPM)



**GPH02D / GPH02Z**  
40V max XGT® Compact Brushless 1/2" Hammer Driver-Drill Kit

- Makita-built brushless motor delivers 585 in.lbs. of Max Torque
- The digital communication within XGT® optimizes performance to provide up to 2X longer sustained power under heavy-load applications
- XPT™ is engineered to provide increased dust and water resistance in harsh job site conditions
- 2 speed settings (0-550 & 0-2,200 RPM)(0-8,250 & 0-33,000 BPM)



**GAD01M1 / GAD01Z**  
40V max XGT® Brushless 1/2" Right Angle Drill Kit

- Makita built brushless motor with two speed, variable speed (0-4000 RPM and 0-1,500 RPM)
- Drills up to 6-1/4" holes with hole saws and 4-5/8" holes with self feed bits
- Weighs only 12.8 lbs. with battery and ergonomic design for operator comfort
- Torque limiter; built-in clutch reduces gear damage by disengaging gears if the bit binds



**GAD02M1 / GAD02Z**  
40V max XGT® Brushless 7/16" Hex Right Angle Drill Kit

- Makita built brushless motor with two speed, variable speed (0-400 RPM and 0-1,500 RPM)
- Drills up to 6-1/4" holes with hole saws and 4-5/8" holes with self feed bits
- Weighs only 11.9 lbs. with battery and ergonomic design for operator comfort
- Torque limiter; built-in clutch reduces gear damage by disengaging gears if the bit binds



THE RIGHT FIT FOR THE JOB



FitKnit™ Cut Level 1 Nitrile Coated Dipped Gloves



Advanced FitKnit™ Cut Level 7 Nitrile Coated Dipped Gloves



Advanced FitKnit™ Cut Level 7 Nitrile Coated Dipped Gloves



100% Genuine Leather Cow Driver Gloves



100% Genuine Leather-Palm Performance Gloves



Advanced Impact Demolition Gloves



Advanced ANSI 2 Impact-Rated Demolition Gloves

[makitatools.com/GLOVES](http://makitatools.com/GLOVES)



**GT200D**  
40V max XGT® Brushless 2-Pc. Combo Kit

- Includes:**
- 40V max XGT® Brushless 1/2" Hammer Driver-Drill (GPH01Z)
  - 40V max XGT® Brushless 4-Speed Impact Driver (GDT01Z)
  - (2) 40V max XGT® 2.5Ah Battery (BL4025)
  - 40V max XGT® Rapid Optimum Charger (DC40RA)



**GT400M1D1**  
40V max XGT® Brushless 4-Pc. Combo Kit

- Includes:**
- 40V max XGT® Brushless 1/2" Hammer Driver-Drill (GPH01Z)
  - 40V max XGT® Brushless 4-Speed Impact Driver (GDT01Z)
  - 40V max XGT® Brushless 7-1/4" Circular Saw, AWS® Capable (GSH01Z)
  - 40V max XGT® Cordless L.E.D. Flashlight (ML001G)
  - 40V max XGT® 2.5Ah Battery (BL4025)
  - 40V max XGT® 4.0Ah Battery (BL4040)
  - 40V max XGT® Rapid Optimum Charger (DC40RA)



**GT401M1D1**  
40V max XGT® Brushless 4-Pc. Combo Kit

- Includes:**
- 40V max XGT® Brushless 1/2" Hammer Driver-Drill (GPH01Z)
  - 40V max XGT® Brushless 4-Speed Impact Driver (GDT01Z)
  - 40V max XGT® Brushless Recipro Saw (GRJ01Z)
  - 40V max XGT® Cordless L.E.D. Flashlight (ML001G)
  - 40V max XGT® 2.5Ah Battery (BL4025)
  - 40V max XGT® 4.0Ah Battery (BL4040)
  - 40V max XGT® Rapid Optimum Charger (DC40RA)



40V | 80V max

Learn More at [makitatools.com/XGT](http://makitatools.com/XGT)

# POWER OF A 30 cc GAS STRING TRIMMER



### DESIGN

Narrow string trimmer guard for improved cutting visibility



### DURABILITY

Steel drive shaft for less vibration and longer equipment life



### EFFICIENCY

Rapid load bump & feed trimmer head line loads in seconds with 3 easy steps: align, feed and twist

**GRU04M1 / GRU04Z**

40V max XGT® Brushless  
17" String Trimmer Kit

17" cutting swath for  
increased productivity

**100+**  
**PRODUCTS**  
ONE SYSTEM  
BEYOND LIMITS



**GRU01M1 / GRU01Z**

**40V max XGT® Brushless 15" String Trimmer Kit**

- Makita-built outer rotor brushless motor delivers the power of a 25cc gas string trimmer
- Rapid load bump & feed trimmer head line loads in seconds with 3 easy steps: align, feed and twist
- Up to 1 hour of run time with 40V XGT® 4.0Ah battery
- Automatic Torque Drive Technology mode automatically shifts from 3,500-6,500 RPM for extended run time or added power



**GRU03M1 / GRU03Z**

**40V max XGT® Brushless 17" String Trimmer Kit**

- Makita-built brushless motor delivers the power of a 30cc gas string trimmer
- Brush cutter debris shield and loop handle equipped with barrier bar for compatibility with brush cutter blades
- Steel drive shaft for less vibration and longer equipment life
- Rapid load bump & feed trimmer head line loads in seconds with 3 easy steps: align, feed and twist



**GXU01JM1X1 / GXU01ZX1 / GXU01Z**

**40V max XGT® Brushless Couple Shaft Power Head Kit with 17" String Trimmer Attachment**

- Makita-built Brushless Motor delivers power of 30cc gas string trimmer
- Up to 25% more power than Gas Couple Shaft Power Head\*
- 3-speed options (Low: 4,200 RPM, Medium: 6,000 High: 7,100 RPM) for power and run time management
- Variable speed trigger for controlled cutting speed

\*Compared to EX2650LH



**GRU02M1 / GRU02Z**

**40V max XGT® Brushless Brush Cutter Kit**

- Makita-built brushless motor provides power equivalent to a 30cc gas brush cutter
- Bike handle design for improved grip and more ergonomic working position
- Steel drive shaft for less vibration and longer equipment life
- 9" steel 4 tooth brush cutter blade ideal for cutting grasses, shrubs and underwood

**NEW WINTER RELEASE**



**GRU05PM / GRU05Z**

**80V max (40V max X2) XGT® Brushless Brush Cutter Kit**

- High-powered design for cutting heavy growth in farm, ranch, and forestry applications
- Makita-built brushless motor delivers the power of a 40cc gas brush cutter
- Bike handle design for improved grip and more ergonomic working position
- Steel drive shaft for less vibration and longer equipment life
- 10" steel 4 tooth brush cutter blade ideal for cutting grasses, shrubs and underwood

COMPATIBLE WITH  
**14 COUPLE SHAFT ATTACHMENTS**



More accessories available at [makitatools.com/OPE](http://makitatools.com/OPE)



**GHU01M1 / GHU01Z**

**40V max XGT® Brushless 24" Rough Cut Hedge Trimmer Kit**


- Makita-built brushless motor delivers the power of a 22.7cc gas hedge trimmer
- 5-position rotating rear handle for increased comfort during vertical and angle trimming
- 24" dual action double-sided sharp-edged shear blade with curved 3-sided teeth provides optimal trimming for thick and hard branches
- Up to 3 hours of run time using a 40V max XGT® 4.0Ah battery



**GHU02M1 / GHU02Z**

**40V max XGT® Brushless 24" Hedge Trimmer Kit**

- Makita-built brushless motor delivers the power of a 22.7cc gas hedge trimmer
- 5-position rotating rear handle for increased comfort during vertical and angle trimming
- 24" dual action double-sided shear blade with 3-sided teeth for clean cuts
- Up to 6 hours of run time using a 40V max XGT® 4.0Ah battery



**GHU03M1 / GHU03Z**

**40V max XGT® Brushless 30" Hedge Trimmer Kit**

- Makita-built brushless motor delivers the power of a 22.7cc gas hedge trimmer
- 5-position rotating rear handle for increased comfort during vertical and angle trimming
- 30" dual action double-sided shear blade with 3-sided teeth for clean cuts
- Up to 4 hours of run time using a 40V max XGT® 4.0Ah battery



**GHU04M1 / GHU04Z**

**40V max XGT® Brushless 24" Single-Sided Hedge Trimmer Kit**

- Makita-built brushless motor delivers the power of a 22.7cc gas hedge trimmer
- 24" single-sided shear blade for commercial jobs
- Bevel-tipped, curved 3-sided teeth easily catch and hold branches for clean cuts with reduced friction
- Up to 6 hours of run time with 40V XGT® 4.0Ah battery



**GHU05M1 / GHU05Z**

**40V max XGT® Brushless 30" Single-Sided Hedge Trimmer Kit**

- Makita-built brushless motor delivers the power of a 22.7cc gas hedge trimmer
- 30" single-sided shear blade for commercial jobs
- Bevel-tipped, curved 3-sided teeth easily catch and hold branches for clean cuts with reduced friction
- Up to 6 hours of run time with 40V XGT® 4.0Ah battery

**COMING SOON**



**GML01SM / GML01PL / GML01Z**

**40V max XGT® 21" Self-Propelled Commercial Lawn Mower**

Learn More at  
[makitatools.com/XGT](https://makitatools.com/XGT)

POWER OF A  
**30 cc**  
GAS CHAIN SAW



**POWER**

Makita-built brushless motor provides power equivalent to a 30cc gas top handle chain saw



**SPEED**

Up to 25% faster than gas



**RUN TIME**

Up to 160 cuts in 4x4 cedar with 40V max XGT® 4.0Ah battery

**NEW WINTER RELEASE**

**CCU02M1 / CCU02Z**  
40V max XGT® Brushless  
14" Chain Saw Kit

Reduced maintenance lowers operating costs and minimizes down time

**100+**  
**PRODUCTS**  
ONE SYSTEM  
BEYOND LIMITS



**GBU01M1 / GBU01Z**  
40V max XGT® Brushless Blower Kit

- Up to 44% more blowing force than a 24.5cc gas blower
- Makita-built brushless motor delivers up to 565 CFM and 143 MPH
- Turbo boost mode delivers 565 CFM for heavy debris
- Cruise control lever with variable speed trigger adjusts between 0 - 476 CFM for power and run time management
- 3-stage telescoping long nozzle for user convenience



**GG001M1 / GG001Z**  
40V max XGT® Brushless Earth Auger Kit

- Makita-built brushless motor delivers power of a 36cc gas earth auger
- Automatic Speed Change™ technology adjusts drill speed and torque during drilling
- XPT™ is engineered to provide increased dust and water resistance in harsh job site conditions
- Drill holes up to 8" wide and 41" deep (extension bar, auger bit and blades sold separately)
- 2 speed options (Low: 0-400 RPM, High: 0-1,500 RPM) for power and run time management

\*Auger Drill Bit Sold Separately



**AFT**  
**GAU01M1 / GAU01Z**  
40V max XGT® Brushless 10" Pole Saw Kit, 8' Length

- Makita-built brushless motor delivers the power of a 35cc gas pole saw
- Up to 30% faster than gas
- Up to 150 cuts in 4x4 cedar with 40V XGT® 4.0Ah battery
- 8 foot fixed length for extended reach



**AFT**  
**GAU02M1 / GAU02Z**  
40V max XGT® Brushless 10" Telescoping Pole Saw Kit, 13' Length

- Makita-built brushless motor delivers the power of a 35cc gas pole saw
- Up to 30% faster than gas
- Up to 150 cuts in 4x4 cedar with 40V XGT® 4.0Ah battery
- Telescoping shaft easily adjusts length from 9 ft. to 13 ft. allowing access to hard-to-reach branches

**NEW WINTER RELEASE**



**GCU01M1 / GCU01Z**  
40V max XGT® Brushless 12" Chain Saw Kit

- Professional arborist chain saw with high power-to-weight ratio designed for in-tree work
- Makita-built brushless motor provides power equivalent to a 30cc gas top handle chain saw
- Up to 25% faster than gas
- Up to 160 cuts in 4x4 cedar with 40V max XGT® 4.0Ah battery

**NEW WINTER RELEASE**



**GCU03M1 / GCU03Z**  
40V max XGT® Brushless 16" Chain Saw Kit

- Professional arborist chain saw with high power-to-weight ratio designed for in-tree work
- Makita-built brushless motor provides power equivalent to a 30cc gas top handle chain saw
- Up to 25% faster than gas
- Up to 160 cuts in 4x4 cedar with 40V max XGT® 4.0Ah battery

**CONNECT X™**  
COMMERCIAL OUTPUT

 <b>HIGHER CAPACITY</b>	 <b>LONGER RUN TIME</b>
 <b>ULTIMATE COMPATIBILITY</b>	 <b>DURABLE DESIGN</b>

**HIGH CAPACITY FOR LONGER RUN-TIME AND ALL-DAY WORK\***



**PDC1200AD1**  
Connect X™ 1,200Wh Portable Backpack Power Supply



**191N62-4**  
40V max XGT® Adapter

[makitatools.com/OPE](http://makitatools.com/OPE)

\*Expected run times may vary by product, application, and workday amount

**COMING SOON**



**GCU05M1 / GCU05Z**  
40V max XGT® Brushless 16" Chain Saw Kit



**GCU04T1 / GCU04Z**  
40V max XGT® Brushless 18" Chain Saw Kit



**GCU06T1 / GCU06Z**  
40V max XGT® Brushless 18" Chain Saw Kit

Learn More at  
[makitatools.com/XGT](https://makitatools.com/XGT)

OVER  
**2X** MORE  
SUCTION  
POWER  
WITH 42 CFM &  
84" STATIC WATER LIFT



**DESIGN**

Bagless canister for quick  
debris disposal



**EFFICIENCY**

Efficient two stage HEPA filter captures  
99.97% of particulates .3 microns and larger



**RUN TIME**

Up to 128 minutes of run time using a  
40V max XGT® 4.0Ah Battery

**GLC01M1 / GLC02R1 / GLC01Z**

40V max XGT® Brushless  
4-Speed HEPA Filter Compact  
Stick Vacuum Kit

L.E.D. light for improved visibility  
and also functions as low battery  
charge indicator

**100+**  
**PRODUCTS**  
ONE SYSTEM  
BEYOND LIMITS



**G1C02R1 / G1C02Z**  
40V max XGT® Brushless 4-Speed Compact Stick Vacuum Kit, w/ Dust Bag

- Over 2X more suction power with 42 CFM and 84" static water lift
- Accepts disposable paper or cloth dust bag for dust-free debris disposal
- Up to 64 minutes of run time with 40V max XGT® 2.0Ah battery
- Compact and ergonomic design for operator comfort

**NEW WINTER RELEASE**



**G1C03R1 / G1C03Z**  
40V max XGT® Brushless Cyclonic 4-Speed HEPA Filter Compact Stick Vacuum Kit

- Over 80% more suction power with 35 CFM and 80" static water lift
- Powerful cyclonic action separates dust particles for 6X longer filter life
- Bagless canister for quick debris disposal
- Efficient two stage HEPA filter captures 99.97% of particulates .3 microns and larger
- Up to 64 minutes of run time with 40V max XGT® 2.0Ah battery

**NEW WINTER RELEASE**



**GCV06T1 / GCV06Z**  
40V max XGT® Brushless 1/2 Gallon HEPA Filter Backpack Dry Dust Extractor Kit, AWS® Capable

- Ultimate portability for overhead construction, job site obstacles, and limited space
- Auto-start Wireless System (AWS®) utilizes Bluetooth® technology for wireless power-on/off communication between tool and dust extractor
- Up to 80% more suction power with 67 CFM and 72" water lift
- Efficient two stage HEPA filtration system captures 99.97% of particulates .3 microns and larger
- Auto-start Wireless (AWS®) Transmitter sold separately

GCV06T1 / GCV06Z are AWS® Capable (Auto-Start Wireless Transmitter sold separately)



**GCV01PM / GCV01Z**  
40V max XGT® Brushless 2.1 Gallon Wet/Dry Dust Extractor/Vacuum Kit

- Wet and dry pickup for versatility of applications
- Over 2X more suction power with 148 CFM and 92" water lift
- 2X more run time with 2 bay battery system
- Equipped with anti-static hose (1-1/4" x 5-1/2'), aluminum telescoping wand and 12-1/2" floor nozzle for janitorial and construction applications



**GCV02PMU / GCV02ZU / GCV02PMX / GCV02ZX**  
40V max XGT® Brushless 2.1 Gallon HEPA Filter Dry Dust Extractor Kit, AWS®

- Auto-start Wireless System (AWS®) utilizes Bluetooth® technology for wireless power-on/off communication between tool and dust extractor
- Over 2X more suction power with 148 CFM and 92" water lift
- 2X more run time with 2 bay battery system
- Efficient three stage HEPA filtration system captures 99.97% of particulates .3 microns and larger

GCV02PMX / GCV02ZX are AWS® Capable (Auto-Start Wireless Transmitter sold separately)

**COMPACT VACUUM ATTACHMENTS**  
**INCREASE FILTER LIFE**

CAPTURE 90% OF DUST PARTICLES BEFORE ENTERING THE MAIN CANISTER / DUST BAG




**191D72-1**  
Black Cyclonic Vacuum Attachment w/ Lock

**191D70-5**  
White Cyclonic Vacuum Attachment w/ Lock

**CANISTER VACUUM FILTER DUST BAGS**  
**CONVENIENT DUST COLLECTION**

EASIER CLEANUP AND QUICK DEBRIS DISPOSAL



**A-48430**  
Filter Dust Bag for 2.1 Gallon Canister Vacuum/Extractors, 5/pk

**195557-5**  
Filter Dust Bag for 4 Gallon Canister Vacuum/Extractors, 5/pk

**NEW WINTER RELEASE**



**GCV03PM / GCV03Z**  
40V max XGT® Brushless 4 Gallon Wet/Dry Dust Extractor/Vacuum Kit

- Wet and dry pickup for versatility of applications
- Over 2X more suction power with 148 CFM and 92" water lift
- 2X more run time with 2 bay battery system
- Equipped with anti-static hose (1-1/4" x 5-1/2'), aluminum telescoping wand and 12-1/2" floor nozzle for janitorial and construction applications

**NEW WINTER RELEASE**



**GCV04PMUX / GCV04ZUX / GCV04PMX / GCV04ZX**  
40V max XGT® Brushless 4 Gallon HEPA Filter Dry Dust Extractor Kit, AWS®

- Auto-start Wireless System (AWS®) utilizes Bluetooth® technology for wireless power-on/off communication between tool and dust extractor
- Over 2X more suction power with 148 CFM and 92" water lift
- 2X more run time with 2 bay battery system
- Efficient three stage HEPA filtration system captures 99.97% of particulates .3 microns and larger

GCV04PMX / GCV04ZX are AWS® Capable (Auto-Start Wireless Transmitter sold separately)

**COMING SOON**



**GCV05T1X / GCV05Z**  
40V max XGT® Brushless 2 Quart HEPA Filter Backpack Dry Vacuum Kit

Learn More at  
[makitatools.com/XGT](http://makitatools.com/XGT)

DELIVERS UP TO  
**160 PSI**



**TECHNOLOGY**

High visibility pressure gauge display with back light



**CONVENIENCE**

Auto-stop function automatically stops inflation when preset air pressure is reached



**VERSATILITY**

Easily inflates vehicle tires, bicycle tires, sports balls, and more

**MP0016Z01**  
40V max XGT®  
High-Pressure Inflator

Three speed settings  
(High/Medium/Low)

**100+**  
**PRODUCTS**  
ONE SYSTEM  
BEYOND LIMITS

**NEW WINTER RELEASE**



**M1007G**  
40V max XGT® L.E.D. Flashlight / Spotlight

- 4-mode operation: delivering 600 lumens on Spot, 1,000 lumens on Flood, 1,250 lumens on Spot/Flood, and Strobe mode
- Illuminates up to 640 yards in Spot and Spot/Flood mode
- Up to 10 hours of continuous illumination in Spot mode with 4.0Ah 40V max XGT® battery (battery not included)
- 90° pivoting head for user convenience

**NEW WINTER RELEASE**



**M1009G**  
40V max XGT® Work Light

- 3-mode operation: delivers 10,000 lumens on High, 4,000 lumens on medium, and 2,000 lumens on Low
- Up to 2.4 hours of continuous illumination with two 4.0Ah 40V max XGT® batteries on high (batteries and charger not included)
- Up to 14 hours of continuous illumination with two 4.0Ah 40V max XGT® batteries on low (batteries and charger not included)
- Dust and water-resistant construction (IP65 rated) for improved operation in harsh job site conditions

**NEW WINTER RELEASE**



**M1005G**  
40V max XGT® Cordless Work Light

- 3-mode operation: delivers 3,600 lumens on High, 1,800 lumens on Medium, and 900 lumens on Low
- Up to 3.5 hours of continuous illumination with a 4.0Ah 40V max XGT® battery on high (battery and charger not included)
- Up to 15 hours of continuous illumination with a 4.0Ah 40V max XGT® battery on low (battery and charger not included)
- Dust and water-resistant construction (IP65 rated) for improved operation in harsh job site conditions



**M1003G**  
40V max XGT® L.E.D. Work Light

- 2-mode operation: delivers 1,100 lumens on High and 450 lumens on Low
- Up to 22 hours of continuous illumination on low with a 4.0Ah 40V max XGT® (battery and charger not included)
- Up to 10 hours of continuous illumination on high with a 4.0Ah 40V max XGT® (battery and charger not included)
- Compatible with Makita® 40V max XGT® and 18V LXT® batteries (batteries not included)



**M1001G**  
40V max XGT® L.E.D. Flashlight

- High-luminance 4 L.E.D. flashlight provides 160 lumens
- 170° pivoting head with 12 positive stops
- Up to 55 hours of illumination with 4.0Ah 40V max XGT® Battery (battery sold separately)
- Up to 34 hours of illumination with 2.5Ah 40V max XGT® Battery (battery sold separately)
- Metal hang hook is convenient and job site durable



**M1002G**  
40V max XGT® L.E.D. Lantern/Flashlight

- 360° lantern mode provides 710 lumens; 180° lantern mode provides 340 lumens; flashlight mode provides 130 lumens
- Built-in USB port for charging portable electronic devices
- Metal hang hook swivels 360° and folds away for added convenience
- Up to 10 hours of continuous illumination in 360° lantern mode with 2.5Ah 40V max XGT® Battery (battery sold separately)



**M1006G**  
40V max XGT® 18 L.E.D. Flashlight

- High-luminance 18 L.E.D. flashlight provides 500 lumens on high
- 3-mode operation: delivers 500 lumens on High, 250 lumens on Medium, and 100 lumens on Low
- Flashlight head folds up and down with 7 positive stops and rotates left to right for multiple lighting angles
- Up to 82 hours of illumination with 4.0Ah 40V max XGT® Battery (battery sold separately)



**CF001GZ**  
40V max XGT® 9-1/4" Fan

- Three speed settings (High/Medium/Low) and Oscillation selector for optimal air velocity and control
- Automatically oscillates 45° right and left
- Manually tilts 90° up and 45° down for convenient redirection of airflow
- 3-stage automatic timer with 1, 2, and 4 hour power-off selection



**CF002GZ**  
40V max XGT® 13" Fan

- Powerful motor delivers up to 740 CFM on high setting
- Three speed settings (High/Medium/Low) and Oscillation selector for optimal air velocity and control
- Automatically oscillates 45° right and left
- Manually tilts 90° up and 45° down for convenient redirection of airflow



**GRM01**  
40V max XGT® Job Site Radio

- Menu controls to set AM/FM, mono/stereo, clock settings, volume, and snooze
- Auxiliary port for MP3 compatibility
- Delivers rich, full stereo sound from two powerful 3.5" side-firing speakers
- Compatible with 12V max CXT®, 18V LXT®, and 40V max XGT® batteries (batteries not included)

Bluetooth®



**GRM02**  
40V max XGT® Bluetooth® Job Site Radio

- Equipped with Bluetooth® to wirelessly connect your mobile device to play music
- Menu controls to set FM mono/stereo, clock settings, volume and snooze
- One auxiliary port for MP3 compatibility and one USB port for charging your mobile device
- Delivers rich, full stereo sound from two powerful 3.5" side-firing speakers

Bluetooth®



**GRM03**  
40V max XGT® Bluetooth® Job Site Radio

- Premium sound quality for an enhanced audio experience
- Equipped with Bluetooth® to wirelessly connect your mobile device to play music
- Menu controls to set FM mono/stereo, clock settings, volume and snooze
- One auxiliary port for MP3 compatibility and one USB port for charging your mobile device



**ADP001G**  
40V max XGT® Power Source

- 2 USB ports provide quick and easy charging
- 2.4A output from each USB port, 4.8A total output when both USB ports are connected
- Auto-off turns off the USB output power after 30 minutes
- Rubber covers protect USB ports from dust and water
- L.E.D. on/off button turns green while in use for operator convenience

COMING SOON



**M1010G**  
40V max XGT® Lantern with Radio



**M1010G**  
40V max XGT® Upright L.E.D. Area Light



**GSA01Z**  
40V max XGT® Brushless High Speed Dust Blower

- Makita-built brushless motor delivers up to 447 MPH and 39 CFM
- 4 digitally controlled speeds for a wide range of applications
- 5 nozzles included for a wide range of applications
- Up to 50 minutes of run time with 40V XGT® 2.5Ah battery (battery not included)
- In-line fan design provides better tool balance and improved ergonomics



**GTR01D1 / GTR01Z**  
40V max XGT® Brushless Compact Router Kit

- Makita-built brushless motor delivers up to 1.5 HP
- Variable speed control dial (10,000 - 31,000 RPM) to match the speed to the application
- Electronic speed control maintains constant speed under load
- Smooth rack-and-pinion fine depth adjustment system for more precise settings
- Quick release cam lock system for convenient depth adjustments and base removal/installation

**NEW WINTER RELEASE**



**GPK01M1 / GPK01Z**  
40V max XGT® Brushless 3-1/4" Planer Kit, AWS® Capable

- Makita-built brushless motor delivers 15,000 RPM for faster stock removal
- Delivers up to 38% faster planing speed
- Extreme Protection Technology XPT™ is engineered to provide increased dust and water resistance in harsh job site conditions
- Capable of planing up to 311 ft. at 1/16" depth using a fully charged 40V XGT® 4.0Ah battery
- Planes up to 3-1/4" wide and 5/32" deep in a single pass with the ability rabbit up to 1" deep



**GTP01D1 / GTP01Z**  
40V max XGT® Brushless Pin Nailer Kit, 23 Ga.

- Makita-built brushless motor delivers up to 15% faster firing compared to XTP02
- Refined firing mechanism reduces recoil; reduces force required on the work surface when driving pin nails
- Drives 6 different lengths, 5/8", 11/16", 3/4", 1", 1-3/16" and 1-3/8", of 23 gauge pin nails (tool does not work with 1-1/4" pin nails)
- Max magazine capacity up to 120 pin nails
- Narrow nose design allows easy nailing access in confined areas



**GVP01M1 / GVP01Z**  
40V max XGT® Brushless 7" Polisher

- Makita-built brushless motor with variable speed control dial (600 - 2,200 RPM)
- Constant speed control automatically applies additional power under load for optimum performance
- Extreme Protection Technology (XPT™) is engineered for improved dust and water resistance for operation in harsh conditions
- Cordless solution for a variety of polishing applications where mobility is important
- Variable speed dial and trigger (0-2,200 RPM) enables user to match the speed to the application

**NEW WINTER RELEASE**



**GTK01Z**  
40V max XGT® Hot Water Kettle

- Boils 27 oz. of water in 8 minutes from 73°F when powered by a 40V max XGT® 4.0Ah Battery (battery not included)
- Dual layer construction allows the kettle to retain heat longer
- Audible buzzer and two color L.E.D. on/off switch indicates the status of the kettle
- Auto shut-off automatically turns off kettle when boiling temperature is reached.
- Boil dry protection automatically turns the kettle off if there is not enough water

**COMING SOON**




**GTU01M1 / GTU01Z**  
40V max XGT® Brushless 1/2" Mixer



**AC001GZ**  
40V max XGT® Brushless 2 Gallon Air Compressor



**MORE VOLTAGE**  
IN THE PREFERRED 18V FORM FACTOR



**FASTER CHARGING**  
TO GET WORK DONE FASTER

# GOING BEYOND LIMITS



2.5 Ah BATTERY



4.0 Ah BATTERY



5.0 Ah BATTERY



8.0 Ah BATTERY

**HIGHER OUTPUT POWER**  
UP TO **2X LONGER RUN TIME**

## COMPACT SIZE

## LONGER RUN TIME

**BL4025**

40V max XGT® 2.5Ah Battery

**28 MIN.**  
CHARGE TIME

**BL4040**

40V max XGT® 4.0Ah Battery

**45 MIN.**  
CHARGE TIME

**BL4050F**

40V max XGT® 5.0Ah Battery

**50 MIN.**  
CHARGE TIME

**BL4080F**

40V max XGT® 8.0Ah Battery

**76 MIN.**  
CHARGE TIME



**DC40RA**

40V max XGT® Rapid Optimum Charger

- The XGT® Rapid Charger with dual-fan design circulates air through the battery to cool the battery and circuit board quickly for faster charging
- Charges a 40V max XGT® 2.5Ah battery in only 28 minutes
- Charges a 40V max XGT® 4.0Ah battery in only 45 minutes
- Charges a 40V max XGT® 5.0Ah battery in only 50 minutes
- The XGT® Rapid Charger's digital display indicates battery charge level (-80%, +80%, 100%)



**DC40RB**

40V max XGT® Dual Port Rapid Optimum Charger

- Charges two batteries simultaneously
- The XGT® Rapid Charger with three fan design circulates cooling air through the batteries and circuit board quickly for faster charging
- Charges (2) 40V max XGT® 2.5Ah battery in only 28 minutes
- Charges (2) 40V max XGT® 4.0Ah battery in only 45 minutes
- Charges (2) 40V max XGT® 5.0Ah battery in only 50 minutes



**ADP10**

18V LXT® Adapter for XGT® Chargers

- Adapts 40V max XGT® chargers to charge 18V LXT® batteries (batteries not included)
- Charges an 18V LXT® Lithium-Ion 6.0Ah battery in only 40 minutes
- Charges an 18V LXT® Lithium-Ion 5.0Ah battery in only 40 minutes
- Charges an 18V LXT® Compact Lithium-Ion 2.0Ah battery in only 24 minutes

## COMPATIBILITY

# CHARGES BOTH XGT® & LXT® BATTERIES



Use adapter ADP10 with charger DC40RA to rapid charge 18V LXT® Batteries.



40V | 80V max

100+ PRODUCTS\*

ONE SYSTEM FOR EQUIPMENT AND TOOLS



\*In 2022



The MAKITA® TEAL COLOR is the trade dress of Makita Corporation and is protected under common law and registered with the U.S. Patent and Trademark Office. Printed in U.S.A. 999BR054 XGT-0822-10.5K MA-11749-22