

Safety Data Sheet

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier	
Product Name	PVC FITTINGS
Synonyms	Plumbing fittings
1.2 Relevant identified us	es of the substance or mixture and uses advised against
Relevant identified use(s)	PVC Fittings
Use(s) advised against	• Do not mix or follow with ACETAL in an extrusion or injection molding machine.
1.3 Details of the supplier	r of the safety data sheet
Manufacturer	NIBCO INC.
	1516 Middlebury Street Elkhart, IN 46516 United States www.NIBCO.com SDSCoordinator@NIBCO.com
Telephone (General)	• 574-295-3000 / 800-642-5463
Technical Services	Voice: 888-446-4226 / Fax 888-336-4226

1.4 Emergency telephone number

EMERGENCY CALL ChemTel: 800-255-3924; International: +01-813-248-0585

Section 2: Hazards Identification

EU/EEC

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 2015/830]


2.1 Classification of the substance or mixture

- CLP Not classified **2.2 Label Elements** CLP Hazard statements • No label element(s) required
- 2.3 Other Hazards
 - CLP
- According to Regulation (EC) No. 1272/2008 (CLP) this material is not considered hazardous.

UN GHS Revision 3

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS): Third Revised Edition

2.1 Classification of the substance or mixture



Section 3 - Composition/Information on Ingredients

3.1 Substances

• Material does not meet the criteria of a substance.

3.2 Mixtures



	Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive		
Polyvinyl Chloride	CAS:9002-86-2	<= 95%	NDA	EU CLP: Not Classified UN GHS Revision 3: Not Classified OSHA HCS 2012: Not Classified WHMIS 2015: Not Classified		
Impact Modifiers	NDA	0% TO 70%	NDA	EU CLP: Not Classified UN GHS Revision 3: Not Classified OSHA HCS 2012: Not Classified WHMIS 2015: Not Classified		
Inert Fillers	NDA	0% TO 50%	NDA	EU CLP: Not Classified UN GHS Revision 3: Not Classified OSHA HCS 2012: Not Classified WHMIS 2015: Not Classified		
Process Aid	NDA	0% TO 25%	NDA	EU CLP: Not Classified UN GHS Revision 3: Not Classified OSHA HCS 2012: Not Classified WHMIS 2015: Not Classified		
Lubricants	NDA	0% TO 20%	NDA	EU CLP: Not Classified UN GHS Revision 3: Not Classified OSHA HCS 2012: Not Classified WHMIS 2015: Not Classified		
Flame Retardants	NDA	0% TO 15%	NDA	EU CLP: Not Classified UN GHS Revision 3: Not Classified OSHA HCS 2012: Not Classified WHMIS 2015: Not Classified		
Colorant	NDA	0% TO 15%	NDA	EU CLP: Not Classified UN GHS Revision 3: Not Classified OSHA HCS 2012: Not Classified		
Heat Stabilizer	NDA	1% TO 10%	NDA	EU CLP: Not Classified UN GHS Revision 3: Not Classified OSHA HCS 2012: Not Classified WHMIS 2015: Not Classified		
Plasticizer	NDA	0% TO 5%	NDA	EU CLP: Not Classified UN GHS Revision 3: Not Classified OSHA HCS 2012: Not Classified WHMIS 2015: Not Classified		
Vinyl Chloride	CAS:75-01-4 EC Number:200- 831-0 EU Index:602-023- 00-7	< 0.0005%	Inhalation-Rat LC50 • 18 pph 15 Minute(s)	EU CLP: Not Classified UN GHS Revision 3: Not Classified OSHA HCS 2012: Not Classified WHMIS 2015: Not Classified		

• Compounded PVC is an inert material in its normal usage; all of the ingredients listed above are encapsulated in the PVC matrix and typical concentrations are indicated.

See Section 16 for full text of H-statements.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

• No adverse effects anticipated under normal conditions if adequately ventilated. However, if exposure occurs, remove victim to fresh air. Obtain medical attention immediately if irritation persists.

Skin

• No adverse effects anticipated under normal conditions. Flush with water to remove material from skin. Obtain medical attention if irritation persists.



Version: 1.0 Revision Date: 10/12/2017

Ingestion

Eve

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.
- No effect expected. If large amounts are ingested, seek medical attention. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to Physician
- Immediate medical attention after exposure to this material not expected to be necessary. No special treatment indicated related to exposure to this material.

Section 5 - Firefighting Measures

5.1 Extinguishing media

0 0	
Suitable Extinguishing Media	 Carbon dioxide or water. In case of fire use media as appropriate for surrounding fire.
Unsuitable Extinguishing Media	None known.
5.2 Special hazards arisi	ng from the substance or mixture
Unusual Fire and Explosion Hazards	• Dense smoke emitted when burned without sufficient oxygen. PVC will not continue to burn after ignition without an external fire source.
Hazardous Combustion Products	 Depending on conditions, overheating may cause thermal degradation of PVC compound. Fumes and vapors (including CO, CO2, and HCI) may be generated during the thermal descent of the second during and the second during the second durin

5.3 Advice for firefighters

Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection. Do not allow fire fighting runoff water to enter streams, rivers or lakes. The water will collect Hydrochloric Acid from the by-products of combustion. Dike fire control water for later disposal.

this thermal degradation. Emissions are also possible during normal operating conditions, and may accumulate within an inadequately ventilated facility.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

- **Personal Precautions** Ventilate enclosed areas. Remove unnecessary personnel from release area. Wear appropriate personal protective equipment during clean up. **Emergency Procedures**
 - Avoid unnecessary personnel and equipment traffic in the spill area.

6.2 Environmental precautions

· Prevent entry into waterways and sewers.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Avoid generating dust. Measures Spill area can be washed with water. Place unusable material into a closed, properly labeled container compatible with the product.

6.4 Reference to other sections

 Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling



 Avoid heat, flames, sparks, and other sources of ignition. Use properly grounded electrically conductive materials for piping circuits and equipment. Avoid breathing dust. Avoid contact with eyes. Employees working with dried polymer should wear respiratory protective equipment. Wash thoroughly after handling. PVC resin processing may result in the release of low levels of vinyl chloride. Use only in wellventilated areas.

7.2 Conditions for safe storage, including any incompatibilities

Storage

• Keep container closed. Store in a cool, dry, well-ventilated place. Reseal containers immediately after use. To maintain product quality, do not store in heat or direct sunlight, Keep only in the original container at a temperature not exceeding 40C.

7.3 Specific end use(s)

• Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

	Exposure Limits/Guidelines							
	Result	ACGIH	Canada British Columbia	Canada Manitoba	Canada Ontario	Canada Quebec		
Vinyl Chloride (75-01-4)	TWAs	1 ppm TWA	1 ppm TWA	Not established	1 ppm TWA (designated substances regulation); 1 ppm TWA (applies to workplaces to which the designated substances regulation does not apply)	1 ppm TWAEV; 2.6 mg/m3 TWAEV		
	Designated Substances	Not established	Not established	Present	Not established	Not established		
Polyvinyl Chloride	TWAs	1 mg/m3 TWA (respirable fraction)	1 mg/m3 TWA (respirable)	Not established	1 mg/m3 TWA (respirable)	10 mg/m3 TWAEV (including dust, inert or nuisance particulates; containing no Asbestos and <1% Crystalline silica, total dust) as Particulates not otherwise classified (PNOC)		
	Exposure Limits/Guidelines (Con't.)							
			Result		OSHA			
Vinyl Chloride		STELs	5 ppm STEL (see 2	5 ppm STEL (see 29 CFR 1910.1017)				
(75-01-4)		TWAs	1 ppm TWA	1 ppm TWA				
Polyvinyl Chloride			TWAs		15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction as Particulates not otherwise classified (PNOC)			

8.2 Exposure controls

Engineering

• Good general ventilation should be used. Ventilation rates should be matched to



STEL = exposures

Measures/Controls	conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment).		
Personal Protective Equipme	nt		
Respiratory	 Under normal use conditions, respiratory protection should not be needed. However, as deemed required, respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. 		
Eye/Face	Wear safety glasses.		
Skin/Body	• Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Clean clothing should be sufficient under normal use conditions.		
Environmental Exposure Controls	 Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste. 		
Key to abbreviations			
ACGIH = American Conference of Gove	rnmental Industrial Hygiene TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures		
OSHA = Occupational Safety and Heal STEL = Short Term Exposure Limits and			

Section 9 - Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Material Description			
Physical Form	Solid	Appearance/Description	Pellet of varying size, harness, and color with a potential slight odor.
Color	Various colors.	Odor	Potential slight odor.
Odor Threshold	No data available		
General Properties	· ·	•	·
Boiling Point	No data available	Melting Point/Freezing Point	No data available
Decomposition Temperature	Temperature of 300°F (150°C) or greater over an extended period of time may cause thermal degradation of PVC resin.	рН	No data available
Specific Gravity/Relative Density	1.15 to 1.7 Water=1	Water Solubility	Insoluble
Viscosity	No data available	Explosive Properties	No data available
Oxidizing Properties:	No data available		
Volatility	•	•	
Vapor Pressure	< 1 mmHg (torr)	Vapor Density	No data available
Evaporation Rate	No data available		
Flammability	•	•	
Flash Point	> 600 °F(> 315.5556 °C)	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental			•
Octanol/Water Partition coefficient	No data available		



9.2 Other Information . No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

• No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

• Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

• Under normal conditions of storage and use, hazardous polymerization will not occur.

10.4 Conditions to avoid

• Instantaneous temperatures above 420°F/215°C, prolonged heating at processing temperatures, or excessive shear/heat combinations during processing can generate hazardous decomposition products.

10.5 Incompatible materials

 Polyvinyl chloride compounds should not come into contact with acetal or acetal copolymers in elevated temperature processing equipment. The two materials are not compatible and will react in a violent decomposition when mixed under conditions of heat and pressure.

10.6 Hazardous decomposition products

• Depending on conditions, overheating may cause thermal degradation of PVC compound. Fumes and vapors (including CO, CO2, and HCI) may be generated during this thermal degradation. Emissions are also possible during normal operating conditions, and may accumulate within an inadequately ventilated facility.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

	Components					
Chlorido (~-	9002- 86-2	Acute Toxicity: Intratracheal-Rat TDLo • 50 mg/kg; <i>Lungs, Thorax, or Respiration</i> :Fibrosing alveolitis; Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels:Dehydrogenases; Tumorigen / Carcinogen: Ingestion/Oral-Rat TDLo • 210 g/kg 30 Week(s)-Continuous; <i>Tumorigenic</i> :Equivocal tumorigenic agent by RTECS criteria; <i>Lungs, Thorax, or Respiration</i> :Tumors; <i>Skin and</i> <i>Appendages:Other</i> :Tumors				

GHS Properties	Classification
	EU/CLP • No data available
	UN GHS 3 • No data available
Acute toxicity	OSHA HCS 2012 • No data available
	WHMIS 2015 • No data available
	EU/CLP No data available
	UN GHS 3 • No data available
Skin corrosion/Irritation	OSHA HCS 2012 • No data available
	WHMIS 2015 • No data available



AHEAD OF THE FLOW"	
Serious eye damage/Irritation	EU/CLP • No data available UN GHS 3 • No data available
	OSHA HCS 2012 • No data available
	WHMIS 2015 • No data available
	EU/CLP • No data available
Skin sensitization	UN GHS 3 • No data available
Skin sensitization	OSHA HCS 2012 • No data available
	WHMIS 2015 • No data available
	EU/CLP • No data available
Respiratory sensitization	UN GHS 3 • No data available
Respiratory sensitization	OSHA HCS 2012 • No data available
	WHMIS 2015 • No data available
	EU/CLP • No data available
Appiration Hazard	UN GHS 3 • No data available
Aspiration Hazard	OSHA HCS 2012 • No data available
	WHMIS 2015 • No data available
	EU/CLP • No data available
Consinerenieitu	UN GHS 3 • No data available
Carcinogenicity	OSHA HCS 2012 • No data available
	WHMIS 2015 • No data available
	EU/CLP • No data available
Germ Cell Mutagenicity	UN GHS 3 • No data available
	OSHA HCS 2012 • No data available
	WHMIS 2015 • No data available
	EU/CLP • No data available
Toxicity for Reproduction	UN GHS 3 • No data available
	OSHA HCS 2012 • No data available
	WHMIS 2015 • No data available
	EU/CLP • No data available
STOT-SE	UN GHS 3 • No data available
	OSHA HCS 2012 • No data available
	WHMIS 2015 • No data available
	EU/CLP • No data available
STOT-RE	UN GHS 3 • No data available
	OSHA HCS 2012 • No data available
	WHMIS 2015 • No data available

Potential Health Effects

Inhalation	
Acute (Immediate)	• Exposure to dust may cause irritation. Processes such as cutting, grinding, crushing, or impact may result in generation of excessive amounts of airborne dusts in the workplace. Nuisance dust may affect the lungs but reactions are typically reversible.
Chronic (Delayed)	No data available
Skin	
Acute (Immediate)	 Exposure to dust may cause mechanical irritation.
Chronic (Delayed)	No data available.
Eye	
Acute (Immediate)	 Exposure to dust may cause mechanical irritation. Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.

Chronic (Delayed)

• No data available.



Ingestion

Acute (Immediate)

- · Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.
- No data available

Chronic (Delayed) **Carcinogenic Effects**

This material does contain a component that may cause cancer, however based on regulatory criteria this material is not classified as a carcinogen.

Carcinogenic Effects						
CAS OSHA IARC NTP						
Vinyl Chloride	75-01-4	Specifically Regulated Carcinogen	Group 1-Carcinogenic	Known Human Carcinogen		

Key to abbreviations

TD = Toxic Dose

Section 12 - Ecological Information

12.1 Toxicity

· Based on the high molecular weight of this polymeric material, transport of this compoundacross biological membranes is unlikely. Accordingly, the probability of environmental toxicity or bioaccumulation in organisms is remote. Due caution should be exercised to prevent the accidental release of this material to the environment.

12.2 Persistence and degradability

• Not subject to biodegradation.

12.3 Bioaccumulative potential

- Material data lacking.
- 12.4 Mobility in Soil
- Material data lacking.

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment has not been carried out.

12.6 Other adverse effects

· Material data lacking.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

- Product waste
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
- Packaging waste
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA



IMO/IMDG	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

14.6 Special precautions for • None specified. user 14.7 Transport in bulk

according to Annex II of Marpol and the IBC Code · Data lacking.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • None

Inventory						
Component	CAS	Canada DSL	Canada NDSL	EU EINECS	EU ELNICS	TSCA
Polyvinyl Chloride	9002-86-2	Yes	No	No	Yes	Yes
Vinyl Chloride	75-01-4	Yes	No	Yes	No	Yes

Canada

Labor		
Canada - WHMIS - Classifications of Substances		
Vinyl Chloride	75-01-4	A, B1, D2A, D2B, F
		Uncontrolled product
Polyvinyl Chloride	9002-86-2	according to WHMIS
		classification criteria
Canada - WHMIS - Ingredient Disclosure List		
Vinyl Chloride	75-01-4	0.1 %
Polyvinyl Chloride	9002-86-2	Not Listed
Environment		
Canada - CEPA - Priority Substances List		
Vinyl Chloride	75-01-4	Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed

United States

75-01-4	Not Listed
9002-86-2	Not Listed
	0.5 ppm Action Level (See 29
	CFR 1910.1017); 1 ppm TWA
75-01-4	(See 29 CFR 1910.1017); 5
	ppm STEL (See 29 CFR
	1910.1017, 15 min)
9002-86-2	Not Listed
	9002-86-2 75-01-4

Environment

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants



Version: 1.0 Revision Date: 10/12/2017

Vinyl ChloridePolyvinyl Chloride	75-01-4 9002-86-2	Not Listed
 U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities Vinyl Chloride Polyvinyl Chloride 	75-01-4 9002-86-2	1 lb final RQ; 0.454 kg final RQ Not Listed
 U.S CERCLA/SARA - Radionuclides and Their Reportable Quantities Vinyl Chloride Polyvinyl Chloride 	75-01-4 9002-86-2	Not Listed Not Listed
 U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs Vinyl Chloride Polyvinyl Chloride 	75-01-4 9002-86-2	Not Listed Not Listed
 U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs Vinyl Chloride Polyvinyl Chloride 	75-01-4 9002-86-2	Not Listed Not Listed
U.S CERCLA/SARA - Section 313 - Emission Reporting		
Vinyl Chloride Polyvinyl Chloride	75-01-4 9002-86-2	0.1 % de minimis concentration Not Listed
 U.S CERCLA/SARA - Section 313 - PBT Chemical Listing Vinyl Chloride Polyvinyl Chloride 	75-01-4 9002-86-2	Not Listed Not Listed
 U.S TSCA (Toxic Substances Control Act) - Section 12(b) - Export Notification Vinyl Chloride Polyvinyl Chloride 	75-01-4 9002-86-2	Not Listed Not Listed

United States - California

Environment U.S California - Proposition 65 - Carcinogens List		
Vinyl Chloride	75-01-4	carcinogen, initial date 2/27/87
Polyvinyl Chloride	9002-86-2	Not Listed
U.S California - Proposition 65 - Developmental Toxicity		
Vinyl Chloride	75-01-4	Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL)		
Vinyl Chloride	75-01-4	Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
U.S California - Proposition 65 - No Significant Risk Levels (NSRL)		
Vinyl Chloride	75-01-4	3 μg/day NSRL
Polyvinyl Chloride	9002-86-2	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Female		
Vinyl Chloride	75-01-4	Not Listed
Polyvinyl Chloride	9002-86-2	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Male		
Vinyl Chloride	75-01-4	Not Listed



Polyvinyl Chloride

9002-86-2 Not Listed

15.2 Chemical Safety Assessment

• No Chemical Safety Assessment has been carried out.

15.3 Other Information

• WARNING: This product contains a chemical known to the State of California to cause cancer.

Section 16 - Other Information

Relevant Phrases (code & full text)

Revision Date	 H373 - May cause damage to organs through prolonged or repeated exposure. 10/12/2017 10/12/2017
Preparation Date Disclaimer/Statement of Liability	• The information furnished in the NIBCO INC. SDS is for finished products and is based on the information furnished by the raw material supplier (Supplier information is on file at NIBCO INC. World Headquarters). The technical data given herein is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,
Key to abbreviations NDA = No Data Available	storage, transportation, disposal and release, and is not to be considered a warranty or quality specification. No guarantee is being given as to the end use performance. The product is sold on the basis that buyers test the product for their specific purposes. This information related to the material designated and may not be valid for such material used in combination with any other materials or in any process.