

SAFETY DATA SHEET

1. Identification

Product identifier Oatey Silicone Sealant – White or Clear

Other means of identification

Product code

Synonyms Part Numbers: Clear – 30236, White - 30237

Recommended useSealant for use around tubs, sinks and other plumbing applications. **Recommended restrictions**Do not use on applications where product will be submerged under water.

Manufacturer/Importer/Supplier/Distributor information

Company Name Oatey Inc.

Address 4700 West 160th Street

Cleveland, OH 44135

Telephone 216-267-7100
E-mail info@oatey.com

Transport Emergency Chemtrec 1-800-424-9300 (Outside the US 1-703-527-3887)

Emergency First Aid 1-877-740-5015

Contact person MSDS Coordinator

2. Hazard(s) identification

Physical hazardsNot Classified.Health hazardsNot Classified.OSHA defined hazardsNot Classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement This product was determined to be non-hazardous.

Precautionary statement

Prevention Use outdoors or in a well ventilated area.

Response Not applicable.
Storage Not applicable.
Disposal Not applicable.
Hazard(s) not otherwise None known.

classified (HNOC)

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Silicon Dioxide	7631-86-9	5 - 10
Distillates (petroleum), hydrotreated middle	64742-46-7	5 - 10
Titanium Dioxide (White Sealant Only)	13463-67-7	0 – 5
Dimethyl siloxane, hydroxyl terminated	70131-67-8	70 - 90

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

Oatey Silicone Sealant White and Clear

SDS US

SDS # Version #: 01 Revision date: Issue date: 12-May-2015

Page 1 of 6

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Eye contact

Check for and remove any contact lenses. Get medical attention if irritation occurs.

Ingestion Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable

for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical

personnel. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment

needed.

Contact poison treatment specialist immediately if large quantities have been ingested or

inhaled.

Skin or eye irritation.

General information Note to physician, treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions Use dry chemical, CO2, alcohol-resistant foam or water spray (fog).

water iet

No specific fire or explosion hazard.

Issue date: 12-May-2015

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Use water

spray to keep fire-exposed containers cool. Fire water contaminated with this

material must be contained and prevented from being discharged to any waterway, sewer or

drain.

None Specific methods General fire hazards None

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Methods and materials for containment and cleaning up Large Spills: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

Small Spills: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

7. Handling and storage

Precautions for safe handling

Put on appropriate personal protective equipment (see section 8 of SDS). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value
Petroleum Distillate	TWA	5 mg/m3
Titanium Dioxide	TWA	10 mg/m3
US OSHA Permissible Exposure Limits		
Components	Туре	Value
Petroleum Distillate	TWA	5 mg/m3
Titanium Dioxide	TWA	15 mg/m3
Silicone Dioxide	TWA	80 ma/m3

Biological limit values

Appropriate engineering

controls

No Biological limits.

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep

worker exposure below any recommended or statutory limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety eyewear complying with an approved standard should be used when a risk assessment

indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Skin protection

Other

Hand Chemical-resistant, impervious gloves complying with an approved standard should be worn at

all times when handling chemical products if a risk assessment indicates this is necessary. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before

handling this product.

Respiratory protection Use a properly fitted, particulate filter respirator complying with an approved standard if a risk

assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

Thermal hazards None.

General hygiene Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques

should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that

eyewash stations and safety showers are close to the workstation location.

9. Physical and chemical properties

Appearance

Physical state Solid. Form Paste

ColorWhite or translucent.OdorAcetic acid/vinegar smell

Odor threshold

pH

Not available.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not determined

range Flash point > 199 °F (> 93.3 °C)

Upper/lower flammability or explosive limits
Flammability limit – lower (%)
Flammability limit – upper (%)
Explosive limit - lower (%)
Explosive limit - upper (%)
Not available
Explosive limit - upper (%)
Not available
Vapor pressure
Not applicable

Oatey Silicone Sealant White and Clear

SDS # Version #: 01 Revision date: Issue date: 12-May-2015

Not applicable Vapor density Relative density 1.04 - 1.09

Solubility(ies)

Solubility (water) Not available

Partition coefficient

Not available (n-octanol/water) Auto-ignition temperature Not applicable **Decomposition temperature** Not available **Viscosity** Not available

Other information

VOC (Weight %) 28 g/L (< 3.0% by weight)

10. Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability The product is stable.

Possibility of hazardous

Under normal conditions of storage and use, hazardous reactions will not occur.

reaction

Conditions to avoid No specific data. Incompatible materials No specific data.

Hazardous decomposition

Under normal conditions of storage and use, hazardous decomposition products should not be

products produced.

11. Toxicological information

Information on likely routes of exposure

Inhalation Acute Toxicity estimates: > 10 mg/l

> Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation.

Skin contact No known significant effects or critical hazards. Eye contact No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics No specific data.

Information on likely routes of exposure

Acute Toxicity

Components	Species	Results	
Silicone Dioxide			
Acute Oral Toxicity	Rat LD(50)	3,300 mg/kg	
Acute Inhalation Toxicity	Rat LD(50)	2.08 mg/l	
Distillates (petroleum			

Skin corrosion/irritation Not determined. Serious eye damage/eye Not determined.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not considered a respiratory irritant

Skin sensitization This product is not expected to cause skin irritation.

No specific data Germ cell mutagenicity

Carcinogenicity Sufficient evidence of carcinogenicity in inhalation studies with animals for titanium dioxide exist.

However, due to the titanium dioxide being inextricably bound in the silicone matrix, the

likelihood of exposure is minimal.

IARC Titanium Dioxide – 13463-67-7 Group 2B: Possibly carcinogenic to humans.

OSHA No ingredient of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcino- gen by OSHA.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcino- gen by OSHA.

Reproductive toxicity

Specific target organ toxicity

No known significant effects or critical hazards.

Single exposure Repeated exposure Not Classified. Not Classified.

Aspiration Hazard

Contains Distillates (petroleum), hydrotreated - Which is a category 1 Aspiration Hazard. The

likely hood of aspirating the product in this form is very low due to the high viscosity.

Chronic effects

Not Classified.

Further information

12. Ecological information

Ecotoxicity

Product/ingredient name	Results	Species	Exposure
Petroleum Distillates			
	Acute LC50 2,900 μg/l Fresh water	Fish - Rainbow trout, Donaldson trout	t 96 h
	Acute LC50 2,200 μg/l Fresh water	Fish - Bluegill	96 h

Persistence and degradability

Not Available.

Bio accumulative potential

Not Available.

Mobility in soil

Not available.

Other adverse effects

No known significant effects of critical hazards.

13. Disposal considerations

Disposal instructions

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Local disposal regulations Hazardous waste code

Not Applicable Not Applicable

14. Transportation information

DOT

Not Regulated

UN number

UN Proper Shipping Name Transportation Hazard

classes

Packing group

IATA

Not Regulated

UN number

UN Proper Shipping Name Transportation Hazard

classes

Packing group

IMDG

Not Regulated

Issue date: 12-May-2015

UN number

UN Proper Shipping Name Transportation Hazard

classes

Packing group

Environmental hazards

Oatey Silicone Sealant White and Clear SDS # Version #: 01 Revision date: SDS US

Page 5 of 6

Marine polluntant

15. Regulatory information

U.S. Federal regulations TSCA 12(b) - Chemical export notification: None required.

TSCA 5(a)2 - Final significant new use rules: Not listed TSCA 5(a)2 - Proposed significant new use rules: Not listed

TSCA 5(e) - Substances consent order: Not listed

SARA 311/312

Classification Not applicable

US state regulations

California Prop 65 This product does not contain any chemicals known to the State of California to cause cancer,

birth defects or other reproductive harm.

Canada

WHMIS (Canada) Not classified.

International regulations

Country(s) or region Inventory Name On inventory list (yes/no)*

CanadaDSL/NDSLYesUnited States & Puerto RicoToxic Substances Control Act (TSCA 8b)Yes

16. Other information, including date of preparation or last revision

Issue Date 12-May-2015

Revision Date -

Version # 01

HMIS Rating Health: 1

Flammability: 1 Physical Hazards: 0

Disclaimer Oatey Inc. cannot anticipate all conditions under which this information

and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

Oatey Silicone Sealant White and Clear

SDS # Version #: 01 Revision date: Issue date: 12-May-2015