


# Plastic Fitting Saver

**Works on PVC or ABS Fittings** 







Makes in-line repairs and installations.

Reams plastic pipe squarely and accurately below the surface or finished grade.

Ram Bit leaves fittings clean and ready for solvent welding.

#### **SAVES**

- Plastic Fittings
- · Welded Ball Valves


#### **SAVES TIME**

- Cuts 3" & 4" DWV flush, below slab or sub-floor
- · Repairing irrigation and swimming pool manifolds
- Repairing sprinkler risers
- · Repairing freeze damaged plastic pipe










Works On:
ABS DWV, PVC DWV,
PVC PRESSURE, CPVC,
RIGID PVC ELECTRIC CONDUCT







PART NUMBER	SIZE	CLASS 200*	SCH 40	SCH 80	DRILL SIZE
3237	1/2"		<b>√</b>	<b>√</b>	
3239	3/4"	√	√	√	3/8" or
3241	1"	√	<b>√</b>	$\checkmark$	heavy duty
3242	1-1/4"	√	<b>√</b>	√	3/8"
3243	1-1/2"	√	√	√	rechargeable
3244	2"	√	<b>√</b>	$\checkmark$	
3253	3"	√	<b>√</b>		1/2"
3254	4"		√		variable



SIZE	BLADE ONLY	ARBOR W/NUT
1/2"	3204	3200
3/4"	3208	3200
1"	3213	3200
1-1/4"	3219	3201
1-1/2"	3225	3201
2"	3231	3201
3"	3256	3252
4"	3262	3252



U.S. Patent 6,282,999



## The Drain Key™

#### **Removes Corroded Bath Tub Drains**


It's unique expanding design allows The Drain Key to internally grip in a 360° pattern. The drain Key's steel shoes will not mar chrome or special finishes. Installs and removes tub drains, closet spuds and pipe nipples.

Expands with a crescent wrench to unlock or install:

- · Bathtub drains
- 1-1/4" or 1-1/2" Trap (dirty arm) nipples
- 1-1/4" or 1-1/2" closet spuds

 Jr. basket strainers, Jr. duo strainers, tray plug drains and duplex strainers

\*Interchangeable steel Drain Key™ shoes sold separately



PART NUMBER	VOLTS	
4500	500 Drain Key	
4508	Replacement	
	set of 3 shoes only	

## **Smart Dumbell - The Original**

#### The Original and Still The Best!

## Fits all 17 modern tub drain configurations

Installs and removes tub drains and closet spuds



- Installs or removes drains without crossbars (Kohler, American Standard)
- Heavy duty die-cast aluminum
- · Prevents scratching of decorative finishes
- Either a crescent wrench or large phillips screwdriver can be used to turn the tool
- · Saves time, money and aggravation
- 6" length







#### **Quick Nutcracker**

Quickly removes corroded 1/2' zinc locknuts from faucet shanks.


- · Heat treated cutter blades
- · Ball thrust bearings
- Durable black oxide finish
- Will work on faucet shanks with only three threads showing

#### For use on:

- 1/2" Shank single basin faucet
- 1/2" Shank centerset faucet
- 1/2" Shank kitchen faucets



## Moen® Stem and Cartridge Puller - The Original - 2-in-1 Tool






## **KWIK TITE WRENCH**

#### Get a grip on the installation of angle stops with these two plumber designed tools.

The larger forged steel socket "opens" to attach to an angle stop. The smaller forged steel socket "opens" to attach to a 3/8" outlet supply nut.




## Don't forget to use with the

## **ANGLE-ON WRENCH**


- Fits 3/8" or 1/2" MPT compression outlet threads on angle stops.
- Help protect special finishes. Nickel plated steel and precision machined.

9/1/13





Remove outlet nut and screw on Angle-On




Angle-On acts as a lever for tightening compression angle stops.

PART NUMBER	DESCRIPTION		
4524	Dual Kwik Tite Wrench ONLY		
4525	Angle-On Wrench ONLY		
4528	Dual Kwik Tite Wrench & Angle-On Wrench packaged together		




#### **Compression Sleeve Puller**



### **Compression Sleeve Puller**

Heavy duty - For 1/2" copper tubing

- Use 3/8" rachet
- · With 3/4" socket
- Removes compressed brass sleeves
- Precision machined
- Extremely durable
- Designed by plumbing professionals






## **Compression Sleeve Puller Bullet Nose**

Heavy duty - For 1/2" copper tubing

- · Sleeve puller and handle sold separately
- · Includes screw











## **Big Yank - The Original**

- · Removes large and small handles
- · Economical yet tough
- · One piece forged drive bracket
- · 4" bracket width
- 5" gripper fingers



PART NUMBER 4659

## Big Yank Sr.™ - The Original

The only handle puller that grips faucet handles with 3 fingers!

- One piece forged drive bracket
- · Notches in bracket keeps fingers from sliding apart
- · Engineered for the professional
- 5" gripper fingers



PART NUMBER 4668

## **Compression Sleeve Puller**

Economical for use with handle puller

- This unique tool, combines with a Big Yank handle puller (# 4659) removes installed 1/2" copper compression sleeves and nuts.
- · Sleeve puller and handle sold separately.











## **No-Hub Torque Wrench 60 Inch Pounds**

- Measures torque when turned in a clockwise direction & ratchets when turned counterclockwise
- · Retractable reversing lever
- · Chrome vanadium socket
- Tested to tighten up to 10,000 no-hub couplings\*
- 5/16" socket

\*Test results available

Used with PASCO couplings in Section "D"





### **No-Hub Heavy Duty Torque Wrench 60 Inch Pounds**

- Measures torque when turned in a clockwise direction & ratchets when turned counterclockwise
- When torque value has been reached, the tool will skip to prevent over tightening
- · Chrome vanadium socket
- · Locking collar
- 5/16" socket

Used with PASCO couplings in Section "D"





## No-Hub Heavy Duty Torque Wrench 80 Inch Pounds

- Measures torque when turned in a clockwise direction & ratchets when turned counterclockwise
- When torque value has been reached, the tool will skip to prevent over tightening
- · Chrome vanadium socket
- · Locking collar
- 5/16" socket
- Used with PASCO Heavy Duty Couplings in Section "D"








## **Quick Sweat**

## Plumber Designed!

#### **Patent Number 5,819,804**

- Flexible 24" steel cables will slide through elbows and are interchangeable with the handle to fit different size copper.
- Durable polypropylene handle will fit 1/2" thru 2" cables.
- · Long lasting elastomeric plug
- · Eliminates "bread" and outperforms all the rest.






## 6-in-1 Screwdriver

- 1/4" Hex 5/16" Hex
- 12 Pack display when ordering a quantity of 12 or more.







PART NUMBER	DESCRIPTION
4208	Screwdriver complete
4208-C	Carded screwdriver complete



# PASCO "SET OF REDS"

#### **Quick Set Pliers**

- Easily fit 1-1/2" slip joint nuts
- Forged and chromed
- · Vinyl grip handles



PART NUMBER	LENGTH
4063	10"

## "Big Red" Tape Measure

- Unbreakable Cycolac case
- Power return
- · Belt clip
- · Yellow tape
- · Now Showing Fractions on tape



## **Utility Knife**

Retractable



New!

PART NUMBER	DESC.	# PER PACK
4323	Knife w/ 2	1
	extra blades	
4325	Extra Blades	5

#### 6-in-1 Screwdriver

- 1/4" Hex 5/16" Hex
- 12 Pack display when ordering a quantity of 12 or more.






PART NUMBER	DESCRIPTION	
4208 Screwdriver complete		
4208-C	Carded screwdriver complete	



## **Journeyman Plastic Pipe Saws - The Original**

- · Cuts PVC, ABS, wood and drywall
- · Unbreakable aluminum die cast handle
- · Large, comfortable grip
- · Flame hardened blade





PART NUMBER	DESCRIPTION  Complete "Mity Mite" Saw	
4331		
4331-B	13" "Mity Mite" Blade	
4333	Complete "Journeyman" Saw	
4333-B	18" "Journeyman" Blade	
4333-H	"Journeyman" Saw Handle	

#### **Tiny Tim Hacksaw - The Original**


- · Cuts steel & brass
- · Vinyl grip handle
- Display carded
- · Blades sold in reusable tube



	PART NUMBER	DESCRIPTION	
4290 4292		Hacksaw w/Blade	
		Extra Blades 10/package	

### **Pull Plastic Pipe Saw**

- · Cuts plastic pipe
- · Smooth, fast and accurate cutting
- · Pull cutting action



#### **Hacksaw**

- High quality plated steel saw with 1/2" x 6" or 1/2" x 12" tempered blade.
- · Five times stronger than standard mini hacksaws



PART NUMBER	DESCRIPTION	
4695	6" Heavy Duty Maximum Hacksaw	
4695B	6" Blades Only	
4696	12" Heavy Duty Maximum Hacksaw	
4696B 12" Blades Only		

## **Super Hacksaw**

- · Comfort front end grip
- · Stores extra blades
- · Cuts flush to surface



4339-B

8" Blade

PART NUMBER	SIZE	BLADE SUPPLIED
4267	4"	12"

#### **Hacksaw Blades**

Bi-Metal Tough Cut Blades



PART TEETH BLADE				
	PER INCH			
4217	18	12"		
4218	24	12"		



### "Pro-Cut" Plastic Pipe Cutters

- · Superior quality, heavy duty
- · Coated handles
- · Built for constant use
- · Stainless steel blade





PART NUMBER	DESCRIPTION	
4658	1" Pipe Cutter Complete	
4658-B	Blade ONLY	
4654	2" Pipe Cutter Complete	
4654-B	Blade ONLY	



#### **PVC Pipe Cutter**

- · Cuts up to 1" PVC Pipe all schedules!
- Cuts up to 1" CPVC



PART NUMBER	DESCRIPTION	
4657	Complete	
4657-B	Blade ONLY	

#### **Soft Pipe Cutter**

- · For cutting soft pipe and hose
- · Heavy duty die cast
- Cuts up to 2" soft tubing
- · Reversable Blade




The best cutter manufactured!

PART NUMBER	DESCRIPTION	
4682	Complete	
4682-B	Blade ONLY	

#### Cable Saw

#### For fast cutting of PVC and irrigation pipe


- · 24" Stainless steel cable
- · Great for tight spots, need only 1/4" clearance
- Easily stored
- · 30" Overall





PART NUMBER	DESCRIPTION
4336-S	Strip pack of 10

## **Inside Plastic Pipe Cutter**





# Bi-Metal Tough Cut Reciprocating Saw Blades



PART NUMBER	LENGTH	TEETH PER INCH	USAGE RANK	CUTS THESE MATERIALS
3809	6"	10T	#8	Light, Non-ferrous metals, nail embedded woods, cast aluminum.
3810	6"	14T	#2	Heavy gauge metals, 1/8" conduit, pipe, tubing and galvanized pipe.
3811	6"	18T	#3	Metals to 1/8". Conduit, pipe, tubing and galvanized pipe.
3812	6"	24T	#5	Finer teeth for faster cutting of metal to 1/8", galvanized pipe.



PART	LENGTH	TEETH	USAGE	CUTS THESE
NUMBER		PER INCH	RANK	MATERIALS
3820	9"	10/14T	#4	.050 Thick x 3/4" Wide super model for cast iron pipe. Teeth vary alternately from 10 to 14 per inch which reduces vibration and makes smoother cuts.



PART NUMBER	LENGTH	TEETH PER INCH	USAGE RANK	CUTS THESE MATERIALS
3813	6"	6T	#1	Fast cutting of all woods, nail embedded general roughing work.
3816	12"	6T	#7	Same as #3813 above



PART	LENGTH	TEETH	USAGE	CUTS THESE
NUMBER		PER INCH	RANK	MATERIALS
3814	8"	10T	#6	All woods, composition, plastics, 4" diamter pipe, cast iron, nail embedded woods, general metal cutting, fiberglass.




PART	LENGTH	TEETH	USAGE	CUTS THESE
NUMBER		PER INCH	RANK	MATERIALS
3808	6"	6T	#11	Plastic, lath, sheet rock, fiber board, particle board.




#### **Reciprocating Saw Blade - Carbide Grit**

- 3/4" Width
- Fits most reciprocating saws
- · Flexible alloy steel
- Diamond hard tungsten carbide grit makes this blade last up to 20 times longer than conventional reciprocating blades



#### **Carbide Hole Saw**

· Cuts ceramic tile, stainless steel.






PART NUMBER	DESCRIPTION
3912	1-1/4"
3913	1-3/8"
3915	1-3/4"
3916	Arbor w/carbide drill

## **Hex Key Tool Caddy**

- Keys are #8650 chrome nickle alloy steel
- Close tolerance assures precise fit into hex socket
- · Hardened and tempered for maximum durability



Made in U.S.A.

PART NUMBER	NO. OF KEYS	KEY SIZES
3040	9 Keys	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"
3041	8 Keys	.050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32"

## **Hex Key Tool Caddy**





## Copper, Brass & Stainless Steel Tubing Cutter


- · Superior quality
- · Enclosed feed mechanism
- Removable deburring tool located inside cutter frame
- Cuts up to 1-1/2"
- Spare blade in handle




#### **Mini Tubing Cutter**







## **Economy Tubing Cutter**




## Mini Tubing Cutter





## **Swedging Tool**



#### **Copper Sizing Tools**

- · Impact type to re-round copper tubing
- For "M" Copper tubing



PART NUMBER	SIZE
4343	1/2"
4344	3/4"
4345	1"

#### **Copper Tube Flare Punches**



## **Economy Flaring Tool**

- · For O.D. sizes:
- 3/16", 1/4", 5/16", 3/8", 1/2", 5/8"
- · Makes smooth flare



PART NUMBER 4360

## **Spark Lighters**

- Round, Single, or Triple Flint
- · Large hood traps more gas
- File rotates providing a fresh surface for the flint
- · Flints good for 1,500 ignitions





PART NUMBER	DESCRIPTION	PKG.
4430	Lighter	10
4432	Extra Flints	5
4437	Shurlite Lighter	1
4438	Extra Flints	1





#### **Chip and Oil Brush**




#### **Natural Bristle Acid Brushes**

- #1, #2, #4 Brushes sold 144 pieces per box
- #7 Brushes sold 36 pieces per box



PART NUMBER	SIZE	HANDLE MATERIAL
46501	#1	Metal
46512	#2	Metal
46524	#7	Metal
46537	#7	Wood

#### Wire Brushes




## **Copper Deburring Tool - Reamer**

- · Die Cast
- Deburrs up to 1-1/4" copper or CPVC



PART NUMBER	SIZE
4356	1/2" - 1-1/4"

## Copper Pipe Deburring Tools with Plastic Handles





#### **Strap Wrenches**


- · Ideal for chrome pipe nipples
- Will not mar chrome, fittings & nipples



PART NUMBER	SIZE
4542	7"
4543	11"

#### **Bibb Seat Tools**





## Professional Faucet Reseater Kit



- 4- Harden steel cutters for various size faucets
- 1- Guide cone
- · 4- Faucet washers
- 1- Solid brass screw
- 1- Long shaft for tub & showers





#### **Bibb Seat Tool Set**

#### SET INCLUDES:

- 1- 3/8" x 7/16" ratcheting box wrench
- 1- Small hex/large hex tapered bibb seat tool
- 1- Small square/large square no taper bibb seat tool



## Packed in a sturdy, sealable plastic case.

#### "The Best" Bibb Seat Tool




4568



## Sillcock Key



## **Heater Furnace Loglighter Keys**



## **Four Way Key**



#### **Hex Screw and Nut Setter**



## **Setting Tool**





#### Valve Stem Lube Heat Proof Grease


- · Use on water or steam
- Apply to stems of faucets, packing, plungers, ball cocks, valves & washers
- Food grade






## **Wire Stripper**


 Adjusting stop on the gripping handles permits adjustment for wire size



#### **Nut Driver**




## "Drop In" Half Barrel Type Caulking Gun



## **Cellulose Sponges**

- Excellent for drying and cleaning up
- For cleaning up tanks, lavatories, shower liners and leaking traps
- · Yellow color




PART NUMBER	SIZES
5184	6" x 4-1/4" x 1-11/16"
5185	7-1/2" x 4-1/2" x 2-1/16"





### **Copper Fitting Brushes**

- Economy
- Wire loop handle
- 2-Ply carbon steel bristles
- · For bulk pricing add BLK to part number



- · "A" Quality
- 2 Wire model
- · High carbon crimped
- · Steel bristles

MELANCE	è	
THE PERSON NAMED IN	James	
	Juan	
	N N	
	PASCO	١
(		

7.5 Yards

New More Convenient Size

PART NUMBER	SIZE
5113	3/8"
5114	1/2"
5116	3/4"
5118	1"
5119	1-1/4"
5120	1-1/2"
5121	2"

- · "AA" Quality
- · 4 Wire model
- Double construction from stainless steel wire



PART NUMBER	SIZE
5126	1/2"
5128	3/4"
5130	1"
5131	1-1/4"
5132	1-1/2"
5133	2"

#### Plumbers Open **Mesh Sand Cloth**

- · Waterproof
- 180 Grit
- · Aluminum oxide





PART NUMBER	SIZE
3108	7.5 Yards
	7.5 Yards

## 4-in-1 Fitting Brush

- · Tube cleaning and fitting brush
- · High impact plastic & high carbon steel bristles
- · Replaceable brushes
- 1/2" and 3/4" copper



PART NUMBER	DESCRIPTION
5150	Complete 4-in-1 Brush
5150-R	Replacement brush kit includes 2 ID & 2 OD brushes

## **Plumbers Sand Cloth**

Specially formulated for use in preparing copper fittings and tubing for soldering 120 grit



PART NUMBER	SIZE
3102	10 Yards

## Copper Tube Brush

- · The finest manufactured
- · Cleans copper water tube end for soldering





Sizes indicated are nominal copper

PART NUMBER	SIZE
5153	1/2"
5155	3/4"
5157	1"



## **Nipple Boxes**

- · Holds CL thru 6" nipples
- Fold away handle
- · Epoxy coated steel
- · Light weight yet strong



PART NUMBER	SIZE	HOLDS
3080	1/2"	77
3081	3/4"	66
3082	1"	50
3083	1-1/4"	40
3084	1-1/2"	30
3085	2"	27



## **Fitting Tote Tray**

- · Excellent for copper fittings
- 18 Gauge
- 20" x 10" x 5"
- · Fold away handle
- · Epoxy coated steel



PART NUMBER	DESCRIPTION
3088	With 8 dividers
3088-LD	No dividers



## 1/2" and 3/4" Combo Nipple Box

- Holds both 1/2" and 3/4" nipples
- Holds (39) 1/2" CL thru 6"
- Holds (33) 3/4" CL thru 6"
- · Fold away handle
- · Epoxy coated steel



PART NUMBER 3091





## **Internal Nipple Wrench**

- · CAM Type
- · Removes or inserts
- Heat treated
- · Cadmium plated



PART NUMBER	NIPPLE SIZE
4531	1/2"
4532	3/4"
4533	1"

## **Internal Nipple Wrench**


- · Excellent for chrome work
- · Precision machined and hardened
- · Loosens and tightens
- Designed to grip internally
- · Removes broken nipple threads from fittings



PART NUMBER	SIZES
4511	1/2" IPS Internal Wrench
4512	3/4" IPS Internal Wrench
4513	1" IPS Internal Wrench

## **Pipe Taps**

- · High carbon steel
- · Tapered thread taps



PART NUMBER	PIPE SIZE	NO. OF NPT	TAP DRILL SIZE
4812	1/8"	27	1/8"
4813	1/4"	18	7/16"
4814	3/8"	18	37/64"
4815	1/2"	14	45/64"
4816	3/4"	14	59/64"
4817	1"	11-1/2	1-5/32"
4818	1-1/4"	11-1/2	1-1/2"
4819	1-1/2"	11-1/2	1-47/64"
4820	2"	11-1/2	2-7/32"

## **Nipple and Screw Extractors**

- · Removes nipples, bolts and screws
- Left hand spiral tapered flute removes broken piece without thread damage



PART NUMBER	IND ID#	PIPE SIZE	DRILL SIZE	BOLT SCREW SIZE
4827	4	1/8"	1/4"	9/32" to 3/8"
4828	5	1/4"	19/64"	3/8" to 5/8"
4829	6	3/8"	13/32"	5/8" to 7/8"
4830	7	1/2"	17/32"	7/8" to 1-1/8"
4831	8	3/4"	13/16"	1-1/8" to 1-3/8"
4832	9	1"	1-1/16"	1-3/8" to 2"



## Price Pfister® Special Shower Valve Socket Wrench

Fits both bonnet and packing nuts on Price-Pfister® Shower Valve Stems.

- Fits 31/32" stem bonnet nuts
- Fits 27/32" stem packing nuts
- 50% longer than regular shower valve wrenches
- Overall length allows socket to reach well into tile covered walls








#### **Pedestal Sink Wrench**

- Offset design allows user to reach tailpiece and trap slip joint nuts
- Permits trap and drain line installation or removal with pedestal sink in place.



## **Shower Valve Socket Set - Professional Quality**

- · Heavy duty
- · Each socket is 20% longer than the import
- · High quality steel



PART

NUMBER 5300XH

## Import Shower Valve Socket Set




**DESCRIPTION** 

Complete Set



#### **Commercial Sink Drain Tool**



#### **Classic Drain Wrench**

Tightens most fiberglass shower stall drain locknuts and die cast basket strainer locknuts.


- Fits 3-1/2" plastic locknuts
- Fits 3-3/8" die cast basket strainer locknuts
- · Fits brass locknuts on brass shower stall drains
- · Stamped steel
- 13" overall length
- · Offset handle for close quarter work
- · Cushion grip








#### **Basin Wrenches**





#### **Plumbers Combo Wrench**

This all new wrench combines the features of 4 similar wrenches. including the Super Wrench. Designed for use on:

- · Closet spuds
- Urinal spuds
- · Kitchen basket strainers
- Urinal flush valves
- · Compact 10" length





NUMBER 4556

#### **Quick Set Drain Wrench**


- Tightens or removes shower drains with internal locknut, (like our #7980)
- · 10" overall length
- · Plastic coated handle






#### **Closet Seat Nut Wrench**

- · Fits any length bolt
- · Fits 99% of closet seat nuts
- · Die cast



#### **PO Plug Wrench**



#### 4-in-1 Strainer Wrench

- · Fits 3-3/8" strainer locknut
- 5-1/2" length
- Super tough Lexan plastic
- · Slotted inserts that conveniently fit the standard slotted sink basket strainer locknuts








## **Adjustable Spud Wrench**

- · 10" Length
- 1" to 3" Capacity



## **Internal Spud Wrench**


- · A must to install or remove urinal and closet spud, waste and overflows
- · 4" capacity
- Cushioned grip
- High qualitity



## **Garbage Disposal Wrench**



## **Basket Strainer Wrench**





## **New Design Heavy-Duty Water Heater Element Wrench**



## Radiator Air Vent Wrench 3-Way




## **Radiator Spud Wrench**



## **Sprinkler Nipple Extractor**



## **Putty Knives**





## Professional Wear-A-Day Disposable Gloves

- Blue, powder-free latex
- · Plumber grade
- · Sold by the box
- 50 per box
- · 15 mil latex



#### **Disposable Gloves**



#### Atlas® Fit 300 - Blue



## Atlas<sup>®</sup> Nitrile Tough 370 Gloves - Black/Grey



#### Atlas<sup>®</sup> Nitrile 380 - Blue/Black



### **Jersey Gloves**





#### **Cotton Gloves**



#### **Reversible Plastic Dot Gloves**



#### Stallion Gloves



#### **Double Palm Gloves**



#### **Drain Snake Glove**

Preferred by Plumbers

- PVC/NBR blend coating with PVC chips for non slip
- · Chemical Resistant





\*Mid-forearm length

PART NUMBER	DESCRIPTION	PACK QTY
GL4100	Cuffed Wrist	1
GL4112	Mid-forearm length	1



## **Caulking Tools**



PART NUMBER	DESCRIPTION
4442	5/8" x 7" Inside caulker
4443	5/8" x 7" Outside caulker
4444	5/8" x 7" Straight caulker
4446	1-1/2" Curved board caulker
4447	5/8" x 12" Offset yarning iron

#### **Plumbers Lead Pot**



#### **Lead Ladle**




## **Lead Melting Furnace**

- · Accommodates 6" to 8" lead pots
- · Works off direct propane cylinder pressure
- Fits 3" cylinder spud
- · Stand converts furnace to free standing unit
- 1/4" I.P.T. connections
- · Hose not supplied



#### **Lead Joint Runners**






#### "Grab All" Retrieving Tool



#### **Magnetic Retrieving Tool**



#### **Inspection Mirror**



#### **Protective Knee Pads**

- · Comfortable
- · Long lasting
- Codura nylon
- Foam rubber cushioning
- Flexible




Normal natural rubber cap prevents sliding and marring



#### # 9220

White plastic cap allows user to swivel and slide on working surfaces



## **Disposable Shoe Covers**



## **Torpedo Level**


- Magnet and grooved
- · Sturdy die cast
- · Colored liquid in vials



PART NUMBER 4472



#### **Toilet Boot - Protects Bathroom Floors**




#### **Hand Pumps**

- Use to drain or transfer water
- Large volume of water drawn with each pull of the handle.




## **Eureka Cleanout Plug Wrench**

- This unique tool fits either slotted or square countersunk cleanout plugs
- · Strong, malleable iron
- · Fits slotted or square
- · As Seen On TV "This Old House"





#### **Meter Key Socket Head**



#### **Water Meter Box Key**



## **Water Meter Key**



This key is designed for valves that are hard to turn

- · Minimum order of 5 keys required
- Heavy duty

PART NUMBER	SHAFT DIAMETER	LENGTH	HANDLE LENGTH
4061	5/8"	60"	14"
4089	3/4"	40"	14"

## Simply The Best Plumber's Air Pump

- · Made of virtually unbreakable polyethylene
- 1-1/4" one piece barrel permits a large volume of air
- 48" Non-kinking reinforced hose
- · Quick connect thumb valve
- · Large easy one-piece grip handle
- 2" 0-160PSI gauge
- · Easy to read RED pressure range arrow
- · Hose attached to swivel at base to prevent breaking
- · Foot pad is an integral part of pump won't pull off






### **Pro-Strap®**


#### U.S. Patent 5,603,591

The professional tie-down strap designed by a contractor for contractors! Allows you to fasten lightweight pipe, ladders, poles & other job materials quickly & securely to your construction vehicle.

- Strong, durable, reliable. Made of black woven polypropylene webbing and industrial strength Velcro.
- Secures material in seconds in all weather conditions.
   No more wire twists, rubber-hooked tie downs or hard-to-untie knots.
- · UV Resistant, not affected by the sun, heat or cold.



## **Tie Down Straps**




### **Nylon Seine Twine**



#### **Binder Twine**



## **Truck Rope**





## Master Plumbers Force Cup

- Heavy duty
- Ribbed cup for strength
- Provides big "blast" for all stoppages
- High quality rubber
- 19" handle



PART NUMBER 4636

## Heavy Duty Closet Bowl Force Cup

- Extra large for best pressure with positive seal
- Designed for all types of toilets
- · High quality black rubber
- 19" handle



## **Economy Force Cup**

- High quality red rubber
- · Available in 5" or 6" diameter
- 19" handle



PART NUMBER	SIZE
4640	5"
4641	6"



### **Water Heater Grounding Items**

- · Bare bronze clamp steel screws
- Fits 1/2" 1" pipe
- 2 strand ground wire max
- 10 per bag

Adapter





\*Screw-On Wire Connectors

- Industry standard
- Reinforced phenolic
- 600 V

- 6 gauge
- 250 foot spool





\*Bare Copper Grounding Wire

New!

Water Heater Grounding Kit 24"

PART NUMBER	DESCRIPTION
8330	Bare Copper Grounding Wire
5075	Grounding Adapter
5070	Screw-on's: Orange = Small Connects wire sizes #22 - #14
5074	Screw-on's:Yellow = Medium Connects wire sizes #18 - #10

## Water Heater Grounding Kits

- · Two Bare bronze clamp steel screws
- Fits 1/2" 1" pipe







#### "Romex" Connector

#### For garbage disposal pigtails

Zinc die cast

· Dry location use





10 per bag

PART NUMBER 5080

#### **Thermostat Wire**

Solid copper conductors with PVC insulation, conductors twisted

1052

Color coded

Bagged

LENGTH	WIRE TYPE
25'	18/2
50'	
	LENGTH 25'

## Adapters U-Ground 3 Outlet

- 15 A rating
- 14/3 cord
- · All u-ground connection
- 24" length



PART NUMBER 8291

#### **Twist & Lock to U-Ground**

- · Male twist and lock to female u-ground
- 15 A plug, 20 A connection
- 12/3 ST cord
- 12" length





## **Heavy Duty Extension Cords**

· Straight caps





PART NUMBER	LENGTH	RATING	CORD TYPE
8024	25'	13-A	
8025	50'	13-A	16/3 SJT
8028	50'	15-A	14/3 SJT

## **Trouble Lights**

- Metal bulb guard
- \*Arctic cord- Blue



PART NUMBER	LENGTH	RATING	CORD TYPE	
8072*	25'	13 A	16/3 SKEW-A	
8073*	50'	10 /	BLUE	
8165	25'	13 A	16/3 SJT	
8166	50'	10 /	10/0 001	

## **Disposer, Timer & Furnace Cords**

#### **ANGLE CAPS**

- · Wire Nuts
- Romex Connector
- · Ends stripped 5/8"
- Pigtail



PART NUMBER	LENGTH	RATING	CORD TYPE
8121	3'		
8122	4'		16/3
8123	5'	13-A	SPT
8124	6'		
8125	8'		

#### **STRAIGHT CAPS**

- Wire Nuts
- Romex Connector
- Ends stripped 5/8"
- Pigtail



PART NUMBER	LENGTH	RATING	CORD TYPE
8130	3'		
8131	4'		16/3
8132	5'	13-A	SPT
8133	6'		
8134	8'		