

REVCOR FAN BLADES

OEM Direct Replacements

OEM Brand	OEM Part number	Item ID
Revcor		
CARRIER	LA01EA025	R32213
CARRIER	LA01EA026	R21801
CARRIER	LA01EA037	R32205
CARRIER	LA01EA038 / LA01EA037	R32206
CARRIER	LA01EC018	R31821
CARRIER	LA01EW051	R31404
CARRIER	LA01RA004	R32603
CARRIER	LA01RA005	R32607
CARRIER	LA01RA006	R32610
CARRIER	LA01RA015	R31811
CARRIER	LA01RA027	R32202
CARRIER	LA01RA028B	R32208
CARRIER	LA01RA033	R32017
CARRIER	LA01RA038A	R32215
CARRIER	LA01RA220	R22001
CARRIER	LA01RA221	R22002
CARRIER	LA01RA222	R22401
CARRIER	LA01RA225	R22402
CARRIER	LA01RA312	R32402
CARRIER	LA01RA320	R32004
CARRIER	LA01RA321	R32008
CARRIER	LA01RA323	R32409
CARRIER	LA01RA324	R32406
CARRIER	LA01RA325	R32401
CARRIER	LA01RA326	R32602
CARRIER	LA01RA327	R32605
CARRIER	LA01RA329	R32606
CARRIER	LA01RA334	R32601
GOODMAN	10625738	R32604
GOODMAN	0150M00001P	R32009
GOODMAN	0150M00016	R32204

OEM Brand	OEM Part number	Item ID
Revcor		
GOODMAN	B1086756	R31815
GOODMAN	B1086764	R42201
GOODMAN	B1086765	R42209
GOODMAN	B1086770	R32201
GOODMAN	B1086771	R31816
GOODMAN	B1086773	R32209
GOODMAN	B1086775 / 0150M00006	R32216
LENNOX	100060-09 / 68J2801	R41812
LENNOX	100060-10	R42210
LENNOX	100060-13	R42204
LENNOX	37L4801	R31604
LENNOX/ALLIED AIR	68J2601 / 100060-07	R31807
LENNOX/ALLIED AIR	68J2701 / 100060-08	R41805
LENNOX/EXCEL	100060-18	R32204
LENNOX/EXCEL	20391102	R31817
LENNOX/EXCEL	100060-03	R31810
LENNOX/EXCEL	100060-19	R32212
NORDYNE	667303	R32406
NORDYNE	6672790	R32003
NORDYNE	667261C	R31801
NORDYNE	667262B	R31814
NORDYNE	667316A	R32403
NORDYNE	667319A	R22405
RHEEM	702185906	R22201
RHEEM	7010132314	R31781
RHEEM	7010132315	R21781
RHEEM	7010201106	R32010
RHEEM	7010201107	R22204
RHEEM	70-102011-04	R22406
TRANE	D154218P38 / D154218P37	R22701
TRANE	D154229P01	R31901
TRANE	D154229P02	R31902

Helpful Tip



The position of the fan blade is critical for proper system performance. When removing the old fan blade always measure its location in the orifice.

Learn more from the Packard Academy





KH/KC Fans



Applications

- Commercial air conditioning and ventilation
- Air handlers
- Cooling towers
- Large unit heaters
- Agricultural applications

Features

- 24 to 60 inch diameters
- Heavy-Gauge for added strength
- Steel spiders
- Rotation determined by viewing air-discharge side of fan
- Individually boxed
- 6 blade available
- Made in USA

Item ID	No. of Blades	Diameter (In.)	Pitch (°)	Rotation	Bore (In.)	Hub Location	Material	Max RPM	Industry No.
Revcor KH/KC Fans Hubless									
R42408	4	24	28	CW	—	Hubless	GALV	1140	40200
R42407	4	24	34	CW	—	Hubless	GALV	1140	40201
R42603	4	26	28	CW	—	Hubless	GALV	1140	40202
R42606	4	26	38	CW	—	Hubless	GALV	1140	40203
R42801	4	28	34	CW	5/8	Discharge	GALV	1140	40396
R43002	4	30	22	CW	—	Hubless	GALV	1140	40205
R43003	4	30	30	CW	5/8	Discharge	GALV	1140	40397
R43004	4	30	30	CW	—	Hubless	GALV	1140	40206
R43601	4	36	32	CW	—	Hubless	GALV	850	40208
R43602	4	36	34	CW	—	Hubless	GALV	850	40209
R43603	4	36	38	CW	—	Hubless	GALV	850	40211
R44201	4	42	30	CW	—	Hubless	GALV	850	40212
R44202	4	42	38	CW	—	Hubless	GALV	850	40213
R44801	4	48	38	CW	—	Hubless	GALV	700	40216

* Fan should be guarded before operating.

* Tighten cap screws securely before operating.

Swept Fans

Applications

- Commercial and residential condensers


Features

- Carrier Replacement
- Up to 50% reduction in noise level
- Rotation is determined by viewing the discharge side of fan
- Made in USA

Additional models available upon request



Item ID	No. of Blades	Diameter (In.)	Pitch (°)	Rotation	Bore (In.)	Hub Position
Revcor 2 Blade						
R22405	2	24	27	CW	1/2	Intake
R22701	2	27	28	CCW	1/2	Intake



Item ID	No. of Blades	Diameter (In.)	Pitch (°)	Rotation	Bore (In.)	Hub Position
Revcor 3 Blades						
R32017	3	20	34	CW	1/2	Intake
R32603	3	26	19	CW	1/2	Intake
R32607	3	26	24	CW	1/2	Intake
R32610	3	26	28	CW	1/2	Intake

REVCOR FAN BLADES

Propellers With Fixed Hub - 3 Blades



Applications

- Unitary condensing units, heat pumps, unit heaters, ventilators and exhaust fans

Features

- 14 to 30 inch diameters
- Embossed for added strength
- Factory balanced with 1/2 and 5/8 inch bores
- Steel spiders
- Individually boxed
- Aluminum fan blades unless otherwise specified
- Made in USA

Additional blade options available upon request

Item ID	No. of Blades	Diam. (In.)	Pitch (°)	Rotation	Bore (In.)	Hub Position	Cross Reference
Revcor 3 Blades							
R31403	3	14	32	CW	1/2	Discharge	40328
R31404*	3	14	38	CW	1/2	Intake	LA01EW051
R31602	3	16	28	CW	1/2	Intake	40331
R31603	3	16	30	CW	1/2	Intake	40332
R31604	3	16	32	CCW	1/2	Intake	37L4801
R31781*	3	17.8	34	CCW	1/2	Intake	7010132314
R31801*	3	18	19	CW	1/2	Intake	667261C
R31804	3	18	26	CW	1/2	Discharge	40338
R31805	3	18	26	CCW	1/2	Intake	40339
R31809	3	18	27	CW	1/2	Discharge	40340
R31807*	3	18	27	CCW	1/2	Intake	68J2601
R31810*	3	18	27	CCW	1/2	Intake	100060-03
R31811	3	18	27	CW	1/2	Intake	LA01RA015
R31814*	3	18	30	CW	1/2	Intake	667262B
R31815*	3	18	31	CCW	1/2	Intake	B1086756
R31816	3	18	32	CCW	1/2	Intake	B1086771
R31817	3	18	32	CW	1/2	Intake	20391102
R31820	3	18	33	CW	1/2	Discharge	40343
R31821	3	18	35	CW	1/2	Intake	LA01EC018
R31901	3	19	30	CCW	1/2	Intake	D154229P01
R31902	3	19	32	CCW	1/2	Intake	D154229P02
R32001	3	20	23	CW	1/2	Discharge	F20233
R32003*	3	20	26	CW	1/2	Intake	6672790
R32004	3	20	26	CW	1/2	Intake	LA01RA320
R32008	3	20	28	CW	1/2	Intake	LA01RA321
R32009*	3	20	28	CCW	1/2	Intake	0150M00001P
R32010*	3	20	29	CCW	1/2	Intake	7010201106
R32014	3	20	31	CW	1/2	Discharge	L6130630001
R32201	3	22	19	CCW	1/2	Intake	B1086770
R32202*	3	22	20	CW	1/2	Intake	LA01RA027
R32203	3	22	20	CW	1/2	Intake	L6129570001

*Note - Galvanized Fan Blades

Item ID	No. of Blades	Diam. (In.)	Pitch (°)	Rotation	Bore (In.)	Hub Position	Cross Reference
Revcor 3 Blades							
R32204	3	22	22	CCW	1/2	Intake	100060-18
R32207*	3	22	24	CW	1/2	Discharge	40352
R32205*	3	22	24	CW	1/2	Intake	L6130640001
R32206	3	22	24	CW	1/2	Intake	LA01EA038, 40353
R32208*	3	22	24	CW	1/2	Intake	LA01RA028B
R32209	3	22	24	CCW	1/2	Intake	B1086773
R32212	3	22	27	CW	1/2	Intake	100060-19
R32213	3	22	28	CW	1/2	Intake	LA01EA025
R32214	3	22	28	CW	1/2	Intake	40355
R32215*	3	22	28	CW	1/2	Intake	LA01RA038A
R32216	3	22	28	CCW	1/2	Intake	B1086775
R32221	3	22	33	CW	1/2	Intake	40356
R32401*	3	24	18	CW	1/2	Intake	LA01RA325
R32402*	3	24	19	CW	1/2	Intake	LA01RA312
R32403*	3	24	20	CW	1/2	Intake	667316A
R32404	3	24	22	CW	1/2	Intake	L6131430001
R32405	3	24	22	CCW	1/2	Intake	40323
R32406*	3	24	24	CW	1/2	Intake	LA01RA324
R32409*	3	24	26	CW	1/2	Intake	LA01RA323
R32410	3	24	30	CW	1/2	Intake	40359
R32601*	3	26	15	CW	1/2	Intake	LA01RA334
R32602	3	26	18	CW	1/2	Intake	LA01RA326
R32604	3	26	20	CCW	1/2	Intake	10625738
R32605*	3	26	21	CW	1/2	Intake	LA01RA327
R32606*	3	26	24	CW	1/2	Intake	LA01RA329
R32608	3	26	26	CW	1/2	Discharge	40362
R32609	3	26	27	CW	1/2	Intake	40363
R33001	3	30	30	CW	5/8	Discharge	

*Note - Galvanized Fan Blades



Propellers With Fixed Hub - 2, 4 And 5 Blades



Applications

- Unitary condensing units, heat pumps, unit heaters, ventilators and exhaust fans

Features

- 14 to 30 inch diameters
- Embossed for added strength
- Factory balanced
- Steel spiders
- Individually boxed
- Aluminum fan blades unless otherwise specified
- Made in USA

Additional blade options available upon request

Pitch Gauge



PG5099801

See page 230

Item ID	No. of Blades	DiA. (In.)	Pitch (°)	Rotation	Bore (In.)	Hub Position	Cross Ref.
Revcor 2 Blade							
R21402	2	14	36	CW	1/2	Discharge	L60743401
R21401	2	14	36	CCW	1/2	Intake	40301
R21781*	2	17.8	31	CCW	1/2	Intake	7010132315
R21801	2	18	20	CW	1/2	Intake	LA01EA026
R21802	2	18	24	CW	1/2	Intake	40305
R21803	2	18	29	CCW	1/2	Intake	40308
R21804	2	18	29	CW	1/2	Intake	40307
R21805	2	18	33	CCW	1/2	Intake	40408
R22001	2	20	20	CW	1/2	Intake	LA01RA220
R22002	2	20	24	CW	1/2	Intake	LA01RA221
R22003	2	20	29	CCW	1/2	Intake	40315
R22201*	2	22	22	CCW	1/2	Intake	40319
R22202	2	22	27	CCW	1/2	Intake	F22272
R22203*	2	22	29	CCW	1/2	Intake	40321
R22204*	2	22	35	CCW	1/2	Intake	7010201107
R22401*	2	24	16	CW	1/2	Intake	LA01RA222
R22402*	2	24	18	CW	1/2	Intake	LA01RA225
R22403	2	24	24	CCW	1/2	Intake	40324
R22404	2	24	27	CCW	1/2	Intake	
R22406*	2	24	31	CCW	1/2	Intake	70-102011-04

*Note - Galvanized Fan Blades

Item ID	No. of Blades	Diam. (In.)	Pitch (°)	Rotation	Bore (In.)	Hub Position	Cross Ref.
Revcor 4 Blade							
R41607	4	16	33	CW	1/2	Discharge	40372
R41805*	4	18	27	CCW	1/2	Intake	68J2701
R41808	4	18	30	CW	1/2	Intake	40375
R41811	4	18	33	CW	1/2	Discharge	40376
R41812	4	18	34	CCW	1/2	Intake	68J2801
R42009	4	20	33	CW	1/2	Intake	40378
R42010	4	20	36	CW	1/2	Intake	40379
R42201*	4	22	22	CCW	1/2	Intake	B1086764
R42205	4	22	24	CW	1/2	Discharge	40380
R42204	4	22	24	CCW	1/2	Intake	100060-13
R42206	4	22	26	CW	1/2	Intake	40381
R42209*	4	22	28	CCW	1/2	Intake	B1086765
R42210	4	22	32	CCW	1/2	Intake	100060-10
R42212	4	22	33	CCW	1/2	Intake	40382
R42404	4	24	27	CCW	1/2	Discharge	F24278
R42604	4	26	30	CW	5/8	Discharge	L6130720001
R43001	4	30	22	CW	5/8	Intake	40392
Revcor 5 Blade							
R51803	5	18	33	CW	1/2	Discharge	40404

*Note - Galvanized Fan Blades

REVCOR FAN BLADES

Hubless Propellers



Applications

- Air conditioning condensing units, power roof ventilators, heat pumps, heat exchangers, unit heaters, commercial and industrial equipment

Features

- 10 to 26 inch diameter available
- Steel spiders
- Embossed for added strength
- For motor speeds up to 1625 RPM
- Use with interchangeable hubs
- Individually boxed
- Aluminum fan blades
- Made in USA

Additional blade options available upon request

Item ID	No. of Blades	Diameter (In.)	Pitch (°)	Rotation	Lau No.
Revcor 3 Blade					
R31201	3	12	19	CW	40061
R31202	3	12	27	CW	L6129790001
R31401	3	14	23	CW	L60716501
R31402	3	14	27	CW	L60716701
R31601	3	16	23	CW	
R31802	3	18	23	CCW	L60556001
R31803	3	18	23	CW	40041
R31806	3	18	27	CCW	40044
R31808	3	18	27	CW	40043
R31812	3	18	30	CCW	18307
R31813	3	18	30	CW	L60556301
R31818	3	18	33	CCW	40046
R31819	3	18	33	CW	40045
R32002	3	20	24	CW	L6129830001
R32005	3	20	27	CW	
R32006	3	20	28	CCW	L60556801
R32007	3	20	28	CW	40049
R32011	3	20	30	CW	40067
R32012	3	20	31	CCW	L60557001
R32013	3	20	31	CW	
R32015	3	20	33	CCW	40052
R32016	3	20	33	CW	40051
R32210	3	22	27	CCW	40054
R32211	3	22	27	CW	40053
R32217	3	22	30	CCW	40024
R32218	3	22	30	CW	40069
R32219	3	22	33	CCW	40056
R32220	3	22	33	CW	40055
R32407	3	24	26	CCW	40058
R32408	3	24	26	CW	40057
R32411	3	24	33	CW	

Hubs With Set Screws & Mtg Screws



Item ID	Bore (In.)	Set Screws
Packard		
H60765801	1/4	1
H60765802	5/16	1
H60765803	3/8	1
H60765804	1/2	2
H60765805	5/8	2
H60765806	3/4	2


Shafts

1018 Cold Rolled Steel Ground & Polished



Item ID	Diameter (In.)	Length (In.)
Packard		
S38220501	5/8	20
S38209601	3/4	20
S38269301	3/4	35
S38209501	1	25
S38249201	1	35

Hubless Propellers



Applications

- Air conditioning condensing units, power roof ventilators, heat pumps, heat exchangers, unit heaters, commercial and industrial equipment

Features

- 10 to 26 inch diameter
- Steel spiders
- Embossed for added strength
- For motor speeds up to 1625 RPM
- Use with interchangeable hubs
- Individually boxed
- Aluminum fan blades
- Made in USA

Additional blade options available upon request



Item ID	No. of Blades	Diam. (In.)	Pitch (°)	Rotation	Lau No.
Revcor 4 Blade					
R41001	4	10	27	CW	L60717701
R41201	4	12	23	CCW	40077
R41202	4	12	23	CW	40076
R41203	4	12	27	CCW	40079
R41204	4	12	27	CW	40078
R41205	4	12	33	CW	40080
R41401	4	14	23	CCW	L60718801
R41403	4	14	23	CW	40082
R41405	4	14	27	CCW	40085
R41406	4	14	27	CW	40084
R41407	4	14	33	CW	40086
R41601	4	16	23	CCW	L60719401
R41602	4	16	23	CW	40088
R41603	4	16	27	CCW	40091
R41604	4	16	27	CW	40090
R41605	4	16	33	CCW	16338
R41606	4	16	33	CW	40092
R41801	4	18	19	CW	18194
R41802	4	18	23	CCW	40095
R41803	4	18	23	CW	L60800201
R41804	4	18	27	CCW	40097
R41806	4	18	27	CW	18274
R41807	4	18	30	CCW	L60558401
R41809	4	18	33	CCW	18338
R41810	4	18	33	CW	18334
R42001	4	20	23	CCW	L60800501
R42002	4	20	23	CW	L60800401
R42003	4	20	27	CCW	40103
R42004	4	20	27	CW	40102
R42005	4	20	29	CCW	L60559001
R42006	4	20	29	CW	L60558901
R42007	4	20	33	CCW	40105
R42008	4	20	33	CW	40104
R42202	4	22	23	CCW	40107
R42203	4	22	23	CW	40106
R42207	4	22	27	CCW	40109
R42208	4	22	27	CW	40108
R42211	4	22	33	CW	40110
R42213	4	22	35	CW	40139
R42401	4	24	23	CCW	40113
R42402	4	24	23	CW	40112
R42403	4	24	27	CCW	40115
R42405	4	24	27	CW	40114
R42406	4	24	33	CW	40116
R42601	4	26	24	CW	L60760701
R42602	4	26	27	CW	40118
R42605	4	26	33	CW	L60761101

Item ID	No. of Blades	Diameter (In.)	Pitch (°)	Rotation	Lau No.
Revcor 5 Blade					
R51601	5	16	27	CCW	40151
R51602	5	16	33	CW	40402
R51801	5	18	27	CCW	L60560601
R51802	5	18	27	CW	L60560501
R52201	5	22	33	CW	40164
R52401	5	24	27	CW	L60561701
R52402	5	24	33	CW	40168

REVCOR FAN BLADES

Universal Single Inlet Blower Wheels



Strip Wheels



Tab Lock

Applications

- Draft inducers, power venting, small appliances, heating, ventilation, air conditioning, convectors, appliances, kitchen and bath exhaust

Features

- 5 1/4" to 12 5/8" diameters
- Embossed backs for added strength
- Factory balanced
- Individually boxed
- Made in USA
- Additional blower wheels available upon request

Item ID	Dia. (In.)	Width (In.)	Rotation	Bore (In.)	Max RPM	Material	Hub Location	Lock Type	Replaces
Revcor									
RBW30100	3	1	CW	5/16	7500	Aluminum	Inside	Strip Wheels	
RBW30101	3	1 7/8	CW	5/16	5000	Alum. Steel	Inside	Strip Wheels	
RBW30102	3	1 7/8	CCW	5/16	5000	Alum. Steel	Inside	Strip Wheels	
RBW30103	3 13/16	1 1/8	CCW	1/4	5800	Alum. Steel	Inside	Tab Lock	
RBW30104	3 13/16	1 1/4	CW	1/2	8350	Galvanized	Inside	Tab Lock	
RBW30105	3 13/16	1 1/4	CCW	1/2	8350	Galvanized	Inside	Tab Lock	
RBW30106	3 13/16	1 1/2	CW	5/16	8350	Alum. Steel	Inside	Strip Wheels	
RBW30107	3 13/16	1 1/2	CCW	5/16	8350	Alum. Steel	Inside	Strip Wheels	
RBW30109	3 13/16	1 7/8	CW	5/16	5000	Galvanized	Inside	Strip Wheels	40556
RBW30110	3 13/16	1 7/8	CCW	5/16	5000	Galvanized	Inside	Strip Wheels	40557
RBW30111	3 13/16	2 1/16	CW	5/16	5000	Galvanized	Inside	Strip Wheels	
RBW30112	3 13/16	2 1/16	CCW	5/16	5000	Galvanized	Inside	Strip Wheels	
RBW30108	3 13/16	1 5/8	CCW	5/16	7200	Galvanized	Inside	Tab Lock	
RBW30115	3 13/16	2 1/4	CW	5/16	5375	Alum. Steel	Inside	Tab Lock	
RBW30116	3 13/16	2 1/4	CCW	5/16	5375	Alum. Steel	Inside	Tab Lock	
RBW30117	3 13/16	2 1/2	CW	5/16	5000	Galvanized	Inside	Strip Wheels	
RBW30118	3 13/16	2 1/2	CCW	5/16	5000	Galvanized	Inside	Strip Wheels	40559
RBW40101*	4	1 1/2	CCW	5/16	5800	Alum. Steel	Inside	Tab Lock	40564
RBW40102*	4	2 1/2	CCW	1/4	3600	Galvanized	Inside	Tab Lock	40563, 40601
RBW40103	4 1/4	2 1/2	CW	3/8	4500	Alum. Steel	Inside	Strip Wheels	
RBW40104	4 1/4	2 1/2	CCW	3/8	4500	Alum. Steel	Inside	Strip Wheels	
RBW40105	4 1/4	2 15/16	CCW	1/4	4500	Galvanized	Inside	Strip Wheels	40565
RBW40106	4 1/4	2 15/16	CW	1/4	4500	Galvanized	Inside	Strip Wheels	
RBW40107	4 1/4	2 15/16	CCW	5/16	4500	Galvanized	Inside	Strip Wheels	
RBW40108	4 1/4	2 15/16	CW	5/16	4500	Galvanized	Inside	Strip Wheels	
RBW40109	4 3/4	2 1/16	CCW	1/2	3600	Galvanized	Inside	Strip Wheels	40603
RBW40110	4 3/4	2 1/16	CW	1/2	3600	Galvanized	Inside	Strip Wheels	40602
RBW40111	4 3/4	2 1/2	CCW	1/2	3600	Alum. Steel	Inside	Strip Wheels	
RBW40112	4 3/4	2 1/2	CCW	1/2	3600	Galvanized	Inside	Strip Wheels	
RBW40113	4 3/4	2 1/2	CW	1/2	3600	Galvanized	Inside	Strip Wheels	
RBW40114	4 3/4	2 1/2	CCW	5/16	3600	Galvanized	Inside	Strip Wheels	
RBW40115	4 3/4	2 1/2	CW	5/16	3600	Galvanized	Inside	Strip Wheels	
RBW40117	4 3/4	2 15/16	CCW	5/16	3600	Galvanized	Inside	Strip Wheels	
RBW40118	4 3/4	2 15/16	CW	5/16	3600	Galvanized	Inside	Strip Wheels	
RBW40119	4 3/4	2 15/16	CCW	1/2	3600	Galvanized	Inside	Strip Wheels	
RBW40120	4 3/4	2 15/16	CW	1/2	3600	Galvanized	Inside	Strip Wheels	
RBW40121	4 3/4	3 7/16	CCW	1/2	3600	Galvanized	Inside	Strip Wheels	
RBW40122	4 3/4	3 7/16	CW	1/2	3600	Galvanized	Inside	Strip Wheels	40605, 40606
RBW40123	4 13/16	1 1/8	CW	5/16	7400	Galvanized	Inside	Tab Lock	
RBW40124	4 13/16	1 1/8	CCW	5/16	7400	Galvanized	Inside	Tab Lock	
RBW50100	5 1/16	2 1/2	CW	1/2	4000	Galvanized	Inside	Tab Lock	
RBW50101	5 1/16	2 7/8	CW	1/2	3500	Galvanized	Inside	Tab Lock	
RBW50102	5 1/16	3	CW	5/16	3300	Alum. Steel	Inside	Tab Lock	
RBW50103	5 1/4	2 1/16	CW	1/2	3600	Galvanized	Inside	Strip Wheels	
RBW50104	5 1/4	2 1/16	CCW	1/2	3600	Galvanized	Inside	Strip Wheels	

*1/2" Deep conic back plate



Universal Single Inlet Blower Wheels



Strip Wheels



Tab Lock

Applications

- Draft inducers, power venting, small appliances, heating, ventilation, air conditioning, convectors, appliances, kitchen and bath exhaust

Features

- 5 1/4" to 12 5/8" diameters
- Embossed backs for added strength
- Factory balanced
- Individually boxed
- Made in USA
- Additional blower wheels available upon request

Item ID	Dia. (In.)	Width (In.)	Rotation	Bore (In.)	Max RPM	Material	Hub Location	Lock Type	Replaces
Revcor									
RBW50105	5 1/4	2 1/2	CW	1/2	3600	Galvanized	Inside	Strip Wheels	
RBW50106	5 1/4	2 1/2	CCW	1/2	3600	Galvanized	Inside	Strip Wheels	
RBW50107	5 1/4	2 1/2	CW	5/16	3600	Galvanized	Inside	Strip Wheels	40609
RBW50108	5 1/4	2 1/2	CCW	5/16	3600	Galvanized	Inside	Strip Wheels	40608
RBW50109	5 1/4	2 15/16	CW	5/16	3600	Galvanized	Inside	Strip Wheels	40611
RBW50110	5 1/4	2 15/16	CCW	5/16	3600	Galvanized	Inside	Strip Wheels	
RBW50111	5 1/4	2 15/16	CW	1/2	3600	Galvanized	Inside	Strip Wheels	
RBW50112	5 1/4	2 15/16	CCW	1/2	3600	Galvanized	Inside	Strip Wheels	
RBW50113	5 1/4	3 7/16	CW	5/16	3600	Galvanized	Inside	Strip Wheels	
RBW50114	5 1/4	3 7/16	CCW	5/16	3600	Galvanized	Inside	Strip Wheels	
RBW50115	5 1/4	3 7/16	CW	1/2	3600	Galvanized	Inside	Strip Wheels	
RBW50116	5 1/4	3 7/16	CCW	1/2	3600	Galvanized	Inside	Strip Wheels	40607
RBW50117	5 1/2	1	CW	5/16	3800	Galvanized	Inside	Tab Lock	
RBW50118	5 1/2	1 3/4	CW	1/2	3800	Alum. Steel	Inside	Tab Lock	
RBW50119	5 3/4	1 1/2	CCW	1/2	3700	Galvanized	Inside	Tab Lock	
RBW50120	5 3/4	2	CW	1/2	3400	Galvanized	Inside	Tab Lock	
RBW50121	5 3/4	2	CCW	1/2	3400	Galvanized	Inside	Tab Lock	
RBW50122	5 3/4	2 1/2	CW	1/2	3900	Galvanized	Inside	Tab Lock	
RBW50123	5 3/4	2 1/2	CCW	1/2	3900	Galvanized	Inside	Tab Lock	
RBW50124	5 3/4	2 1/2	CCW	5/16	3450	Galvanized	Inside	Strip Wheels	
RBW50125	5 3/4	2 1/2	CW	5/16	3450	Galvanized	Inside	Strip Wheels	
RBW50126	5 3/4	2 3/4	CW	5/16	3550	Galvanized	Inside	Tab Lock	
RBW50127	5 3/4	2 3/4	CCW	5/16	3550	Galvanized	Inside	Tab Lock	
RBW50128	5 3/4	2 15/16	CW	1/2	3000	Galvanized	Inside	Strip Wheels	
RBW50129	5 3/4	2 15/16	CCW	1/2	3000	Galvanized	Inside	Strip Wheels	
RBW50130	5 3/4	3	CW	5/16	2800	Galvanized	Inside	Tab Lock	
RBW50131	5 3/4	3	CCW	5/16	2800	Galvanized	Inside	Tab Lock	
RBW50132	5 3/4	3 7/16	CW	3/8	3000	Galv. Ring and Back / Alum. Blades	Inside	Strip Wheels	
RBW50133	5 3/4	3 7/16	CCW	3/8	3000	Galv. Ring and Back / Alum. Blades	Inside	Strip Wheels	
RBW50134	5 3/4	3 7/16	CW	5/16	3000	Galvanized	Inside	Strip Wheels	
RBW50135	5 3/4	3 7/16	CCW	5/16	3000	Galvanized	Inside	Strip Wheels	
RBW50136	5 3/4	3 13/16	CW	1/2	3000	Galvanized	Inside	Strip Wheels	
RBW50137	5 3/4	3 13/16	CCW	1/2	3000	Galvanized	Inside	Strip Wheels	
RBW50139	5 3/4	4	CW	1/2	2800	Galvanized	Inside	Strip Wheels	40615
RBW50140	5 3/4	4	CCW	1/2	2800	Galvanized	Inside	Strip Wheels	
RBW60100	6 5/16	1 1/2	CW	5/16	3300	Aluminum	Inside	Tab Lock	
RBW60102	6 5/16	2	CW	1/2	3200	Galvanized	Inside	Tab Lock	40617
RBW60103	6 5/16	2	CCW	1/2	3200	Galvanized	Inside	Tab Lock	40618
RBW60104	6 5/16	2 1/2	CW	1/2	2800	Galvanized	Inside	Tab Lock	40619
RBW60105	6 5/16	2 1/2	CCW	1/2	2800	Galvanized	Inside	Tab Lock	40620
RBW60108	6 5/16	2 15/16	CCW	5/16	3400	Galvanized	Inside	Strip Wheels	

REVCOR FAN BLADES

Universal Single Inlet Blower Wheels



Strip Wheels



Tab Lock

Applications

- Draft inducers, power venting, small appliances, heating, ventilation, air conditioning, convectors, appliances, kitchen and bath exhaust

Features

- 5 1/4" to 12 5/8" diameters
- Embossed backs for added strength
- Factory balanced
- Individually boxed
- Made in USA
- Additional blower wheels available upon request

Item ID	Dia. (In.)	Width (In.)	Rotation	Bore (In.)	Max RPM	Material	Hub Location	Lock Type	Replaces
Revcor									
RBW60109	6 5/16	2 15/16	CW	5/16	3400	Galvanized	Inside	Strip Wheels	
RBW60110	6 5/16	3	CW	1/2	3400	Galvanized	Inside	Tab Lock	40623
RBW60111	6 5/16	3	CCW	1/2	3400	Galvanized	Inside	Tab Lock	40624
RBW60112	6 5/16	3 1/4	CW	5/8	2100	Alum. Steel	Inside	Tab Lock	
RBW60113	6 5/16	3 1/4	CCW	5/8	2100	Alum. Steel	Inside	Tab Lock	
RBW60114	6 5/16	3 7/16	CW	1/2	3000	Galvanized	Inside	Strip Wheels	
RBW60115	6 5/16	3 7/16	CCW	1/2	3000	Galvanized	Inside	Strip Wheels	
RBW60116	6 5/16	3 13/16	CW	1/2	3000	Galvanized	Inside	Strip Wheels	
RBW60117	6 5/16	3 13/16	CCW	1/2	3000	Galvanized	Inside	Strip Wheels	
RBW60118	6 5/16	4	CW	1/2	2800	Galvanized	Inside	Strip Wheels	
RBW60119	6 5/16	4	CCW	1/2	2800	Galvanized	Inside	Strip Wheels	
RBW60121	6 5/16	1 1/32	CW	5/16	3450	Aluminum	Inside	Strip Wheels	
RBW60122	6 5/16	1 1/32	CCW	5/16	3450	Aluminum	Inside	Strip Wheels	
RBW60123	6 3/4	4	CW	1/2	2200	Galvanized	Inside	Tab Lock	
RBW60124	6 3/4	4	CCW	1/2	2200	Galvanized	Inside	Tab Lock	
RBW70100	7 1/8	1	CW	5/8	3700	Galvanized	Inside	Tab Lock	
RBW70101	7 1/8	1	CCW	5/8	3700	Galvanized	Inside	Tab Lock	
RBW70102	7 1/8	1 7/8	CCW	1/2	3200	Galvanized	Inside	Tab Lock	41204
RBW70103	7 1/8	1 7/8	CCW	1/2	3200	Galvanized	Inside	Tab Lock	
RBW70104	7 1/8	1 7/8	CW	5/16	3350	Galvanized	Inside	Tab Lock	
RBW70105	7 1/8	2	CCW	5/16	2900	Galvanized	Inside	Tab Lock	
RBW70106	7 1/8	2 1/2	CW	1/2	2400	Galvanized	Inside	Tab Lock	
RBW70107	7 1/8	4	CCW	3/8	1500	Galvanized	Inside	Tab Lock	
RBW70108	7 1/8	4	CCW	1/2	2000	Galvanized	Inside	Tab Lock	
RBW70109	7 1/8	4	CW	1/2	2000	Galvanized	Inside	Tab Lock	
RBW70110	7 7/16	1 1/2	CCW	1/2	3100	Galvanized	Inside	Tab Lock	
RBW70111	7 7/16	2 1/4	CW	1/2	3375	Galvanized	Inside	Tab Lock	
RBW70112	7 7/16	2 1/4	CCW	1/2	3375	Galvanized	Inside	Tab Lock	
RBW70113	7 7/16	2 1/2	CW	1/2	2500	Aluminum	Inside	Tab Lock	
RBW70114	7 7/16	2 1/2	CCW	1/2	2500	Aluminum	Inside	Tab Lock	
RBW70115	7 7/16	2 3/4	CW	1/2	2825	Galvanized	Inside	Tab Lock	40632
RBW70116	7 7/16	2 3/4	CCW	1/2	2825	Galvanized	Inside	Tab Lock	40633
RBW70117	7 7/16	3 1/4	CW	1/2	2400	Galvanized	Inside	Tab Lock	
RBW70118	7 7/16	3 1/4	CCW	1/2	2400	Galvanized	Inside	Tab Lock	
RBW70119	7 7/16	4	CW	1/2	1650	Aluminum	Inside	Tab Lock	
RBW70120	7 7/16	4	CCW	1/2	1650	Aluminum	Inside	Tab Lock	
RBW70121	7 5/8	4	CW	1/2	2000	Galvanized	Inside	Tab Lock	
RBW80101	8	1 1/2	CW	1/2	3000	Galvanized	Inside	Tab Lock	
RBW80102	8	1 1/2	CCW	1/2	3000	Galvanized	Inside	Tab Lock	
RBW80103	8	1 3/4	CCW	1/2	2800	Alum. Steel	Inside	Tab Lock	
RBW80104	8	1 7/8	CW	1/2	2800	Galvanized	Inside	Tab Lock	
RBW80105	8	2	CW	3/8	2700	Alum. Steel	Inside	Tab Lock	
RBW80106	8	2 1/4	CCW	1/2	2500	Galvanized	Inside	Tab Lock	
RBW80108	8	2 3/8	CCW	1/2	2300	Galvanized	Inside	Tab Lock	41205
RBW80110	8	2 1/2	CCW	1/2	2400	Galvanized	Inside	Tab Lock	



Universal Single Inlet Blower Wheels



Strip Wheels



Tab Lock

Applications

- Draft inducers, power venting, small appliances, heating, ventilation, air conditioning, convectors, appliances, kitchen and bath exhaust

Features

- 5 1/4" to 12 5/8" diameters
- Embossed backs for added strength
- Factory balanced
- Individually boxed
- Made in USA
- Additional blower wheels available upon request

Item ID	Dia. (In.)	Width (In.)	Rotation	Bore (In.)	Max RPM	Material	Hub Location	Lock Type	Replaces
Revcor									
RBW80111	8	4	CCW	1/2	1650	Aluminum	Inside	Tab Lock	
RBW80112	8	4	CW	1/2	1650	Aluminum	Inside	Tab Lock	
RBW80113	8 1/2	1.5	CCW	1/2	2800	Galvanized	Inside	Tab Lock	
RBW80116	8 1/2	2	CCW	5/8	2600	Alum. Steel	Inside	Tab Lock	41212
RBW80117	8 1/2	2 3/4	CW	1/2	2400	Galvanized	Outside	Tab Lock	40615
RBW80118	8 1/2	2 3/4	CCW	1/2	2400	Galvanized	Outside	Tab Lock	
RBW80119	8 1/2	3 3/4	CW	1/2	1850	Galvanized	Inside	Tab Lock	
RBW80120	8 1/2	3 3/4	CCW	1/2	1850	Galvanized	Inside	Tab Lock	
RBW80121	8 1/2	4	CW	1/2	1650	Galvanized	Inside	Tab Lock	
RBW80122	8 1/2	4	CCW	1/2	1650	Galvanized	Inside	Tab Lock	
RBW80123	8 1/2	4 1/4	CW	1/2	1500	Galvanized	Inside	Tab Lock	
RBW80124	8 1/2	4 1/4	CCW	1/2	1500	Galvanized	Inside	Tab Lock	
RBW90102	9 1/8	1 3/4	CCW	5/8	2400	Alum. Steel	Inside	Tab Lock	41208
RBW90103	9 1/8	2	CW	1/2	2150	Galvanized	Outside	Tab Lock	
RBW90104	9 1/8	3	CW	5/16	1650	Aluminum	Outside	Tab Lock	
RBW90105	9 1/8	3 3/4	CW	1/2	1575	Galvanized	Inside	Tab Lock	
RBW90106	9 1/8	3 3/4	CCW	1/2	1575	Galvanized	Inside	Tab Lock	
RBW90107	9 1/8	4 1/4	CW	1/2	1450	Galvanized	Inside	Tab Lock	
RBW90108	9 1/8	4 1/4	CCW	1/2	1450	Galvanized	Inside	Tab Lock	
RBW90109	9 1/8	4 1/2	CW	5/8	1375	Aluminum	Inside	Tab Lock	
RBW90110	9 1/8	4 1/2	CCW	5/8	1375	Aluminum	Inside	Tab Lock	
RBW90111	9 1/2	2	CCW	5/8	2200	Alum. Steel	Inside	Tab Lock	
RBW90112	9 7/8	1 1/2	CCW	5/8	2400	Galvanized	Inside	Tab Lock	41213
RBW90114	9 7/8	1 1/2	CCW	5/8	2400	Alum. Steel	Inside	Tab Lock	41241
RBW90116	9 7/8	1 7/8	CW	5/8	2200	Galvanized	Inside	Tab Lock	
RBW90117	9 7/8	1 7/8	CCW	5/8	2200	Galvanized	Inside	Tab Lock	40642
RBW90123	9 7/8	2	CCW	5/8	2100	Galvanized	Inside	Tab Lock	41202
RBW90124	9 7/8	2	CCW	5/8	2100	Alum. Steel	Inside	Tab Lock	41201
RBW90126	9 7/8	2 1/8	CCW	1/2	1900	Galvanized	Inside	Tab Lock	41242
RBW90128	9 7/8	2 1/4	CCW	1/2	1850	Galvanized	Inside	Tab Lock	
RBW90130	9 7/8	2 1/2	CCW	5/8	1750	Alum. Steel	Inside	Tab Lock	
RBW90131	9 7/8	6	CW	1/2	1100	Galvanized	Inside	Tab Lock	
RBW10100	10 3/4	1 3/8	CCW	5/8	2200	Galvanized	Inside	Tab Lock	
RBW10101	10 3/4	3	CW	1/2	1300	Galvanized	Outside	Tab Lock	
RBW10102	10 3/4	3	CCW	1/2	1300	Galvanized	Outside	Tab Lock	
RBW10103	10 3/4	4	CCW	1/2	1150	Galvanized	Inside	Tab Lock	
RBW10104	10 3/4	4	CW	1/2	1150	Galvanized	Inside	Tab Lock	
RBW10105	10 3/4	4 7/8	CCW	1/2	1125	Galvanized	Inside	Tab Lock	
RBW10106	10 3/4	5	CCW	1/2	1100	Galvanized	Inside	Tab Lock	
RBW10107	10 3/4	6	CW	1/2	1050	Galvanized	Inside	Tab Lock	
RBW10108	10 3/4	6	CCW	1/2	1050	Galvanized	Inside	Tab Lock	
RBW11100	11 5/8	2 1/2	CW	1/2	1550	Galvanized	Outside	Tab Lock	
RBW12100	12 5/8	5	CW	1/2	950	Galvanized	Inside	Tab Lock	
RBW12101	12 5/8	5	CCW	1/2	950	Galvanized	Inside	Tab Lock	
RBW12102	12 5/8	6	CCW	3/4	900	Galvanized	Inside	Tab Lock	

REVCOR FAN BLADES

Universal Double Inlet Blower Wheels



Applications

- Power venting, small appliances, heating, ventilation, air conditioning, PTAC, fan coils, and mini split systems

Features

- 4 3/4" to 12 5/8" diameters
- Embossed backs for added strength
- Factory balanced
- Individually boxed
- Variety of materials available
- Made in USA
- Additional blower wheels available upon request

Item ID	Diameter (In.)	Width (In.)	Rotation	Bore (In.)	Max RPM	Material	Hub Location	Type	Replaces
Revcor									
RBW40200	4 3/4	6 7/8	CW	1/2	3600	Aluminum	Center	Strip Wheels	41102
RBW50200	5 1/4	6 7/8	CW	1/2	3600	Aluminum	Center	Strip Wheels	41134
RBW50201	5 1/4	6 7/8	CCW	1/2	3600	Galvanized	Center	Strip Wheels	41108
RBW50202	5 1/4	6 7/8	CW	1/2	3600	Galvanized	Center	Strip Wheels	41107
RBW50203	5 1/4	6	CW	1/2	2800	Galvanized	Center	Tab Lock	
RBW50204	5 1/4	6 3/4	CCW	1/2	2250	Galvanized	Center	Tab Lock	
RBW50205	5 1/4	8	CCW	1/2	3200	Galvanized	Center	Strip Wheels	
RBW50206	5 1/2	5	CW	1/2	3200	Galvanized	Center	Tab Lock	
RBW50207	5 1/2	6 1/2	CCW	1/2	2800	Galvanized	Center	Tab Lock	41110
RBW50208	5 3/4	5	CW	1/2	3450	Galvanized	Center	Strip Wheels	41111
RBW50209	5 3/4	5 7/8	CW	1/2	3000	Galvanized	Center	Strip Wheels	41112
RBW50215	5 3/4	6	CCW	1/2	2700	Galvanized	Center	Tab Lock	
RBW50216	5 3/4	6 1/2	CCW	1/2	2400	Aluminum	Center	Tab Lock	
RBW50210	5 3/4	6 7/8	CW	1/2	3000	Galvanized	Center	Strip Wheels	41113
RBW50218	5 3/4	7 1/4	CCW	3/8	2000	Aluminum	Center	Tab Lock	
RBW50211	5 3/4	7 5/8	CCW	1/2	3000	Galvanized	Center	Strip Wheels	41115
RBW50212	5 3/4	7 5/8	CW	1/2	3000	Galvanized	Center	Strip Wheels	41114
RBW50214	5 3/4	8	CW	1/2	2800	Galvanized	Center	Strip Wheels	41116
RBW50219	5 3/4	8	CCW	1/2	1600	Galvanized	Center	Strip Wheels	41117
RBW50220	5 3/4	9	CW	3/8	1200	Aluminum	Center	Tab Lock	
RBW60200	6 1/8	7 1/4	CW	1/2	2000	Galvanized	Center	Tab Lock	
RBW60204	6 5/16	4	CW	1/2	2800	Galvanized	Center	Tab Lock	
RBW60205	6 5/16	5	CW	1/2	2700	Galvanized	Center	Tab Lock	
RBW60206	6 5/16	5 7/16	CW	1/2	3000	Galvanized	Off Center	Strip Wheels	
RBW60207	6 5/16	6	CCW	3/8	2350	Galvanized	Center	Tab Lock	
RBW60208	6 5/16	6 3/8	CW	1 1/4	2200	Aluminum	Center	Tab Lock	
RBW60201	6 5/16	6 7/8	CW	1/2	3000	Galvanized	Center	Strip Wheels	41123
RBW60209	6 5/16	6 7/8	CW	1/2	3000	Galvanized	Center	Strip Wheels	
RBW60210	6 5/16	7	CCW	1/2	2100	Galvanized	Center	Tab Lock	41127
RBW60211	6 5/16	7	CW	1/2	2100	Galvanized	Center	Tab Lock	41126
RBW60212	6 5/16	7 1/2	CCW	1/2	2000	Aluminum	Center	Tab Lock	
RBW60202	6 5/16	7 5/8	CCW	1/2	3000	Aluminum	Center	Strip Wheels	41124
RBW60213	6 5/16	7 5/8	CW	1/2	1900	Galvanized	Center	Tab Lock	41130
RBW60214	6 5/16	7 7/8	CW	1/2	1700	Aluminum	Center	Tab Lock	
RBW60203	6 5/16	8	CW	1/2	2800	Galvanized	Center	Strip Wheels	41125
RBW60215	6 5/16	8 1/8	CW	1/2	1700	Galvanized	Center	Tab Lock	
RBW60216	6 5/16	8 1/8	CCW	1/2	1700	Galvanized	Center	Tab Lock	
RBW60217	6 5/16	8 1/4	CW	1/2	1675	Galvanized	Center	Tab Lock	
RBW60218	6 3/4	7 1/4	CW	1/2	2000	Galvanized	Center	Tab Lock	
RBW60219	6 3/4	8 1/4	CW	1/2	1700	Galvanized	Center	Tab Lock	
RBW70203	7 7/16	7	CCW	1/2	1800	Galvanized	Center	Tab Lock	
RBW70204	7 7/16	9	CW	1/2	1625	Galvanized	Center	Tab Lock	41132
RBW70205	7 5/8	5 3/8	CCW	3/8	2050	Galvanized	Center	Tab Lock	
RBW70206	7 5/8	7	CW	1/2	1800	Galvanized	Center	Tab Lock	
RBW80200*	8 1/2	7	CW	1/2	1750	Galvanized	Center	Tab Lock	
RBW90200*	9 1/2	5 3/4	CW	1/2	1750	Galvanized	Center	Tab Lock	

*Convex back plate



Circulation Double Inlet Blower Wheels



Applications

- Furnaces, ventilation, air conditioning, mini split systems, evaporative coolers, commercial A/C, and fan coils

Features

- 9 1/2" to 12 5/8" diameters
- Embossed backs for added strength
- Factory balanced
- Individually boxed
- Made in USA
- Additional blower wheels available upon request

Item ID	Diameter (In.)	Width (In.)	Rotation	Bore (In.)	Max RPM	Material	Hub Location	Back Plate	Replaces
Revcor									
RBW90201	9 1/2	4 1/2	CW	1/2	1750	Galvanized	Center	Convex	41360
RBW90202	9 1/2	6 1/16	CW	1/2	1750	Galvanized	Center	Convex	41303
RBW90203	9 1/2	7 1/8	CCW	1/2	1750	Galvanized	Center	Convex	41306
RBW90204	9 1/2	7 1/8	CW	1/2	1750	Galvanized	Center	Convex	41307
RBW90205	9 1/2	8 1/16	CCW	1/2	1750	Galvanized	Center	Convex	41310
RBW90206	9 1/2	8 1/16	CW	1/2	1750	Galvanized	Center	Convex	41311
RBW90207	9 1/2	9 1/2	CW	1/2	1750	Galvanized	Center	Concave	41312
RBW90208	9 1/2	9 1/2	CCW	1/2	1750	Galvanized	Center	Concave	41361
RBW90209	9 7/8	7	CCW	1/2	1550	Galvanized	Center	Convex	
RBW90210	9 7/8	9 1/4	CCW	1/2	1200	Galvanized	Center	Convex	
RBW90211	9 7/8	10 1/2	CCW	1/2	1150	Galvanized	Center	Convex	
RBW10201	10 5/8	4 1/2	CW	1/2	1750	Galvanized	Center	Convex	41314
RBW10202	10 5/8	6 1/16	CCW	1/2	1750	Galvanized	Center	Convex	41317
RBW10203	10 5/8	6 1/16	CW	1/2	1750	Galvanized	Center	Convex	41318
RBW10204	10 5/8	6 1/16	CW	5/8	1750	Galvanized	Center	Convex	41321
RBW10205	10 5/8	7 1/8	CW	1/2	1750	Galvanized	Center	Convex	41323
RBW10206	10 5/8	7 1/8	CCW	1/2	1750	Galvanized	Center	Convex	41362
RBW10207	10 5/8	8 1/16	CCW	1/2	1750	Galvanized	Center	Convex	41326
RBW10208	10 5/8	8 1/16	CW	1/2	1750	Galvanized	Center	Convex	41327
RBW10209	10 5/8	9 1/2	CCW	1/2	1750	Galvanized	Center	Concave	41328
RBW10210	10 5/8	9 1/2	CW	1/2	1750	Galvanized	Center	Concave	41329
RBW10211	10 5/8	9 1/2	CW	1/2	1750	Galvanized	Center	Convex	41331
RBW10212	10 5/8	10 11/16	CCW	1/2	1750	Galvanized	Center	Concave	41332
RBW10213	10 5/8	10 11/16	CW	1/2	1750	Galvanized	Center	Concave	41333
RBW10215	10 3/4	10 1/2	CW	1/2	1150	Galvanized	Center	Convex	41335
RBW11200	11 15/16	6 1/6	CW	1/2	1550	Galvanized	Center	Convex	41339
RBW11201	11 15/16	7 1/8	CW	1/2	1550	Galvanized	Center	Convex	41341
RBW11202	11 15/16	8 1/16	CW	1/2	1550	Galvanized	Center	Convex	41345
RBW11203	11 15/16	8 1/16	CW	1/2	1550	Galvanized	Center	Concave	41343
RBW11204	11 15/16	8 1/16	CCW	1/2	1550	Galvanized	Center	Convex	41344
RBW11205	11 15/16	9 1/2	CCW	1/2	1550	Galvanized	Center	Convex	41348
RBW11206	11 15/16	9 1/2	CW	1/2	1550	Galvanized	Center	Convex	41349
RBW11207	11 15/16	10 11/16	CCW	1/2	1550	Galvanized	Center	Concave	41350
RBW11208	11 15/16	10 11/16	CW	1/2	1550	Galvanized	Center	Concave	41351
RBW12200	12 7/8	9 1/2	CW	5/8	1200	Galvanized	Center	Convex	41354
RBW12201	12 7/8	9 1/2	CW	1/2	1200	Galvanized	Center	Convex	41363
RBW12202	12 7/8	12 5/8	CW	1/2	1200	Galvanized	Center	Concave	41355
RBW12203	12 7/8	12 5/8	CW	5/8	1200	Galvanized	Center	Concave	41356